# iphone7 PLus A10 CPU
# 主板对地阻值图

GND(地)

NC(空)

OL(无穷大)





# iphone7 PLus A10 CPU 中层对地阻值图





# A10 CPU供电脚标注

- PP_CPU_VAR
- PP_SOC_VAR
- PP0V9_SOC_FIXED
- PP1V8
- PP1V1
- PP1V1_SDRAM
- PP1V8_SDRAM
- PP_GPU_VAR
- PP_GPU_SRAM_VAR
- PP_CPU_SRAM_VAR
- PP0V8_AOP
- PP1V2_SOC
- PP1V2_REF



# 苹果7P基带码片 逻辑码片对地阻图




基带码片






逻辑码片

# iphone7 PLus BB_RF(基带CPU) 对地阻值图

| | 23 | 22 | 21 | 20 | 19 | 18 | 17 | 16 | 15 | 14 | 13 | 12 | 11 | 10 | 9 | 8 | 7 | 6 | 5 | 4 | 3 | 2 | 1 | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| AB | | | | | | 438 | 748 | 424 | | | | | 424 | | | | | | | | | | | AB |
| AA | 424 | 455 | 668 | | | 561 | | 561 | 675 | 450 | 446 | 446 | 456 | 676 | 753 | | 603 | | | | | | 460 | AA |
| Y | 459 | | 2032 | 560 | 0.00 | | 443 | | | | 446 | | 461 | 723 | 1173 | | 462 | 437 | 437 | | | 460 | | Y |
| W | | 443 | | | | | | | | | | | | | | | | | | | | 460 | 460 | W |
| V | | | | | | 460 | 420 | 420 | | 450 | 535 | 535 | 437 | 724 | 462 | 66 | 66 | | 128 | | 443 | | | V |
| U | | 460 | 560 | | | 460 | | 420 | | | 460 | 460 | 460 | | | 420 | 420 | 460 | 450 | | 454 | 2073 | 424 | U |
| T | | 460 | | | | 460 | | | | | 388 | 460 | | | | 388 | 388 | | 460 | | | 454 | | T |
| R | 424 | | | | | | | 420 | 420 | 388 | 388 | | | 388 | 388 | 388 | | | 645 | | | | | R |
| P | | | | | | 460 | | | 420 | 420 | 388 | | | 388 | 388 | | | 460 | 675 | | | 424 | | P |
| N | 459 | 517 | | | | 1826 | | | | | | 460 | 388 | | | 388 | 460 | | 315 | | 335 | 341 | 760 | N |
| M | | 460 | | | | 430 | | 420 | 420 | 420 | | 460 | 460 | | | 388 | 388 | | | | | | | M |
| L | | 460 | 455 | | | 457 | 460 | 460 | | 420 | 388 | 388 | | | 388 | 388 | | | 388 | | | 500 | 795 | L |
| K | 424 | 450 | 450 | | | | 460 | | | 420 | 388 | | | 388 | 388 | | | 388 | 388 | | 400 | 439 | | K |
| J | 460 | | | | | 420 | 420 | | | 460 | 460 | 460 | 460 | 388 | | | 460 | 460 | | 492 | | 322 | 339 | J |
| H | | 460 | | | | | | | 420 | 420 | 460 | 460 | | | 460 | 460 | 460 | | | 554 | 514 | 307 | 319 | H |
| G | | 460 | 450 | | | | 460 | 420 | 420 | | | | 420 | 420 | | 420 | 420 | 388 | | 640 | 680 | 502 | | G |
| F | | | | | | 460 | 460 | | | | | 420 | 420 | | 460 | 420 | 388 | 388 | | 518 | | 698 | | F |
| E | | | | | | 460 | | 460 | | | | 460 | 682 | 692 | 465 | | | 460 | | | 675 | 424 | 424 | E |
| D | | 460 | | | | | | | | | | | | | | | | | | | 130 | | 460 | D |
| C | 460 | 460 | | | 563 | 675 | 325 | | 675 | | 562 | 675 | | 400 | | 460 | 675 | 675 | 413 | | 459 | | | C |
| B | 424 | | | | | 675 | 325 | 325 | 675 | | | 675 | 400 | 465 | 460 | 465 | 465 | 430 | | 445 | 465 | 460 | 457 | B |
| A | | | 753 | 753 | | | | 325 | | | | | | 460 | | 460 | | | 445 | | 462 | | | A |



# iphone7 PLus BBPMU_RF(基带电源) 阻值

| | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| GND 1 | 475 2 | 469 3 | 626 4 | 356 5 | GND 6 |
| GND 7 | 357 8 | NC 9 | 142 10 | 142 11 |
| 479 12 | 730 13 | 480 14 | 668 15 | 357 16 | GND 17 |
| 376 18 | 486 19 | NC 20 | NC 21 | 143 22 |
| 480 23 | 357 24 | 720 25 | NC 26 | 144 27 | GND 28 |
| 562 29 | 225 30 | 719 31 | 536 32 | GND 33 |
| OL 34 | 733 35 | GND 36 | 441 37 | 415 38 | 471 39 |
| GND 40 | GND 41 | 355 42 | 1033 43 | 661 44 |
| 732 45 | GND 46 | 357 47 | 341 48 | GND 49 |
| GND 50 | 1477 51 | NC 52 | GND 53 | GND 54 |
| OL 55 | 536 56 | GND 57 | 438 58 | 662 59 |
| OL 60 | 625 61 | GND 62 | 533 63 | 662 64 |
| OL 65 | OL 66 | GND 67 | GND 68 | 662 69 | 358 70 |
| GND 71 | 537 72 | 0.00 73 | OL 74 | GND 75 |
| 2192 76 | 496 77 | 384 78 | OL 79 | 421 80 | 431 81 |
| 787 82 | GND 83 | 599 84 | 400 85 | OL 86 |
| 272 87 | GND 88 | 661 89 | 364 90 | OL 91 | 356 92 |
| GND 93 | 358 94 | 617 95 | 616 96 | OL 97 |
| GND 98 | 276 99 | 344 100 | 446 101 | GND 102 | 358 103 |



# iPhone7 PLUS 尾插连接座阻值图

福禄克万用表






# 苹果7P充电IC USB控制管对地阻图



| | 1 | 2 | 3 | 4 | 5 | 6 |
|---|---|---|---|---|---|---|
| A | 480 | OL | 368跳713 | 368跳1413 | 365-435 | GND |
| B | 475 | OL | 712 | OL | 436 | 752 |
| C | GND | 1667 | 439 | 439 | OL | 439 |
| D | NC | GND | 374 | 414 | 530 | 1198 |
| E | 435 | 435 | OL | 403 | OL | OL |
| F | 435 | 433 | 275 | 597 | GND | 1753 |

U4001USB控制管

| | A | B | C | D | E | F | G |
|---|---|---|---|---|---|---|---|
| 5 | OL | OL | OL | OL | OL | OL | OL |
| 4 | 336 | 336 | 336 | 336 | 444 | 666 | OL |
| 3 | GND | GND | GND | GND | 390 | GND | 444 |
| 2 | 341 | 341 | 341 | 341 | OL | 2187 | 776 |
| 1 | 343 | 343 | 343 | 343 | 343 | 2175 | 440 |

U2101充电IC

# 苹果7P指南针 陀螺仪对地阻图









# iPhone7 PLUS 显示触摸连接座阻值图

福禄克万用表



# iphone7 PLus 基带码片电路




基带
码片



# iPhone7 PLUS 前摄像连接座阻值图



福禄克万用表



# 苹果7P气压传感器 M2800电感对地阻图

## M2800升压电感

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| GND | GND | GND | GND | GND | GND | GND | Y |
| GND | 547 | 547 | GND | 547 | 547 | GND | X |
| GND | GND | GND | GND | GND | GND | GND | W |
| GND | 345 | 345 | GND | 345 | 345 | GND | V |
| GND | GND | GND | GND | GND | GND | GND | U |
| GND | 542 | GND | GND | GND | 345 | GND | T |
| GND | 542 | GND | GND | GND | 345 | GND | S |
| GND | 542 | GND | GND | GND | 345 | GND | R |
| GND | 542 | GND | GND | GND | 345 | GND | Q |
| GND | GND | GND | GND | GND | GND | GND | P |
| GND | 461 | GND | 345 | GND | GND | GND | N |
| GND | 461 | GND | 345 | GND | GND | GND | M |
| GND | 461 | GND | 345 | GND | GND | GND | L |
| GND | GND | GND | GND | GND | GND | GND | K |
| GND | 538 | GND | GND | GND | 345 | GND | J |
| GND | 538 | GND | GND | GND | 345 | GND | H |
| GND | 538 | GND | GND | GND | 345 | GND | G |
| GND | 538 | GND | GND | GND | 345 | GND | F |
| GND | GND | GND | GND | GND | GND | GND | E |
| GND | 345 | 345 | GND | 345 | 345 | GND | D |
| GND | GND | GND | GND | GND | GND | GND | C |
| GND | 507 | 507 | GND | 507 | 507 | GND | B |
| GND | GND | GND | GND | GND | GND | GND | A |
| 7 | 6 | 5 | 4 | 3 | 2 | 1 | |



# iphone7 Plus GLNA_RF对地阻值图






# iphone7 Plus GPS前端座






# iphone7 Plus GSMPA_RF 功放对地阻值图






# iPhone7 PLUS 指纹连接座阻值图

福禄克万用表

| | | | |
|---|---|---|---|
| 0 | 25 | 26 | 0 |
| 678 | 1 | 2 | 696 |
| 0 | 3 | 4 | 696 |
| 445 | 5 | 6 | 696 |
| 529 | 7 | 8 | 635 |
| 533 | 9 | 10 | 0 |
| 918 | 11 | 12 | 0L |
| 865 | 13 | 14 | 0L |
| 450 | 15 | 16 | 449 |
| 450 | 17 | 18 | 0L |
| 445 | 19 | 20 | 0L |
| 476 | 21 | 22 | 0L |
| 521 | 23 | 24 | 522 |
| 0 | 27 | 28 | 0 |






GND
GND
GND
GND
GND
GND
719
386
GND
719
GND
386
720
726
391
GND
726
GND
390
726

# iPhone7 A10 CPU 中层供电、阻值图

接地

PP1V1_SDRAM

PP1V8_SDRAM

PP1V1

福禄克115C数字表测量值

扫码加微信送A9、A10 CPU供电脚位图，
后期更多iPhone6S、iPhone7资料发送。

微信号：ChatonFix

迅维手机维修培训学校 0755-27396416 www.xinxunwei.com


BS0401
BS0415
BS0402
BS0403
J4504
J3001
J4501
J4503
TUNFX_RF
WLAN_RF
WLBLN_RF
WHBLN_RF
LBLN_RF
PPLNK_RF
LBPA_RF
MLBPA_RF
TDDPA_RF
MBHBPA_RF
QPOET_RF
J2201
U1701
U1801
L1805
L2700
L3703
L3704
L3705
L3706
L3707
L3708
L3709
L3710
L3711
L3712
L3713
L3714
L3715
L3716
L3717
L3718
L3719
L3720
L3721
L3722
L3723
L3724
L3725
L3726
L3727
L3728
L3729
L3730
L3731
L3732
L3733
L3734
L3735
L3736
L3737
L3738
L3739
L3740
L3741
L3742

# iPhone7PLus元件阻值精细图-A（高通版）



# iPhone7PLus元件阻值精细图-B
# （高通版）



# iphone7 Plus J3001主照相座对地阻值






# iphone7 Plus J3801 指纹/HOME






# iphone7 Plus J4101座对地阻值图










# iphone7 Plus J4501座对地阻值






# iphone7 Plus J4502显示 触摸座对地阻值

| | | | | | |
|---|---|---|---|---|---|
| | | 53 GND | | | |
| GND | 49 | | 50 | GND |
| OL | 1 | | 2 | 531 |
| 433 | 3 | | 4 | OL |
| 1812 | 5 | | 6 | 448 |
| 448 | 7 | | 8 | 443 |
| 448 | 9 | | 10 | 445 |
| 448 | 11 | | 12 | GND |
| 446 | 13 | | 14 | 438 |
| 435 | 15 | | 16 | 738 |
| 441 | 17 | | 18 | 319 |
| 494 | 19 | | 20 | 495 |
| 507 | 21 | | 22 | 457 |
| OL | 23 | | 24 | 391 |
| 563 | 25 | | 26 | GND |
| OL | 27 | | 28 | 486 |
| OL | 29 | | 30 | 485 |
| 478 | 31 | | 32 | GND |
| 479 | 33 | | 34 | 485 |
| GND | 35 | | 36 | 483 |
| 578 | 37 | | 38 | GND |
| 491 | 39 | | 40 | 478 |
| 579 | 41 | | 42 | 479 |
| 581 | 43 | | 44 | GND |
| 494 | 45 | | 46 | 477 |
| 581 | 47 | | 48 | 478 |
| GND | 51 | | 52 | GND |
| | | GND 54 | | | |



# iphone7 PLusJ4503 前照相 听筒 感光 MIC3座






# iphone7 Plus J4504音量/闪光对地阻值






# iphone7 Plus LATCP_RF对地阻值图

| 16 | 12 | 8 | 4 |
|---|---|---|---|
| 120 | 317 | 692 | 160 |
| 15 | 11 | 7 | 3 |
| GND | GND | GND | GND |
| 14 | 10 | 6 | 2 |
| NC | GND | GND | OL |
| 13 | 9 | 5 | 1 |
| NC | 412 | 229 | OL |

LATCP_RF



# iphone7 Plus LBDSM_RF 功放对地阻值图






# iphone7 Plus LBLN_RF对地阻值图






# iphone7 Plus LBPA_RF 功放对地阻值图

| | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 14 | 13 | 12 | 11 | 10 | 9 | 8 | 7 | 6 | 5 | 4 | 3 | 2 | 1 |
| OL | GND | 0.00 | GND | 241 | 514 | 331 | 495 | GND | GND | GND | OL | OL | GND |

| | | | | | |
|---|---|---|---|---|---|
| 15 GND | GND 55 | GND 52 | GND 49 | GND 46 | GND 43 |
| 16 0.00 | | | | | |
| 17 GND | GND 56 | GND 53 | GND 50 | GND 47 | GND 44 |
| 18 OL | | | | | |
| 19 GND | GND 57 | GND 54 | GND 51 | GND 48 | GND 45 |
| 20 GND | | | | | |
| 21 GND | | | | | |

| | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| GND | NC | OL | NC | OL | GND | GND | GND | GND | GND | GND | GND | GND | GND |
| 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 |

| | |
|---|---|
| 42 GND | GND |
| 41 398 | 398 |
| 40 398 | |
| 39 GND | GND |
| 38 GND | |
| 37 GND | |
| 36 GND | |



# iphone7 PLus M2600 闪光灯IC 对地阻值图



| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| A | GND | GND | GND | GND | GND | GND | GND | GND | GND | GND | GND | GND | GND | GND | GND | GND | GND | GND | GND | GND |
| B | GND | GND | GND | GND | GND | GND | GND | 341 | 428 | 429 | OL | OL | 496 | OL | OL | GND | GND | 341 | 341 | GND |
| C | GND | GND | GND | GND | GND | GND | GND | OL | 443 | 2068 | 2068 | 443 | OL | GND | GND | GND | GND | GND | GND | GND |
| D | GND | 341 | 341 | GND | GND | OL | OL | 496 | OL | OL | 429 | 429 | 341 | GND | GND | GND | GND | GND | GND | GND |
| E | GND | GND | GND | GND | GND | GND | GND | GND | GND | GND | GND | GND | GND | GND | GND | GND | GND | GND | GND | GND |

# iphone7 PLus M2800 对地阻值图

## （取下可开机，屏不亮）

**1. 不充电 2.无背光灯 3.无显示触摸 4.无震动 5.无振铃**

| | 7 | 6 | 5 | 4 | 3 | 2 | 1 | |
|---|---|---|---|---|---|---|---|---|
| Y | GND | GND | GND | GND | GND | GND | GND | Y |
| X | GND | 547 | 547 | GND | 547 | 547 | GND | X |
| W | GND | GND | GND | GND | GND | GND | GND | W |
| V | GND | 345 | 345 | GND | 345 | 345 | GND | V |
| U | GND | GND | GND | GND | GND | GND | GND | U |
| T | GND | 542 | GND | GND | GND | 345 | GND | T |
| S | GND | 542 | GND | GND | GND | 345 | GND | S |
| R | GND | 542 | GND | GND | GND | 345 | GND | R |
| Q | GND | 542 | GND | GND | GND | 345 | GND | Q |
| P | GND | GND | GND | GND | GND | GND | GND | P |
| N | GND | 461 | GND | 345 | GND | GND | GND | N |
| M | GND | 461 | GND | 345 | GND | GND | GND | M |
| L | GND | 461 | GND | 345 | GND | GND | GND | L |
| K | GND | GND | GND | GND | GND | GND | GND | K |
| J | GND | 538 | GND | GND | GND | 345 | GND | J |
| H | GND | 538 | GND | GND | GND | 345 | GND | H |
| G | GND | 538 | GND | GND | GND | 345 | GND | G |
| F | GND | 538 | GND | GND | GND | 345 | GND | F |
| E | GND | GND | GND | GND | GND | GND | GND | E |
| D | GND | 345 | 345 | GND | 345 | 345 | GND | D |
| C | GND | GND | GND | GND | GND | GND | GND | C |
| B | GND | 507 | 507 | GND | 507 | 507 | GND | B |
| A | GND | GND | GND | GND | GND | GND | GND | A |



# iPhone7 PLUS 主摄像连接座阻值图



福禄克万用表

左




右



# iphone7 Plus MBHBPA_RF 功放对地阻值图

| 14 | 13 | 12 | 11 | 10 | 9 | 8 | 7 | 6 | 5 | 4 | 3 | 2 | 1 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OL | 458 | GND | 0.00 | 269 | GND | OL | 0.00 | GND | OL | GND | 0.00 | GND | OL |

| | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 15 | GND | GND 55 | GND 52 | GND 49 | GND 46 | GND 43 | | | | | | | GND | 42 |
| 16 | GND | | | | | | | | | | | | GND | 41 |
| 17 | OL | GND 56 | GND 53 | GND 50 | GND 47 | GND 44 | | | | | | | GND | 40 |
| 18 | GND | | | | | | | | | | | | GND | 39 |
| 19 | 0.00 | GND 57 | GND 54 | GND 51 | GND 48 | GND 45 | | | | | | | 425 | 38 |
| 20 | GND | | | | | | | | | | | | 425 | 37 |
| 21 | 0.00 | | | | | | | | | | | | GND | 36 |

| GND | GND | GND | GND | 227 | 362 | 362 | 511 | GND | OL | OL | GND | 425 | GND |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 |



# iphone7 PLus MHBDSM_RF 功放对地阻值图






# iphone7 Plus MHBLN_RF对地阻值图



# iphone7 PLus NFBST_RF 阻值

| | 1 | 2 | 3 |
|---|---|---|---|
| A | 341 | 345 | 315 |
| B | 316 | 318 | 670 |
| C | GND | GND | GND |



# iphone7 PLus NFC_RF 阻值

| G | F | E | D | C | B | A | |
|---|---|---|---|---|---|---|---|
| 287 | NC | 720 | 720 | 436 | 435 | 436 | 1 |
| 665 | 448 | GND | 436 | GND | 437 | 441 | 2 |
| OL | GND | OL | 295 | NC | OL | 748 | 3 |
| GND | NC | NC | GND | GND | OL | 625 | 4 |
| OL | OL | 438 | 694 | OL | 297 | OL | 5 |
| NC | OL | 635 | GND | OL | GND | NC | 6 |
| NC | OL | OL | OL | 507 | OL | OL | 7 |



# iPhone7 PLUS 开机连接座阻值图



福禄克万用表

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| 620 | 21 | 613 | 17 | 833 | 13 | 440 | 11 | 440 | 9 |
| 22 | | 18 | | 14 | | 12 | | 10 | |
| 620 | | 622 | | 834 | | 517 | | 770 | |

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| 0L | 7 | 710 | 5 | 710 | 3 | 680 | 1 | 0 | 15 |
| 8 | | 6 | | 4 | | 2 | | 16 | |
| 0 | | 0L | | 694 | | 580 | | 620 | |

| | | |
|---|---|---|
| 0 | 19 | |
| 20 | | |
| 0 | | |

# iphone7 Plus PPLXR_RF对地阻值图






# iphone7 PLus Q2101 阻值

| | 1 | 2 | 3 |
|---|---|---|---|
| A | 485 | 345 | 345 |
| B | 345 | 345 | 345 |
| C | 382 | 382 | 382 |



# iphone7 Plus QPOET_RF (供电管)对地阻值图






# iphone7 Plus RFBUF_RF对地阻值图






# 苹果7P SIM座子对地阻图






# iphone7 Plus TDDPA_RF 功放对地阻值图

| | | | | | | |
|---|---|---|---|---|---|---|
| | 7 | 6 | 5 | 4 | 3 | 2 | 1 | |
| | GND | GND | OL | GND | OL | GND | GND | |
| 8 | 382 | GND 39 | GND 34 | GND 29 | | | GND | 28 |
| 9 | 382 | | | | | | 0.00 | 27 |
| 10 | GND | GND 40 | GND 35 | GND 30 | | | GND | 26 |
| 11 | 515 | | | | | | 0.00 | 25 |
| 12 | 361 | GND 41 | GND 36 | GND 31 | | | GND | 24 |
| 13 | 353 | | | | | | GND | 23 |
| 14 | 226 | GND 42 | GND 37 | GND 32 | | | GND | 22 |
| | GND | 28 | GND | GND | GND | GND | GND | |
| | 15 | 16 | 17 | 18 | 19 | 20 | 21 | |



# iphone7 Plus 逻辑码片电路




逻辑码片



# iphone7 PLus U2101 充电IC 阻值

| | A | B | C | D | E | F | G |
|---|---|---|---|---|---|---|---|
| 5 | OL | OL | OL | OL | OL | OL | OL |
| 4 | 336 | 336 | 336 | 336 | 444 | 666 | OL |
| 3 | GND | GND | GND | GND | 390 | GND | 444 |
| 2 | 341 | 341 | 341 | 341 | OL | 2187 | 776 |
| 1 | 343 | 343 | 343 | 343 | 343 | 2175 | 440 |



# iphone7 Plus U2402 指南针电路






# iphone7 PLus U2403 气压传感电路






# iphone7 PLus U2404 陀螺仪电路






# iphone7 Plus U3101 音频 对地阻值图

| M | L | K | J | H | G | F | E | D | C | B | A | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| GND | OL | OL | 368 | OL | NC | NC | NC | NC | OL | GND | GND | 1 |
| NC | OL | OL | GND | GND | OL | NC | GND | NC | NC | NC | NC | 2 |
| NC | OL | OL | OL | 674 | OL | NC | GND | NC | NC | NC | NC | 3 |
| GND | GND | NC | OL | GND | GND | GND | GND | NC | NC | NC | NC | 4 |
| GND | OL | OL | GND | 732 | GND | GND | NC | NC | 440 | 505 | 280 | 5 |
| OL | OL | OL | OL | GND | GND | GND | NC | NC | 439 | 486 | GND | 6 |
| 381 | GND | OL | OL | GND | GND | GND | NC | GND | 449 | 449 | 449 | 7 |
| NC | NC | NC | GND | GND | GND | GND | GND | 448 | 434 | 433 | 433 | 8 |
| NC | NC | 446 | NC | GND | GND | GND | GND | GND | 439 | 704 | 704 | 9 |
| GND | GND | NC | NC | 379 | 55 | GND | GND | GND | GND | NC | 447 | 10 |
| NC | GND | NC | 278 | 380 | GND | GND | GND | NC | 444 | 444 | 444 | 11 |
| NC | NC | NC | 688 | 735 | 279 | OL | OL | 279 | 462 | GND | GND | 12 |



# iphone7 PLus  U3301 对地阻值图

| | 1 | 2 | 3 | 4 | 5 | 6 | 7 |
|---|---|---|---|---|---|---|---|
| A | OL | 348 | GND | GND | 348 | 445 | 448 |
| B | OL | 348 | GND | GND | GND | 471 | 445 |
| C | OL | OL | GND | GND | GND | 436 | 433 |
| D | OL | OL | GND | GND | | 439 | 480 |
| E | OL | OL | OL | GND | OL | 439 | 480 |
| F | OL | GND | GND | OL | 368 | 708 | 480 |



# iphone7 PLus　U3402　对地阻值图

| | 1 | 2 | 3 | 4 | 5 | 6 | 7 |
|---|---|---|---|---|---|---|---|
| A | OL | 348 | GND | GND | 348 | 444 | 448 |
| B | OL | 348 | GND | GND | GND | 471 | 445 |
| C | OL | OL | GND | GND | GND | 436 | 433 |
| D | OL | OL | GND | GND | GND | 439 | 480 |
| E | OL | OL | OL | GND | GND | 439 | NC |
| F | OL | GND | GND | OL | 368 | 708 | NC |



# iphone7 PLus U3502 对地阻值图

| | 1 | 2 | 3 | 4 | 5 | 6 | 7 |
|---|---|---|---|---|---|---|---|
| A | OL | 347 | GND | GND | 347 | 443 | 446 |
| B | OL | 345 | GND | GND | GND | 471 | 445 |
| C | OL | OL | GND | GND | GND | 432 | 435 |
| D | OL | OL | GND | GND | GND | 438 | 480 |
| E | OL | OL | OL | GND | 365 | 438 | NC |
| F | OL | GND | GND | OL | 365 | NC | NC |



# iphone7 PLus U3601 阻值

| | 1 | 2 | 3 | 4 | 5 |
|---|---|---|---|---|---|
| A | 439 | 414 | 503 | NC | 445 |
| B | 665 | 504 | 503 | NC | NC |
| C | 450 | 663 | NC | 273 | NC |
| D | 273 | 504 | NC | 440 | 729 |
| E | GND | 504 | 490 | 442 | NC |



# iphone7 Plus U3602 阻值

| | A | B | C | D | E | F |
|---|---|---|---|---|---|---|
| 6 | NC | NC | NC | NC | NC | 610 |
| 5 | 576 | OL | GND | 666 | 429 | 428 |
| 4 | 457 | NC | 455 | 454 | 426 | 436 |
| 3 | GND | 615 | 455 | 424 | 425 | 429 |
| 2 | NC | 423 | 447 | 492 | 425 | 427 |
| 1 | GND | 510 | 667 | 427 | 428 | 429 |



# iphone7 Plus U3603对地阻值图






# iphone7 PLus U3701 阻值

| | 1 | 2 | 3 | 4 |
|---|---|---|---|---|
| A | OL | 398 | OL | OL |
| B | OL | 360 | GND | GND |
| C | OL | 428 | 428 | OL |
| D | 439 | 469 | 265 | 332 |



# iphone7 Plus U3702对地阻值图






# iphone7 PLus U3703 阻值

| | 1 | 2 | 3 | 4 |
|---|---|---|---|---|
| A | OL | GND | OL | OL |
| B | GND | 332 | OL | OL |
| C | GND | 411 | 658 | OL |
| D | 340 | 397 | 412 | GND |
| E | 667 | OL | OL | OL |



# iphone7 PLus U4001 USB控制 阻值

取下，白苹果，不进系统，重启，电流，有正常开机电流
但不进系统，徘徊在150-200左右

| | 1 | 2 | 3 | 4 | 5 | 6 |
|---|---|---|---|---|---|---|
| A | 480 | OL | 368跳713 | 368跳1413 | 365-435 | GND |
| B | 475 | OL | 712 | OL | 436 | 752 |
| C | GND | 1667 | 439 | 439 | OL | 439 |
| D | NC | GND | 374 | 414 | 530 | 1198 |
| E | 435 | 435 | OL | 403 | OL | OL |
| F | 435 | 433 | 275 | 597 | GND | 1753 |



# iphone7 PLus U4601 阻值

| | | | | |
|---|---|---|---|---|
| 332 | 265 | 489 | 453 | D |
| 332 | 452 | 452 | OL | C |
| GND | GND | 364 | OL | B |
| 332 | 332 | 412 | 511 | A |
| 4 | 3 | 2 | 1 | |



# iphone7 Plus UATCP_RF对地阻值图






# 苹果7P供电管对地阻图

QPOET_RF 取下:

①移动卡，无服务，无运营商，拨号无串号。

②联通卡，无服务，无运营商，拨号无串号。

③电信卡，无服务，无运营商，拨号无串号。






# 苹果7P WIFI对地阻图



# iphone7 PLus WLAN_RF 阻值



# iphone7 Plus XCVR1_RF (小射频)阻值






# iphone7 Plus XCVR0_RF(大射频) 阻值

| | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 15 NC | | 29 NC | | 43 NC | | 58 GND | | 73 OL | | 85 OL | | 99 OL | |
| 7 OL | | 22 OL | | 35 OL | | 50 OL | | 65 OL | | 79 OL | | 92 OL | | 106 OL |
| | 14 OL | | 28 GND | | 42 GND | | 57 GND | | 72 GND | | 84 GND | | 98 OL | |
| 6 OL | | 21 GND | | | | 49 428 | | 64 428 | | | | 91 GND | | 105 OL |
| | 13 OL | | | | 41 GND | | 56 GND | | 71 GND | | | | 97 OL | |
| 5 NC | | 20 GND | | 34 712 | | 48 GND | | 63 GND | | 78 712 | | 90 GND | | 104 NC |
| | 12 NC | | 27 GND | | 40 712 | | 55 GND | | 70 712 | | 83 GND | | 96 NC | |
| 4 NC | | 19 GND | | 33 712 | | 47 514 | | 62 514 | | 77 712 | | 89 GND | | 103 NC |
| | 11 NC | | 26 GND | | 39 712 | | 54 GND | | 69 712 | | 82 GND | | 95 NC | |
| 3 GND | | 18 712 | | 32 712 | | 46 OL | | 61 GND | | 76 335 | | 88 428 | | 102 GND |
| | 10 OL | | 25 GND | | 38 GND | | 53 GND | | 68 338 | | | | | |
| 2 NC | | 17 GND | | 31 GND | | 45 425 | | 60 338 | | 75 335 | | 87 GND | | 101 OL |
| | 9 595 | | 24 NC | | 37 GND | | 52 GND | | 67 338 | | 81 GND | | 94 | |
| 1 625 | | 16 NC | | 30 394 | | 44 NC | | 59 OL | | 74 OL | | 86 OL | | 100 OL |
| | 8 OL | | 23 OL | | 36 GND | | 51 NC | | 66 NC | | 80 NC | | 93 OL | |