

规格书 SPECIFICATIONS FOR APPROVAL

制品名

贴片型铝电解电容器

PRODUCT NAME: V-chip Aluminum Electrolytic Capacitors

系列 VT 105℃ 标准品

SERIES: VT Series, 105°C, ±20%, Standard

规格

DESCRIPTION VT1H101M-CRF10 100uF/50V Φ8*10.5mm

客户名称:

客户承认栏	发行确认栏				
APPROVAL COLUMN	APPROVED BY				
	 核准	审核	拟定		
	APPROVED BY	CHECKED	PREPARED		
	徐永康	周红	陈小英		

历年更改目录表

型 号:	(VI	T1H101M-CRF10)
更改年月日	更改页码	更改事项
2022年7月11日		全新发行

物料规格

NO	Series	Name (uF / WV)	WV (V)	Cap. (uF)	Cap. tol. 120Hz 20℃	DF 120Hz 20℃ ≤	LC (uA) (2min) ≤	Д Ф* L	P ±0.2	Allowable ripple current (mA rms) at 105°C, 120Hz	Code
1.	VT	100/50	50	100	±20%	0.14	50	8*10.5	3.1	140	М

VT环保型标准品贴片铝电解电容器

VT Series environmental protection standard product SMD(V-chip) aluminum electrolytic capacitors.

1.范围 Scope

适用"VT系列"立式片式铝电解电容器

This specification covers "VT Series" SMD(V-chip) aluminum electrolytic capacitors.

2.参考标准 Reference Standard

日本工业标准 JIS C-5141 JIS C-5101

Japanese industrial Standard JIS C-5141 characteristics W and JIS C-5101 except as specified

3.环境保护标准 environment protection standard

RoHS 指令 2015/863/EU

4.主要技术性能 SPECIFICATION

NO	项目 Item	Performano	性能 Charac	teristics		-	试验	方法	test	meth	od (JIS	C 510)1-1)
1	使用温度范围 Operating temperature range		- 40 ~ +105											
2	额定工作电压范围 Voltage Range	6	6.3 ~100 (VDC)											
3	泄漏电流 Leakage Current	I ≦ 0.01 CV 或 3 uA (2 分钟取大值)					V	vhich	ever i	s grea	ater (after 2	2 minute	es)
4	静电容量允许偏差 Capacitance Tolerance	±20 (%)							((120 H	lz, +2	20℃)		
	损失角正切值		tage (VDC ^{E电压}	6.3	10		16	25	5	35		50	63	100
5	Tan δ (120 Hz, +20℃)	Tan δ (max.)	Ø4~Ø10	0.30	0.24	C).20	0.1	6	0.14	0	.14	0.12	0.12
6	温度特性 Temperature Characteristics	Step 1 2 3 4 5 Step1时, Step2时, Rate Impedanc ZT/Z20 (r Step4时,	1 20±2 2 -25、-40 (+0、-2) 3 15~35 4 105 (+2、-0)			15 30 3 2/6 , 6.3 4 10	5 2置 30 5 0 3 DF、L 10 3 8		25 2 5 ±28 init	直内 35 2 5 5 5 % of ial spe	LCC 50 2 5 5 the vecifie	CAP Z C. CA 63 2 6 value d value value	100 3 6 in Step1	
		_	员失角正切							ial spe				

NO	项目	性能 Grantagiantian 试验方法 test method (JIS C 5101-1)										
	Item	Performa	ance Ch	naracteris	stics		W(5	V/) 14 168	ot method	(313 C	3101-17	
_	浪涌测试	Rated Voltage 额定电』 Surge Voltage 浪涌电』	± e (VDC)	6.3 7.2	10 10.5	16 18.4		35 40	50 58	63 73	100 115	
7	Surge Voltage Test	After surge volt successive test judgement: a. 容量△C/C c. 漏电流LC	~35℃ o. 损耗	30 seconds charge and 5.5 minutes discharge1000 ℃. □ A A A E E E E E E E E E E E E E E E E								
8	可焊性 Solderability		焊料润湿试验表面 95%区域,焊锡应光亮均匀 A minimum of 95% of the surface being immersed						The capacitor shall be tested under the following conditions: Soldering temperature: 245±5℃			
9	耐振性 Vibration test	电容量变化 Cap of initial value 外观无损坏 Ap leakage of elect		each (X total of Vibratio Peak to	Y,Z) 3 mu hours . n frequenc peak amp	ditions sha tually perp by range: 1 litude: 1.5	oendicula 0Hz ~ 55 mm	r directior iHz	ns,with a			
10	标示耐溶剂性 Solvent Resistance of the Marking	标示应清晰可辨 There shall be no damage end legibly marked can be deciphered easily					在 20~25°C 条件下将电容器本体浸入异丙醇中 30±5S 后,目视检查 Class of Reagent:Isopropyl Alcohol; Test Temperature:20~25°C;Immersing Time:30±5S					
11	耐焊接热 Solder Heat Resistance Test	判定: a. 容量变化量 ≦ ±10 % △C/C ≦ ±10%; b. 外观不得有损坏现象 Appearance: No significant change can be observe					经过回流焊后 (参见第 9 页) 在室温中恢复后, 电容器满足如左要求 After reflow soldering according to Reflow Soldering Condition (see page 9) and restored at room temperature, they meet the characteristics listed.					
	高温负载		≦±30%初 ≦±30% ini		ed value		105℃施加额定电压 2000 小时,让其在室温下冷却恢复后检查 105℃施加额定电压 2000 小时后,电容器应满足如左要求 After 2000 hours application of rated voltage at 105°C, capacitors meet the characteristics requirements listed.					下冷却
12	同価贝쐯 High Temperature		≤300%初 ≦300% ini									e at
	Load Life Test	漏电流 LC	≤初始规定 ≦ initial sp		lue							
		量△C/C	≦±30%初 ≦±30% ini	itial specif			105°	2 1000 小	时后高温放	文置后, 让	:其在室温	下冷却
13	高温存储 Shelf life	切值 Tan δ	≦300% ini	%初始规定值 0% initial specified value i初始规定值			恢复后,电容器应满足如左要求. After storge for 1000 hours at 105°C, capacitors meet the characteristics requirements listed.					
		/爾巴州 LU	≦ 200% initial specified value									
14	耐湿性 Humidity Test	A.容量变化量 △C/C≦±15% b. 损耗角正切值 DF ≦ 100 % initial specified value c. 漏电流 LC≦ 100 % initial specified value d. 产品外观无损坏 Appearance:No significant change can be observe					小时± 8 左要求: Capacit atmosp Capacit	小时,电绝 ors shall be nere of 90 or shall be ns for 1-2	90 - 95 % 容器取出恢 e exposed - 95 % R.I subjected hours, afte	复 1~2 小 I for 240 : H.at40℃ . I to stand	\时后电容 ± 8 hrs in And then ard atmos	容器满足 an the spherjc

VT SERIES

Aluminum Electrolytic Capacitors

5.标识

Marking

A)电容器标识内容如下:

Capacitors shall be legibly marked with the following:

1)产品系列


Manufacture's mark

2) 额定电压和额定电容

Rated voltage and nominal capacitance

3) 负极标识

Negative polarity



B)电容器的编带包装盘上印刷以下内容

Following items should be marked on the taping reel

1) 额定电压&容量

Rated Voltage and Capacitance

2) 客户料号 (客户有要求时)

Customer's Part Number(if request)

3) 系列名称

Series Mark

4) 制造批号

Lot Number

5) 编带数量


Packing quantity

6.编带粘接力测试

Adhedion Test


平均上带剥离力强度:10~80g; 测试速度: 200~300mm/min

Reasonable pulling strength:10~80g; Pulling speed: 200~300mm/min




7. 图样

Drawing (Unit: mm)(Ø4~Ø6.3)



(Ø8, Ø10)



8. 尺寸

Dimensions (Unit: mm)

ØD×L	4×5.4	5×5.4	6.3×5.4	6.3×7.7	8×6.5	8×10.5	10×10.5
Α	4.3	5.3	6.6	6.6	8.3	<mark>8.3</mark>	10.3
В	4.3	5.3	6.6	6.6	8.3	<mark>8.3</mark>	10.3
С	5.0	6.0	7.2	7.2	9.1	<mark>9.1</mark>	11.1
Р	1.0	1.5	2.1	2.1	3.1	<mark>3.1</mark>	4.5
L	5.4	5.4	5.4	7.7	6.5	<mark>10.5</mark>	10.5

9. 编带说明

Taping Specifications

符合标准 JIS C0806

Applicable standard JIS C0806

(VT)


盒带

Carrier Tape

Aluminum Electrolytic Capacitors VT SERIES

9.1.图样

Drawing 1 (for ∅4 ~ ∅10) Unit:mm




Dimension Unit:mm

Series				VT			
ØD×L	4×5.4	5×5.4	6.3×5.4	6.3×7.7	8×6.5	8×10.5	10×10.5
W	12.0	12.0	16.0	16.0	16.0	<mark>24.0</mark>	24.0
Р	8.0	12.0	12.0	12.0	12.0	<mark>16.0</mark>	16.0
F	5.5	5.5	7.5	7.5	7.5	<mark>11.5</mark>	11.5
Α	4.7	6.0	7.0	7.0	8.7	<mark>8.7</mark>	10.7
В	4.7	6.0	7.0	7.0	8.7	<mark>8.7</mark>	10.7
T ₁	5.8	5.8	5.8	8.3	7.0	<mark>11.0</mark>	11.0

9.2. 卷盘

Reel



包装数量 Package quantity

	<u> </u>	
ØD×L	卷装数量 Qty./Reel	盒装数量 Qty./Bag
4×5.4	2000 pcs.	24000 pcs.
5×5.4	1000 pcs.	12000 pcs.
6.3×5.4	1000 pcs.	10000 pcs.
6.3×7.7	1000 pcs.	10000 pcs.
8×6.5	1000 pcs.	10000 pcs.
8×10.5	500 pcs.	3500 pcs.
10×10.5	500 pcs.	3500 pcs.

Unit:mm

ØD	4*5.4	5*5.4	6.3*5.4	6.3*7.7	8*6.5	8*10.5	10*10.5
Α	12.5	12.5	16.5	16.5	16.5	<mark>24.5</mark>	24.5

Aluminum Electrolytic Capacitors VT SERIES

10. 无铅回流焊接

Lead-free Reflow Soldering Condition

A. 回流焊条件推荐

Recommended Conditions for Reflow Soldering

(1) 应采用红外线及热风回流焊接,不宜采用汽相加热回流焊接;

A thermal condition system such as infrared radiation (IR) or hot blast should be adopted, and vapor heat transfer systems (VPS) are not recommended.

(2) 推荐回流焊只进行一次,回流焊次数如果需要二次,必须相隔30分钟以上;

Reflow soldering should be performed one time. If the capacitor has to be reflowed twice, 30 minutes must be layout between each time.

(3) 无铅回流焊,请符合下述条件:

For lead-free type reflow soldering, please observe proper conditions below:

a)从 150℃至 200℃的预热时间在 t1 秒钟以内;

The time of preheating from 150°C to 200°C shall be within maximum t1 seconds;

b)电容器顶部温度超过 217℃的焊接时间不超过 t2 秒;


The time of soldering temperature at 217°C measured on capacitors' top shall not exceed t2 (second);

c)电容器顶部尖峰温度不超过 Tp℃,在5℃范围内的实际尖峰温度时间不超过 t3 秒

The peak temperature on capacitors' top shall not exceed Tp(°C), and the time within 5°C of actual peak temperature shall not exceed t3 (second).

B.回流焊曲线图

Classification Reflow Profile



- *1. Average ramp-up rate is 3℃/second max.
- *2. Ramp-down rate is 6℃/second max.
- *3 .Time from 25℃ to peak temperature is 8 minutes max

C. 尖峰温度允许范围


Allowable Range of Peak Temperature

Size	Thickness (mm)	TP(°C)	t1(Max,secs)	t2(Max,secs)	t3(TP,secs)
Ø4~Ø6.3	≥2.5	260	120	90	5
Ø8	≥ <mark>2.5</mark>	<mark>240</mark>	100	<mark>60</mark>	<mark>5</mark>
Ø10	≥2.5	235	100	40	5

Aluminum Electrolytic Capacitors VT SERIES

D.表面安装推荐尺寸

Recommended Land Size (Unit: mm)



Size	Х	Υ	а
Ø 4	1.6	2.6	1.0
Ø 5	1.6	3.0	1.4
Ø6.3	1.6	3.5	2.1
Ø8	<mark>2.5</mark>	<mark>3.5</mark>	<mark>3.0</mark>
Ø10	2.5	4.0	4.0

11.引线原材料


The Raw Materials of Lead Wire

Name	Material	Percentage
	Fe	77.04%
TPCS	Cu	14.25%
	Sn	8.71%


12.电容器代码标志

Explanation of Part Number

Series (VT) Voltage (50V) Capacitance (100μF) Capacitance Tolerance (±20%) Case Diameter (8*10.5mm)




范例:



,2)	(3, 4)		(5~7)		(8)		(10)		(12)		(13, 14)		
Series 系列	Voltage (W.V.) 電壓	Code 代码	Capacitance (µF) 靜電容量	Code 代碼	Cap. Tolerance (%) 容量允差	Code 代碼		Type 類型	Code 代碼	Diameter (②) 直徑	Code 代碼	Length (mm) 高度	Code 代碼
VT	4	0G	0.1	0R1	+10	9)		Chip 贴片	С	3	S	5.4	54
RSL	6.3	OJ	0.22	R22	-10	K	(11)			4	С	5.8	58
VK	10	1A	0.33	R33	-10	S - :	(11)		2000	4	٠	6.2	62
1 5/15	1	21111	0.47	R47	+15	111	Type 類型	Lead Configuration 引線結構	Code	5	D	1	
RSK	16	1C	1	010	-15	L	郑尘	SIMBAGIN	1720	6.3	E	7.7	77
VN	25	1E	2.2	2R2	+20	М	Chip	Taping & Reel	R	8	8 3	10.5	10
RSN	35	17	3.3 4.7	3R3 4R7			贴片	線帶與卷盤	K		F G	11 (11.5)	11
VE	40	1G	6.8	6R8	-20	WI.						12.5	12
VZ	50	1H	10	100	+20	0				7250	80	13.5	13
	63	-	15	150	+20	V				12.5	1.	2 2	
VL.		1J	22	220	-10	877						16 (16.5)	16
RSH	75	1T	33	330								21	21
RSU	80	1K	47	470	1								
	85	1R	68	680	l								
	2 3 3 2 2 2	1000	100	101	l								
	100	2A	150	151									
	125	2B	220	221	Į.								
	160	2C	330	331									
	180	2Z	470	471	1								
	37.56	98,304	680	681	ł								
	200	2D	1000	102	Į.								
	220	2N	1200	122	ł								
	250	2E	1500	152	1								
	315	2F	1800 2200	182	ł								
	330	2U	2700	272	1								
	350	2V	3300	332	1								
	360	2X	4700	472	ł								
	300	ZA		-	1								
	-	20	ERM										
	400	2G	5600	562	1								
	-	2G 2M 2W	5600 6800	682									

13. 结构 Construction



NO	材料名 material	材质.处理 Textures
1	涂膜铝壳 Case	涂聚氨脂醇膜铝壳(AL 纯度 purity98%以上、PU 纯度 purity1.5%)
2	座板 Base	热可塑性尼龙(Polyphthalamide 纯度 purity40~70%)
3	+引出线 Lead Wire	铝线(AL)、CP 线(Fe、Cu、Sn)(扁平形加工 flat)
4	-引出线 Lead Wire	铝线(AL)、CP 线(Fe、Cu、Sn)(扁平形加工 flat)
5	封口胶盖 Rubber	丁基橡胶 IIR
6	素子 cores.	铝箔 aluminum foil、电解纸 Paper、电解液(GBL、electrolyte)导针 Lead Wire

14. 额定纹波电流的频率系数

Frequency Coefficient of Allowable Ripple Current

Freque	ency	50Hz	120Hz	300Hz	1kHz	10kHz Up		
Coefficient	1~10uF	0.60	1.0	1.15	1.25	1.40		
	22~1500uF	0.75	<mark>1.0</mark>	1.10	1.20	1.35		

15. 尺寸和纹波电流(本公司 VT 标准)

Case Size and Ripple Current(Our company's stan

WV WV		4		6. 3		10		16		25		35		50		63		100	
μF	代号	OG		ОЈ		1A		1C		1E		1V		1H		1Ј		2A	
0.1	0R1													4xx5. 4	0.7	4xx5. 4	0.7		
0. 22	R22													4xx5. 4	1.6	4xx5. 4	1.6		
0.33	R33							4x5. 4	13					4xx5. 4	2.5	4xx5. 4	2. 5		
0.47	R47													4xx5. 4	3. 5	4xx5. 4	3. 5		
1	010													4xx5. 4	7	4xx5. 4	7	4x5. 4	7
2.2	2R2													4xx5. 4	11	4xx5. 4	11	6. 3x5. 4	14
3.3	3R3											4xx5. 4	13	4xx5. 4	13	5x5. 4	13	6. 3x7. 7 6. 3X5. 4 8x6. 2	32 20 30
4.7	4R7					4x5. 4	13	4x5.4	13	4x5.4	13	4xx5. 4	14	5x5. 4 4x5. 4	16 13	5x5. 4	16	6. 3x7. 7 6. 3*5. 4	35 21
10	100					4x5. 4	18	4x5. 4	18	5x5. 4 4x5. 4	20 14	5x5. 4 4x5. 4	21 14	6. 3x5. 4	24	6. 3x7. 7 6. 3X5. 4 8x6. 2	39 24 25	8x10. 5 6. 3x7. 7	77 35
22	220			4x5.4	22	5x5. 4 4x5. 4	25 20	5x5. 4 4x5. 4	27 20	6. 3X5. 4 5X5. 4	36 25	6. 3x5. 4	38	6. 3x7. 7 6. 3X5. 4 8x6. 2	51 42 70	8x10. 5 6. 3x7. 7	98 49	10x10. 5 8x10. 5	126 84
33	330	5x5. 4 4x5. 4	30 18	5x5. 4 4x5. 4	27 22	5x5. 4 4x5. 4	33 22	6. 3X5. 4 5X5. 4	40 28	6. 3X5. 4 5X5. 4	44 29	6. 3X5. 4 8x6. 2	42 84	6. 3x7. 7	60	8x10. 5	112	10x10.5	133
47	470	5x5. 4 4x5. 4	36 24	5x5. 4 4x5. 4	33 25	6. 3X5. 4 5X5. 4	41 30	6. 3X5. 4 5X5. 4	48 31	6. 3x5. 4	48	6. 3x7. 7 6. 3*5. 4	70 50	8x10. 5 6. 3x7. 7	120 63	10x10. 5 8x10. 5	160 119	12. 5x13. 5 10x12. 5 10x10. 5	250 160 140
56	560															10x10. 5 8x10. 5	165 120		
68	680											4xx5. 4	13					12. 5x13. 5 10x12. 5	300 180
100	101	6. 3X5. 4 5X5. 4	60 43	6. 3X5. 4 5X5. 4	50 39	5x5. 4 6. 3x5. 4	39 53	6. 3X5. 4 8x6. 2	60 120	6. 3x7. 7 8x6. 2	65 91	8x10. 5 6. 3x7. 7	120 84	10x10.5 8x10.5	170 140	12. 5x13. 5 10x12. 5 10x10. 5	270 210 196	16x16. 5 12. 5x13. 5	450 380
150	151	6. 3*5. 4	52	6. 3x5. 4	55	6. 3x5. 4	62	6. 3x7. 7	95	8x10. 5 6. 3x7. 7	140 100	8x10.5	155	10x10.5	170	10x12.5	225		
220	221	6. 3*5. 4	57	6. 3x7. 7 6. 3*5. 4	105 67	6. 3x5. 4 6. 3x7. 7 8x6. 2	85 105 105	5x10. 5 6. 3x7. 7 8x6. 2	150 105 85	6. 3X7. 7 8x10. 5	105 175	10x10. 5 8x10. 5	220 190	10X12.5 10X10.5	280 220	16x16. 5 12. 5x13. 5	560 470 235	16x16. 5	550
330	331	6. 3X7. 7	100	6. 3*7. 7	105	6. 3x7. 7 8x10. 5	105 196	8x10. 5	195	10x10. 5 8x10. 5	240 220	10x10.5	245	16x16. 5 12. 5x16 10x12. 5	600 420 295	16x16. 5 12. 5x16	700 510		
470	471	6. 3X7. 7	105	8*10. 5 6. 3x7. 7	210 120	10x10. 5 8x10. 5	260 210	10x10. 5 8x10. 5	295 230	10x10.5	280	12. 5x13. 5 10x12. 5 10x10. 5	520 375 280	16x16. 5 12. 5x16	700 420	16x16. 5	750		
560	561									10x10.5	320								
680	681	8X10.5	210	8x10.5	210	10x10.5	270	10x10.5	315	10x12. 5	400	12. 5x13. 5 10x12. 5	530 395	16x16.5	750				
1000	102	8X10.5	230	10x10. 5 8x10. 5	300 230	10x10. 5	315	12. 5x13. 5 10x12. 5 10x10. 5	500 390 340	12. 5x13. 5	580	16x16. 5 12. 5x16	750 600						

额定纹波电流 Rated ripple current(mA,105℃,120Hz)

16. 片式铝电解电容器一般使用注意事项

Application guideline for V-CHIP aluminum electolytic capacitors

A)电路设计

Circuit Design

1) 充分考虑电容器使用和安装条件在产品目录的规定范围内

Please make sure the environmental and mounting conditions to which the capacitor will be exposed are within the conditions specified in catalogue.

- 2) 工作温度和施加的纹波电流应在产品目录的规定范围内
 - Operating temperature and applied ripple shall be within RJ specification.
- 3) 在设计电路时,应选择符合寿命要求的产品

Appropriate capacitors which comply with the life requirement of the products should be selected when designing the circuit.

4) 铝电解电容器是有极性的,不应加反向电压或交流电压。对可能出现反向电压的电路,应选择双极性电容器。注意:即使双极性电容器,也不能直接用于纯交流电路

Aluminum electrolytic capacitors are polar. Make sure that no reverse voltage or AC voltage is applied to the capacitors. Please use bi-polar capacitors for a circuit that can possibly see reversed polarity. Note: Even bi-polar capacitors cannot be used for AC voltage application.

5) 对需要快速和频繁充放电的电路,不应使用铝电解电容器,而应选择特别设计的具有长寿命的电容器 Do not use aluminum electrolytic capacitors in a circuit that requires rapid and very frequent charge / discharge.

In this type of circuit, it is necessary to use a special design capacitor with extended life characteristics.

6) 不应使用过载电压

Do not apply excess voltage.

- ① 直流电压与纹波电压叠加后的峰值电压不应超过额定工作电压 Please pay attention to that the peak voltage, which is DC voltage overlapped by ripple current, will not exceed the rated voltage.
- ② 若**2**个以上电容器串联,应确保施加电压低于额定值,而且要并联一个平衡电阻,以使每个电容器 所加电压相等。

In the case where more than 2 aluminum electrolytic capacitors are used in series, please make sure that applied voltage will be lower than rated voltage and the voltage will be applied to each capacitor equally by using a balancing resistor in parallel with the capacitor

7) 电容器不能应用于下述环境条件下:

Aluminum electrolytic capacitors shall not be used under the following environmental conditions:

- ①(a) 电容器被暴露于水(包括浓缩液)、盐水或油中。
 - Capacitors will be exposed to water (including condensation), brine or oil.
 - (b) 周围环境中有氢化硫、亚硫酸、亚硝酸、氯气、溴气、溴化甲烷、氨气等有毒气体。 Ambient conditions that include toxic gases such as hydrogen sulfide, sulfurous acid, nitrous acid, chlorine, bromine, methyl bromide, ammonium, etc.
 - (c) 周围环境中有臭氧、紫外线及辐射。

Ambient conditions that expose the capacitor to ozone, ultraviolet ray and radiation.

Aluminum Electrolytic Capacitors VT SERIES

② 严重的振动及机械冲击超过产品目录的规定范围。

Severe vibration and physical shock conditions that exceed pecification.

振动的测试条件如下

Vibration test condition:

振动频率范围 : 10-55-10Hz

vibration frequency range : 10~55~10Hz

扫描频率: 10-55-10Hz/分钟

sweep rate : $10\sim55\sim10$ Hz/minute

扫描方式 : 对数

sweep method : logarithmic

振幅或加速度 : 1.5mm

amplitude or acceleration : 1.5mm

振动方向 : X、Y、Z方向

direction of vibration : X, Y, Z direction

测试时间 : 每个方向2小时

testing time: 2 hours per each direction

冲击一般不适用。

Shock is not applicable normally.

如有特殊要求,请与我们销售部门联系。

If a particular condition is required, please contact our sales office.

8) 电解液主要化学溶剂及电解纸为易燃物,且电解液导电。当电解液与 PC 板接触时,可能会腐蚀 PC 板上的线路,或造成短路,以致产生烟或着火。因此在电容器封口下端不应有任何线路。

The main chemical solution of the electrolyte and the separator paper used in the capacitors are combustible. The electrolyte is conductive. When it comes in contact with the PC board, there is a possibility of pattern corrosion or short circuit between the circuit pattern, which could result in smoking or catching fire. Do not locate any circuit pattern beneath the capacitor end seal.

- 9) 设计线路板时应确保发热元器件不靠近铝电解电容器或 PC 板的另一面,避免其正好在电容器的下面。
 Do not design a circuit board that the heat generating components are placed near the aluminum electrolytic capacitor or on the reverse side of PC board, if that just under the capacitor.
- 10) 设计线路板时应考虑到电容器的电性能可能随温度和频率的变化而变化。 Electrical characteristics may vary depending on changes in temperature and frequency. Please consider this variation when you design circuits.
- 11) 当2个以上电容器并联时,应考虑到通过这些电容器的电流平衡。

When you install more than 2 capacitors in parallel, please consider the balance of current flowing into the capacitors.

12) 在双面线路板上安装电容器时,电容器的安装位置应避开多余的基板孔和过孔。
While mounting capacitors on double-side PC board, the capacitors should be away from those unnecessary base plate holes and connection holes.

B)安装

Mounting

1) 一旦电容器经过安装及加载,不要再试图用于其他线路板或其他用途。

Once a capacitor has been assembled in the set and power applied, do not attempt to re-use the capacitor in other circuits or application.

2) 贮存超过 2 年的电容器, 其漏电流可能增大。若漏电流增大, 请使用 1KΩ电阻做充电处理。

Leakage current of the capacitors that have been stored for more than 2 years may increase. When leakage current has increased, please perform a voltage treatment using a $1k\Omega$ resistor.

Aluminum Electrolytic Capacitors VT SERIES

3) 在将电容器安装在 PC 板之前,请确认其规格和极性。

Please confirm specifications and polarity before installing capacitors on the PC board.

4) 不要将电容器掉在地上,或不要使用掉在地上的电容器。

Do not drop capacitors on the floor, nor use a capacitor that was dropped.

5) 安装时请不要损伤电容器。

Do not deform the capacitor during installation.

6) 请注意贴片机的吸头、产品检测夹具或对中装置对电容器的机械冲击。

Please pay attention to the mechanical shock to the capacitor by suction nozzle of the automatic insertion machine or automatic mounter, or by product checker, or by centering mechanism.

7) 回流焊

Reflow soldering

① 请遵守产品目录中的回流焊条件。

Please follow "Reflow Soldering Conditions" in catalogue.

- ② 当使用红外线加热时,请注意加热程度,因为红外线吸收率会随着电容器颜色和大小的不同而改变。 When an infrared heater is used, please pay attention to the extent of heating since the absorption rate of infrared will vary due to difference in the color and size of the capacitor.
- 8) 将电容器焊接在 PC 板后,不要倾斜或扭动电容器。

Do not tilt lay down or twist the capacitor body after the capacitor are soldered to the PC board.

9) 不要抓住焊接后的电容器搬动 PC 板。

Do not carry the PC board by grasping the soldered capacitor.

10)不要让任何物品接触焊接后的电容器。如果 PC 板堆放储存,请确保 PC 板或其他零部件不触到电容器。

Please do not allow anything to touch the capacitor after soldering. If PC boards are stored in stack, please make sure the PC board or other components away from the capacitor.

11) 焊接后的电容器不应受到任何已焊接 PC 板或其他元器件热辐射的影响。

The capacitors shall not be effected by any radiated heat from the soldered PC board or other components after soldering.

12) 清洗:

Cleaning

①不能用卤化清洗剂清洗电容器。如必须使用卤化清洗剂,请与我们销售部门联系。

Do not clean capacitors with halogenated cleaning agent. However, if it is necessary to clean with halogenated cleaning agent, please contact our sales office.

②推荐清洗方法:

Recommended cleaning method

使用范围: 任何类型及规格

Applicable: Any type, any ratings

清洗方法: 浸泡、超声波或其他方法的总清洗时间应在 2 分钟内。清洗剂温度应在 40℃以下。清洗后,应将电容器与 PC 板一起用热风吹至少 10 分钟。热风温度应低于电容器工作温度。水洗后若不充分吹干,可能导致外观不良,如座板发胀等。

Cleaning conditions : Total cleaning time shall be within 2 minutes by immersion,

ultrasonic or other methods. Temperature of the cleaning agents shall be 40℃ or below.

After cleaning, capacitors should be dried by using hot air for the minimum 10 minutes along with the PC board mounted. Hot air temperature should be within the maximum operating temperature of the capacitor. Insufficient dryness after water rinse may cause appearance problems, such as bottom-plate bulge and etc.

③ 避免使用破坏臭氧层的清洗剂以保护环境。

Avoid using ozone destructive substances as cleaning agents for protecting global environment.

Aluminum Electrolytic Capacitors VT SERIES

C) 安装后

In the Equipment

1) 不要直接用手接触电容器正负极。

Do not directly touch terminal by hand.

- 2) 不要在正负极之间用导体连接,也不要在电容器及其附近溅撒导电液体,如酸碱溶液等。
 - Do not link positive terminal and negative terminal by conductor, nor spill conductible liquid such as alkaline or acidic solution on or near the capacitor.
- 3) 在使用环境中应避免溅上水或油,避免阳光直射、紫外线照射、辐射、有毒气体、振动或机械冲击。 Please make sure that the ambient conditions where the set is installed are free from spilling water or oil, direct sunlight, ultraviolet rays, radiation, poisonous gases, vibration or mechanical shock.

D) 维护和检验

Maintenance and Inspection

请定期检测安装在工业设备上的电容器。检测项目如下:

Please periodically inspect the aluminum capacitors that are installed in industrial equipment. The following items should be checked:

外观: 明显缺陷, 如防爆阀打开、电解液泄露等。

Appearance: remarkable abnormality such as pressure relief vent opening, electrolyte leaking, etc.

电性能: 电容量、损耗角正切、漏电流等,具体数据参见产品目录和相关产品规格书。

Electrical characteristics: capacitance, dielectric loss tangent, leakage current and etc., which are specified in catalogue or alternate product specification.

E) 紧急情况

In an Emergency

- 1) 若看见因防爆阀动作而产生的烟气,请关闭主开关或拔开离合器。
 - If you see smoke due to operation of safety vent, please turn off the main switch or pull out the plug from the outlet.
- 2) 若吸入气体或咽下电解液,应立即用水清洗口腔和喉咙。
 - If you breathe the gas or ingest the electrolyte, please wash out your mouth and throat with water immediately.
- 3) 若皮肤沾上电解液,请用肥皂和水清洗干净。
 - If your skin is exposed to the electrolyte, please wash it away using soap and water.

F)储存

Storage

1)不要将电容器储存在温度和湿度高的地方。

储存环境应为温度:5℃-35℃,相对湿度:<75%,储存地点:室内。

Do not keep capacitor in high temperature and high humidity atmosphere.

Storage conditions should be:

Temperature: 5° C $\sim 35^{\circ}$ C Humidity : lower than 75% Place : Indoor

2) 避免电容器的储存环境中有水、盐水或油。

Avoid ambient conditions where capacitors are covered with water, brine or oil.

4) 避免电容器暴露在臭氧、紫外线或辐射中。

Avoid ambient conditions where capacitors are exposed to ozone, ultraviolet ray or radiation.

G) 处置

Disposal

请用下面任何一种方法处置电容器:

Please take either of the following methods in disposing capacitors.

- 1)在电容器壳体上开孔或将电容器压碎后焚烧。
 Incinerate them after crushing capacitors or making a hole on the capacitor body.
- **2**) 如不能进行焚烧,请交给废物处理机构进行填埋。
 If incineration is not applicable, hand them over to a waste disposal agent and have them buried in landfills.