

alb\_mlb test Fabrication Document

Layer Stack Legend

|  | Material     | Layer         | Thickness        | Dielectric    | Type        | Gerber |
|--|--------------|---------------|------------------|---------------|-------------|--------|
|  | F,Paste      |               |                  |               | Paste Mask  |        |
|  | F,Silkscreen |               |                  |               | Legend      | GBR    |
|  | F,Mask       |               | 0,02mm           | Solder Resist | Solder Mask | GBR    |
|  | Copper       | L1 (Sig, PWR) | 0,07mm (2,00oz)  |               | Signal      | GBR    |
|  | Prepreg      |               | 0,1mm            | FR4_7628      | Dielectric  |        |
|  | Copper       | L2 (GND)      | 0,035mm (1,00oz) |               | Plane       | GBR    |
|  | Core         |               | 1,21mm           | FR4           | Dielectric  |        |
|  | Copper       | L3 (Sig, PWR) | 0,035mm (1,00oz) |               | Signal      | GBR    |
|  | Prepreg      |               | 0,1mm            | FR4_7628      | Dielectric  |        |
|  | Copper       | L4 (Sig, PWR) | 0,07mm (2,00oz)  |               | Signal      | GBR    |
|  | B,Mask       |               | 0,02mm           | Solder Resist | Solder Mask | GBR    |
|  | B,Silkscreen |               |                  |               | Legend      | GBR    |
|  | B,Paste      |               |                  |               | Paste Mask  |        |

Total thickness: 1,66mm  
Note: external layer thicknesses are specified after plating

Impedance Table

| Transmission Line              | Impedance [ohms] | Tolerance [ohms] | Layer | Trace Width [mm] | Gap [mm] | Ref. Layers |
|--------------------------------|------------------|------------------|-------|------------------|----------|-------------|
| Edge-Coupled Coated Microstrip | 100              | ±10 %            | L1    | 0,2032           | 0,28     | L2          |

Top Fabrication (Scale 1:1)

