Seebeck coefficient in classical fluids from equilibrium molecular dynamics

Enrico Drigo* and Stefano Baroni

SISSA - Scuola Internazionale Superiore di Studi Avanzati, Trieste

*endrigo@sissa.it



Introduction

The thermo-electric effect in ionic conductors is the electric current induced by a temperature gradient. The computation of the corresponding off-diagonal Onsager coefficient is numerically ill-conditioned. We show how to calculate it as the numerically tractable product between a diagonal Onsager coefficient and an off-diagonal static susceptibility, both computed from equilibrium molecular dynamics. This static susceptibility is well defined even in the insulating case, where it provides a theoretically sound and numerically tractable formulation of the thermo-polarization coefficients, which have so far been computed only through cumbersome non-equilibrium simulations [1, 2].

Theory

The Seebeck coefficient, S, is defined as the ratio between the electric field and the temperature difference inducing it when no electric curret flows (open circuit) [3]:

$$S = \left. \frac{\boldsymbol{E}}{\nabla T} \right|_{\boldsymbol{J} = 0}$$

The Onsager equations for the electric and heat currents read:

$$m{J} = \sigma m{E} - (K_{12}/T) \nabla T,$$
 $m{J}^q = K_{12} m{E} - (L_{qq} T) \nabla T.$

The mechanical perturbation describing the temperature gradient is written as:

$$\mathcal{H}' = \int \frac{-1}{k_B T^2} \int \nabla T(\mathbf{r}) \cdot \mathbf{r} \Big(\epsilon(\mathbf{r}) - \sum_i h_i n_i(\mathbf{r}) \Big) d\mathbf{r},$$

where ϵ is the energy density, n_i is the particle density, h_i is the partial enthalpy, $q = \epsilon - \sum_i h_i n_i$ is the heat density [4]. The static response of the electric polarization to the temperature gradient reads: [5]:

$$S = \frac{K_{12}}{\sigma T} = \lim_{\mathbf{k} \to 0} \lim_{\omega \to 0} \frac{1}{T} \frac{\chi_{q,\rho}(\mathbf{k},\omega)}{k^2},$$

where ρ is the charge density.

Bayesian inference

We fitted the Seebeck k-dispersion as:

$$S(\mathbf{k}) \approx w_0 + w_1 k^2 + w_2 k^4 \dots$$

The M parameters, \boldsymbol{w} , maximize the posterior distribution function, $p(\boldsymbol{w}, \alpha | \{S(\boldsymbol{k}_i)\}, M)$, computed from the Bayes Theorem p(A|B)p(B) = p(B|A)p(A), where α is the regularization hyper-parameter. We evaluate the optimal number of parameters, M, maximizing the *evidence* function [6]:

$$p(\{S(\mathbf{k}_i)\}|M) = \int d\mathbf{w} d\alpha \, p(\{S(\mathbf{k}_i)\}|\mathbf{w})$$
$$p(\mathbf{w}|\alpha) \, p(\alpha|\{S(\mathbf{k}_i)\}).$$

References

- [1] P. Wirnsberger,
 D. Fijan, R. A.
 Lightwood, A. Šarić,
 C. Dellago, and
 D. Frenkel. Numerical evidence for
 thermally induced
 monopoles. Proc
 Natl Acad Sci U S A,
 114(19):4911-4914,
 April 2017
- 114(19):4911–4914,
 April 2017.


 2 Jeff Armstrong ar
 Fernando Bresm
- [2] Jeff Armstrong and Fernando Bresme. Temperature inversion of the thermal
- polarization of water. *Phys. Rev. E*, 92:060103, Dec 2015.
- [3] H. B. Callen. The application of onsager's reciprocal relations to thermoelectric, thermomagnetic, and galvanomagnetic effects. *Phys. Rev.*, 73:1349–1358, Jun
- [4] D. Forster. Hydrodynamic Fluctuations, Broken Sym-


1948.

- metry, and Correlation Functions. CRC Press, mar 2018.
- [5] P. C. Martin. Sum rules, kramers-kronig relations, and transport coefficients in charged systems. *Phys. Rev.*, 161:143–155, Sep 1967.
- [6] C. M. Bishop. Pattern Recognition and Machine Learning.
 Springer, 1 edition, 2006.

Test case: ionic conductor, molten salt Cs F


We performed a 40 ns-long classical MD simulation of 512 atoms of the molten salt Cs F at density $3.37g/cm^3$ and 1000K, we modeled the system with the Fumi-Tosi potential. The Seebeck coefficient computed as a static quantity on a 0.8 ns trajectory is as accurate as the Green-Kubo integral evaluated on a 40 ns simulation. The static estimator is about one order of magnitude more efficient than the bare Green-Kubo (GK) calculation.





Test case: insulating liquid, water

We performed a $1\,ns$ -long classical MD simulation of 512 molecules of SPC/E water at room conditions. In the insulating case the two transport coefficients are 0 and their ratio would be numerically ill-conditioned.



This work was partially funded by the EU through the MaX Centre of Excellence for supercomputing applications, grant No. 824143.