
## **Programming Assignment 1: Percolation**

Write a program to estimate the value of the *percolation threshold* via Monte Carlo simulation.


**Install a Java programming environment.** Install a Java programming environment on your computer by following these step-by-step instructions for your operating system [Mac OS X · Windows · Linux ]. After following these instructions you will have stdlib.jar and algs4.jar in your Java classpath: the former contains libraries for reading data from standard input, writing data to standard output, drawing results to standard draw, generating random numbers, computing statistics, and timing programs; the latter contains all of the algorithms in the textbook.


**Percolation.** Given a composite systems comprised of randomly distributed insulating and metallic materials: what fraction of the materials need to be metallic so that the composite system is an electrical conductor? Given a porous landscape with water on the surface (or oil below), under what conditions will the water be able to drain through to the bottom (or the oil to gush through to the surface)? Scientists have defined an abstract process known as *percolation* to model such situations.

**The model.** We model a percolation system using an *N*-by-*N* grid of *sites*. Each site is either *open* or *blocked*. A *full* site is an open site that can be connected to an open site in the top row via a chain of neighboring (left, right, up, down) open sites. We say the system *percolates* if there is a full site in the bottom row. In other words, a system percolates if we fill all open sites connected to the top row and that process fills some open site on the bottom row. (For the insulating/metallic materials example, the open sites correspond to metallic materials, so that a system that percolates has a metallic path from top to bottom, with full sites conducting. For the porous substance example, the open sites correspond to empty space through which water might flow, so that a system that percolates lets water fill open sites, flowing from top to bottom.)



**The problem.** In a famous scientific problem, researchers are interested in the following question: if sites are independently set to be open with probability p (and therefore blocked with probability 1 - p), what is the probability that the system percolates? When p equals 0, the system does not percolate; when p equals 1, the system percolates. The plots below show the site vacancy probability p versus the percolation probability for 20-by-20 random grid (left) and 100-by-100 random grid (right).





When N is sufficiently large, there is a *threshold* value  $p^*$  such that when  $p < p^*$  a random N-by-N grid almost never percolates, and when  $p > p^*$ , a random N-by-N grid almost always percolates. No mathematical solution for determining the percolation threshold  $p^*$  has yet been derived. Your task is to write a computer program to estimate  $p^*$ .

**Percolation data type.** To model a percolation system, create a data type Percolation with the following API:

Corner cases. By convention, the row and column indices i and j are integers between 0 and N-1, where (0,0) is the upper-left site: Throw a java.lang.lndexOutOfBoundsException if any argument to open(), isOpen(), or isFull() is outside its prescribed range. The constructor should throw a java.lang.lllegalArgumentException if  $N \le 0$ .

Use the weighted quick-union algorithm as implemented in the WeightedQuickUnionUF class.


**Performance requirements.** The constructor should take time proportional to  $N^2$ ; all methods should take constant time plus a constant number of calls to the union-find methods union(), find(), connected(), and count().

**Monte Carlo simulation.** To estimate the percolation threshold, consider the following computational experiment:

- Initialize all sites to be blocked.
- Repeat the following until the system percolates:
  - Choose a site (row i, column j) uniformly at random among all blocked sites.
  - Open the site (row *i*, column *j*).

 The fraction of sites that are opened when the system percolates provides an estimate of the percolation threshold.

For example, if sites are opened in a 20-by-20 grid according to the snapshots below, then our estimate of the percolation threshold is 204/400 = 0.51 because the system percolates when the 204th site is opened.



By repeating this computation experiment T times and averaging the results, we obtain a more accurate estimate of the percolation threshold. Let  $x_t$  be the fraction of open sites in computational experiment t. The sample mean  $\mu$  provides an estimate of the percolation threshold; the sample standard deviation  $\sigma$  measures the sharpness of the threshold.

$$\mu = \frac{x_1 + x_2 + \dots + x_T}{T}, \quad \sigma^2 = \frac{(x_1 - \mu)^2 + (x_2 - \mu)^2 + \dots + (x_T - \mu)^2}{T - 1}$$

Assuming *T* is sufficiently large (say, at least 30), the following provides a 95% confidence interval for the percolation threshold:

$$\left[\mu - rac{1.96\sigma}{\sqrt{T}}, \;\; \mu + rac{1.96\sigma}{\sqrt{T}}
ight]$$

To perform a series of computational experiments, create a data type PercolationStats with the following API.

```
public class PercolationStats {
  public PercolationStats(int N, int T) // perform T independent experiments on an N-by-N grid
  public double mean() // sample mean of percolation threshold
  public double stddev() // sample standard deviation of percolation threshold
  public double confidenceLow() // low endpoint of 95% confidence interval
  public double confidenceHigh() // high endpoint of 95% confidence interval
}
```

The constructor should throw a java.lang.lllegalArgumentException if either  $N \le 0$  or  $T \le 0$ .

The constructor should take two arguments *N* and *T*, and perform *T* independent computational experiments (discussed above) on an *N*-by-*N* grid. Using this experimental data, it should calculate the mean, standard deviation, and the 95% confidence interval for the percolation threshold. Use standard random from stdlib.jar to generate random numbers; use standard statistics from stdlib.jar to compute the sample mean and standard deviation.

## Example values after creating **PercolationStats(200, 100)**

mean() = 0.592993499999997 stddev() = 0.00876990421552567 confidenceLow() = 0.5912745987737567 confidenceHigh() = 0.5947124012262428

## Example values after creating PercolationStats(200, 100)

mean() = 0.592877

stddev() = 0.009990523717073799 confidenceLow() = 0.5909188573514536 confidenceHigh() = 0.5948351426485464

## Example values after creating **PercolationStats(2, 100000)**

mean() = 0.6669475

stddev() = 0.11775205263262094 confidenceLow() = 0.666217665216461 confidenceHigh() = 0.6676773347835391

**Deliverables.** Submit only Percolation.java and PercolationStats.java. We will supply stdlib.jar and WeightedQuickUnionUF.java.

On this assignment, the only library functions you may call are those in java.lang, stdlib.jar, andWeightedQuickUnionUF.java.

This assignment was developed by Bob Sedgewick and Kevin Wayne. Copyright © 2008.