





DETAIL B

TABLE 1

VARIATION DESIGNATORS							
FIRST DIG	GIT CODE	SECOND D	IGIT CODE	THIRD DI	GIT CODE	FOURTH D	IGIT CODE
□VERALL	HEIGHT	ВПДУ .	LENGTH	ВПДУ	WIDTH	TERMINAL	PITCH
\triangle	LETTER CODE	D	LETTER CDDE	E	LETTER CODE	e	LETTER CDDE
1.00 MAX	\	1.0	\triangle	1.0	\triangle	1.00	Α
0.80 MAX	W	1.5	В	1.5	В	0,80	В
_	_	2.0	С	o a	С	0.65	С
_	_	2,5	D	بة ما	D	0.50	D
_	_	3.0	E	3.0	E	0.40	E
_	_	3,5	F	3,5	F	_	_
_	_	4.0	G	4.0	G	_	_
_	_	5.0	Н	5.0	Н	_	_
_	_	6.0	J	6.0	J	_	_
_	_	7.0	K	7.0	K	_	_
_	_	8,0	L	8,0	L	_	_
_	_	9.0	М	9,0	М	_	_
_	_	10.0	Ν	10.0	N	_	_
_	_	11.0	Р	11.0	Р	_	_
		12.0	R	12.0	R	_	
_	_	4.5	S	4.5	S	_	_
		5,5	Т	5.5	Т		
_	_	6,5	U	6,5	U	_	_



JEI	DEC
SOLID	STATE
PRODUCT	DUTLINE

TABLE 2

COMMON DIMENSIONS						
	V	: VERY TH	IN	W: V	ERY VERY	THIN
SYMBOL	MIN	N□M	MAX	MIN	N□M	MAX
А	0.80	0.90	1.00	0.70	0.75	0,80
A1	0	0 ا	0.05	0	0. 50	0.05
A2	0	0,65	1.00	0	0,55	0,80
A3	_	0.20 REF	_	_	0.20 REF	_
L1	0,00	_	0.15	0,00	_	0.15
0	O°	_	14°	O°	_	14°
K	0,20	_	_	0,20	_	_
R	b MIN/2 b MIN/2					_
NOTES	1,2					
REF	11-684					
ISSUE	I					

TABLE 3

	LEAD	WIDTH		
		b		
PITCH	MIN	N□M	MAX	
1.00	0,30	0,40	0,45	
0.80	0.25	0,30	0,35	
0,65	0.25	0,30	0,35	
0.50	0.18	0.25	0.30	
0,40	0,15	0,20	0,25	
NOTES	5,14			
REF	11-534			
ISSUE	А			

TABLE 4

TOLERANCE	OF FORM &	POSITION
symbol pitch	0.40mm	>0.40mm
aaa	0.10	0.15
bbb	0.07	0,10
CCC	0,10	0,10
ddd	0.05	0.05
666	0,08	0.08
fff	0.10	0.10
NOTES	1,2	2
REF	11-7	43
ISSUE	K	

EXAMPLE: A 20-TERMINAL PQFN WHICH IS 5 mm LONG (DIMENSION D) BY 5 mm WIDE (DIMENSION E) AND 0.65 mm PITCH WILL BE VARIATION HHC.

JEDEC Solid State	THERMALLY ENHANCED PLASTIC VERY THIN AND VERY VERY THIN FINE PITCH	ISSUE	DATE	MO- 220	PAGE
PRODUCT OUTLINE	QUAD FLAT NO LEAD PACKAGE	К	JUNE 2006	1010 220	4 OF 20



SUMMARY TABLE				
BODY SIZE	LEAD PITCH	LEAD COUNT	VERY THIN FQFP-N	VERY VERY THIN FQFP-N
2.00 X 2.00	0,50	8	VCCD	WCCD
	0.80	4	VEEB	WEEB
	0,65	8	VEEC	WEEC
3.00 X 3.00	0.65	12	∨EEC-1	WEEC-1
3.00 × 3.00	0.65	8	VEEC-2,3	WEEC-2,3
	0.50	12	VEED-1,3,5	WEED-1,3,5
	0.50	16	VEED-2,4,6,7	WEED-2,4,6,7
	0.40	16	VEEE-1	WEEE-1
	0.40	20	VEEE	WEEE
3.50 X 3.50	0.50	20	VFFD/VFFD-1	WFFD/WFFD-1
3.50 X 4.50	0.50	24	VFSD/VFSD-1,2	WFSD/WFSD-1,2
	0.80	œ	VGEB	WGEB
4.00 X 3.00	0.65	12	VGEC	WGEC
	0,50	16	∨GED	WGED
	0.80	12	∨GGB	WGGB
	0.80	14	∨GGB-1	WGGB-1
	0.65	16	∨GGC	WGGC
	0.65	12	∨GGC-1	WGGC-1
	0.65	16	VGGC-2,3	WGGC-2,3
4.00 X 4.00	0.65	16	∨GGC-4	WGGC-4
	0.50	14	VGGD-3	WGGD-3
	0.50	16	∨GGD-4,10	WGGD-4,10
	0.50	20	∨GGD-1,5,11	WGGD-1,5,11
	0.50	24	VGGD-2,6,8,9	WGGD-2,6,8,9
	0.50	28	∨GGD-7	WGGD-7
	0,40	28	VGGE	VGGE
	0.80	10	∨GHB	WGHB
4.00 X 5.00	0.50	8	VGHD/VGHD-3	WGHD/WGHD-3
	0.50	24	VGHD-1,2	WGHD-1,2
	0,40	32	VGHE	WGHE
	0.40	34	∨GHE-1	WGHE-1
4.50 X 5.50	0,50	32	VSTD/VSTD-1	WSTD/WSTD-1
4.50 X 6.50	0.50	36	VSUD/VSUD-1	WSUD/WSUD-1
	0.80	14	∨HGB	WHGB
 E 00 V 400	0.80	16	∨HGB-1	WHGB-1
5.00 X 4.00	0.65	18	VHGC/VHGC-1	WHGC/WHGC-1
	0,50	24	∨HGD	WHGD

JE1	DEC
SOLID	STATE
PRODUCT	DUTLINE



TABLE 5B

SUMMARY TABLE (CONTINUED)				
BODY SIZE	LEAD PITCH	LEAD COUNT	VERY THIN FQFP-N	VERY VERY THIN FQFP-N
	0,80	16	VHHB	WHHB
	0.80	20	∨HHB-1	WHHB-1
	0.65	20	VHHC	WHHC
5.00 X 5.00	0.65	24	∨HHC-1	WHHC-1
	0,65	20	VHHC-2	WHHC-2
	0,50	28	∨HHD-1,3	WHHD-1,3
	0,50	32	VHHD-2,4,5,6	WHHD-2,4,5,6
	0.40	36	VHHE	WHHE
	0.40	40	∨HHE-1	WHHE-1
	0,65	22	VHJC	WHJC
5.00 X 6.00	0.50	32	VHJD	MHJD
5.00 X 7.00	0,50	38	VHKD/VHKD-1	WHKD/WHKD-1
	0.50	40	VHKD-2	WHKD-2
5.50 X 6.50	0.50	40	VTUD/VTUD-1	WTUD/WTUD-1
	0.80	18	VJHB	WJHB
600 7 500	0.80	20	VJHB−1	WJHB-1
6.00 X 5.00	0.65	22	VJHC	WJHC
	0.50	32	VJHD	WJHD
	0.80	20	VJJB	WJJB
	0.80	24	VJJB-1,2	WJJB-1,2
	0.65	28	VJJC	MJJC
	0,65	24	VJJC−1	WJJC-1
6.00 X 6.00	0,65	32	ANC-5	MNNC-5
0.00 X 0.00	0.65	28	VJJC-3,4	WJJC-3,4
	0.50	36	VJJD-1,4,8	WJJD-1,4,8
	0,50	38	ANN-3	MJJD-3
	0,50	40	VJJD-2,5,6	WJJD-2,5,6
	0.50	32	VJJD-7	WJJD-7
	0.40	48	VJJE/VJJE-1	WJJE/WJJE-1
7.00 X 5.00	0.50	38	VKHD	WKHD
	0.80	28	VKKB	WKKB
	0,65	32	VKKC	WKKC
	0,65	36	VKKC-1	WKKC-1
700 × 700	0.65	32	VKKC-2	WKKC-2
7.00 X 7.00	0,50	40	VKKD	WKKD
	0,50 0,50	44 48	∨KKD-1 ∨KKD-2	WKKD-1 WKKD-2
	0,50	44	VKKD-3	WKKD-3
	0,50	48	VKKD-4,6,8	WKKD-4,6,8
	0,50	44	VKKD-5,7	WKKD-5,7
	0.40	56	VKKE	WKKE 3,7
7.00 X 9.00	0,50	38	VKMC	WKMC

JE1	DEC
SOLID	STATE
PRIDUCT	DUTLINE



SUMMARY TABLE (CONTINUED)					
BODY SIZE	LEAD PITCH	LEAD COUNT	VERY THIN FQFP-N	VERY VERY THIN FQFP-N	
	0.80	28	VLLB-1	WLLB-1	
	0.80	32	VLLB	WLLB	
	0.65	40	VLLC	WLLC	
	0.65	36	VLLC−1	WLLC-1	
	0.65	44	VLLC-2,4	WLLC-2,4	
8.00 X 8.00	0.65	40	VLLC-3	WLLC-3	
8,00 × 8,00	0.50	48	VLLD	WLLD	
	0.50	48	VLLD-3	WLLD-3	
	0.50	52	VLLD-1	WLLD-1	
	0.50	56	VLLD-2	WLLD-2	
	0.50	52	VLLD-4	WLLD-4	
	0.50	56	VLLD-5,6	WLLD-5,6	
	0.40	64	VLLE,VLLE-2	WLLE,WLLE-2	
	0.40	68	VLLE-1	WLLE-1	
	0.80	36	∨MMB	WMMB	
	0.65	48	VMMC	WMMC	
	0.65	44	VMMC-1,2,3	WMMC-1,2,3	
9.00 X 9.00	0.50	64	VMMD/VMMD-3,4	WMMD/WMMD-3,4	
	0.50	60	∨MMD-1	WMMD-1	
	0.50	56	∨MMD-2	WMMD-2	
	0.40	72	∨MME	WMME	
	0.40	76	∨MME-1	WMME-1	
	0.50	64	∨NND-1	WNND-1	
10.00 × 10.00	0.50	68	∨NND-2	WNND-2	
	0,50	72	VNND-3,4	WNND-3,4	
	0.40	88	VNNE,∨NNE-1	WNNE,WNNE-1	
12.00 X 12.00	0.50	80	∨RRD	WRRD	
	0,40	100	VRRE,VRRE-2	WRRE,WRRE-2	
	0.40	108	VRRE−1	WRRE-1	

JEI	DEC
SOLID	STATE
PRODUCT	DUTLINE

TABLE 6A

				e=	0,80 PI	TCH				
VA	ARIATION	VEEB	VGEB	VGGB	VGGB-1	VGHB	VHGB	VHGB-1	VHHB	
SYMBL	71.	WEEB	WGEB	WGGB	WGGB-1	WGHB	WHGB	WHGB-1	WHHB	NDTE
DF	3SC	3,00	4.00	4.00	4,00	4.00	5.00	5.00	5.00	
E	32C	3,00	3,00	4.00	4,00	5.00	4,00	4,00	5.00	
D1	BSC	2,75	3.75	3,75	_	_	4.75	1	4.75	9
E1 :	BSC	2.75 2.	2.75	3.75	_	1	3.75	1	4.75	ጥ
	MIN	5 2 0	0.75	0.75	2.10	2.10	1.25	3.10	1.25	
D2	NDW	0.70	1.70	1.70	2,20	2 2. 2.	2,70	დ ღ ო	2.70	
	MAX	1. 25	2,25	55 2. 2.	2,30	2,30	3,25	3 3 3	3,25	
	NIM	5 0. 0.	o. 25	0.75	2.10	3,10	0.75	2.10	1,25	
E2	NDM	0.70	0.70	1.70	2.20	3,20	1.70	დ ი	2.70	
	MAX	1.25	1.25	25 2. 2.	2,30	3,30	2.25	30 2.	3,25	
	MIN	5 0 0	0,35	5 0.	0,35	0,35	0,35	5 0.	0,35	
L	NDM	5 5 0	0.55	5. 5.	0,55	0,55	0,55	5. 5.	0,55	
	MAX	o.75	0.75	0.75	0,75	0,75	0.75	0.75	0.75	
	7	4	ω	12	14	10	14	16	16	7.3
N	D	1	3	ო	4	N	4	15)	4	D
N	E	1	1	(γ)	3	3	3	ო	4	Ф
NDT	ΓES	1,2,10	1,2,10	1,2,10	1,2,10	1,2,10	1,2,10	1,2,10	1,2,10	
RE	F	11-534	11-534	11-534	11-684	11-684	11-534	11-684	11-534	
ISS	SUE	Α	А	Α	I	I	Α	I	Α	

TABLE 6B

				e=	0.80 PI	TCH				
VA	RIATION	VHHB-1	VJHB	VJHB-1	VJJB	VJJB-1	VJJB-2	VKKB	VLLB	NDTE
SYMBOL		WHHB-1	WJHB	WJHB-1	WJJB	WJJB-1	WJJB-2	WKKB	WLLB	/ <i> </i>
D E	32C	5,00	6,00	6,00	6.00	6,00	6,00	7.00	8,00	
E E	3SC	5.00	5,00	5,00	6,00	6,00	6.00	7.00	8,00	
D1 1	BSC	1	5.75	_	5.75	_	1	6.75	7.75	9
E1 1	BSC	1	4.75	_	5.75	_	-	6.75	7.75	9
	MIN	3.10	1.75	4.10	1.75	4.10	4.10	5 დ დ	2.75	
D2 [NDM	3.20	3,70	4.20	3.70	4.20	4.20	4.70	5.70	
	MAX	3,30	4.25	4.30	4.25	4.30	4.30	5. 5.	6.25	
	MIN	3,10	1,25	3,10	1.75	4,10	4,10	2. 2. 2.	2.75	
E2	NDM	დ დ	2.70	3,20	3,70	4.20	4.20	4.70	5.70	
	MAX	ე ე ო	3,25	3,30	4.25	4,30	4,30	5 2 5	6,25	
	MIN	0.35	0,35	0,35	0,35	0,35	0.35	0.35	0,35	
	NDM	0.55	0,55	0,55	0,55	0,55	0,55	0,55	0,55	
	MAX	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	
N	1	20	18	20	20	24	24	28	32	7.3
N	D	Ф	5	6	5	7	5	7	8	6
N		4	4	4	5	5	7	7	8	6
N□T	ΓES	1,2,10	1,2,10	1,2,10	1,2,10	1,2,10		1,2,10	1,2,10	
RE		11-684	11-534	11-684	11-534	11-684		11-534	11-534	
ISS	UE	I	Α	I	Α	I	I	Α	Α	

JEDEC SOLID STATE PRODUCT OUTLINE THERMALLY ENHANCED PLASTIC VERY THIN AND VERY VERY THIN FINE PITCH QUAD FLAT NO LEAD PACKAGE	ISSUE	DATE JUNE 2006	MO- 220	PAGE 8 OF 20	
---	-------	-------------------	---------	-----------------	--

TABLE 6C

				e=	0.80 PI	TCH		
VA	ARIATION	VLLB-1	VMMB					NOTE.
SYMBL	JL \	WLLB-1	WMMB					NOTE
DI	3SC	8,00	9,00					
E BSC		8.00	9,00					
	BSC	_	_					9
E1	BSC	_	_					9
	MIN	6,10	6,90					
D2	NDM	6,20	7.00					
	MAX	6,30	7,10					
	MIN	6,10	6.90					
E2	NDM	6,20	7.00					
	MAX	6,30	7,10					
	MIN	0,35	0.35					
	NDM	0,55	0.55					
	MAX	0.75	0.75					
<u> </u>		28	36					7.3
	D	8	9					6
	E	6	9					6
	ΓES							
RE		11-684						
ISS	SUE	I	エ					

JE1	DEC
SOLID	STATE
PRODUCT	DUTLINE

TABLE 7A

				e=	0.65 PI	TCH					
VA	ARIATION	VEEC	VEEC-1	VEEC-2	VEEC-3	VGEC	VGGC	VGGC-1	VGGC-2	VGGC-3	NDTE
SYMBOL	<u>'</u>	WEEC	WEEC-1	WEEC-2	WEEC-3	WGEC	WGGC	WGGC-1	WGGC-2	WGGC-3	
D I	BSC	3,00	3,00	3.00	3.00	4.00	4.00	4.00	4,00	4.00	
E	BSC	3,00	3,00	3.00	3,00	3,00	4,00	4,00	4.00	4.00	
D1	BSC	2.75	_	_	_	3.75	3.75	_	_	3.75	9
E1	BSC	2.75	_	_	_	2.75	3.75	_	_	3.75	9
	MIN	0.25	1.50	1.50	1,50	0.75	0.75	2.50	2.50	2.40	
D2	NDM	0.70	1.65	1.65	1.65	1.70	1.70	2.65	2.65	-	
	MAX	1.25	1,80	1,80	1,80	2,25	2,25	2.80	2,80	2,80	
	MIN	o. 25	1.50	1.50	1,50	o. 25	0.75	2.50	2,50	2.40	
E2	NDM	0.70	1.65	1.65	1.65	0.70	1.70	2.65	2.65	_	
	MAX	1.25	1,80	1.80	1,80	1.25	2,25	2.80	2.80	2,80	
	MIN	0.35	0.35	0.35	0,30	0,35	0,35	0,35	0,35	0.30	
L	NDM	0,55	0,40	0.40	0,40	0.55	0.55	0.40	0.40	0.40	
	MAX	0.75	0.45	0.45	0,50	0.75	0.75	0,45	0.45	0.50	
	7	8	12	8	8	12	16	12	16	16	7.3
	ID	2	3	2	2	4	4	3	4	4	6
	IE	2	3	2	2	2	4	3	4	4	6
	TES	1,2,10	1,2,10	1,2,10	1,2,10	1,2,10	1,2,10	1,2,10	1,2,10	1,2,10	
	ΞF	11-534	11-640	11-640	11-629	11-534	11-534	11-640	11-640	11-743	
[ISS	SUE	Α	F	F	E	Α	Α	F	F	K	

TABLE 7B

				e=(0.65 PI	TCH					
VA	ARIATION	VGGC-4	∨HGC	∨HGC-1	VHHC	VHHC-1	VHHC-2	VHJC	VJHC	VJJC	
SYMBOL		WGGC-4	WHGC	WHGC-1	WHHC	WHHC-1	WHHC-2	WHJC	WJHC	WJJC	NΩTE
DI	BSC	4,00	5.00	5.00	5.00	5.00	5.00	5.00	6.00	6.00	
E	BSC	4,00	4.00	4.00	5.00	5.00	5.00	6.00	5.00	6.00	
D1	BSC	_	4.75	4.75	4.75	_	_	_	5.75	5,75	9
E1	BSC	_	3.75	3.75	4.75	_	_	_	4.75	5.75	9
	MIN	2,20	1,25	3.00	1.25	3,50	3,50	3,50	1.75	1.75	
D2	NDM	2.40	2.70	_	2,70	3,65	3,65	3,65	3.70	3.70	
	MAX	2.60	3,25	3,70	3,25	3,80	3,80	3,80	4.25	4.25	
	MIN	2.20	0.75	2,20	1.25	3,50	3,50	4.50	1.25	1.75	
E2	NDM	2.40	1.70	_	2.70	3,65	3,65	4.65	2.70	3.70	
	MAX	ر م 0	25 2. 2.	2.70	3.25	3,80	3,80	4.80	5 დ თ	4 <u>.</u> 25	
	MIN	0.45	0.35	0.30	0.35	0.35	0.35	0,35	0.35	0.35	
L	NDM	o.55	0.55	0.40	0,55	0.40	0,40	0.40	0,55	0.55	
	MAX	o.65	0.75	0.50	0.75	0.45	0.45	0.45	0.75	0.75	
N	7	16	18	18	20	24	20	22	വ	28	7.3
N	D	4	15	5	17	Ф	5	5	D	7	6
N	E	4	4	4	5	6	5	Ф	5	7	6
NO	TES	1,2,10	1,2,10	1,2,10	1,2,10	1,2,10	1,2,10	1,2,10	1,2,10	1,2,10	
RE	ΞF	11-684	11-534	11-684	11-620	11-640	11-640	11-640	11-534	11-620	·
ISS	SUE	I	Α	I	D	F	F	F	Α	D	

JE]	DEC
SOLID	STATE
PRODUCT	DUTLINE

TABLE 7C

				e=	0.65 PI	TCH				
VA	RIATION	VJJC-1	VJJC-2	VJJC-3	VJJC-4	VKKC	VKKC-1	VKKC-2	VKMC	NOTE
SYMBOL		WJJC-1	WJJC-2	MJJC-3	WJJC-4	WKKC	WKKC-1	WKKC-2	WKMC	/ <i>VL</i> / <i>E</i>
DI	BSC	6,00	6.00	6.00	6.00	7,00	7,00	7,00	7.00	
E	BSC	6,00	6.00	6.00	6.00	7,00	7,00	7,00	9,00	
D1	BSC	_	_	_	5.75	6.75	_	_	_	9
E1	BSC	1	1	_	5.75	6.75	_	_	-	9
	MIN	4.50	4.50	4.50	4.00	55 2. 2.	5.50	5.50	4.95	
D2	NDM	4.65	4.65	4.65	_	4.70	5.65	5.65	5.10	
	MAX	4.80	4.80	4.80	4.55	5,25	5.80	5.80	5,25	
	MIN	4.50	4.50	4.50	4.00	2,25	5.50	5.50	6,95	
E2	NDM	4.65	4.65	4.65	_	4.70	5.65	5.65	7.10	
	MAX	4.80	4.80	4.80	4.55	5.25 5.	5.80	5.80	7.25	
	MIN	0,35	0,35	0.35	0,30	0,35	0,35	0,35	0.45	
	NDM	0.40	0,40	0.40	0.40	o.55	0.40	0.40	0,55	
	MAX	0.45	0.45	0.45	0.50	0.75	0.45	0.45	0,65	
l N	٧	24	32	28	28	32	36	32	38	7.3
N	D	6	8	7	7	ω	9	8	8	6
N	E	6	8	7	7	∞	9	8	11	6
ND	TES	1,2,10	1,2,10	1,2,10	1,2,10	1,2,10	1,2,10	1,2,10	1,2,10	
RE	<u>F</u>	11-640	11-640	11-640	11-684	11-534	11-640	11-640	11-743	
ISS	SUE	F	F	F	I	Α	F	F	К	

TABLE 7D

	. / D										
				e=	0.65 PI	TCH					
VA	ARIATION	VLLC	VLLC-1	VLLC-2	VLLC-3	VLLC-4	VMMC	∨MMC-1	∨MMC-2	∨MMC-3	ΝΩΤΕ
SYMBOL		WLLC	WLLC-1	WLLC-2	WLLC-3	WLLC-4	WMMC	WMMC-1	WMMC-2	WMMC-3	
D I	BSC	8,00	8.00	8,00	8,00	8,00	9,00	9,00	9,00	9,00	
E 1	BSC	8.00	8.00	8,00	8,00	8,00	9,00	9,00	9.00	9.00	
D1	BSC	7,75	_	_	_	_	_	_	8.75	8.75	9
E1	BSC	7,75	_	_	_	_	_	_	8.75	8.75	9
	MIN	2,75	6.50	6,50	6.50	6.30	7.50	7.50	6.00	7.20	
D2	NDM	5.70	6,65	6.65	6.65	6.45	7.65	7.65	_	7.35	
	MAX	6,25	6.80	6,80	6.80	6.60	7.80	7,80	6.75	7.50	
	MIN	2,75	6.50	6.50	6.50	6,30	7.50	7.50	6,00	7.20	
E2	NDM	5.70	6.65	6.65	6.65	6.45	7.65	7.65	_	7.35	
	MAX	6 _. 25	6.80	6.80	6.80	6.60	7.80	7.80	6.75	7.50	
	MIN	0.35	0.35	0,35	0.35	0,30	0,35	0.35	0.30	0.30	
	NDM	0,55	0.40	0.40	0,40	0.40	0.40	0.40	0,40	0.40	
	MAX	0.75	0.45	0.45	0.45	0.50	0.45	0.45	0,50	0,50	
	٧	40	36	44	40	44	48	44	44	44	7.3
N	D	10	9	11	10	11	12	11	11	11	6
N	E	10	9	11	10	11	12	11	11	11	6
	TES	1,2,10	1,2,10	1,2,10	1,2,10	1,2,10	1,2,10	1,2,10	1,2,10	1,2,10	
	<u>E</u> F	11-534	11-640	11-640	11-640	11-743	11-640	11-640	11-684	11-743	
ISS	SUE	Α	F	F	F	K	F	F	I	K	

JEDEC SOLID STATE PRODUCT OUTLINE	THERMALLY ENHANCED PLASTIC VERY THIN AND VERY VERY THIN FINE PITCH QUAD FLAT NO LEAD PACKAGE	ISSUE K	DATE JUNE 2006	MO- 220	PAGE 110F20
---	--	------------	-------------------	---------	----------------

TABLE 8A

				e=	0.50 PI	TCH					
VA	ARIATION	VCCD	VEED-1	VEED-2	VEED-3	VEED-4	VEED-5	VEED-6	∨EED-7	VFFD	NOTE
SYMBOL		WCCD	WEED-1	WEED-2	WEED-3	WEED-4	WEED-5	WEED-6	WEED-7	WFFD	NDTE
D I	BSC	2.00	3,00	3,00	3,00	3,00	3,00	3,00	3,00	3,50	
E	BSC	2.00	3,00	3,00	3,00	3,00	3,00	3,00	3,00	3,50	
D1	BSC	1.75	2.75	2.75	_	_	2.75	2.75	_	3,30	9
E1	BSC	1.75	2.75	2.75	_	_	2.75	2.75	_	3,30	9
	MIN	0.25	0.25	0,25	1,50	1,50	1.25	1.25	1.05	0.75	
D2	NDM	0.55	0,70	0.70	1,65	1,65	-	ı	_	2.00	
	MAX	0.80	1,25	1,25	1,80	1,80	1.65	1,65	1.45	2.10	
	MIN	0.25	0.25	0,25	1,50	1.50	1.25	1.25	1.05	0.75	
E2	NDM	0,55	0.70	0.70	1,65	1,65	-	-	-	2.00	
	MAX	0,80	1,25	1.25	1,80	1.80	1.65	1.65	1.45	2.10	
	MIN	0.30	0,35	0.30	0.35	0.35	0.30	0.30	0.45	0.50	
∟	NDM	0.40	0.55	0.40	0.40	0.40	0.40	0.40	0,50	0.55	
	MAX	0.50	0.75	0.50	0.45	0.45	0.50	0.50	0.55	0.60	
1	1	8	12	16	12	16	12	16	16	20	7.3
	D	2	3	4	3	4	3	4	4	5	6
	Ε	2	3	4	3	4	3	4	4	5	6
NO.	ΓES	1,2,10	1,2,10	1,2,10	1,2,10	1,2,10	1,2,10	1,2,10	1,2,10	1,2,10	
RE	ΞF	11-563	11-534	11-534	11-640	11-640	11-743	11-743	11-648	11-684	
ISS	SUE	В	Α	Α	F	F	K	K	G	I	

TABLE 8B

IABLE	88										
				e=	0.50 PI	TCH					
V	ARIATION	VFFD-1	VFSD	VFSD-1	VFSD-2	∨GED	∨GGD-1	VGGD-2	∨GGD-3	∨GGD-4	ΝΩΤΕ
SYMBOL	<u>'</u>	WFFD-1	WFSD	WFSD-1	WFSD-2	WGED	WGGD-1	WGGD-2	WGGD-3	WGGD-4	/ V
D 1	BSC	3,50	3,50	3,50	3,50	4.00	4.00	4.00	4.00	4,00	
E]	BSC	3.50	4.50	4,50	4,50	3,00	4.00	4.00	4.00	4,00	
D1	BSC	ı	3,30	1	1	3.75	3.75	3.75	_	_	9
E1	BSC	I	4.30	1	1	2.75	3.75	3.75	_	_	9
	MIN	1,60	0.75	1,60	1.60	o.75	0.75	0.75	2.10	2.10	
D2	NDM	1.70	2.00	1.70	_	1.70	1.70	1.70	2.20	2.20	
	MAX	1,80	2.10	1.80	2.10	2.25	2.25	2.25	2.30	2.30	
	MIN	1.60	1.75	2.60	2,60	0.25	0.75	0.75	2.10	2.10	
E2	NDM	1.70	3,00	2.70	_	0.70	1.70	1.70	2.20	2.20	
	MAX	1,80	3.10	2.80	3.10	1.25	2.25	2.25	2.30	2.30	
	MIN	0.35	0.50	0.35	0.30	0.35	0.35	0.30	0.35	0.35	
L	NDM	0.55	0.55	0.55	0.40	0.55	0.55	0.40	0.55	0.55	
	MAX	0.75	0.60	0.75	0,50	0.75	0.75	0.50	0.75	0.75	
1	7	20	24	24	24	16	20	24	14	16	7.3
	ID	5	4	4	4	15	5	6	4	4	6
	ΙE	5	8	8	8	3	5	6	3	4	6
		1,2,10		1,2,10	1,2,10	1,2,10	1,2,10	1,2,10		1,2,10	
	ΞF	11-684		11-684	11-684	11-534	11-534	11-534	11-684	11-684	
ISS	SUE	I	I	I	I	Α	Α	Α	I	I	

JEDEC SOLID STATE PRODUCT OUTLINE	THERMALLY ENHANCED PLASTIC VERY THIN AND VERY VERY THIN FINE PITCH QUAD FLAT NO LEAD PACKAGE	K	DATE JUNE 2006	MO- 220	PAGE 12 OF 20	

TABLE 8C

				e=	0.50 PI	TCH						
VA	ARIATION	VGGD-5	VGGD-6	∨GGD-7	∨GGD-8	VGGD-9	VGGD-10	∨GGD-11	VGHD	∨GHD-1	VGHD-2	NOTE
SYMBOL	2	WGGD-5	WGGD-6	WGGD-7	WGGD-8	WGGD-9	WGGD-10	WGGD-11	WGHD	WGHD-1	WGHD-2	/VL/ / E
D 1	BSC	4.00	4,00	4,00	4.00	4.00	4.00	4.00	4.00	4.00	4.00	
E 1	BSC	4.00	4.00	4,00	4.00	4.00	4.00	4.00	5,00	5.00	5.00	
D1	BSC	1	_	1	_	_	3.75	3.75	3,75	_	_	9
E1	BSC	_	_	_	_	_	3.75	3.75	4.75	_	_	9
	MIN	2,50	2.50	2.70	2,20	1.05	2.10	2.10	0.75	2.50	2.70	
D2	NDM	2.65	2,65	2.80	-	-	1	I	1.70	2.65	5.80	
	MAX	2,80	2.80	2,90	2.60	2.45	2.60	2.60	2.25	2.80	2.90	
	MIN	2.50	2,50	2.70	2,20	1.05	2.10	2.10	1.75	3.50	3.70	
E2	NDM	2.65	2.65	2.80	-	ı	-	ı	2.70	3.65	3,80	
	MAX	<u>လ</u> လ	2.80	დ ი	2.60	2.45 2.45	2.60	رم م	3,25	3.80	3,90	
	MIN	5 0. 0	0.35	5 0.	0.30	o.45	0.30	0. 0.	0.30	0.35	0.35	
L	NDM	0.40	0.40	0.40	0.40	0.50	0.40	0.40	0.40	0.40	0.40	
	MAX	0.45	0.45	0.45	0,50	0,55	0.50	0.50	0,50	0.45	0.45	
1	V	20	24	28	24	24	16	20	28	24	24	7.3
	ID	5	6	6	6	6	4	5	6	5	6	6
N	ΙE	5	6	8	6	6	4	5	8	7	6	6
		1,2,10	1,2,10	1,2,10	1,2,10		1,2,10	1,2,10		1,2,10	1,2,10	
		11-640	11-640	11-684	11-743	11-648	11-684	11-743		11-640	11-684	
ISS	SUE	F	F	I	K	G	I	K	В	F	I	

TABLE 8D

	TIDEL OD											
				e=	0.50 PI	TCH						
VAF	RIATION	∨GHD-3	VSTD	VSTD-1	VSUD	VSUD-1	∨HGD	∨HHD-1	∨HHD-2	VHHD-3		NOTE
SYMBOL		WGHD-3	WSTD	WSTD-1	WSUD	WSUD-1	WHGD	WHHD-1	WHHD-2	WHHD-3	WHHD-4	NDTE
D B	SC	4,00	4.50	4. 4.	4.50	4.50	5.00	5.00	5.00	5.00	0 5 5	
E B	SC	5.00	5.50	5 5 5	6.50	6.50	4.00	5.00	5.00	5.00	5. 5.	
	3SC	_	4.30	1	4.30	-	4.75	4.75	4.75	_	_	9
E1 E	3SC	_	5,30	1	6,30	1	3.75	4.75	4.75	_	1	9
	MIN	2.50	1.75	ر ا ا	1.75	2.60	1.25	2.35	1.25	3,50	3,50	
D2 [NDM	2.65	3.00	2. 2.	3.00	2.70	2.70	2.70	2.70	3.65	3,65	
	MAX	2,80	3.10	<u>ထ</u> လ	3.10	2. 2. 2.	3,25	3,35	3,25	3,80	3,80	
	MIN	3,50	2.75	3,60	2.75	4.60	0.75	2.35	1.25	3,50	3,50	
E2 [NDM	3.65	4.00	3.70	5.00	4.70	1.70	2.70	2.70	3.65	3,65	
	MAX	3,80	4.10	3.80	5.10	4.80	2,25	3,35	3,25	3,80	3,80	
	MIN	0.35	0.50	5 3 5	0. 5	0.35	0.35	0.45	0.30	0,35	0.35	
	NDM	0.40	0,55	0,55	0.55	0.55	0.55	0.55	0.40	0.40	0.40	
	MAX	0.45	0.60	0.75	0,60	0.75	0.75	0.75	0.50	0.45	0.45	
N	1	28	32	വ	36	36	24	28	32	28	32	7.3
NI		6	6	D	D	Ú	7	7	8	7	8	6
NE		8	10	10	12	12	5	7	8	7	ω	6
NDT		1,2,10	1,2,10	1,2,10	1,2,10	1,2,10	1,2,10	1,2,10	1,2,10	1,2,10	1,2,10	
RE	F	11-640	11-684	11-684	11-684	11-684	11-534	11-743	11-534	11-640		
ISS	UE	F	I	I	I	I	Α	K	Α	F	F	

JEDEC SOLID STATE PRODUCT DUTLINE	THERMALLY ENHANCED PLASTIC VERY THIN AND VERY VERY THIN FINE PITCH QUAD FLAT NO LEAD PACKAGE	ISSUE	DATE JUNE 2006	MO- 220	PAGE 13 DF 20
---	--	-------	-------------------	---------	------------------

TABLE 8E

				e=	0.50 PI	TCH					
VA	ARIATION	VHHD-5	VHHD-6	MULHV	VHKD	VHKD-1	VHKD-2	VTUD	∨TUD-1	MHLV	ΝΩΤΕ
SYMBOL		WHHD-5	WHHD-6	WHJD	WHKD	WHKD-1	WHKD-2	WTUD	WTUD-1	MJHD	/VL/
DI	BSC	5.00	5.00	5.00	5.00	5.00	5.00	5,50	5,50	6.00	
E	BSC	5.00	5.00	6.00	7.00	7.00	7.00	6.50	6.50	5.00	
D1	BSC	4.75	_	_	4.75	_	_	5,30	_	5.75	0
E1	BSC	4.75	_		6.75	ı	1	6,30	_	4.75	9
	MIN	3,20	1.05	2.45	1,25	3,50	3.10	2.75	3,60	1.75	
D2	NDM	-	_	3.20	2.70	3.65	3,30	4.00	3.70	3.70	
	MAX	3.70	3,45	3,60	3,25	3,80	3,50	4.10	3,80	4,25	
	MIN	3,20	1.05	3,40	2,25	5,50	5.10	2.75	4.60	1.25	
E2	NDM	-	_	4.20	4.70	5,65	5,30	5.00	4.70	2.70	
	MAX	3.70	3,45	4.60	5.25	5,80	5.50	5,10	4.80	3,25	
	MIN	0.30	0,45	0,35	0 0	5 0 0	o. 30	0,50	0,35	0,35	
L	NDM	0.40	0.50	0,55	0.40	0.40	0.40	0.55	0.55	0.55	
	MAX	0. 5	0.55	0.75	0 5 0	o.45	0 5 0	0.60	0.75	0.75	
N	V	22	32	32	88	38	40	40	40	32	7.3
	D	ω	8	7	7	7	8	8	8	9	6
N	E	ω	8	U	12	12	12	12	12	7	6
ND	TES	1,2,10		1,2,10	1,2,10	1,2,10	1,2,10	1,2,10	1,2,10	1,2,10	
RE	ΞF	11-666	11-648	11-666	11-534	11-640	11-743	11-684	11-684	11-534	
ISS	SUE	Н	G	Н	Α	F	K	I	I	Α	

TABLE 8F

				[e]=	0.50 PI	TCH					
V	ARIATION	VJJD-1	VJJD-2	ANND-3	VJJD-4	VJJD-5	VJJD-6	VJJD-7	VJJD-8	VKHD	
SYMBOL	<u>'</u>	WJJD-1	WJJD-2	MJJD-3	WJJD-4	WJJD-5	WJJD-6	WJJD-7	WJJD-8	WKHD	NDTE
D :	BSC	6,00	6.00	6,00	6,00	6.00	6,00	6.00	6,00	7,00	
E :	BSC	6,00	6.00	6.00	6.00	6.00	6.00	6.00	6,00	5.00	
D1	BSC	5.75	5.75	_	_	_	_	_	5.75	_	9
E1	BSC	5.75	5.75	_	_	_	_	_	5.75	_	9
	MIN	1.75	1.75	4.10	4,50	4.50	1.05	4.10	3,80	2,25	
D2	NDM	3.70	3.70	4.20	4.65	4.65	_	4,20	_	_	
	MAX	4.25	4.25	4.30	4.80	4.80	4,45	4,30	4.60	5,25	
	MIN	1.75	1.75	4.10	4.50	4.50	1,05	4.10	3,80	1.25	
E2	NDM	3.70	3.70	4.20	4.65	4.65	_	4.20	_	-	
	MAX	4.25	4.25	4.30	4.80	4.80	4,45	4,30	4,60	3,25	
	MIN	0.35	0.30	0,35	0.35	0.35	0.45	0.35	0.30	0.30	
L	NDM	0,55	0.40	0.55	0,40	0,40	0,50	0,55	0.40	0.40	
	MAX	0.75	0.50	0.75	0.45	0,45	0.55	0.75	0,50	0,50	
1	V	36	40	38	36	40	40	32	36	38	7.3
	1D	9	10	10	9	10	10	8	9	12	6
	1E	9	10	9	9	10	10	8	9	7	6
	TES	1,2,10	1,2,10	1,2,10	1,2,10	1,2,10	1,2,10	1,2,10	1,2,10	1,2,10	
<u> </u>	EF	11-534	11-534	11-684	11-640	11-640	11-648	11-684	11-684	11-629	
ISS	SUE	Α	Α	I	F	F	G	I	I	E	

JEDEC SOLID STATE	AND VERY VERY THIN FINE PITCH	ISSUE	DATE	MO- 220	PAGE
PRODUCT OUTLINE	QUAD FLAT NO LEAD PACKAGE	К	JUNE 2006	10-220	14 OF 20

TABLE 8G

				e=	0.50 PI	TCH					
VA	RIATION	VKKD	VKKD-1	VKKD-2	VKKD-3	VKKD-4	VKKD-5	VKKD-6	VKKD-7	VKKD-8	ΝΩΤΕ
SYMBOL		WKKD	WKKD-1	WKKD-2	WKKD-3	WKKD-4	WKKD-5	WKKD-6	WKKD-7	WKKD-8	
DI	32C	7.00	7.00	7.00	7.00	7.00	7.00	7.00	7,00	7.00	
EI	32C	7.00	7.00	7.00	7.00	7.00	7.00	7.00	7,00	7.00	
D1 :	BSC	-	6.75	6.75	1	_	1	ı	1	_	9
E1 :	BSC	_	6.75	6.75	-	_	_	1	_	_	9
	MIN	5.50	بي ما ما	2,25	5 5 5	5,50	3.40	55 1. 1.	3,40	5.00	
DS	M	5,65	4.70	4.70	5.65	5,65	1	ı	1	5.10	
	MAX	5.80	5 2 5	5,25	5.80	5,80	5,30	5 5	5,30	5.20	
	MIN	5.50	55 2. 2.	2.25	5.50	5,50	3,40	1.25	3.40	5.00	
E2	NDM	5,65	4.70	4.70	5,65	5,65	-	-	_	5.10	
	MAX	5.80	5 5 5	5,25	5,80	5,80	5,30	5. 5.	5,30	5,20	
	MIN	0.35	0.35	0,30	0.35	0.35	0.35	0.45	0,35	0.35	
	NDM	0.40	0.55	0,40	0.40	0,40	0,55	o.50	0,55	0.55	
	MAX	0.45	0.75	0,50	0.45	0.45	0.75	55 0.	0.75	0.75	
N	7	40	44	48	44	48	44	48	44	48	7.3
N	D	10	11	12	11	12	12	12	10	11	6
N	E T	10	11	12	11	12	10	12	12	13	6
NDT	LES	1,2,10	1,2,10	1,2,10	1,2,10	1,2,10	1,2,10	1,2,10	1,2,10	1,2,10	
RE	F	11-640	11-534	11-534	11-640	11-640	11-684	11-648	11-684	11-684	
ISS	SUE	F	Α	Α	F	F	I	G	I	I	

TABLE 8H

שעווו	MDLL OII										
				e	0.50 PI	TCH					
VA	ARIATION	VLLD	VLLD-1	VLLD-2	VLLD-3	VLLD-4	VLLD-5	VLLD-6	∨MMD	∨MMD-1	NOTE
SYMBOL		WLLD	WLLD-1	WLLD-2	WLLD-3	WLLD-4	WLLD-5	WLLD-6	WMMD	WMMD-1	NDTE
DI	BSC	8,00	8.00	8.00	8,00	8,00	8,00	8,00	9,00	9,00	
EI	BSC	8,00	8,00	8.00	8.00	8,00	8,00	8.00	9,00	9,00	
D1	BSC	_	7.75	7.75	_	_	_	_	_	_	9
E1	BSC	_	7.75	7.75	_	_	_	_	_	_	9
	MIN	6,50	2.75	2.75	6.10	6,50	6.50	2.25	7.50	7.50	
D2	NDM	6.65	5.70	5.70	6,20	6.65	6.65	_	7.65	7.65	
	MAX	6,80	6,25	6,25	6,30	6.80	6.80	6.45	7.80	7.80	
	MIN	6.50	2.75	2.75	6.10	6.50	6.50	2,25	7.50	7.50	
E2	NDM	6.65	5.70	5.70	6.20	6.65	6,65	_	7.65	7.65	
	MAX	6.80	6.25 6.2	6.25	6.30	6,80	6,80	6.45	7.80	7.80	
	MIN	5 3 0	5 0 0	0.30	0.35	0.35	0,35	0.45	0,35	0,35	
L .	NDM	0.40	5 5 0	0.40	0,55	0.40	0.40	0.50	0.40	0,40	
	MAX	o.45	0.75	0.50	0.75	0.45	0.45	0.55	0.45	0.45	
N	7	48	52	56	48	52	56	56	64	60	7.3
N	D	12	13	14	13	13	14	14	16	15	6
N	E	12	13	14	11	13	14	14	16	15	6
NO	TES	1,2,10	1,2,10	1,2,10	1,2,10	1,2,10	1,2,10	1,2,10	1,2,10	1,2,10	
	ΞF	11-640	11-534	11-534	11-684	11-640	11-640	11-648	11-640	11-640	
ISS	SUE	F	Α	Α	I	F	F	G	F	F	

JEI	DEC
SOLID	STATE
PRODUCT	DUTLINE

TABLE 8I

				e=	0.50 PI	TCH				
VA	ARIATION	VMMD-2	∨MMD-3	∨MMD-4	∨NND-1	VNND-2	VNND-3	∨NND-4	VRRD	
SYMBOL	2	WMMD-2	WMMD-3	WMMD-4	WNND-1	WNND-2	WNND-3	WNND-4	WRRD	NOTE
D I	BSC	9,00	9.00	9.00	10,00	10,00	10.00	10.00	12.00	
E	BSC	9.00	9,00	9,00	10,00	10.00	10.00	10.00	12.00	
D1	BSC	_	_	8.75	9.75	9.75	_	_	11.75	9
E1	BSC	_	_	8.75	9.75	9.75	_	_	11.75	9
	MIN	7.50	3,25	6.00	3.75	3.75	4,25	5,50	4.75	
D2	NDM	7,65	_	_	7.70	7.70	_	6,00	9.70	
	MAX	7.80	7,45	7,50	8.25	8,25	8,45	6,50	10,25	
	MIN	7.50	3,25	6.00	3.75	3.75	4.25	5,50	4.75	
E2	NDM	7,65	_	_	7.70	7.70	_	6,00	9.70	
	MAX	7.80	7,45	7.50	8.25	8.25	8,45	6.50	10.25	
	MIN	0,35	0.45	0.30	0.45	0.45	0.45	0.30	0.45	
	NDM	0.40	0.50	0.40	0.55	0.55	0.50	0.40	0,55	
	MAX	0.45	0.55	0.50	0.65	0.65	0,55	0.50	0,65	
1	V	56	64	64	64	68	72	72	80	7.3
N	ID	14	16	16	16	17	18	18	20	6
N	IE	14	16	16	16	17	18	18	20	6
ND.	TES	1,2,10	1,2,10	1,2,10	1,2,10	1,2,10	1,2,10	1,2,10	1,2,10	
	ΞF	11-640	11-648	11-684	11-563	11-563	11-648	11-743	11-563	
ISS	SUE	F	G	I	В	В	G	K	В	

TABLE 9A

TABLE 9A											
	e=0.40 PITCH										
VA	ARIATION	VEEE	VEEE-1	VGGE	VHHE	VHHE-1	VJJE	VJJE-1	VGHE	VGHE-1	NOTE
SYMBOL		WEEE	WEEE-1	WGGE	WHHE	WHHE-1	WJJE	WJJE-1	WGHE	WGHE−1	NDTE
DI	BSC	3,00	3,00	4.00	5.00	5.00	6,00	6.00	4.00	4.00	
E	BSC	3,00	3,00	4,00	5.00	5.00	6,00	6,00	5.00	5,00	
D1	BSC		2.75	3.75	4.75		5.75	5,75	4.75	4.75	9
E1	BSC		2.75	3,75	4.75		5,75	5.75	5.75	5.75	0
	MIN	0.95	0.95	1.95	2,95	3.45	3.95 3.	4.45	დ დ დ	2.30	
D2	NDM	1.10	1.10	2.10	3.10	3,60	4.10	4. 60	ი ს ი	2.50 2.5	
	MAX	1,25	1,25	2,25	3,25	3.75	4 _. 25	4.75	2.70	2.70	
	MIN	0.95	0.95	1.95	2. 2.	3.45	95 9 3	4.45 4.	ი ფ	3.30	
E2	NDM	1.10	1.10	2.10	3.10	3,60	4.10	0 4 4	ი 5 ო	3. 3.	
	MAX	1.25	1.25	2,25	3,25	3.75	4.25	4.75	3.70	3.70	
	MIN	0.30	0.30	0.30	0.30	0.30	0.30	0.30	0.30	0.30	
L	NDM	0.40	0.40	0.40	0.40	0.40	0.40	0.40	0.40	0.40	
	MAX	0. 0.	0.50	0.50	0.50	0.50	0.50	0 5 0	5 0.	0.50	
N	٧	20	16	28	36	40	48	48	32	34	7.3
N	D	5	4	7	9	10	12	12	7	7	6
N	Ε	5	4	7	9	10	12	12	9	10	6
	TES	1,2,10	1,2,10	1,2,10	1,2,10	1,2,10	1,2,10	1,2,10	1,2,10		
RE		11-743	11-743					11-743			
ISS	SUE	K	K	K	K	K	K	К	K	K	

	JEDEC SOLID STATE PRODUCT OUTLINE	THERMALLY ENHANCED PLASTIC VERY THIN AND VERY VERY THIN FINE PITCH QUAD FLAT NO LEAD PACKAGE	ISSUE K	DATE JUNE 2006	MO- 220	PAGE 16 OF 20	
--	---	--	------------	-------------------	---------	------------------	--

TABLE 9B

	e=0.40 PITCH									
VA	ARIATION	VLLE-1	VLLE-2	VMME	∨MME-1	VNNE	VNNE-1	VKKE	VLLE	N/77-
SYMBOL		WLLE-1	WLLE-2	WMME	WMME-1	WNNE	WNNE-1	WKKE	WLLE	NDTE
DI	BSC	8.00	8.00	9,00	9,00	10.00	10.00	7.00	8.00	
E	BZC	8.00	8.00	9,00	9,00	10.00	10.00	7.00	8.00	
D1	BSC	7.75	7.75	8,75	8,75	9.75	9.75	6.75	7.75	9
E1	BSC	7.75	7.75	8,75	8.75	9.75	9.75	6.75	7.75	9
	MIN	5.95	6,30	6,95	6,95	7.95	6.60	4.95	5,95	
D2	NDM	6.10	6,45	7.10	7.10	8,10	6.75	5.10	6.10	
	MAX	6.25	6,60	7,25	7.25	8.25	6,90	5,25	6.25	
	MIN	5,95	6,30	6.95	6.95	7.95	6.60	4.95	5,95	
E2	NDM	6.10	6.45	7.10	7.10	8,10	6.75	5.10	6.10	
	MAX	6,25	6,60	7,25	7.25	8,25	6,90	5,25	6,25	
	MIN	0,30	0.30	0.30	0.30	0.30	0.30	0,30	0.30	
L	NDM	0.40	0.40	0.40	0.40	0.40	0.40	0.40	0.40	
	MAX	0.50	0.50	0.50	0.50	0.50	0.50	0,50	0.50	
N	7	68	64	72	76	88	88	56	64	7,3
N	D	17	16	18	19	22	22	14	16	M
N	E	17	16	18	19	22	22	14	16	 6
ND	TES	1,2,10	1,2,10	1,2,10	1,2,10	1,2,10	1,2,10	1,2,10	1,2,10	
RE	EF	11-743	11-743	11-743	11-743	11-743	11-743	11-743	11-743	
ISS	SUE	K	K	K	K	K	K	K	K	

TABLE 9C

	e=0.40 PITCH								
V	ARIATION	VRRE	VRRE-1	VRRE-2					N/77-C
SYMBO	L	WRRE	WRRE-1	WRRE-2					NOTE
D	BSC	12.00	12.00	12.00					
E	BSC	12.00	12.00	12.00					
D1	BSC	11.75	11.75	11.75					9
E1	BSC	11.75	11.75	11.75					9
	MIN	9.95	6,60	9.95					
D2	NDM	10.10	6,75	10.10					
	MAX	10.25	6.90	10.25					
	MIN	9.95	6.60	9,95					
E2	NDM	10.10	6.75	10.10					
	MAX	10.25	6.90	10.25					
	MIN	0.30	0.30	0,30					
∟	NDM	0.40	0.40	0,40					
	MAX	0.50	0.50	0,50					
	Ν	100	100	108					7.3
	1D	25	25	27					6
	1E	25	25	27					6
	TES	1,2,10	1,2,10	1,2,10					
	EF	11-743	11-743	11-743					
IS:	SUE	K	K	K					

JEDEC SOLID STATE PRODUCT OUTLINE	THERMALLY ENHANCED PLASTIC VERY THI AND VERY VERY THIN FINE PITCH QUAD FLAT NO LEAD PACKAGE	ISSUE K	DATE JUNE 2006	MO- 220	PAGE 17 OF 20
---	---	------------	-------------------	---------	------------------

NOTES:

- 1. DIMENSIONING AND TOLERANCING CONFORM TO ASME Y14.5M-1994.
- 2. ALL DIMENSIONS ARE IN MILLIMETERS, TIS IN DEGREES.
- 3. N IS THE TOTAL NUMBER OF TERMINALS.
- 4. THE TERMINAL #1 IDENTIFIER AND TERMINAL NUMBERING CONVENTION SHALL CONFORM TO JEDEC PUBLICATION 95 SPP-002. DETAILS OF TERMINAL #1 IDENTIFIER ARE OPTIONAL, BUT MUST BE LOCATED WITHIN THE ZONE INDICATED. THE TERMINAL #1 IDENTIFIER MAY BE EITHER A MOLD OR MARKED FEATURE.
- 5. DIMENSION & APPLIES TO METALLIZED TERMINAL AND IS MEASURED BETWEEN 0.15mm AND 0.30mm FROM THE TERMINAL TIP. IF THE TERMINAL HAS THE OPTIONAL RADIUS ON THE OTHER END OF THE TERMINAL, THE DIMENSION & SHOULD NOT BE MEASURED IN THAT RADIUS AREA.
- 6. ND AND NE REFER TO THE NUMBER OF TERMINALS ON EACH D AND E SIDE RESPECTIVELY.
- 7. DEPOPULATION IS POSSIBLE IN A SYMMETRICAL FASHION.
- 8. VARIATION GED IS SHOWN FOR ILLUSTRATION ONLY.
- 9. ALL VARIATIONS MAY BE CONSTRUCTED PER FIGURE 1. VARIATIONS MAY
 ALTERNATELY BE CONSTRUCTED PER FIGURE 2 IF A2, D1.&E1 ARE SPECIFIED IN THE
 DIMENSION TABLES. IN ALL CASES, THE MINIMUM "K" VALUE OF 0.20 MM APPLIES.
- 10. FOR A COMPLETE SET OF DIMENSIONS FOR EACH VARIATION, SEE THE INDIVIDUAL VARIATION AND THE COMMON DIMENSIONS AND TOLERANCE ON PAGE 4.
- 11. UNILATERAL COPLANARITY ZONE APPLIES TO THE EXPOSED HEAT SINK SLUG AS WELL AS THE TERMINALS.
- 12. DEPENDING ON THE METHOD OF LEAD TERMINATION AT THE EDGE OF THE PACKAGE, PULL BACK (L1) MAYBE PRESENT. L MINUS L1 TO BE EQUAL TO OR GREATER THAN 0.3 mm.

NOTES:

MAY APPLY TO THIS REGISTRATION. IF THE CURRENT ISSUE PATENTS OR LATER PATENTS RESULTING FROM RELATED APPLICATIONS DO APPLY, THESE COMPANIES INTEND TO COMPLY WITH THE JEDEC PATENT POLICY AND LICENSE UNDER REASONABLE TERMS AND CONDITIONS THAT ARE DEMONSTRABLY FREE OF ANY UNFAIR DISCRIMINATION. REFERENCED PATENTS ARE AS FOLLOWS.

	U.S. PATENT #s: 5,866,939; 6,143,981; 6,281,568; 6,331,451;
	6,433,277; 6,448,633; 6,455,356; 6,469,369; 6,475,827;
AMKOR TECHNOLOGY	6,476,478; 6,501,161; 6,521,987; 6,525,406; 6,545,345;
AMNUR TECHNOLOGI	6,555,899; 6,580,159; 6,597,059; 6,605,865; 6,605,866;
	6,608,366; 6,611,047; 6,616,436; 6,627,976; 6,630,728;
	6,639,308; 6,646,339; 6,677,662; 6,677,663; 6,684,496
	6,759,737; 6,770,961; 6,777,789; 6,798,047; 6,803,645; 6,825,062;
	6,833,609; 6,841,414; 6,847,009; 6,847,103; 6,853,059; 6,853,919
	6,867,071; 6,873,032; 6,885,086; 6,893,900
ASAT	U.S. PATENT #'S: 6,229,200B1; 6,242,281B1; 6,294,100B1;
	6,545,347B2; 6,585,905B1
NATIONAL SEMICONDUCTOR	U.S. PATENT No. 6,130,473; 6,589,814; 6,483,180; 6,452,255;
	6,399,415;6,372,539;6,551,048;6,576,989;6,488,107;
	6,564,447; 6,629,880;

14. WHEN MORE THAN ONE VARIATION (OPTION) EXISTS FOR THE SAME PROFILE HEIGHT, BODY SIZE (D x E), AND PITCH, THEN THOSE VARIATIONS WILL BE DENOTED BY AN ADDITIONAL DASH NUMBER (ie: -1, -2, etc.) DESIGNATOR TO IDENTIFY THEM. THE NEW VARIATIONS WOULD BE CREATED FROM ALL OR ANY OF THE FOLLOWING REASONS LEAD COUNTS, TERMINAL LENGTHS, AND OR THERMAL PAD SIZES.

JEDEC				
SOLID	STATE			
PRODUCT	DUTLINE			

Change Record

If the changes involves any words added or deleted (excluding deletion of accidentally repeated words), the change is included. Punctuation changes may or may not be included.

Initial Issue: A Date: Jar	nuary 2000	Item: 11-534		
	Revision History:			
(Issues b thru I ovant Pr	evision History not availab	2/0)		
	-			
Issue: J Date: MAY	2005	Item: 11-705		
Location	Change description	:		
TABLE 3	Added b values for 0.4	mm pitch		
TABLE 5a,b,c	Added listings for 0.4m			
TABLE 9a,b	Added dimensions for r	new 0.4mm variations		
Issue:K Date: Janu	ary 2006	ltem: 11-743		
Location	Change from:	Change to:		
Variations & Summary	(add new variations)	(V/W) GGC-2, KMC, LLC-4, MMC-3,EED-5/6,GGD-8/		
tables		HHD-1,HKD-2,NND-4,EEE-1,LLE-1/2,MME-1,NNE-1		
		RRE-1/2,GHE,GHE-1		
TABLES 9 A,B,C	L= 0.35/0.40/0.45	L=0.30/0.40/0.50		
PAGES 1 AND 2	BILATERAL COPLANARITY	UNILATERAL COPLANARITY		
PAGE 4 - TABLE 2	L1 MIN=0.03	L1 MIN=0.00		
PAGE 4 - TABLE 4	NEW VALUES	aaa & bbb for 0.40 PITCH		
PAGE 19	ADD ADDITIONAL PATENT	NUMBERS		
T		T		
Issue: Date:		Item:		
Location	Change from:	Change to:		
		-		

JEDEC				
SOLID	STATE			
PRODUCT	DUTLINE			