Building an
Infrastructur
Testing La

Report No. TRSR000010

Triaxial Compressive Strength of Undrained Rock Core Specimens (Hoek cell)

גזירה מרחבית בלתי מנוקזת על מדגמי סלע (תא הוק)

(According to ASTM D 7012-04, Method A)

Borehole No.	-	Date	19/03/2018
		Project No.	609029
Specimen No.	**PYR - 14**	Project Name	**Kokhav Hayarden**

Specimen description	Pyroclastic

Note:

X	The test was performed at natural moisture content.		
	The test was performed after saturation of		Hours

Legend:

Specimen reference	**1**	**2**	**3**
Confining pressure, MPa	2.0	4.0	6.0

Specimen reference		1		2		3	
Specimen conditions		Initially	After Saturation	Initially	After Saturation	Initially	After Saturation
Wet Mass	gr	303.9		306.10		282.5	
Diameter	mm	44.10		44.80		44.75	
Height	mm	89.8		89.5		84.8	
Cross-sectional area	mm^2	1527		1576		1573	
Dry unit Weight	kg/m^3	2085		2048		1991	
Water content	%	6.3		6.0		6.5	

Conditions at failure				
Specimen reference		1	2	3
Total Axial strain	%	1.47	1.20	2.14
Deviator stress	MPa	18.0	21.3	28.9
Total minor stress	MPa	2.0	4.0	6.0
Total major stress	MPa	20.0	25.3	34.9

Time of test up to failure, min	4:12	5:11	5:45

Building and Infrastructure Testing Lab

Report No. TRSR000010

Triaxial Compressive Strength of Undrained Rock Core Specimens (Hoek cell)

גזירה מרחבית בלתי מנוקזת על מדגמי סלע (תא הוק)

(According to ASTM D 7012-04, Method A)

Site		Date	19/03/2018
		Project No.	609029
Specimen No.	**PYR - 14**	Project Name	**Kokhav Hayarden**

Specimen	Pyroclastic

Note:

X	The test was performed at natural moisture content.		
	The test was performed after saturation of		hours

Legend:

Specimen reference	**4**	**5**	
Confining pressure, MPa	8.0	10.0	

Specimen reference		D		E		C	
Specimen conditions		Initially	After Saturation	Initially	After Saturation	Initially	After Saturation
Wet Mass	gr	312.4		305.00			
Diameter	mm	44.55		45.50			
Height	mm	89.1		90.5			
Cross-sectional area	mm^2	1559		1626			
Dry unit Weight	kg/m^3	2125		1884			
Water content	%	5.9		10.1			

Conditions at failure				
Specimen reference		4	5	6
Total Axial strain	%	1.47	1.20	
Deviator stress	MPa	34.0	32.0	
Total minor stress	MPa	8.0	10.0	
Total major stress	MPa	42.0	42.0	

Time of test up to failure, min	7:45	9:37	

Building an
Infrastructur
Testing La

Report No. TRSR000010

Triaxial Compressive Strength of Undrained Rock Core Specimens (Hoek cell)

גזירה מרחבית בלתי מנוקזת על מדגמי סלע (תא הוק)

(According to ASTM D 7012-04, Method A)

Borehole No.	-
Specimen No.	**PYR - 14**

Date	19/03/2018
Project No.	609029
Site	**Kokhav Hayarden**

Specimen description	Pyroclastic







Strength parameters

f =	**31**	°
C =	**4.3**	Mpa

Performed by

Sergey Shemborsky
Lab. Technician

Approved by

Dr. I.Goretsky
Chief Engineer

סוף תעודה

טופס 1204 ת מהדורה 02

1. מסמך זה הינו רכושה הבלעדי של המבדקה, עד למילוי כל התחייבויותיו של המזמין כלפי המבדקה.
2. התוצאות מתייחסות לפריט שנבדק בלבד.
3. יש להתייחס למסמך זה במלואו ובשלמותו ואין להעתיק או לפרסם ממנו קטעים או חלקים כלשהם.
4. הפרטים והנתונים על הנטילה / הבדיקה, הינם כפי שנמסרו על ידי המזמין או בא כוחו.
5. הבדיקה בוצעה בסניף חיפה.

Building an
Infrastructur
Testing La

Report No. TRSR000011

Triaxial Compressive Strength of Undrained Rock Core Specimens (Hoek cell)

גזירה מרחבית בלתי מנוקזת על מדגמי סלע (תא הוק)

(According to ASTM D 7012-04, Method A)

Borehole No.	-
Specimen No.	**PYR - 16**

Date	17/03/2018
Project No.	609029
Project Name	**Kokhav Hayarden**

Specimen description	Pyroclastic

Note:

X	The test was performed at natural moisture content.		
	The test was performed after saturation of		Hours

Legend:

Specimen reference	**1**	**2**	**3**
Confining pressure, MPa	2.0	4.0	6.0

Specimen reference		1		2		3	
Specimen conditions		Initially	After Saturation	Initially	After Saturation	Initially	After Saturation
Wet Mass	gr	294.2		292.00		285.3	
Diameter	mm	44.70		45.00		44.60	
Height	mm	90.3		89.4		90.0	
Cross-sectional area	mm^2	1569		1590		1562	
Dry unit Weight	kg/m^3	1953		1946		1917	
Water content	%	6.4		5.6		5.9	

Conditions at failure				
Specimen reference		1	2	3
Total Axial strain	%	1.99	1.62	1.72
Deviator stress	MPa	21.7	29.2	26.1
Total minor stress	MPa	2.0	4.0	6.0
Total major stress	MPa	23.7	33.2	32.1

Time of test up to failure, min	6:11	3:51	4:07

Report No. TRSR000011

Triaxial Compressive Strength of Undrained Rock Core Specimens (Hoek cell)

גזירה מרחבית בלתי מנוקזת על מדגמי סלע (תא הוק)

(According to ASTM D 7012-04, Method A)

Site		Date	17/03/2018
		Project No.	609029
Specimen No.	**PYR - 16**	Project Name	**Kokhav Hayarden**

Specimen	Pyroclastic

Note:

X	The test was performed at natural moisture content.		
	The test was performed after saturation of		hours

Legend:

Specimen reference	**4**	**5**	
Confining pressure, MPa	8.0	10.0	

Specimen reference		D		E		C	
Specimen conditions		Initially	After Saturation	Initially	After Saturation	Initially	After Saturation
Wet Mass	gr	284.1		289.80			
Diameter	mm	44.60		44.70			
Height	mm	89.6		89.0			
Cross-sectional area	mm^2	1562		1569			
Dry unit Weight	kg/m^3	1916		1953			
Water content	%	6.0		6.3			

Conditions at failure				
Specimen reference		4	5	6
Total Axial strain	%	3.40	3.48	
Deviator stress	MPa	28.8	32.4	
Total minor stress	MPa	8.0	10.0	
Total major stress	MPa	36.8	42.4	

Time of test up to failure, min	7:11	9:07	

Building an
Infrastructur
Testing La

Report No. TRSR000011

Triaxial Compressive Strength of Undrained Rock Core Specimens (Hoek cell)

גזירה מרחבית בלתי מנוקזת על מדגמי סלע (תא הוק)

(According to ASTM D 7012-04, Method A)

Borehole No.	-
Specimen No.	**PYR - 16**

Date	17/03/2018
Project No.	609029
Site	**Kokhav Hayarden**

Specimen description	Pyroclastic







Strength parameters

f =	**25**	°
C =	**6.1**	Mpa

Performed by	Approved by
Sergey Shemborsky	Dr. I.Goretsky
Lab. Technician	Chief Engineer

3 Henrich Hertz St. Hof Shemen, Haifa 32232 Phone: 972-4-8618001 Fax: 972-4-8618000

Building an
Infrastructur
Testing La

Report No. TRSR000012

Triaxial Compressive Strength of Undrained Rock Core Specimens (Hoek cell)

גזירה מרחבית בלתי מנוקזת על מדגמי סלע (תא הוק)

(According to ASTM D 7012-04, Method A)

Borehole No.	-
Specimen No.	**PYR - 17**

Date	17/03/2018
Project No.	609029
Project Name	**Kokhav Hayarden**

Specimen description	Pyroclastic

Note:

X	The test was performed at natural moisture content.		
	The test was performed after saturation of		Hours

Legend:

Specimen reference	**1**	**2**	**3**
Confining pressure, MPa	2.0	4.0	6.0

Specimen reference		1		2		3	
Specimen conditions		Initially	After Saturation	Initially	After Saturation	Initially	After Saturation
Wet Mass	gr	290.3		280.50		292.1	
Diameter	mm	45.30		44.75		45.50	
Height	mm	89.8		90.0		90.6	
Cross-sectional area	mm^2	1612		1573		1626	
Dry unit Weight	kg/m^3	1893		1874		1854	
Water content	%	6.0		5.8		7.0	

Conditions at failure				
Specimen reference		1	2	3
Total Axial strain	%	1.39	1.94	2.59
Deviator stress	MPa	20.9	24.6	26.7
Total minor stress	MPa	2.0	4.0	6.0
Total major stress	MPa	22.9	28.6	32.7

Time of test up to failure, min	5:07	5:37	7:51

Building and Infrastructure Testing Lab

Report No. TRSR000012

Triaxial Compressive Strength of Undrained Rock Core Specimens (Hoek cell)

גזירה מרחבית בלתי מנוקזת על מדגמי סלע (תא הוק)

(According to ASTM D 7012-04, Method A)

Site		Date	17/03/2018
		Project No.	609029
Specimen No.	**PYR - 17**	Project Na	**Kokhav Hayarden**

Specimen description	Pyroclastic

Note:

X	The test was performed at natural moisture content.		
	The test was performed after saturation of		hours

Legend:

Specimen reference	**4**	**5**	
Confining pressure, MPa	8.0	10.0	

Specimen reference		D		E		C	
Specimen conditions		Initially	After Saturation	Initially	After Saturation	Initially	After Saturation
Wet Mass	gr	290.1		296.30			
Diameter	mm	44.95		45.45			
Height	mm	89.9		89.7			
Cross-sectional area	mm^2	1587		1622			
Dry unit Weight	kg/m^3	1908		1922			
Water content	%	6.7		6.0			

Conditions at failure				
Specimen reference		4	5	6
Total Axial strain	%	3.78	3.68	
Deviator stress	MPa	31.4	33.3	
Total minor stress	MPa	8.0	10.0	
Total major stress	MPa	39.4	43.3	

Time of test up to failure, min		8:07	9:07	

Building an
Infrastructur
Testing Lal

Report No. TRSR000012

Triaxial Compressive Strength of Undrained Rock Core Specimens (Hoek cell)

גזירה מרחבית בלתי מנוקזת על מדגמי סלע (תא הוק)

(According to ASTM D 7012-04, Method A)

Borehole No.	-
Specimen No.	**PYR - 17**

Date	17/03/2018
Project No.	609029
Site	**Kokhav Hayarden**

Specimen description	Pyroclastic







Strength parameters

f =	**26**	°
C =	**5.8**	Mpa

Performed by	Approved by
Sergey Shemborsky	Dr. I.Goretsky
Lab. Technician	Chief Engineer

סוף תעודה

טופס 1204 ת מהדורה 02

1. מסמך זה הינו רכושה הבלעדי של המבדקה, עד למילוי כל התחייבויותיו של המזמין כלפי המבדקה.
2. התוצאות מתייחסות לפריט שנבדק בלבד.
3. יש להתייחס למסמך זה במלואו ובשלמותו ואין להעתיק או לפרסם ממנו קטעים או חלקים כלשהם.
4. הפרטים והנתונים על הנטילה / הבדיקה, הינם כפי שנמסרו על ידי המזמין או בא כוחו.
5. הבדיקה בוצעה בסניף חיפה.