intertek

Total Quality. Assured.

GAP INC TEST REPORT

TO: GAP INTERNATIONAL SOURCING INC - (INDIA)
201 DLF South court, 1st Floor, Saket, New Delhi, 110017, INDIA.

ATTN: GIS India – Denim & Bottoms: Sanjeev Agarwal
CC: Manish Parmar

GAP REPORT NO: TRM-0001853599 (Version 1)

(ITS Labtest Bangladesh Ltd.) REPORT NO#: BGDT24184971
ON HOLD DATE: -
OFF HOLD DAT: -
DATE OUT: 01/05/2025
REVISION DATE: -

Sample Description:	TIERED MAXI SKIRT MED PRISCO
Style no.	718011
Master Style	-
Fabric RD No. / Mill Fabric ID	1034840 / 3010172670/1
Trim RD No. / Trim Article No.	-
Garment Factory	820000673: THE CIVIL ENGINEERS WOVEN LIMITED
Fabric Mill	2064354: Arvind Limited
Testing Status	Production
Product Stage	Garment
Season	2025 Spring
Claimed Fabric Weight	Before Wash: 4.40 oz / sq. yd, After Wash: 4.70 oz / sq. yd
Fabric Construction	-
Yarn Size	96 x 76 / 30s compact NE / 30s compact NE / Slasher Dyed
Wash Type	Washed Fabric, Ring/Ring, GW - Garment Wash, EW - Enzyme Wash, YD - Yarn Dyed, Indigo.
Previous Report NO. (for PSR Only package submission)	-
On Hold Reason:	-

Authorized By
For ITS Labtest Bangladesh Ltd. [Testing Dhaka]

Badrul Islam
Head Of Laboratory Coordination, Softlines.

This report is made solely based on your instructions and/or information and materials supplied by you. It is not intended to be a recommendation for any course of action. Intertek does not accept a duty of care or any other responsibility to any person other than the Addressee in respect of this report and only accepts liability to the Addressee insofar as is expressly contained in the terms and conditions governing Intertek's provision of services to you. Intertek makes no warranties or representations either express or implied with respect to this report save as provided for in those terms and conditions. We have aimed to conduct the Review on a diligent and careful basis, and we do not accept any liability to you for any loss arising out of or in connection with this report, in contract, tort, by statute. Where provided, statements of conformity (e.g. Pass or Fail) are made in accordance with Simple Acceptance decision rules without taking measurement uncertainty into account as defined in ILAC G8 4.2.1, and decision rules prescribed by the customer, regulations or normative documents. Measurement uncertainty is only provided upon request for applicable accredited tests.
For Terms and condition follow the link: http://www.intertek.com/terms.

SAMPLE IMAGE

BGDT24184971

Garment Sample Total: 08 Pcs & Fabric: 01 pc

BGDT24184971

BGDT24184971

Test Request Form ID:	2399536-SO004-54 (Version 1)	Partial Test Report No.: /	
Sourcing Office:	GIS India	Date In:	01/02/2025
Gap Inc. Division:	Gap, Gap Outlet	Modified Date In:	/
Brand Department:	/	Date Out:	01/05/2025
GIS Category:	DENIM & BOTTOMS (DO NOT USE)	Revision Date:	/
Gap Inc Contact:	Manish Parmar	No. of Working Days:	3

OVERALL RATING (GLOBAL)	OVERALL RATING (CHINA)
☑ PASS ☐ FAIL ☐ DATA	☐ PASS ☐ FAIL ☑ NA

Request Submitter Is	Vendor	Request Submitter	THE CIVIL ENGINEERS WOVEN LIMITED
Sample Description	TIERED MAXI SKIRT MED PRISCO	Style No.	718011
Vendor ID	2066186	Master Style No.	
Vendor Name	THE CIVIL ENGINEERS WOVEN LIMITED	Style Color	WW MED PRISCO
Mill ID	2064354	Fabric RD No.	1034840
Mill Name	Arvind Limited	Mill Fabric ID	3010172670/1
Trim Supplier ID	/	Trim RD No.	/
Trim Supplier Name	/	Trim Article No.	/
Fabric Color		Trim Color	
Country of Origin	BANGLADESH	Country of Sale	Canada, China, Europe & EU Regional Inventory, Hong Kong, Japan, US
Intended Age	ADULT - Women	Franchise Market	/
End Use of Garment	Skirt	Season	2025 Spring
Date Code	/		

Testing Status	Production	Product Stage	Garment
Product Category	Denim	Test Package	Full Package
Test Protocol	PSR + Performance	Special Claim	/
Retest?	No	Previous Fail Report No	
Full Package - 3rd Party Lab Report No. (for Additional Colorway)		Full Package - In-house Test Report No. (for Additional Colorway)	/
PSR Report Traceability (Development Report No)		PSR Report Traceability (Fabric Report No)	
PSR Report Traceability (Trim Report No)			
	Cotton: 100%		

Submitted Fiber Content	Check to certify that fabric is 100% single fiber.Lab will not verify as part of package test. Certifier is responsible for legal compliance.
Actual Fiber Content	/
Suggested Fiber Content	/
Submitted Care Instruction	Machine wash cold gentle cycle Wash and dry with like colors Only non-chlorine bleach when needed Tumble dry medium Cool iron Do not dry clean
Recommended Care Instruction	/
Reason for Revision	/

TEST PROPERTY	PASS	FAIL	DATA	NA	COMMENTS
PSR					
Flammability					
^ Flammability (General Wearing Apparel)(Adult)	✔				WW MED PRISCO: The sample is exempt from 16 CFR 1610 based on plain surface >= 3.0 oz/sq.yd. (Actual weight: 5.0 oz/sq.yd)
Analytical Tests					
Formaldehyde (Qualitative) (Adult & Kids)	✔				
^ Phthalates (Adult)				✔	WW MED PRISCO: N/A = Not Applicable: The testing scope was not applicable to the submitted sample.
^ Total Lead Content in Substrate (Adult)				✔	WW MED PRISCO: N/A = Not Applicable: The testing scope was not applicable to the submitted sample.
^ Total Lead Content in Surface Coating (Adult)				✔	WW MED PRISCO: N/A = Not Applicable: The testing scope was not applicable to the submitted sample.
Physical & Mechanical Requirements					
^ Physical / Mechanical Hazards – Use & Abuse Test (Baby & Toddler)				✔	WW MED PRISCO: N/A = Not Applicable: The testing scope was not applicable to the submitted sample.
Performance					
Color Durability					
Colorfastness to accelerated laundering	✔				
Colorfastness to crocking	✔				
Colorfastness to light	✔				
Colorfastness to ozone	✔				
Colorfastness to perspiration	✔				
Colorfastness to water (static wetting)	✔				
Durability to Washing					
General appearance before and after laundering	✔				
Dimensional stability (3 Home Launderings or 3 Hand Washes)	✔				
Torque (3 Home Launderings or 3 Hand Washes)	✔				
Physical Durability					
Tensile strength	✔				
Tear strength	✔				

TEST PROPERTY	PASS	FAIL	DATA	NA	COMMENTS
Chemical					
pH value	✔				
Garment Construction					
Seam slippage	✔				
Seam strength	✔				
Small Parts Attachment Strength	✔				

Remark:

/

WW MED PRISCO			TIERED MAXI SKIRT MED PRISCO						
Test Item	Test Method	Requirements	Test Item Details					Result	Rating
			#	Sub-Item	Sub-Item Details	Reading			
Flammability									
^ Flammability (General Wearing Apparel)(Adult)	Gap Inc. Product Safety & Compliance Standard based on: - Flammable Fabrics Act - 16 CFR 1610 (Standard for Flammability of Clothing Textiles) - 81 CFR 12587 (Statement of Policy on Enforcement Discretion Regarding GCC for Adult Wearing Apparel Exempt from Testing) - Canada Consumer Product Safety Act, Textile Flammability Regulations (SOR/2016-194) - Canada Textile Flammability (CAN/CGSB-4.2 No. 27.5) Methods 16 CFR 1610 (Standard for Flammability of Clothing Textiles) Feathers (Canada Orders Only) – CAN/CGSB-4.2 No.27.5	Shall meet CLASS 1 per 16 CFR 1610 unless exempt. >= 4.0 seconds (plain surface) >=7.5 seconds (raised surface) Plain Surface Fabrics < 2.0 oz./yd² – Test every 6K units. 2.0 - 2.99 oz./yd² – Test every 8K units. Raised Surface Fabrics Test every 6K units.						Exempt	Pass
Physical & Mechanical Requirements									
^ Physical / Mechanical Hazards – Use & Abuse Test (Baby & Toddler)	Gap Inc. Product Safety & Compliance Standard based on: - 16 CFR 1501 (Small Parts) - 16 CFR 1500.48 (Sharp Points) - 16 CFR 1500.49 (Sharp Edges) - 16 CFR 1500.50-53 (Use & Abuse Modified)	-	Torque				Result	/	NA
			#1	/		N/A	N/A		
			#2	/		N/A			
			#3	/		N/A			
			Tension				Result		
			#1	/		N/A	N/A		

WW MED PRISCO			TIERED MAXI SKIRT MED PRISCO						
Test Item	Test Method	Requirements	Test Item Details					Result	Rating
			#	Sub-Item	Sub-Item Details	Reading			
	- Canada Consumer Product Safety Act (CCPSA) (S.C. 2010, c. 21) Methods ASTM F963 Modified (Toy Safety Standard) - Section 4.6 (Small Objects) - Section 4.7 (Accessible Edges) - Section 4.9 (Accessible Points) - Section 8.5, Section 8.6 (Use & Abuse) - Section 8.7.1 (Drop Test) - Section 8.8 (Torque) - Section 8.9 (Tension) - Section 8.10 (Compression) - Section 8.12 (Flexure) Modification - Expanded scope to products other than toys. Canada Toy Regulations (SOR / 2011-17) Modification - Test without 1 lb. weight for non-toy items. Any other applicable standard for retail market where product will be sold.		#2	/		N/A			
			#3	/		N/A			
			Observation				Result		
			#1	Sharp points		N/A	N/A		
				Sharp edges		N/A			
				Small parts		N/A			
			Impact / Drop				Result		
			#1	/		N/A	N/A		
			Flexure				Result		
			#1	/		- lbf	N/A		
			Compression				Result		
			#1	/		- lbf	N/A		
Analytical Tests									
Formaldehyde (Qualitative) (Adult & Kids)	Gap Inc. Product Safety & Compliance Standard based on: - Maine Regulation of Chemical Use in Children's Products (Ch	[ADULT & KIDS] Negative	Tested On All Portion					/	Pass
			/				Result		
			#1	/		Negative	Negative		

WW MED PRISCO			TIERED MAXI SKIRT MED PRISCO						
Test Item	Test Method	Requirements	Test Item Details					Result	Rating
			#	Sub-Item	Sub-Item Details	Reading			
	880) & Designation of Formaldehyde As A Priority Chemical & Regulation of Formaldehyde In Children's Products (Ch 885) - Oregon Toxic Free Kids Act (ORS 431A.253 - 431A.280) - Vermont Chemicals of High Concern to Children (Statute Title 18, Chapter 38A) - Washington State Children's Safe Products Reporting Rule, Chapter 173-334 WAC - EU & UK REACH Annex XVII Entry 72 - Japan Act for Control of Household Products Containing Harmful Substances (Law No. 112) Methods Gap Inc. Method C-1007 (Textile Spot Test)		#2	/		Negative			
			#3	/		Negative			
^ Phthalates (Adult)	Gap Inc. Product Safety & Compliance Standard based on: - California Proposition 65 - Canada Phthalates Regulations (SOR/2016-188) - EU & UK REACH Annex XVII Entry 51 - EU & UK REACH Annex XVII Entry 52 - EU & UK REACH Annex XVII	[ADULT] Vendors must submit a Materials Identification Form with TRF. Lacquer coatings must be disclosed on the Materials Identification Form. US Orders - Sum of DEHP, BBP, DBP, DINP, DIDP, DNOP, and DnHP (DHEXP) = 0.1% (1000 mg/kg) by component. EU & UK Orders	US Order (Adult)					/	NA
			#1	DEHP		N/A % by weight	-		
				BBP		N/A % by weight			
				DBP		N/A % by weight			
				DINP		N/A % by weight			

WW MED PRISCO			TIERED MAXI SKIRT MED PRISCO						
Test Item	Test Method	Requirements	Test Item Details					Result	Rating
			#	Sub-Item	Sub-Item Details	Reading			
	Entry 72 - China GB 31701 (Chinese Textiles) - Taiwan CNS 15503 / CNS 4797 Methods CPSC-CH-C1001-09.4 (Phthalates Test Method) Reporting Limit 0.005% by weight for each restricted phthalate	- Sum of DEHP, BBP, DBP, DIBP, DnPP (DPENP), DnHP (DHEXP), DIPP, DHxP, and DMEP = 0.1% (1000 mg/kg) by component. Canada, Hong Kong, Japan, Mexico, Mainland China, & Taiwan Orders - DO NOT TEST		DIDP		N/A % by weight			
				DNOP		N/A % by weight			
				DnHP (DHEXP)		N/A % by weight			
				Sum of DEHP, BBP, DBP, DINP, DIDP, DNOP, DNHP		N/A % by weight			
^ Total Lead Content in Substrate (Adult)	Gap Inc. Product Safety & Compliance Standard based on: - California Proposition 65 - Canada Consumer Products Containing Lead Regulations (SOR/2018-83) - EU & UK REACH Annex XVII Entry 63 Methods CPSC-CH-E1001-08.3 (Total Lead in Metal Substrates) CPSC-CH-E1002-08.3 (Total Lead Non–Metallic Substrates) Reporting Limits 10 ppm	[ADULT] <= 90 ppm (0.009% by weight or 90 mg/kg) For exempt materials (TABLE C), Vendors shall document composition on TRF. Lab shall review Vendor's documentation to assess if material / component requires testing.	/					/	NA
			#1	Pb		N/A ppm	-		
^ Total Lead Content in Surface Coating	Gap Inc. Product Safety & Compliance Standard based on: - 16 CFR 1303 [Ban of Lead-	[ADULT] <= 90 ppm (0.009% by weight or 90 mg/kg)	/					/	NA
			#1	Pb		N/A ppm	-		

WW MED PRISCO			TIERED MAXI SKIRT MED PRISCO						
Test Item	Test Method	Requirements	Test Item Details					Result	Rating
			#	Sub-Item	Sub-Item Details	Reading			
(Adult)	Containing Paint & Certain Consumer Products Bearing Lead-Containing Paint (for Toys and Other Articles Intended for Children)] - California Proposition 65 – Canada Surface Coating Materials Regulations (SOR /2016-193) Methods CPSC-CH-E1003-09.1 (Total Lead in Surface Coatings) Reporting Limit 10 ppm								

WW MED PRISCO			TIERED MAXI SKIRT MED PRISCO						
Test Item	Test Method	Requirements	Test Item Details					Result	Rating
			#	Sub-Item	Sub-Item Details	Reading			
Color Durability									
Colorfastness to accelerated laundering	ISO 105-C06 MODIFIED - evaluated by DigiEye	Color change: - Fabric: Grade 3.5 Multi-fiber staining: - Grade 3	Color Change					/	Pass
			#1	/		4.95	-		
			Multi-fiber Staining						
			#1	Acetate		4.71	-		
				Cotton		4.65			
				Nylon		4.68			
				Polyester		4.72			
				Acrylic		4.74			
				Wool		4.56			
Colorfastness to water (static wetting)	ISO 105-E01 Modified - evaluated by DigiEye	Color change - Grade 3.5 Multi-fiber staining - Grade 3.5	Color Change					/	Pass
			#1	/		4.88	-		
			Multi-fiber Staining						
			#1	Acetate		4.54	-		
				Cotton		4.6			
				Nylon		4.66			
				Polyester		4.66			
				Acrylic		4.69			
				Wool		4.58			
Colorfastness to crocking	ISO 105-X12/X16 - evaluated by DigiEye	General Requirement - Dry: Grade 3.5 - Wet: Grade 2.0	Dry (As Recevied)					/	Pass
			#1	Lengthwise		4.74	-		
				Widthwise		4.7			
			Wet (As Recevied)						
			#1	Lengthwise		3.39	-		
				Widthwise		3.46			
Colorfastness to light	ISO 105-B02 (method 3) - evaluated by DigiEye	Denim - White and Light (Abraded or Sanded) areas: Grade 3.0 Denim (Colored): Grade 3.5	/					/	Pass
			#1	/	Total Exposure Time: 23.0 Hours	3.65	-		

WW MED PRISCO			TIERED MAXI SKIRT MED PRISCO						
Test Item	Test Method	Requirements	Test Item Details					Result	Rating
			#	Sub-Item	Sub-Item Details	Reading			
Colorfastness to ozone	AATCC 109 - evaluated by DigiEye	2 cycles - Color Change: Grade 3.5	Color Change					/	Pass
			#1	/	Moderate Yellowing	3.33	-		
Colorfastness to perspiration	ISO 105-E04 Modified - evaluated by DigiEye	Color change - Grade 3.5 Multi-fiber staining - Grade 3.5	Color Change (Acidic)					/	Pass
			#1	/		4.97	-		
			Multi-fiber Staining (Acidic)						
			#1	Acetate		4.58	-		
				Cotton		4.62			
				Nylon		4.62			
				Polyester		4.64			
				Acrylic		4.64			
				Wool		4.61			
			Color Change (Alkaline)						
			#1	/		4.96	-		
			Multi-fiber Staining (Alkaline)						
			#1	Acetate		4.53	-		
				Cotton		4.59			
				Nylon		4.61			
				Polyester		4.63			
				Acrylic		4.64			
				Wool		4.62			
Durability to Washing									
General appearance before and after laundering	Per care label	Color Change: - Fabric: Grade 3.5 Self Staining: - Grade 4 Observations: - No obvious defects/observations affecting the end product performance/appearance. - General assessment, before and after laundering & ironing	Washing Condition: Wash & Dry With Like Colors, Machine Wash Cold At 80°F, Gentle Cycle, Followed By Tumble Dry Medium					/	Pass
			After 3 Home Laundering or Hand Wash						
			#1	Color Change		Grade 3.5	-		
				Observation - Before Ironing		Satisfactory			
				Observation - Iron Safe	Cool Iron: Safe	Satisfactory			

WW MED PRISCO			TIERED MAXI SKIRT MED PRISCO						
Test Item	Test Method	Requirements	Test Item Details					Result	Rating
			#	Sub-Item	Sub-Item Details	Reading			
				Other Observation		Satisfactory			
Dimensional stability (3 Home Launderings or 3 Hand Washes)	AATCC 150	Shrinkage: -2.5% x -2.5% Growth: 1.0% x 1.0% maximum	Washing Condition: Wash & Dry With Like Colors, Machine Wash Cold At 80°F, Gentle Cycle, Followed By Tumble Dry Medium (+) Means Extension And (-) Means Shrinkage					/	Pass
			Waist				Result		
			#1	Original		37.5 Inch	-0.7 %		
				After Washed		37.25 Inch			
			Total Length (Skirt)				Result		
			#1	Original		37 Inch	-0.3 %		
				After Washed		36.875 Inch			
			(Skirt) Hips				Result		
			#1	Original		51.25 Inch	-0.5 %		
				After Washed		51 Inch			
Torque (3 Home Launderings or 3 Hand Washes)	Gap Inc. S 1053	Denim: 3.0% max.	Washing Condition: Wash & Dry With Like Colors, Machine Wash Cold At 80°F, Gentle Cycle, Followed By Tumble Dry Medium					/	Pass
			Before washed						
			#1	Left		0 %	-		
				Right		0 %			
			After washed						
			#1	Left		0 %	-		
				Right		0 %			
Physical Durability									
Tear strength	ASTM D 1424/2261	Warp: 3.5 Lbs Weft: 2.5 Lbs	Warp				Average	/	Pass
			#1	/		6.7 lbs	6.4 lbs		
			#2	/		6.1 lbs			
			Weft				Average		
			#1	/		9.1 lbs	9.1 lbs		
			#2	/		9.1 lbs			

WW MED PRISCO			TIERED MAXI SKIRT MED PRISCO						
Test Item	Test Method	Requirements	Test Item Details					Result	Rating
			#	Sub-Item	Sub-Item Details	Reading			
Tensile strength	ASTM D 5034	Warp: 40.0 Lbs Weft: 30.0 Lbs	Warp				Average	/	Pass
			#1	/		59.4 lbs	62.2 lbs		
			#2	/		63.7 lbs			
			#3	/		63.7 lbs			
			Weft				Average		
			#1	/		54 lbs	53.8 lbs		
			#2	/		54.9 lbs			
			#3	/		52.5 lbs			
Chemical									
pH value	ISO 3071	4.0-7.5	/					/	Pass
			#1	/		5.5	-		
Garment Construction									
Seam slippage	ASTM D 1683 modified	Warp x Weft (lbs./in @ ¼" separation): 20X20 Lbs * = No Slippage	Garment Point					/	Pass
			#1	Outseam		26.5 lbs	-		
				Hip		28 lbs			
				Bottom hem		32 lbs			
Seam strength	ASTM D 1683 modified	(seam//weft x seam//warp): 35 x 25 lbs Bar tacks, reinforcements: 20 lbs minimum Observation FTS: Fabric torn at seam	Garment Point					/	Pass
			#1	Outseam	FTS	35.5 lbs	-		
				Hip	FTS	38.5 lbs			
				Bottom hem	FTS	48 lbs			
Small Parts Attachment Strength	Gap Inc. S 1023	15.0 lbs for 10 sec. Observation FR Fabric Rupture	/ (Drawcord)					/	Pass
			#1	/	FR	34.8 lbs	-		
			#2	/	FR	34.3 lbs			
			#3		FR	34.9 lbs			
			#4		FR	34 lbs			
			#5		FR	33.6 lbs			
			#6		FR	33.9 lbs			

	METHOD	TESTED	NA	COMMENTS
Physical Properties				
^ Composition - Non-Textiles (Qualitative)	Gap Inc. Product Safety & Compliance Standard Methods Visual review of samples based on Material Declaration Form.		✔	
^ Fiber Content(Qualitative)	Gap Inc. Product Safety & Compliance Standard based on: - 16 CFR Part 300 (Wool Products Identification) - 16 CFR Part 301 (Fur Products Labeling) - 16 CFR Part 303 (Textile Identification) - European Commission Regulation 1007/2011/EU - Japan Household Goods Quality Labelling Act Methods Visual Assessment (Textile Materials) AATCC TM20 (Fiber Analysis Qualitative) ASTM D629 (Quantitative Analysis of Textiles)		✔	
^ Fiber Content(Quantitative)	Gap Inc. Product Safety & Compliance Standard based on: - 16 CFR Part 300 (Wool Products Identification) - 16 CFR Part 301 (Fur Products Labeling) - 16 CFR Part 303 (Textile Identification) - European Commission Regulation 1007/2011/EU - Japan Household Goods Quality Labelling Act Methods AATCC TM20A (Fiber Analysis Quantitative) ASTM D629 (Quantitative Analysis of Textiles) ASTM D1909 (Moisture Regain) ASTM D2130 (Projection Microscope) ASTM D4510 (Recycled vs. New Wool)		✔	
	Gap Inc. Product Safety & Compliance Standard based on: - 16 CFR Part 300 (Wool Products Identification) Methods ASTM D2130 (Projection Microscope)			

	METHOD	TESTED	NA	COMMENTS
^ Fiber Diameter	Modification - Measurement techniques may vary based on lab capability. New laboratories must confirm testing and measurement capability with GIS Product Integrity during the Lab approval process. All Markets - Gap Inc. has adopted a stricter tolerance at lower fiber weights to better ensure compliance. (Softlines Labeling Manual Section 6.71 & Section 6.72)		✔	
Differential pressure	EN 14683:2019, Annex C		✔	
Down & Feather Tests				
^ Down & Feather Content Analysis	Gap Inc. Product Safety & Compliance Standard based on: - IDFL USA-2000 Labeling Standards – Down & Feather Products - Canada Textile Labelling and Advertising Regulation CRC C.1551 – Guide to Labeling of Down & Feather - China GB/T 14272-2021 Down Garments - Japan Household Goods Quality Labelling Act - Mexico NOM-004-SE-2021 - Taiwan CNS2199 N 1034 Methods GB/T 10288-2016 5.1 (Calculation of Down & Feather)		✔	
^ Down & Feather Species Identification	Gap Inc. Product Safety & Compliance Standard based on: - IDFL USA-2000 Labeling Standards – Down & Feather Products - Canada Textile Labelling and Advertising Regulation CRC C.1551 – Guide to Labeling of Down & Feather - China GB/T 14272-2021 Down Garments - Japan Household Goods Quality Labelling Act - Mexico NOM-004-SE-2021 - Taiwan CNS2199 N 1034 Methods IDFB Part 12		✔	

	METHOD	TESTED	NA	COMMENTS
Flammability				
^ Flammability (General Wearing Apparel)(Adult)	Gap Inc. Product Safety & Compliance Standard based on: - Flammable Fabrics Act - 16 CFR 1610 (Standard for Flammability of Clothing Textiles) - 81 CFR 12587 (Statement of Policy on Enforcement Discretion Regarding GCC for Adult Wearing Apparel Exempt from Testing) - Canada Consumer Product Safety Act, Textile Flammability Regulations (SOR/2016-194) - Canada Textile Flammability (CAN/CGSB-4.2 No. 27.5) Methods 16 CFR 1610 (Standard for Flammability of Clothing Textiles) Feathers (Canada Orders Only) – CAN/CGSB-4.2 No.27.5	✔		
^ Flammability (General Wearing Apparel)(Kids, Baby, & Toddler)	Gap Inc. Product Safety & Compliance Standard based on: - Flammable Fabrics Act - 16 CFR 1610 (Standard for Flammability of Clothing Textiles) - Canada Consumer Product Safety Act, Textile Flammability Regulations (SOR/2016-194) - Canada Textile Flammability (CAN/CGSB-4.2 No. 27.5) Methods 16 CFR 1610 (Standard for Flammability of Clothing Textiles) Feathers (Canada Orders Only) – CAN/CGSB-4.2 No.27.5		✔	
^ Flammability (Vinyl Plastic Film)	16 CFR 1611 (Vinyl Plastic Film)		✔	
^ Children’s Loose-Fitting Flame-Resistant Sleepwear (US	Gap Inc. Product Safety & Compliance Standard based on: - 16 CFR 1615 – Standard for the Flammability of Children's Sleepwear: Sizes 0-6X (FF 3-71) - 16 CFR 1616 – Standard for the Flammability of Children's Sleepwear: Sizes 7-14 (FF 5-74)			

	METHOD	TESTED	NA	COMMENTS
& Canada Orders)	- Canada Consumer Product Safety Act, Textile Flammability Regulations (SOR/2016-194) - Canada Children's Sleepwear Regulations (SOR/2016-169)		✔	
^ Children's Sleepwear (EU & UK Orders)	Gap Inc. Compliance Standard based on: - British Standard Statutory Instruments 1985 No. 2043 (Nightwear Safety Regulations) - BS 5722-84 including BS EN 14878: 2007 Burning Behavior of Children's Nightwear Methods BS 5722 (Flammability Performance) BS 5651 (Cleansing Procedure) BS 5438 (Flammability of Fabrics) BS EN 14878 (Textile Burning Behavior) BS EN 1103 (Flammability of Vertically Oriented Fabrics)		✔	
Analytical Tests				
Declaration for Perfluoroalkyl & Polyfluoroalkyl Substances (PFAS)	Gap Inc. Product Safety & Compliance Standard based on: - CA Health and Safety Code §108970 & other state regulations		✔	
PFAS Total Fluorine Screen Test (Apparel)	Gap Inc. Product Safety & Compliance Standard based on: - CA Health and Safety Code §108970 & other state regulations ASTM D7359: 2018 OR EN 14582 (Combustion) followed by IC analysis (Total Flourine) Reporting Limit 50 ppm		✔	
PFAS Total Fluorine Screen Test (Accessories & Other Products)	Gap Inc. Product Safety & Compliance Standard based on: - CA Health and Safety Code §108970 & other state regulations ASTM D7359: 2018 OR EN 14582 (Combustion) followed by IC analysis (Total		✔	

	METHOD	TESTED	NA	COMMENTS
	Flourine) Reporting Limit 50 ppm			
PFAS Confirmation Test	Gap Inc. Product Safety & Compliance Standard - CA Health and Safety Code §108970 & other state regulation Methods ISO 23702-1 (Leathers) EN 17681-1:2022 & 17681-2:2022 (All Other Materials) Reporting Limit Same as requirements		✔	
Azo Colorants	Gap Inc. Product Safety & Compliance Standard based on: - EU & UK REACH Annex XVII Entry 43 - Japan Act for Control of Household Products Containing Harmful Substances (Law No. 112) Methods EN ISO 14362-1 (Textiles) EN ISO 17234-1 (Leather) p–aminoazobenzene confirmation EN ISO 14362-3 (Textiles) EN ISO 17234-2 (Leather) Reporting Limits 5 mg/kg for each restricted substance		✔	
	Gap Inc. Product Safety & Compliance Standard based on: - Maine Regulation of Chemical Use in Children's Products (Ch 880) & Designation of Cadmium As A Priority Chemical & Regulation of Cadmium in Children's Products (Ch 884) - Minnesota Statutes 325E.3892 - Oregon Toxic Free Kids Act (ORS 431A.253 - 431A.280) - Vermont Chemicals of High Concern to Children (Statute Title 18, Ch 38A)			

	METHOD	TESTED	NA	COMMENTS
Cadmium Content	- Washington State Children's Safe Products Act (CSPA) Chapter 70.240 RCW - EU & UK REACH Annex XVII Entry 23 Methods AOAC 974.02 Modified (Surface Coatings) EPA 3050B/3051 or EN1122 Modified (Substrates) Reporting Limits 5 mg/kg		✔	
Chromium VI	Gap Inc. Product Safety & Compliance Standard based on: - California Proposition 65 - EU & UK REACH Annex XVII Entry 47 Methods ISO 17075-1 Reporting Limits 3 mg/kg		✔	
Colorfastness to Saliva (Baby & Toddler)	Gap Inc. Product Safety & Compliance Standard based on: - China GB 31701-2015 (KIDS & BABY Testing & Labeling) Methods GB/T 18886-2019 Modified (Textiles) DIN 53160-1 (Leather) Modification - Use AATCC multi–fiber test strip (#1 and/or #10) based on fiber content of sample.		✔	
Formaldehyde (Qualitative)	Gap Inc. Product Safety & Compliance Standard based on: - Maine Regulation of Chemical Use in Children's Products (Ch 880) & Designation of Formaldehyde As A Priority Chemical & Regulation of Formaldehyde In Children's Products (Ch 885) - Oregon Toxic Free Kids Act (ORS 431A.253 - 431A.280) - Vermont Chemicals of High Concern to Children (Statute Title 18, Chapter 38A)			

	METHOD	TESTED	NA	COMMENTS
(Adult & Kids)	- Washington State Children's Safe Products Reporting Rule, Chapter 173-334 WAC - EU & UK REACH Annex XVII Entry 72 - Japan Act for Control of Household Products Containing Harmful Substances (Law No. 112) Methods Gap Inc. Method C-1007 (Textile Spot Test)	✔		
Formaldehyde (Quantitative) (Adult & Kids)	Gap Inc. Product Safety & Compliance Standard based on: - EU & UK: REACH Annex XVII Entry 72 - Japan Act for Control of Household Products Containing Harmful Substances (Law No. 112) Methods JIS L 1041 / Japan Law 112 Annex A (Textiles) ISO 17226-1 (Leather) Reporting Limits 16 mg/kg		✔	
Formaldehyde (Quantitative) (Baby & Toddler)	Gap Inc. Product Safety & Compliance Standard based on: - Maine Regulation of Chemical Use in Children's Products (Ch 880) & Designation of Formaldehyde as a Priority Chemical & Regulation of Formaldehyde In Children's Products (Ch 885) - Oregon Toxic Free Kids Act (ORS 431A.253 - 431A.280) - Vermont Chemicals of High Concern to Children (Statute Title 18, Ch 38A) - Washington State Children's Safe Products Reporting Rule, Ch 173-334 WAC - EU & UK REACH Annex XVII Entry 72 - Japan Act for Control of Household Products Containing Harmful Substances (Law No. 112) Methods JIS L 1041 / Japan Law 112 Annex A (Textiles)		✔	

	METHOD	TESTED	NA	COMMENTS
	ISO 17226-1 (Leather) Reporting Limits 5 mg/kg & 0.01 Af			
Heavy Metals (Soluble)	Gap Inc. Product Safety & Compliance Standard Methods EN 71-3 Modified (Limited Heavy Metals tested) Reporting Limits (Soluble) Sol Antimony (Sb) 5 mg/kg Sol Arsenic (As) 5 mg/kg Sol Barium (Ba) 10 mg/kg Sol Cadmium (Cd) 5 mg/kg Sol Chromium (Cr) 5 mg/kg Sol Lead (Pb) 5 mg/kg Sol Mercury (Hg) 5 mg/kg Sol Selenium (Se) 10 mg/kg		✔	
Nickel Release (Quantitative)	Gap Inc. Product Safety & Compliance Standard based on: - EU & UK REACH Annex XVII Entry 27 Methods EN 1811: 2011+A1:2023 (Components with Direct, Prolonged Skin Contact) - Non-Coated Components, Components with Nickel Surface Coating EN 12472 (Wear Simulation) followed by EN 1811 (Components with Non-Nickel Coating) Reporting Limits 0.1 µg / cm2 / week		✔	
Perfluoroalkyl & Polyfluoroalkyl Substances – Total	Gap Inc. Product Safety & Compliance Standard based on: - EN 14582 (Combustion) followed by IC analysis (Total Fluorine) Methods		✔	

	METHOD	TESTED	NA	COMMENTS
Fluorine (PFAS Screening)	ASTM D7359:2018 Reporting Limit 50 ppm			
^ Phthalates (Adult)	Gap Inc. Product Safety & Compliance Standard based on: - California Proposition 65 - Canada Phthalates Regulations (SOR/2016-188) - EU & UK REACH Annex XVII Entry 51 - EU & UK REACH Annex XVII Entry 52 - EU & UK REACH Annex XVII Entry 72 - China GB 31701 (Chinese Textiles) - Taiwan CNS 15503 / CNS 4797 Methods CPSC-CH-C1001-09.4 (Phthalates Test Method) Reporting Limit 0.005% by weight for each restricted phthalate		✔	
^ Phthalates (Kids, Baby, & Toddler – US Orders)	Gap Inc. Product Safety & Compliance Standard based on: - 16 CFR 1307 (Prohibition of Children's Toys & Child Care Articles Containing Specified Phthalates) - California Proposition 65 - Maine Regulation of Chemical Use in Children’s Products (Ch 880) & Designation of Four Members of the Chemical Class Phthalates as Priority Chemicals (Ch 888) - Oregon Toxic Free Kids Act (ORS 431A.253 - 431A.280) - Vermont Chemicals of High Concern to Children (Statute Title 18, Chapter 38A) - Washington Children’s Safe Products Act (CSPA) Ch 70.240 RCW - ASTM F2923 Standard Specification Safety for Children’s Jewelry Methods CPSC-CH-C1001-09.4 (Phthalates Test Method)		✔	

	METHOD	TESTED	NA	COMMENTS
	Reporting Limit 0.005% by weight for each restricted phthalate			
^ Phthalates (Kids, Baby, & Toddler - Canada, Hong Kong, Japan, Mexico, Mainland China, & Taiwan Orders)	Gap Inc. Product Safety & Compliance Standard based on: - Canada Phthalates Regulations (SOR/2016-188) - China GB 31701 (Chinese Textiles) - China GB 30585 (Footwear) - Taiwan CNS 15503 / CNS 4797 Methods CPSC-CH-C1001-09.4 (Phthalates Test Method) Reporting Limit 0.005% by weight for each restricted phthalate		✔	
^ Phthalates (Kids, Baby, & Toddler – EU & UK Orders)	Gap Inc. Product Safety & Compliance Standard based on: - EU & UK REACH Annex XVII Entry 51 - EU & UK REACH Annex XVII Entry 52 - EU & UK REACH Annex XVII Entry 72 Methods CPSC-CH-C1001-09.4 (Phthalates Test Method) Reporting Limit 0.005% by weight for each restricted phthalate		✔	
^ Phthalates – Single Component (Kids, Baby, & Toddler – Mainland China Orders)	Gap Inc. Product Safety & Compliance Standard based on: - China GB 31701 (Chinese Textiles) - China GB 30585 (Footwear) Methods GB/T 20388 (Apparel with Coated or Pigment Printed / Dyed Fabrics) ISO / TS 16181 (Footwear) Reporting Limits 0.005% each by weight for each restricted phthalate		✔	

	METHOD	TESTED	NA	COMMENTS
^ Total Lead Content in Substrate (Adult)	Gap Inc. Product Safety & Compliance Standard based on: - California Proposition 65 - Canada Consumer Products Containing Lead Regulations (SOR/2018-83) - EU & UK REACH Annex XVII Entry 63 Methods CPSC-CH-E1001-08.3 (Total Lead in Metal Substrates) CPSC-CH-E1002-08.3 (Total Lead Non–Metallic Substrates) Reporting Limits 10 ppm		✔	
^ Total Lead Content in Substrate (Kids, Baby, & Toddler)	Gap Inc. Product Safety & Compliance Standard based on: - Consumer Product Safety Improvement Act of 2008 (CPSIA), Pub. L. No. 110-314, Sec. 101 (Children's Products Containing Lead; Lead Paint Rule) - 16 CFR 1500.91 (Lead Content Exemptions) - California Proposition 65 –Illinois Lead Poisoning Prevention Act (410 ILCS 45/6) - Vermont Chemicals of High Concern to Children (Statute Title 18, Ch 38A) - Washington State Children’s Safe Products Act (CSPA) Chapter 70.240 RCW - Canada Consumer Products Containing Lead Regulations (SOR/2018-83) –EU & UK REACH Annex XVII Entry 63 Methods CPSC-CH-E1001-08.3 (Total Lead in Metal Substrates) CPSC-CH-E1002-08.3 (Total Lead Non–Metallic Substrates) Reporting Limits 10 ppm		✔	

	METHOD	TESTED	NA	COMMENTS
^ Total Lead Content in Surface Coating (Adult)	Gap Inc. Product Safety & Compliance Standard based on: - 16 CFR 1303 [Ban of Lead-Containing Paint & Certain Consumer Products Bearing Lead-Containing Paint (for Toys and Other Articles Intended for Children)] - California Proposition 65 –Canada Surface Coating Materials Regulations (SOR/2016-193) Methods CPSC-CH-E1003-09.1 (Total Lead in Surface Coatings) Reporting Limit 10 ppm		✔	
^ Total Lead Content in Surface Coating (Kids, Baby, & Toddler)	Gap Inc. Product Safety & Compliance Standard based on: - 16 CFR 1303 [Ban of Lead-Containing Paint & Certain Consumer Products Bearing Lead-Containing Paint (for Toys and Other Articles Intended for Children)] - 15 U.S.C. 1278a (Children's Products Containing Lead; Lead Paint Rule) - California Proposition 65 –Illinois Lead Poisoning Prevention Act (410 ILCS 45/6) - Vermont Chemicals of High Concern to Children (Statute Title 18, Chapter 38A) - Canada Surface Coating Materials Regulations (SOR /2016-193) Methods CPSC-CH-E1003-09.1 (Total Lead in Surface Coatings) Reporting Limit 10 ppm		✔	
Claim Substantiation				
	Gap Inc. Product Safety & Compliance Standard based on: - EPA Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA) & Federal Facilities - Enforcement - EPA Federal Insecticide, Fungicide, & Rodenticide Act			

	METHOD	TESTED	NA	COMMENTS
Odor Management Claims using Antimicrobial Technologies	Compliance Monitoring - Compliance - Canada Pest Control Products Act (S.C. 2002, c. 28) - EU & UK: No. 528/2012 Biocidal Products Regulation Methods One of the following test methods will be assigned per LM 136b: JIS 1902 (Absorption Method) AATCC TM100-19 ASTM E3160-18 ASTM E2149-20 ASTM E3162-18 Wash Method – Minimum 4 cycles (equivalent to 20 HL)		✔	
UPF - Ultraviolet Protection Factor for Swimwear (US, Canada, Japan, & Mexico)	Gap Inc. Product Safety & Compliance Standard Methods AATCC TM183 Modified (Transmittance or Blocking of Erythemally Weighted Ultraviolet Radiation through Fabrics) ASTM D6544 Modified for Non-Swim Products (Preparation of Textiles Prior to UV Transmission Testing) ASTM D6603 (Labeling of UV-Protective Textiles)		✔	
UPF - Ultraviolet Protection Factor for Non-Swimwear (US, Canada, Japan, & Mexico)	Gap Inc. Product Safety & Compliance Standard Methods AATCC TM183 Modified (Transmittance or Blocking of Erythemally Weighted Ultraviolet Radiation through Fabrics) ASTM D6544 Modified for Non-Swim Products (Preparation of Textiles Prior to UV Transmission Testing) ASTM D6603 (Labeling of UV-Protective Textiles)		✔	
UPF - Ultraviolet Protection Factor (Greater China, Hong Kong, & Taiwan)	Gap Inc. Product Safety & Compliance Standard based on: - BS EN 13758-2:2003+A1:2006 (Textiles – Solar UV Protective Properties - Part 2: Classification & Marking of Apparel)		✔	

	METHOD	TESTED	NA	COMMENTS
	- BS EN 13758-1:2002 (Textiles - Solar UV Protective Properties - Part 1: Method of Test for Apparel Fabrics)			
Construction Review				
^ Drawstring & Tie Regulations	Gap Inc. Product Safety & Compliance Standard based on: - 16 CFR 1120 (Children's Upper Outerwear With Drawstrings) - New York Gen Business Law Article 26, §391-B (Prohibit Any Sale of Dangerous Clothing Articles) - Wisconsin Admin Code – Chapter ATCP 139 (Consumer Product Safety) - Canada Consumer Product Safety Act (S.C. 2010, c. 21) - China GB 31701 - EU & UK EN 14682: 2014 (Safety of Children's Clothing – Cords & Drawstrings on Children's Clothing Harmonized) - Japan JIS L4129 Methods Standard Measure & Visual Assessment Modification – Expanded scope beyond Apparel & Apparel Accessories.		✔	
Fringe Free Length	Gap Inc. Product Safety & Compliance Standard based on: - EU & UK EN 14682:2014 (Safety of Children's Clothing – Cords & Drawstrings on Children's Clothing Harmonized) Methods Standard Measure & Visual Assessment Modification - Expanded scope beyond Apparel & Apparel Accessories.		✔	
Internal Yarns, Thread Ends, & Floats (Baby & Toddler)	Gap Inc. Product Safety & Compliance Standard based on: - EU & UK PD CEN / TR 16792:2014 (E) (Safety of Children's Clothing) Section 6.4 & Section 6.12 Methods Standard Measure & Visual Assessment		✔	
	Gap Inc. Product Safety & Compliance Standard			

	METHOD	TESTED	NA	COMMENTS
Slip Resistance	Methods ASTM F2913 (Coefficient of Friction – Slip Performance of Footwear Using a Whole Shoe Tester)		✔	
Zipper Guards (Kids)	Gap Inc. Product Safety & Compliance Standard based on: -EU & UK PD CEN / TR 16792:2014 (E) (Safety of Children's Clothing), Section 6.8.2 Methods Visual Assessment		✔	
Zipper Guards (Baby & Toddler)	Gap Inc. Product Safety & Compliance Standard based on: - EU & UK: PD CEN / TR 16792:2014 (E) (Safety of Children's Clothing) Section 6.8.2 Methods Visual Assessment		✔	
Durability & Strength Properties				
Anchor Strength of Straps with Beads (Baby & Toddler)	Gap Inc. Product Safety & Compliance Standard based on: - 16 CFR 1501 (Small Parts) - 16 CFR 1500.48 (Sharp Points) - 16 CFR 1500.49 (Sharp Edges) Methods ASTM D1683 Modified (Failure in Sewn Seams of Woven Fabrics)		✔	
Button Center Strength	Gap Inc. Product Safety & Compliance Standard based on: - 16 CFR 1501 (Small Parts) - 16 CFR 1500.48 (Sharp Points) - 16 CFR 1500.49 (Sharp Edges) Methods BS 4162 Section 4.5.1 (Tension Test only)		✔	
	Gap Inc. Product Safety & Compliance Standard Methods			

	METHOD	TESTED	NA	COMMENTS
Hook & Loop Fastener – Peel & Shear Strength (Baby & Toddler)	ASTM D5169 Modified (Shear Strength) ASTM D5170 Modified (Peel Strength) Modification (Shear Test) - Stop test when force exceeds 5 lbs. instead of maximum load (force). Record results in lbs. instead of PSI.		✔	
Pile Retention (Baby & Toddler)	Gap Inc. Product Safety & Compliance Standard based on: - 16 CFR 1501 (Small Parts) Methods Gap Inc. Method S1029 Modified (Pile Retention)		✔	
Pile Length	Gap Inc. Product Safety & Compliance Standard - 16 CFR 1501 (Small Parts) Methods Visual Assessment & Standard Measure		✔	
PSR Durability to Extended Laundering / Dry Cleaning				
PSR Durability to Extended Laundering / Dry Cleaning (Kids Trims)	Gap Inc. Product Safety & Compliance Standard based on: - 16 CFR 1500.48 (Sharp Points) - 16 CFR 1500.49 (Sharp Edges) Methods Gap Inc. Method S-2000 (PSR Durability to Extended Laundering / Dry Cleaning)		✔	
PSR Durability to Extended Laundering / Dry Cleaning (Baby & Toddler Trims)	Gap Inc. Product Safety & Compliance Standard based on: - 16 CFR 1501 (Small Parts) - 16 CFR 1500.48 (Sharp Points) - 16 CFR 1500.49 (Sharp Edges) Methods Gap Inc. Method S-2000 (PSR Durability to Extended Laundering / Dry Cleaning)		✔	
	Gap Inc. Product Safety & Compliance Standard based on: - 16 CFR 423 (Care Labeling of Textiles) - Canada RSC 1985, c. T-10 (Textile Labeling Act)			

	METHOD	TESTED	NA	COMMENTS
^ PSR Durability to Extended Laundering / Dry Cleaning (Regulated Tagless Labels)	Methods - Gap Inc. Method S-2000 (PSR Durability to Extended Laundering / Dry Cleaning)		✔	
PSR Durability to Extended Laundering / Dry Cleaning (Regulated Tagless Labels) (Baby & Toddler)	Gap Inc. Product Safety & Compliance Standard based on: - 16 CFR 1501 (Small Parts) - 16 CFR 423 (Care Labeling of Textiles) - Canada RSC 1985, c. T-10 (Textile Labeling Act) Methods - Gap Inc. Method S-2000 (PSR Durability to Extended Laundering / Dry Cleaning)		✔	
^ PSR Durability to Extended Laundering / Dry Cleaning (Non-Regulated Tagless Labels) (Baby & Toddler)	Gap Inc. Product Safety & Compliance Standard based on: - 16 CFR 1501 (Small Parts) Methods Gap Inc. Method S-2000 (PSR Durability to Extended Laundering / Dry Cleaning)		✔	
Physical & Mechanical Requirements				
Nose Piece Flexure Test	ASTM F963 (Modified – Expanded scope to other products than toys) - Section 4.6 (Small Objects) - Section 4.7 (Accessible Edges) - Section 4.9 (Accessible Points) - Section 8.5 - 8.6 (Use & Abuse) - Section 8.12 (Flexure)		✔	
Sharp Points & Edges	Actual Use		✔	
Expedited Attachment Strength Test	Gap Inc. Product Safety & Compliance Standard based on: - 16 CFR 1501 (Small Parts) - 16 CFR 1500.48 (Sharp Points) - 16 CFR 1500.49 (Sharp Edges) Methods Gap Inc. Method S-2001 (MAH Attachment Strength)		✔	

	METHOD	TESTED	NA	COMMENTS
^ Physical / Mechanical Hazards – Use & Abuse Test (Trim Stage)	Gap Inc. Product Safety & Compliance Standard based on: - 16 CFR 1501 (Small Parts) - 16 CFR 1500.48 (Sharp Points) - 16 CFR 1500.49 (Sharp Edges) - 16 CFR 1500.50-53 (Use & Abuse Modified) - Canada Consumer Product Safety Act (CCPSA) (S.C. 2010, c. 21) Methods ASTM F963 Modified (Toy Safety Standard) - Section 4.6 (Small Objects) - Section 4.7 (Accessible Edges) - Section 4.9 (Accessible Points) - Section 8.5, Section 8.6 (Use & Abuse) - Section 8.7.1 (Drop Test) - Section 8.8 (Torque) - Section 8.9 (Tension) - Section 8.10 (Compression) - Section 8.12 (Flexure) Modification - Expanded scope to products other than toys. Canada Toy Regulations (SOR / 2011-17) Modification - Test without 1 lb. weight for non-toy items. Any other applicable standard for retail market where product will be sold.		✔	
	Gap Inc. Product Safety & Compliance Standard based on: - 16 CFR 1500.48 (Sharp Points) - 16 CFR 1500.49 (Sharp Edges) - 16 CFR 1500.50-53 (Use & Abuse Modified) - Canada Consumer Product Safety Act (CCPSA) (S.C. 2010, c. 21) Methods ASTM F963 Modified (Toy Safety Standard)			

	METHOD	TESTED	NA	COMMENTS
^ Physical / Mechanical Hazards – Use & Abuse Test (Kids)	- Section 4.7 (Accessible Edges) - Section 4.9 (Accessible Points) - Section 8.5, Section 8.6 (Use & Abuse) - Section 8.7.1 (Drop Test) - Section 8.8 (Torque) - Section 8.9 (Tension) - Section 8.10 (Compression) - Section 8.12 (Flexure) Modification - Expanded scope to products other than toys. Canada Toy Regulations (SOR / 2011-17) Modification - Test without 1 lb. weight for non-toy items. Any other applicable standard for retail market where product will be sold.		✔	
^ Physical / Mechanical Hazards – Use & Abuse Test (Baby & Toddler)	Gap Inc. Product Safety & Compliance Standard based on: - 16 CFR 1501 (Small Parts) - 16 CFR 1500.48 (Sharp Points) - 16 CFR 1500.49 (Sharp Edges) - 16 CFR 1500.50-53 (Use & Abuse Modified) - Canada Consumer Product Safety Act (CCPSA) (S.C. 2010, c. 21) Methods ASTM F963 Modified (Toy Safety Standard) - Section 4.6 (Small Objects) - Section 4.7 (Accessible Edges) - Section 4.9 (Accessible Points) - Section 8.5, Section 8.6 (Use & Abuse) - Section 8.7.1 (Drop Test) - Section 8.8 (Torque) - Section 8.9 (Tension) - Section 8.10 (Compression) - Section 8.12 (Flexure) Modification - Expanded scope to products other than toys.		✔	

	METHOD	TESTED	NA	COMMENTS
	Canada Toy Regulations (SOR / 2011-17) Modification - Test without 1 lb. weight for non-toy items. Any other applicable standard for retail market where product will be sold.			
Physical / Mechanical Hazards - Use & Abuse Test	ASTM F963 (Modified – Expanded scope to other products than toys) §4.6 (Small Objects) §4.7 (Accessible Edges) §4.9 (Accessible Points) §8.5 – §8.6 (Normal Use & Abuse) §8.7.1 (Drop Test Modified) §8.8, §8.9, §8.10, §8.12 (Torque, Tension, Compression, & Flexure Tests) 16 CFR 1500.48 (Sharp Points) 16 CFR 1500.49 (Sharp Edges) 16 CFR 1500.50–53 (Use & Abuse Modified) 16 CFR 1501 (Small Parts) Test Directions & Reporting: Individually document readings / results for all units tested.		✔	

	METHOD	TESTED	NA	COMMENTS
	Report PASS / FAIL based on lowest result for each component tested. Report average as DATA. If multiple finished units of a component are tested, results for each component must be reported. Torque & Tension Tests: If any specimens fail Torque testing, do not proceed to Tension testing. Flexure Tests (Nose Piece): Perform test on As Received and after 30 Home Launderings. Machine Wash Hot (60 degrees), Tumble Dry Low Impact / Drop & Compression Tests: Perform test if Lab determines tests are applicable for product type or at the request of SF-PSR or GISI PI.			
Pompoms & Tassels Tests				
Pompoms – Diameter (Baby & Toddler)	Gap Inc. Product Safety & Compliance Standard based on: - 16 CFR 1501 (Small Parts) Methods ASTM F963 Section 4.35 Modified (Toy Safety Standard) Modification - Expanded scope beyond toys.		✔	
Pompoms / Tassels – Whole Unit Attachment Strength (Baby & Toddler)	Gap Inc. Product Safety & Compliance Standard based on: - 16 CFR 1501 (Small Parts) - 16 CFR 1500.50-53 (Use & Abuse Modified) Methods ASTM F963 Section 4.6, Section 4.7, Section 4.9, & Section 4.35 Modified (Toy Safety Standard) Modification - Expanded scope beyond toys.		✔	
	Gap Inc. Product Safety & Compliance Standard based on:			

	METHOD	TESTED	NA	COMMENTS
Pompoms / Tassels – Individual Strand Attachment Strength (Baby & Toddler)	- 16 CFR 1501 (Small Parts) - 16 CFR 1500.50-53 (Use & Abuse Modified) Methods ASTM F963 Section 4.6, Section 4.7, Section 4.9, & Section 4.35 Modified (Toy Safety Standard) Modification - Expanded scope beyond toys.		✔	
Pompoms / Tassels – Construction & Manufacturing Qualities	Gap Inc. Product Safety & Compliance Standard based on: - 16 CFR 1500.48 (Sharp Points) - 16 CFR 1500.49 (Sharp Edges) Methods Visual Assessment		✔	
Pompoms / Tassels – Construction & Manufacturing Qualities (Kids)	Gap Inc. Product Safety & Compliance Standard based on: - 16 CFR 1500.48 (Sharp Points) - 16 CFR 1500.49 (Sharp Edges) Methods Visual Assessment		✔	
Pompoms / Tassels – Construction & Manufacturing Qualities (Baby & Toddler)	Gap Inc. Product Safety & Compliance Standard based on: - 16 CFR 1501 (Small Parts) - 16 CFR 1500.48 (Sharp Points) - 16 CFR 1500.49 (Sharp Edges) Methods Visual Assessment		✔	
Rhinestone & Sequin Tests				
Rhinestones - Encased (Baby & Toddler)	Gap Inc. Product Safety & Compliance Standard based on: - 16 CFR 1501 (Small Parts) - 16 CFR 1500.48 (Sharp Points) - 16 CFR 1500.49 (Sharp Edges) Methods Gap Inc. Method S-2000 (PSR Durability to Extended Laundering / Dry Cleaning)		✔	

	METHOD	TESTED	NA	COMMENTS
	ASTM F963 Section 8.7 & Section 8.7.1 (Toy Safety Standard - Impact / Drop) ASTM F963 Section 8.9.1 (Toy Safety Standard - Seam Tension)			
Rhinestones - Exposed Oversized (Baby & Toddler)	Gap Inc. Product Safety & Compliance Standard based on: - 16 CFR 1501 (Small Parts) - 16 CFR 1500.48 (Sharp Points) - 16 CFR 1500.49 (Sharp Edges) Methods Gap Inc. Method S-2000 (PSR Durability to Extended Laundering / Dry Cleaning) ASTM F963 Section 8.7 & Section 8.7.1 (Toy Safety Standard – Impact / Drop) ASTM F963 Section 8.9.1 (Toy Safety Standard – Seam Tension) Size Evaluation – Small Parts Cylinder		✔	
Sequins - Encased (Baby & Toddler)	Gap Inc. Product Safety & Compliance Standard based on: - 16 CFR 1501 (Small Parts) - 16 CFR 1500.48 (Sharp Points) - 16 CFR 1500.49 (Sharp Edges) Methods Gap Inc. Method S-2000 (PSR Durability to Extended Laundering / Dry Cleaning) ASTM F963 Section 8.9.1 (Seam Tension)		✔	
Sequins - Exposed (Global Product) (Baby & Toddler)	Gap Inc. Product Safety & Compliance Standard based on: - 16 CFR 1501 (Small Parts) - 16 CFR 1500.48 (Sharp Points) - 16 CFR 1500.49 (Sharp Edges) Methods Gap Inc. Method S-2000 (PSR Durability to Extended Laundering / Dry Cleaning) 0.030” Feeler Gauge (Graspability)		✔	
	Gap Inc. Product Safety & Compliance Standard based on:			

	METHOD	TESTED	NA	COMMENTS
Sequins – Exposed (North America Only Product) (Baby & Toddler)	- 16 CFR 1501 (Small Parts) - 16 CFR 1500.48 (Sharp Points) - 16 CFR 1500.49 (Sharp Edges) Methods Gap Inc. Method S-2000 (PSR Durability to Extended Laundering / Dry Cleaning) 0.030” Feeler Gauge (Graspability)		✔	
Zipper Strength Tests				
Zipper - Bottom Stop Holding Strength, Stringer Separation	Gap Inc. Product Safety & Compliance Standard based on: - 16 CFR 1501 (Small Parts) - 16 CFR 1500.48 (Sharp Points) - 16 CFR 1500.49 (Sharp Edges) Methods ASTM D2061 Section 22.5 (Bottom Stop Holding, Stringer Separation)		✔	
Zipper - Open-End Slide Fastener Single Stringer Slider Retention	Gap Inc. Product Safety & Compliance Standard based on: - 16 CFR 1501 (Small Parts) - 16 CFR 1500.48 (Sharp Points) - 16 CFR 1500.49 (Sharp Edges) - EN 16732 (Specification for Slide Fasteners) Section 5.11 & Annex J Methods EN 16732 (Specification for Slide Fasteners) Section 5.11 & Annex J		✔	
Zipper - Resistance to pull-off of slider pull (90 degree)	Gap Inc. Product Safety & Compliance Standard based on: - 16 CFR 1501 (Small Parts) - 16 CFR 1500.48 (Sharp Points) - 16 CFR 1500.49 (Sharp Edges) Methods ASTM D2061 Secion 72 - 81 (Resistance to Pull-Off of Slider Pull – 90 degree)		✔	

	METHOD	TESTED	NA	COMMENTS
Zippers - Top Edge Holding	Gap Inc. Product Safety & Compliance Standard based on: - 16 CFR 1501 (Small Parts) - 16 CFR 1500.48 (Sharp Points) - 16 CFR 1500.49 (Sharp Edges) Methods ASTM D2061 Section 22.2 Modified (Top Stop Holding) Modification – Cut zipper specimens from finished product.		✔	
Zipper - Top stop holding	Gap Inc. Product Safety & Compliance Standard based on: - 16 CFR 1501 (Small Parts) - 16 CFR 1500.48 (Sharp Points) - 16 CFR 1500.49 (Sharp Edges) Methods ASTM D2061 Section 22.2 Modified (Top Stop Holding)		✔	
Zippers with Decorative Pulls (Baby & Toddler)	Gap Inc. Product Safety & Compliance Standard based on: - 16 CFR 1501 (Small Parts) - 16 CFR 1500.48 (Sharp Points) - 16 CFR 1500.49 (Sharp Edges) Methods Gap Inc. Method S-2000 (PSR Durability to Extended Laundering / Dry Cleaning) ASTM D2061 Section 72 - 81 (Resistance to Pull-Off of Slider Pull - 90 degree) ASTM F963 Section 8.8 Modified - Torque only (Toy Safety Standard)		✔	
Zippers with Textile Pull Tabs (Baby & Toddler)	Gap Inc. Product Safety & Compliance Standard based on: - 16 CFR 1501 (Small Parts) - 16 CFR 1500.48 (Sharp Points) - 16 CFR 1500.49 (Sharp Edges) Methods Gap Inc. Method S-2000 (PSR Durability to Extended Laundering / Dry Cleaning)		✔	

	METHOD	TESTED	NA	COMMENTS
	Gap Inc. Method S-1023 (Button / Small Parts Attachment Strength) ASTM F963 Section 4.6, Section 4.7, Section 4.9, & Section 8.8 Modified – Torque only (Toy Safety Standard)			
Labeling & Packaging Review				
License Number is Certified status with Global Registration Services	Gap Inc. Safety & Compliance Standard based on: - Utah Admin. Code 70-101 Bedding, Upholstered Furniture and Quilted Clothing Inspection Act Methods Visual		✔	
Textile Label Online Proofs are Available in Law Label Lookup	Gap Inc. Safety & Compliance Standard based on: - Utah Admin. Code 70-101 Bedding, Upholstered Furniture and Quilted Clothing Inspection Act Methods Visual		✔	
Age Labeling (Baby & Toddler)	Gap Inc. Product Safety & Compliance Standard based on: - CPSC Age Determination Guidelines - ASTM F963, Annex A1 Age Grading Guidelines Methods Visual Assessment		✔	
Caped Daywear & Outerwear Labeling (Baby & Toddler)	Gap Inc. Product Safety & Compliance Standard Methods Visual Assessment		✔	
Caped Sleepwear Labeling (Baby & Toddler)	Gap Inc. Product Safety & Compliance Standard Methods Visual Assessment		✔	
	Gap Inc. Product Safety & Compliance Standard based on: - 16 CFR 1615 – Flammability of Children's Sleepwear: Sizes 0 - 6X (FF 3-71) - 16 CFR 1616 – Flammability of Children's Sleepwear: Sizes 7 - 14 (FF 5-74)			

	METHOD	TESTED	NA	COMMENTS
^ Children's Loose-Fitting Flame-Resistant Sleepwear Labeling (US & Canada Orders)	- Canada Consumer Product Safety Act, Textile Flammability Regulations (SOR/2016-194) - Canada Children's Sleepwear Regulations (SOR/2016-169) Methods Visual Assessment		✔	
^ Children's Snug-Fitting Sleepwear Labeling (US & Canada Orders)	Gap Inc. Product Safety & Compliance Standard based on: - 16 CFR 1615 – Flammability of Children's Sleepwear: Sizes 0 - 6X (FF 3-71) - 16 CFR 1616 – Flammability of Children's Sleepwear: Sizes 7 - 14 (FF 5-74) - Canada Consumer Product Safety Act, Textile Flammability Regulations (SOR/2016-194) - Canada Children's Sleepwear Regulations (SOR/2016-169) Methods Visual Assessment		✔	
^ Children's Sleepwear Labeling (EU & UK Orders)	EU & UK British Standard Statutory Instruments 1985 No. 2043 (Nightwear Safety Regulations) BS 5722-84 including BS EN 14878: 2007 Burning Behavior of Children's Nightwear Methods Visual Assessment		✔	
Packaging				
	Gap Inc. Product Safety & Compliance Standard based on TPCH Model Legislation enacted by various US states law including: - California, HSC Section 25214.11 - Connecticut, CGS Section 22a-255g to 22a-255m - Iowa, Chapter 567-213(455D) - Minnesota, Chapter 337, Section 115.965			

	METHOD	TESTED	NA	COMMENTS
^ Heavy Metals in Packaging Components	- New Hampshire, RSA 149-M:32-40 - New Jersey, SA 13:1E-99.44 et Seq. - New York, Article 37-0201 - Rhode Island, GL 23-18.13 - Washington, Chapter 70.95G Reporting Limit 20 ppm		✔	
^ Phthalates & PFAS in Packaging Components	Gap Inc. Product Safety & Compliance Standard Reporting Limit Phthalates 50 ppm PFAS 20 ppm		✔	
Barrier Performance				
Bacterial Filtration Efficiency (BFE)	ASTM 2101		✔	
Sub-Micron Particulate Filtration Efficiency (PFE)	ASTM 2299		✔	

[Return on Vendor Letterhead]

Declaration of Compliance with Gap Inc. PFAS Policy

Scope
Mills and Vendors must acknowledge and comply with Gap Inc.'s PFAS Policy for fabrics and finished products with textile or leather components (including but not limited to apparel, accessories, footwear, soft home products, upholstered furniture, toys, and other types of hardlines).

Submission Instructions
Save completed / signed form as: [Mill/Vendor Profile ID]_[Mill/Vendor Name]_PFAS Declaration_Season_Year

- Gap Inc. Branded Products – Submit during Fabric & Finished Product stage testing for inclusion with the 3rd-party Laboratory test report.
  - Fabric Stage Testing – Complete below table per RD Number.
  - Finished Product Stage Testing – Complete below table per finished product style number.
- Vendor-Branded Products – Declaration required within 72 hours of request from the Corporate PSR or ESG teams.

Gap Inc. Safety & Compliance Policy
Presence and/or intentional use of PFAS is restricted by regulation in textiles, apparel, home goods, and other products. PFAS-based finishes, coatings, and materials are banned from use in or on Gap Inc.-branded and Vendor-branded products.

For Gap Inc. branded products, non-PFAS-based treatments, finishes, coatings, and materials used to impart performance attributes that are associated with PFAS chemistry (including water and stain repellent, and water, stain, and weather-resistant performance) must be accepted for use per *Technical Bulletin 214: Gap Inc. PFAS Policy*.

Supplier Declaration

1. Supplier has read *Gap Inc. TB 214: Gap Inc. PFAS Policy*. Supplier understands compliance with this policy and PSR protocols is required by the Code of Vendor Conduct (COVC), Vendor Compliance Agreement, and the Purchase Order Terms and Conditions.
2. Supplier understands this policy and applicable PSR protocols may be updated periodically and it is their responsibility to review and comply with the most current versions, accessible on Gap Source Library or received from the laboratory.
3. Supplier is responsible for ensuring materials, components, and products sourced and/or produced for Gap Inc. are compliant with Gap Inc. policies; do not intentionally contain PFAS; and comply with the Total Fluorine and other PFAS limits in the AFIRM Group RSL. It is the Supplier's responsibility to communicate policies to upstream material and/or chemical suppliers and to implement quality control processes to confirm compliance. Necessary quality control processes include but are not limited to: sourcing and use of compliant chemicals and materials; separation of production lines to avoid cross-contamination; and thorough cleaning of equipment.
4. Supplier will maintain documentation of compliance with the Gap Inc. PFAS Policy to support this declaration and will make this documentation available to Gap Inc. within 48 hours upon request.
5. **The undersigned certifies that PFAS and PFAS-based or PFAS-containing chemicals and/or coatings / materials were not intentionally used in any stage of production of the materials, components, or finished product styles listed below (including all colorways), and that appropriate quality control processes were employed. By signing this form, the Supplier certifies the information provided in this Declaration is complete and accurate.**

Gap Inc. Brand (Fill out in Fabric & Finished Product Stage)	RD Number (Fill out in Fabric Stage)	Finished Product Style Number(s) (Fill out in Finished Product Stage)	Material or Style Description (Fill out in Fabric & Finished Product Stage)
GO WOMENS	296308	727008, 733046, 733059/D54000	GIRLFRIEND ECRU
GAP WOMENS	1034840	718201/D58195	OS HALF SLV GAUZE SHIRT
GAP WOMENS	1034840	718011/D57889	TIERED MAXI SKIRT MED PRISCO
GAP WOMENS	1034840	718298/D53796	GAUZE PO EASY SHORT MED PRISCO
GAP WOMENS	1015947	739805/D53879	LOOSE BERMUDA SHORT CRISS CROSS WB ACID THELMA
GAP WOMENS	297740	718286/D57608	DNM BOXER BLEACH RR
GAP WOMENS	1047723	747592/D57172	BARREL HR RAILROAD STRIPE
GAP WOMENS	1034840	740044/D58169	EASY PULL ON WIDE LEG GAUZE MED CASSIE
GO WOMENS	1034840	749395/748676, D59357	BIG SHIRT INDIGO GAUZE

[Return on Vendor Letterhead]

GO WOMENS	1034840	755116/750728, D59358	PO WIDE LEG INDIGO GAUZE
GAP WOMENS	1042457	766745/D54254	KNIT DENIM BOMBER ZIP
GAP WOMENS	1044117	740071/D53295	HORSESHOE HR WASHED ACID COLOR
GAP WOMENS	1043190	734244/D58165	BAGGY MR BOXER WB LT FLOUNDER
GAP WOMENS	1043190	735303/D58215	ZF CROP DENIM ICON JKT MED RAMANI

Mill / Vendor Name:	THE CIVIL ENGINEERS WOVEN LIMITED	**Mill / Vendor Profile ID:**	820000668
Mill / Vendor Address: *(number, street, unit number, city, province / state, postal code, & country)*	Plot No.-8,9,159,160,(2nd-8th Floor), Baghbari, Horindhora,Post: Hemayetpur; Savar PS; Dhaka-1340; Bangladesh	**Date:**	Dec-19/2024

The undersigned is authorized to agree to and sign this form on behalf of the Mill / Vendor identified above.

Officer Name (Printed):	Md. Alamin	**Officer Signature:**	Alamin For The Civil Engineers Woven Ltd
Officer Title:	Merchandiser	**Email:**	alamin.m@standard-group.com

Date Submitted	Sourcing Office	Form ID	Version
2024-12-24 14:31 (GMT + 08:00)	GIS India	2399536-SO004-54	1

				For Laboratory Use		
Gap Inc. Division	Gap, Gap Outlet	Brand Department		Testing lab	Intertek / Bangladesh	
Country of Sale	Canada, China, Europe & EU Regional Inventory, Hong Kong, Japan, US			SHIP	LOGIN	DUE
Gap Inc. Contact	Manish Parmar	GIS Category Management	DENIM & BOTTOMS (DO NOT USE)	Laboratory No.:		

Intended Age					
Adults	ADULT - Women	Kids		Baby & Toddler	

Submitter	
Vendor	820000668: THE CIVIL ENGINEERS WOVEN LIMITED
Factory	820000673: THE CIVIL ENGINEERS WOVEN LIMITED
Mill or Yarn Supplier	2064354: Arvind Limited
Trim Supplier	

Sample to be Tested Details

Sample Type	Style No. / Fabric RD No. / Trim RD No.	Master Style No. / Mill Fabric ID / Trim Article No.	Color
Garment	718011		WW MED PRISCO
Fabric	1034840	3010172670/1	

Partial Test Report No.			
Country Of Origin	BANGLADESH		
Description	TIERED MAXI SKIRT MED PRISCO		
End Use of Garment	Skirt	Is this a VMI style?	No
Season	2025 Spring	Date Code	

Fiber Content

Is the finished product an apparel set (2 or more items sold as one)?	

Overall Content Disclosure

Cotton: 100%

Requester has checked to certify that fabric is 100% single fiber. Lab will not verify as part of package test. Certifier is responsible for legal compliance.

Submitted Care Instructions

Machine wash cold gentle cycle
Wash and dry with like colors
Only non-chlorine bleach when needed
Tumble dry medium
Cool iron
Do not dry clean

Test Package

Testing Status	Production	Product Stage	Garment
Product Category	Denim	Test Protocols	PSR + PERFORMANCE
Test Packages	Full Package		
Special Claims			

Individual Tests (PSR)

Test Item	Description

Individual Tests (Performance)	
Test Item	Description

Product Safety & Regulations (PSR)	
Party Responsible for CPSC Certification* #1	
GAP INC. - ADULT Apparel & Apparel Accessories	
CPSC Sampling Protocol-Additional Testing Above Gap Inc. Minimum #2	
CPSC Tests	Total No. of Tests Requested
General Wearing Apparel Flammability	
Is Finished Product style subject to Gap Inc. General Wearing Apparel Flammability Testing under 16 CFR 1610?	No.Plain Surface Fabric = 3 oz/yd²
Flammability PO Information	
PO No.	PO Quantity
Children's Sleepwear	
Type of Sampling Plan	
Sleepwear Tests	
Type of Testing Requested	
Phthalates (Non-CPSC Testing)	
Request for automatic single component testing after composite testing failure in basic test package	
Is Product in Final Packaging?	

Report Traceability			
Fabric Stage Test Reports			
Fabric Description	Fabric Article No.	Fabric Stage Report No.	Eligible Tests
Trim Stage Test Reports			
Trim Component Short Description	Trim Article No.	Trim Stage Report No.	Eligible Tests
Development Stage Test Reports			
Item Description	RD or Style No.	Development Report No.	

Product Details					
Fabric Details					
Fabric Construction		Yarn Size	96 x 76 / 30s compact NE / 30s compact NE / Slasher Dyed		
Stretch and Recovery Mill Spec Claim					
Elongation at load (warp) ASTM 3107 (modified)	NA	Elongation at load (weft) ASTM 3107 (modified)	NA	Modulus @25% (warp) S1064	NA
Modulus @25% (weft) S1064	NA	Elongation at load (warp) S1034		Modulus @10% (warp) S1034	
Modulus @20% (warp) S1034		Modulus @30% (warp) S1034		Modulus @40% (warp) S1034	
Elongation at load (weft) S1034		Modulus @10% (weft) S1034		Modulus @20% (weft) S1034	

Modulus @30% (weft) S1034		Modulus @40% (weft) S1034		Elongation at load (warp) S1066	NA
Elongation at load (weft) S1066	NA	Modulus @25% (warp) S1066	NA	Modulus @25% (weft) S1066	NA
Fabric Weight					
Unit		Before Wash	4.40	After Wash	4.70
Before Coating		After Coating			
Others					
Net Fill Weight (Down / Feather Only)		Product Differentiation			

Product Characteristics (as per SLM)					
Denim (Rigid Fabric, Washed Fabric)	Washed Fabric	Denim Yarn	Ring/Ring	GD - Garment Dyed	No
GW - Garment Wash	Yes	SW - Stone Wash	No	EW - Enzyme Wash	Yes
D - Sanding, Destruction	No	P - Prints	No	TD - Top Dyed	
YD - Yarn Dyed	Yes	SD - Special Dye	No	Sulphur	No
Indigo	Yes	Coated	No	Peach Finish	No

Trim Details	
Dye Button	
Functional Trim	
Color Block (Textile or Trim used in Color-Blocked Products)	
EXPEDITED Attachment Strength Test - MAH Trim Supplier	
EXPEDITED Attachment Strength Test - MAH Trim Type	
EXPEDITED Attachment Strength Test - MAH Trim Component ID	
EXPEDITED Attachment Strength Test - MAH Machine Model #	
EXPEDITED Attachment Strength Test - Machine Pinch Setting Tolerance	
EXPEDITED Attachment Strength Test - Finished Product First Ship Date	
EXPEDITED Attachment Strength Test - Finished Product PO Number/s	

Special Test Instructions
PSR+PERFORMANCE

Submitter & Billing Details			
Submitted Sample Qty	5	Return Destroyed Samples?	
Send Billing Information To			
Invoice test request submitter	Yes	Confirmation received from Gap Inc. ?	
Company	THE CIVIL ENGINEERS WOVEN LIMITED		
Contact Name	Al-Amin / Rabiul / Forhad		
Address	Plot No.-8,9,159,160,(2nd-8th Floor), Baghbari, Horindhora,Post: Hemayetpur; Savar PS; Dhaka-1340; Bangladesh		
Phone / Fax	01708127448 / 01725321629		
E-mail	alamin.m@standard-group.com / mrabi.k@standard-group.com / forhad.i@standard-group.comm / nadila.f@standard-group.com / disha.j@standard-group.com/ al_amin@standard-group.com		
Submitted Sample From			
Submitter Is	Vendor		
Company	THE CIVIL ENGINEERS WOVEN LIMITED		
Contact Name	Al-Amin / Rabiul / Forhad		
Address	Plot No.-8,9,159,160,(2nd-8th Floor), Baghbari, Horindhora,Post: Hemayetpur; Savar PS; Dhaka-1340; Bangladesh		
Phone / Fax	01708127448 / 01725321629		
	alamin.m@standard-group.com / mrabi.k@standard-group.com / forhad.i@standard-group.comm /		

E-mail	nadila.f@standard-group.com / disha.j@standard-group.com/ al_amin@standard-group.com/mannan.a2@standard-group;

Remark

#1 Submitters are 100% responsible for selecting the correct party responsible for CPSC Certification. Submitters should contact GIS Vendor Management if they are unsure about the responsible party.
Select GAP INC. - ADULT Apparel & Apparel AccessoriesOnly Required for Styles Subject to Flammability TestingFor non-US / foreign manufactured goods when Gap Inc. is the US Importer of Record.Gap Inc. is the sole certifier with 100% responsibility for finished product CPSC certification. The Vendor must submit a Gap Inc. CPSC COC-Adult Version along with the finished product test submission for adult apparel styles requiring Certification.

#2 Submitter is responsible for selecting representative samples and conduct a sufficient number of test to demonstrate the ongoing compliance of the entire production lot, including any variability that might affect the product's ability to comply with applicable safety rule(s).
When the Submitter determines the number of tests needed to demonstrate ongoing compliance to a high degree of assurance is greater than the established Gap Inc. minimums, the submitter may request additional testing by completing the fields below.