


Annex B. LTE Peak to Average Ratio

1. LTE_Band26


1.1. LTE Peak to Average Ratio(NTNV)(Subtest:1, Channel:26697, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
814.7	0.1	3.81	13	Pass




1.2. LTE Peak to Average Ratio(NTVV)(Subtest:2, Channel:26697, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
814.7	0.1	3.59	13	Pass




1.3. LTE Peak to Average Ratio(NTNV)(Subtest:3, Channel:26697, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
814.7	0.1	3.86	13	Pass



1.4. LTE Peak to Average Ratio(NTVV)(Subtest:4, Channel:26697, Bandwidth:1.4, Modulation:QPSK, RB Number: 3, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
814.7	0.1	4.02	13	Pass



Average Power
25.34 dBm
48.01 % at 0dB


10.0 %	2.60 dB
1.0 %	3.83 dB
0.1 %	4.02 dB
0.01 %	4.14 dB
0.001 %	4.27 dB
0.0001 %	4.30 dB
Peak	4.30 dB
	29.64 dBm

Center Freq: 814.700000 MHz Radio Std: None
Trig: Free Run Counts: 1.00 M/1.00 Mpt
#IFGain:Low #Atten: 40 dB

Frequency
Center Freq: 814.700000 MHz
CF Step: 5.000000 MHz
Auto
Freq Offset: 0 Hz


1.5. LTE Peak to Average Ratio(NTNV)(Subtest:5, Channel:26697, Bandwidth:1.4, Modulation:QPSK, RB Number: 3, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
814.7	0.1	3.94	13	Pass




1.6. LTE Peak to Average Ratio(NTNV)(Subtest:6, Channel:26697, Bandwidth:1.4, Modulation:QPSK, RB Number: 3, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
814.7	0.1	4.08	13	Pass




1.7. LTE Peak to Average Ratio(NTNV)(Subtest:7, Channel:26697, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
814.7	0.1	4.95	13	Pass




1.8. LTE Peak to Average Ratio(NTNV)(Subtest:8, Channel:26697, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
814.7	0.1	5.24	13	Pass




1.9. LTE Peak to Average Ratio(NTNV)(Subtest:9, Channel:26697, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
814.7	0.1	5.18	13	Pass




1.10. LTE Peak to Average Ratio(NTNV)(Subtest:10, Channel:26697, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
814.7	0.1	5.37	13	Pass




1.11. LTE Peak to Average Ratio(NTNV)(Subtest:11, Channel:26697, Bandwidth:1.4, Modulation:Q16, RB Number: 3, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
814.7	0.1	5.44	13	Pass



1.12. LTE Peak to Average Ratio(NTNV)(Subtest:12, Channel:26697, Bandwidth:1.4, Modulation:Q16, RB Number: 3, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
814.7	0.1	5.4	13	Pass



1.13. LTE Peak to Average Ratio(NTNV)(Subtest:13, Channel:26697, Bandwidth:1.4, Modulation:Q16, RB Number: 3, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
814.7	0.1	5.55	13	Pass

Keysight Spectrum Analyzer - Power Stat CCDF

RL RF 50 Ω AC INT REF ALIGN OFF 05:20:55 下午 三月 27, 201

Center Freq 814.700000 MHz Center Freq: 814.700000 MHz Radio Std: None
Trig: Free Run Counts: 1.00 M/1.00 Mpt
#IFGain:Low #Atten: 40 dB

Average Power
24.51 dBm
42.90 % at 0dB

10.0 % 3.11 dB
1.0 % 5.14 dB
0.1 % 5.55 dB
0.01 % 5.65 dB
0.001 % 5.72 dB
0.0001 % 5.72 dB
Peak 5.72 dB
30.23 dBm

Gaussian




0 dB 20 dB
Info BW 2.0000 MHz

Frequency
Center Freq 814.700000 MHz
CF Step 5.000000 MHz
Auto Man
Freq Offset 0 Hz

MSG STATUS


1.14. LTE Peak to Average Ratio(NTNV)(Subtest:14, Channel:26697, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
814.7	0.1	6.21	13	Pass




1.15. LTE Peak to Average Ratio(NTNV)(Subtest:15, Channel:26740, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
819	0.1	3.93	13	Pass




1.16. LTE Peak to Average Ratio(NTNV)(Subtest:16, Channel:26740, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
819	0.1	3.76	13	Pass




1.17. LTE Peak to Average Ratio(NTNV)(Subtest:17, Channel:26740, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
819	0.1	3.91	13	Pass




1.18. LTE Peak to Average Ratio(NTNV)(Subtest:18, Channel:26740, Bandwidth:1.4, Modulation:QPSK, RB Number: 3, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
819	0.1	4.1	13	Pass




1.19. LTE Peak to Average Ratio(NTNV)(Subtest:19, Channel:26740, Bandwidth:1.4, Modulation:QPSK, RB Number: 3, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
819	0.1	4.02	13	Pass




1.20. LTE Peak to Average Ratio(NTNV)(Subtest:20, Channel:26740, Bandwidth:1.4, Modulation:QPSK, RB Number: 3, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
819	0.1	4.1	13	Pass




1.21. LTE Peak to Average Ratio(NTNV)(Subtest:21, Channel:26740, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
819	0.1	5.07	13	Pass




1.22. LTE Peak to Average Ratio(NTNV)(Subtest:22, Channel:26740, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
819	0.1	5.43	13	Pass




1.23. LTE Peak to Average Ratio(NTNV)(Subtest:23, Channel:26740, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
819	0.1	5.29	13	Pass




1.24. LTE Peak to Average Ratio(NTNV)(Subtest:24, Channel:26740, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
819	0.1	5.43	13	Pass




1.25. LTE Peak to Average Ratio(NTNV)(Subtest:25, Channel:26740, Bandwidth:1.4, Modulation:Q16, RB Number: 3, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
819	0.1	5.55	13	Pass




1.26. LTE Peak to Average Ratio(NTNV)(Subtest:26, Channel:26740, Bandwidth:1.4, Modulation:Q16, RB Number: 3, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
819	0.1	5.43	13	Pass




1.27. LTE Peak to Average Ratio(NTNV)(Subtest:27, Channel:26740, Bandwidth:1.4, Modulation:Q16, RB Number: 3, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
819	0.1	5.53	13	Pass




1.28. LTE Peak to Average Ratio(NTNV)(Subtest:28, Channel:26740, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
819	0.1	6.25	13	Pass




1.29. LTE Peak to Average Ratio(NTNV)(Subtest:29, Channel:26783, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
823.3	0.1	3.87	13	Pass




1.30. LTE Peak to Average Ratio(NTNV)(Subtest:30, Channel:26783, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
823.3	0.1	3.63	13	Pass




1.31. LTE Peak to Average Ratio(NTNV)(Subtest:31, Channel:26783, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
823.3	0.1	3.86	13	Pass




1.32. LTE Peak to Average Ratio(NTNV)(Subtest:32, Channel:26783, Bandwidth:1.4, Modulation:QPSK, RB Number: 3, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
823.3	0.1	4.1	13	Pass




1.33. LTE Peak to Average Ratio(NTNV)(Subtest:33, Channel:26783, Bandwidth:1.4, Modulation:QPSK, RB Number: 3, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
823.3	0.1	3.96	13	Pass




1.34. LTE Peak to Average Ratio(NTNV)(Subtest:34, Channel:26783, Bandwidth:1.4, Modulation:QPSK, RB Number: 3, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
823.3	0.1	4.07	13	Pass




1.35. LTE Peak to Average Ratio(NTNV)(Subtest:35, Channel:26783, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
823.3	0.1	4.94	13	Pass




1.36. LTE Peak to Average Ratio(NTNV)(Subtest:36, Channel:26783, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
823.3	0.1	5.38	13	Pass




1.37. LTE Peak to Average Ratio(NTNV)(Subtest:37, Channel:26783, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
823.3	0.1	5.22	13	Pass




1.38. LTE Peak to Average Ratio(NTNV)(Subtest:38, Channel:26783, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
823.3	0.1	5.37	13	Pass




1.39. LTE Peak to Average Ratio(NTNV)(Subtest:39, Channel:26783, Bandwidth:1.4, Modulation:Q16, RB Number: 3, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
823.3	0.1	5.59	13	Pass




1.40. LTE Peak to Average Ratio(NTNV)(Subtest:40, Channel:26783, Bandwidth:1.4, Modulation:Q16, RB Number: 3, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
823.3	0.1	5.47	13	Pass




1.41. LTE Peak to Average Ratio(NTNV)(Subtest:41, Channel:26783, Bandwidth:1.4, Modulation:Q16, RB Number: 3, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
823.3	0.1	5.58	13	Pass




1.42. LTE Peak to Average Ratio(NTNV)(Subtest:42, Channel:26783, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
823.3	0.1	6.26	13	Pass




1.43. LTE Peak to Average Ratio(NTNV)(Subtest:43, Channel:26705, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
815.5	0.1	3.58	13	Pass



1.44. LTE Peak to Average Ratio(NTNV)(Subtest:44, Channel:26705, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
815.5	0.1	3.52	13	Pass



1.45. LTE Peak to Average Ratio(NTNV)(Subtest:45, Channel:26705, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
815.5	0.1	3.71	13	Pass

Keysight Spectrum Analyzer - Power Stat CCDF

RL RF 50 Ω AC INT REF ALIGN OFF 05:23:19 下午 三月 27, 201

Center Freq 815.500000 MHz Center Freq: 815.500000 MHz Radio Std: None
Trig: Free Run Counts: 1.00 M/1.00 Mpt
#IFGain:Low #Atten: 40 dB

Average Power
25.42 dBm
48.32 % at 0dB

10.0 % 2.66 dB
1.0 % 3.60 dB
0.1 % 3.71 dB
0.01 % 3.79 dB
0.001 % 3.84 dB
0.0001 % 3.86 dB
Peak 3.86 dB
29.28 dBm

Gaussian




0.0001 % 0 dB 20 dB
Info BW 3.0000 MHz

Frequency
Center Freq 815.500000 MHz
CF Step 5.000000 MHz Man
Freq Offset 0 Hz

MSG STATUS


1.46. LTE Peak to Average Ratio(NTNV)(Subtest:46, Channel:26705, Bandwidth:3, Modulation:QPSK, RB Number: 8, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
815.5	0.1	4.22	13	Pass




1.47. LTE Peak to Average Ratio(NTNV)(Subtest:47, Channel:26705, Bandwidth:3, Modulation:QPSK, RB Number: 8, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
815.5	0.1	4.12	13	Pass




1.48. LTE Peak to Average Ratio(NTNV)(Subtest:48, Channel:26705, Bandwidth:3, Modulation:QPSK, RB Number: 8, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
815.5	0.1	4.26	13	Pass




1.49. LTE Peak to Average Ratio(NTNV)(Subtest:49, Channel:26705, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
815.5	0.1	4.77	13	Pass




1.50. LTE Peak to Average Ratio(NTNV)(Subtest:50, Channel:26705, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
815.5	0.1	5.09	13	Pass




1.51. LTE Peak to Average Ratio(NTNV)(Subtest:51, Channel:26705, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
815.5	0.1	5.17	13	Pass




1.52. LTE Peak to Average Ratio(NTNV)(Subtest:52, Channel:26705, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
815.5	0.1	5.35	13	Pass




1.53. LTE Peak to Average Ratio(NTNV)(Subtest:53, Channel:26705, Bandwidth:3, Modulation:Q16, RB Number: 8, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
815.5	0.1	5.85	13	Pass




1.54. LTE Peak to Average Ratio(NTNV)(Subtest:54, Channel:26705, Bandwidth:3, Modulation:Q16, RB Number: 8, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
815.5	0.1	5.85	13	Pass




1.55. LTE Peak to Average Ratio(NTNV)(Subtest:55, Channel:26705, Bandwidth:3, Modulation:Q16, RB Number: 8, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
815.5	0.1	5.89	13	Pass




1.56. LTE Peak to Average Ratio(NTNV)(Subtest:56, Channel:26705, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
815.5	0.1	6.22	13	Pass




1.57. LTE Peak to Average Ratio(NTNV)(Subtest:57, Channel:26740, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
819	0.1	3.76	13	Pass




1.58. LTE Peak to Average Ratio(NTNV)(Subtest:58, Channel:26740, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
819	0.1	3.59	13	Pass




1.59. LTE Peak to Average Ratio(NTNV)(Subtest:59, Channel:26740, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
819	0.1	3.73	13	Pass




1.60. LTE Peak to Average Ratio(NTNV)(Subtest:60, Channel:26740, Bandwidth:3, Modulation:QPSK, RB Number: 8, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
819	0.1	4.24	13	Pass




1.61. LTE Peak to Average Ratio(NTNV)(Subtest:61, Channel:26740, Bandwidth:3, Modulation:QPSK, RB Number: 8, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
819	0.1	4.17	13	Pass




1.62. LTE Peak to Average Ratio(NTNV)(Subtest:62, Channel:26740, Bandwidth:3, Modulation:QPSK, RB Number: 8, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
819	0.1	4.24	13	Pass




1.63. LTE Peak to Average Ratio(NTNV)(Subtest:63, Channel:26740, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
819	0.1	4.77	13	Pass



1.64. LTE Peak to Average Ratio(NTNV)(Subtest:64, Channel:26740, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
819	0.1	5.33	13	Pass



1.65. LTE Peak to Average Ratio(NTNV)(Subtest:65, Channel:26740, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
819	0.1	5.25	13	Pass

Keysight Spectrum Analyzer - Power Stat CCDF

RL RF 50 Ω AC INT REF ALIGN OFF 05:24:44 下午 三月 27, 201

Center Freq 819.000000 MHz Center Freq: 819.000000 MHz Radio Std: None

Trig: Free Run Counts: 1.00 M/1.00 Mpt

#IFGain:Low #Atten: 40 dB

Average Power
24.69 dBm
42.85 % at 0dB

10.0 % 2.95 dB
1.0 % 5.14 dB
0.1 % 5.25 dB
0.01 % 5.28 dB
0.001 % 5.31 dB
0.0001 % 5.31 dB
Peak 5.32 dB
30.01 dBm

Gaussian




Info BW 3.0000 MHz

Frequency
Center Freq 819.000000 MHz
CF Step 5.000000 MHz
Auto Man
Freq Offset 0 Hz

MSG STATUS

1.66. LTE Peak to Average Ratio(NTNV)(Subtest:66, Channel:26740, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
819	0.1	5.34	13	Pass



1.67. LTE Peak to Average Ratio(NTNV)(Subtest:67, Channel:26740, Bandwidth:3, Modulation:Q16, RB Number: 8, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
819	0.1	5.98	13	Pass

Keysight Spectrum Analyzer - Power Stat CCDF

RL RF 50 Ω AC INT REF ALIGN OFF 05:24:52 下午 三月 27, 201

Center Freq 819.000000 MHz Center Freq: 819.000000 MHz Radio Std: None

Trig: Free Run Counts: 1.00 M/1.00 Mpt

#IFGain:Low #Atten: 40 dB

Average Power
23.64 dBm
42.33 % at 0dB

10.0 % 3.11 dB
1.0 % 5.27 dB
0.1 % 5.98 dB
0.01 % 6.19 dB
0.001 % 6.36 dB
0.0001 % 6.59 dB
Peak 6.63 dB
30.27 dBm

Gaussian




0 dB 20 dB
Info BW 3.0000 MHz

Frequency
Center Freq 819.000000 MHz
CF Step 5.000000 MHz
Auto Man
Freq Offset 0 Hz

MSG STATUS


1.68. LTE Peak to Average Ratio(NTNV)(Subtest:68, Channel:26740, Bandwidth:3, Modulation:Q16, RB Number: 8, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
819	0.1	5.91	13	Pass




1.69. LTE Peak to Average Ratio(NTNV)(Subtest:69, Channel:26740, Bandwidth:3, Modulation:Q16, RB Number: 8, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
819	0.1	5.98	13	Pass




1.70. LTE Peak to Average Ratio(NTNV)(Subtest:70, Channel:26740, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
819	0.1	6.19	13	Pass




1.71. LTE Peak to Average Ratio(NTNV)(Subtest:71, Channel:26775, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
822.5	0.1	3.72	13	Pass




1.72. LTE Peak to Average Ratio(NTNV)(Subtest:72, Channel:26775, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
822.5	0.1	3.55	13	Pass




1.73. LTE Peak to Average Ratio(NTNV)(Subtest:73, Channel:26775, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
822.5	0.1	3.74	13	Pass




1.74. LTE Peak to Average Ratio(NTNV)(Subtest:74, Channel:26775, Bandwidth:3, Modulation:QPSK, RB Number: 8, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
822.5	0.1	4.21	13	Pass



1.75. LTE Peak to Average Ratio(NTNV)(Subtest:75, Channel:26775, Bandwidth:3, Modulation:QPSK, RB Number: 8, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
822.5	0.1	4.12	13	Pass



1.76. LTE Peak to Average Ratio(NTNV)(Subtest:76, Channel:26775, Bandwidth:3, Modulation:QPSK, RB Number: 8, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
822.5	0.1	4.24	13	Pass

