


| | |
|-------------------|-----------------------|
| Orthogonal Axis : | X |
| Test Mode : | TX N-20M MODE 2462MHz |


Vertical



| No. | Mk. | Freq. MHz | Reading Level dBuV | Correct Factor dB | Measure- ment dBuV/m | Limit dBuV/m | Over dB | Detector | Comment |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|------------|----------|---------------------------------|
| 1 | X | 2458.500 | 68.10 | 33.63 | 101.73 | 74.00 | 27.73 | peak | Fundamental frequency, no limit |
| 2 | * | 2459.400 | 55.38 | 33.63 | 89.01 | 54.00 | 35.01 | AVG | Fundamental frequency, no limit |
| 3 | | 2483.500 | 27.68 | 33.66 | 61.34 | 74.00 | -12.66 | peak | |
| 4 | | 2483.500 | 16.13 | 33.66 | 49.79 | 54.00 | -4.21 | AVG | |

| | |
|-------------------|-----------------------|
| Orthogonal Axis : | X |
| Test Mode : | TX N-20M MODE 2462MHz |


Vertical



| No. | Mk. | Freq. MHz | Reading Level dBuV | Correct Factor dB | Measure- ment dBuV/m | Limit dBuV/m | Over dB | Detector | Comment |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|------------|----------|---------|
| 1 | | 4923.950 | 41.14 | 8.37 | 49.51 | 74.00 | -24.49 | peak | |
| 2 | * | 4924.150 | 35.59 | 8.37 | 43.96 | 54.00 | -10.04 | AVG | |

| | |
|-------------------|-----------------------|
| Orthogonal Axis : | X |
| Test Mode : | TX N-20M MODE 2462MHz |


Horizontal



| No. | Mk. | Freq. MHz | Reading Level dBuV | Correct Factor dB | Measure- ment dBuV/m | Limit dBuV/m | Over dB | Detector | Comment |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|------------|----------|---------------------------------|
| 1 | X | 2458.400 | 78.07 | 33.63 | 111.70 | 74.00 | 37.70 | peak | Fundamental frequency, no limit |
| 2 | * | 2469.000 | 64.97 | 33.65 | 98.62 | 54.00 | 44.62 | AVG | Fundamental frequency, no limit |
| 3 | | 2483.500 | 30.28 | 33.66 | 63.94 | 74.00 | -10.06 | peak | |
| 4 | | 2483.500 | 18.22 | 33.66 | 51.88 | 54.00 | -2.12 | AVG | |

| | |
|-------------------|-----------------------|
| Orthogonal Axis : | X |
| Test Mode : | TX N-20M MODE 2462MHz |


Horizontal



| No. | Mk. | Freq. MHz | Reading Level dBuV | Correct Factor dB | Measure- ment dBuV/m | Limit dBuV/m | Over dB | Detector | Comment |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|------------|----------|---------|
| 1 | * | 4924.150 | 29.08 | 8.37 | 37.45 | 54.00 | -16.55 | AVG | |
| 2 | | 4924.250 | 39.32 | 8.37 | 47.69 | 74.00 | -26.31 | peak | |

| | |
|-------------------|-----------------------|
| Orthogonal Axis : | X |
| Test Mode : | TX N-40M MODE 2422MHz |


Vertical



| No. | Mk. | Freq. MHz | Reading Level dBuV | Correct Factor dB | Measure- ment dBuV/m | Limit dBuV/m | Over dB | Detector | Comment |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|------------|----------|---------------------------------|
| 1 | | 2390.000 | 27.87 | 33.54 | 61.41 | 74.00 | -12.59 | peak | |
| 2 | | 2390.000 | 15.91 | 33.54 | 49.45 | 54.00 | -4.55 | AVG | |
| 3 | * | 2425.400 | 49.51 | 33.58 | 83.09 | 54.00 | 29.09 | AVG | Fundamental frequency, no limit |
| 4 | X | 2434.400 | 63.22 | 33.60 | 96.82 | 74.00 | 22.82 | peak | Fundamental frequency, no limit |

| | |
|-------------------|-----------------------|
| Orthogonal Axis : | X |
| Test Mode : | TX N-40M MODE 2422MHz |


Vertical



| No. | Mk. | Freq. MHz | Reading Level dBuV | Correct Factor dB | Measure- ment dBuV/m | Limit dBuV/m | Over dB | Detector | Comment |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|------------|----------|---------|
| 1 | * | 4844.150 | 39.08 | 8.19 | 47.27 | 54.00 | -6.73 | AVG | |
| 2 | | 4844.250 | 44.88 | 8.19 | 53.07 | 74.00 | -20.93 | peak | |

| | |
|-------------------|-----------------------|
| Orthogonal Axis : | X |
| Test Mode : | TX N-40M MODE 2422MHz |

Horizontal



| No. | Mk. | Freq. MHz | Reading Level dBuV | Correct Factor dB | Measure- ment dBuV/m | Limit dBuV/m | Over dB | Detector | Comment |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|------------|----------|---------------------------------|
| 1 | | 2390.000 | 30.96 | 33.54 | 64.50 | 74.00 | -9.50 | peak | |
| 2 | | 2390.000 | 18.24 | 33.54 | 51.78 | 54.00 | -2.22 | AVG | |
| 3 | X | 2414.600 | 72.60 | 33.57 | 106.17 | 74.00 | 32.17 | peak | Fundamental frequency, no limit |
| 4 | * | 2416.000 | 59.37 | 33.57 | 92.94 | 54.00 | 38.94 | AVG | Fundamental frequency, no limit |

| | |
|-------------------|-----------------------|
| Orthogonal Axis : | X |
| Test Mode : | TX N-40M MODE 2422MHz |


Horizontal



| No. | Mk. | Freq. MHz | Reading Level dBuV | Correct Factor dB | Measure- ment dBuV/m | Limit dBuV/m | Over dB | Detector | Comment |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|------------|----------|---------|
| 1 | | 4844.000 | 38.85 | 8.19 | 47.04 | 74.00 | -26.96 | peak | |
| 2 | * | 4844.100 | 32.25 | 8.19 | 40.44 | 54.00 | -13.56 | AVG | |

| | |
|-------------------|-----------------------|
| Orthogonal Axis : | X |
| Test Mode : | TX N-40M MODE 2437MHz |


Vertical



| No. | Mk. | Freq. MHz | Reading Level dBuV | Correct Factor dB | Measure- ment dBuV/m | Limit dBuV/m | Over dB | Detector | Comment |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|------------|----------|---------------------------------|
| 1 | X | 2434.400 | 63.39 | 33.60 | 96.99 | 74.00 | 22.99 | peak | Fundamental frequency, no limit |
| 2 | * | 2435.000 | 51.92 | 33.60 | 85.52 | 54.00 | 31.52 | AVG | Fundamental frequency, no limit |

| | |
|-------------------|-----------------------|
| Orthogonal Axis : | X |
| Test Mode : | TX N-40M MODE 2437MHz |


Vertical



| No. | Mk. | Freq. MHz | Reading Level dBuV | Correct Factor dB | Measure- ment dBuV/m | Limit dBuV/m | Over dB | Detector | Comment |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|------------|----------|---------|
| 1 | | 4874.050 | 43.75 | 8.26 | 52.01 | 74.00 | -21.99 | peak | |
| 2 | * | 4874.150 | 38.74 | 8.26 | 47.00 | 54.00 | -7.00 | AVG | |

| | |
|-------------------|-----------------------|
| Orthogonal Axis : | X |
| Test Mode : | TX N-40M MODE 2437MHz |


Horizontal



| No. | Mk. | Freq. MHz | Reading Level dBuV | Correct Factor dB | Measure- ment dBuV/m | Limit dBuV/m | Over dB | Detector | Comment |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|------------|----------|---------------------------------|
| 1 | X | 2434.400 | 74.41 | 33.60 | 108.01 | 74.00 | 34.01 | peak | Fundamental frequency, no limit |
| 2 | * | 2435.000 | 61.54 | 33.60 | 95.14 | 54.00 | 41.14 | AVG | Fundamental frequency, no limit |

| | |
|-------------------|-----------------------|
| Orthogonal Axis : | X |
| Test Mode : | TX N-40M MODE 2437MHz |


Horizontal



| No. | Mk. | Freq. MHz | Reading Level dBuV | Correct Factor dB | Measure- ment dBuV/m | Limit dBuV/m | Over dB | Detector | Comment |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|------------|----------|---------|
| 1 | * | 4874.050 | 30.40 | 8.26 | 38.66 | 54.00 | -15.34 | AVG | |
| 2 | | 4874.300 | 37.90 | 8.26 | 46.16 | 74.00 | -27.84 | peak | |

| | |
|-------------------|-----------------------|
| Orthogonal Axis : | X |
| Test Mode : | TX N-40M MODE 2452MHz |


Vertical



| No. | Mk. | Freq. MHz | Reading Level dBuV | Correct Factor dB | Measure- ment dBuV/m | Limit dBuV/m | Over dB | Detector | Comment |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|------------|----------|---------------------------------|
| 1 | * | 2447.600 | 49.07 | 33.61 | 82.68 | 54.00 | 28.68 | AVG | Fundamental frequency, no limit |
| 2 | X | 2458.800 | 63.57 | 33.63 | 97.20 | 74.00 | 23.20 | peak | Fundamental frequency, no limit |
| 3 | | 2483.500 | 26.79 | 33.66 | 60.45 | 74.00 | -13.55 | peak | |
| 4 | | 2483.500 | 16.03 | 33.66 | 49.69 | 54.00 | -4.31 | AVG | |

| | |
|-------------------|-----------------------|
| Orthogonal Axis : | X |
| Test Mode : | TX N-40M MODE 2452MHz |


Vertical



| No. | Mk. | Freq. MHz | Reading Level dBuV | Correct Factor dB | Measure- ment dBuV/m | Limit dBuV/m | Over dB | Detector | Comment |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|------------|----------|---------|
| 1 | | 4904.150 | 41.62 | 8.33 | 49.95 | 74.00 | -24.05 | peak | |
| 2 | * | 4904.150 | 36.46 | 8.33 | 44.79 | 54.00 | -9.21 | AVG | |

| | |
|-------------------|-----------------------|
| Orthogonal Axis : | X |
| Test Mode : | TX N-40M MODE 2452MHz |


Horizontal



| No. | Mk. | Freq. MHz | Reading Level dBuV | Correct Factor dB | Measure- ment dBuV/m | Limit dBuV/m | Over dB | Detector | Comment |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|------------|----------|---------------------------------|
| 1 | X | 2438.600 | 74.44 | 33.60 | 108.04 | 74.00 | 34.04 | peak | Fundamental frequency, no limit |
| 2 | * | 2447.200 | 60.10 | 33.61 | 93.71 | 54.00 | 39.71 | AVG | Fundamental frequency, no limit |
| 3 | | 2483.500 | 30.15 | 33.66 | 63.81 | 74.00 | -10.19 | peak | |
| 4 | | 2483.500 | 18.12 | 33.66 | 51.78 | 54.00 | -2.22 | AVG | |

| | |
|-------------------|-----------------------|
| Orthogonal Axis : | X |
| Test Mode : | TX N-40M MODE 2452MHz |

Horizontal




| No. | Mk. | Freq. MHz | Reading Level dBuV | Correct Factor dB | Measure- ment dBuV/m | Limit dBuV/m | Over dB | Detector | Comment |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|------------|----------|---------|
| 1 | | 4904.050 | 37.39 | 8.33 | 45.72 | 74.00 | -28.28 | peak | |
| 2 | * | 4904.150 | 29.21 | 8.33 | 37.54 | 54.00 | -16.46 | AVG | |

ATTACHMENT E - BANDWIDTH

Test Mode : TX B Mode_CH01/06/11_ANT 1


| Frequency | 6dB Bandwidth (MHz) | 99% Occupied BW (MHz) | Min. Limit (kHz) | Test Result |
|-----------|---------------------|-----------------------|------------------|-------------|
| 2412 MHz | 9.08 | 15.05 | 500 | Complies |
| 2437 MHz | 9.13 | 15.05 | 500 | Complies |
| 2462 MHz | 10.07 | 15.00 | 500 | Complies |

TX CH01




Date: 31.JUL.2014 09:13:27

TX CH06



Date: 31.JUL.2014 09:16:32

TX CH11




Date: 31.JUL.2014 09:18:06

Test Mode : TX B Mode_CH01/06/11_ANT 2


| Frequency | 6dB Bandwidth (MHz) | 99% Occupied BW (MHz) | Min. Limit (kHz) | Test Result |
|-----------|---------------------|-----------------------|------------------|-------------|
| 2412 MHz | 10.07 | 15.05 | 500 | Complies |
| 2437 MHz | 9.07 | 15.05 | 500 | Complies |
| 2462 MHz | 9.63 | 15.00 | 500 | Complies |

TX CH01




Date: 31.JUL.2014 09:51:06

TX CH06



Date: 31.JUL.2014 10:00:52

TX CH11




Date: 31.JUL.2014 10:02:35

Test Mode: TX G Mode_CH01/06/11_ANT 1


| Frequency | 6dB Bandwidth (MHz) | 99% Occupied BW (MHz) | Min. Limit (kHz) | Test Result |
|-----------|---------------------|-----------------------|------------------|-------------|
| 2412 MHz | 16.26 | 16.50 | 500 | Complies |
| 2437 MHz | 16.36 | 16.50 | 500 | Complies |
| 2462 MHz | 16.31 | 16.50 | 500 | Complies |

TX CH01




Date: 31.JUL.2014 09:22:26

TX CH06



Date: 31.JUL.2014 09:25:22

TX CH11




Date: 31.JUL.2014 09:27:48

Test Mode: TX G Mode_CH01/06/11_ANT 2


| Frequency | 6dB Bandwidth (MHz) | 99% Occupied BW (MHz) | Min. Limit (kHz) | Test Result |
|-----------|---------------------|-----------------------|------------------|-------------|
| 2412 MHz | 16.31 | 16.55 | 500 | Complies |
| 2437 MHz | 16.31 | 16.55 | 500 | Complies |
| 2462 MHz | 16.31 | 16.55 | 500 | Complies |

TX CH01




Date: 31.JUL.2014 10:04:11

TX CH06



Date: 31.JUL.2014 10:05:49

TX CH11




Date: 31.JUL.2014 10:07:04

Test Mode : TX N-20MHz Mode_CH01/06/11_ANT 1


| Frequency | 6dB Bandwidth (MHz) | 99% Occupied BW (MHz) | Min. Limit (kHz) | Test Result |
|-----------|---------------------|-----------------------|------------------|-------------|
| 2412 MHz | 17.45 | 17.65 | 500 | Complies |
| 2437 MHz | 17.61 | 17.70 | 500 | Complies |
| 2462 MHz | 17.61 | 17.70 | 500 | Complies |

TX CH01




Date: 31.JUL.2014 09:29:41

TX CH06



Date: 31.JUL.2014 09:32:24

TX CH11




Date: 31.JUL.2014 09:37:34

Test Mode : TX N-20MHz Mode_CH01/06/11_ANT 2


| Frequency | 6dB Bandwidth (MHz) | 99% Occupied BW (MHz) | Min. Limit (kHz) | Test Result |
|-----------|---------------------|-----------------------|------------------|-------------|
| 2412 MHz | 17.51 | 17.65 | 500 | Complies |
| 2437 MHz | 17.56 | 17.70 | 500 | Complies |
| 2462 MHz | 17.56 | 17.70 | 500 | Complies |

TX CH01




Date: 31.JUL.2014 10:11:18

TX CH06



Date: 31.JUL.2014 10:13:15

TX CH11




Date: 31.JUL.2014 10:14:40

Test Mode : TX N-40MHz Mode_CH03/06/09_ANT 1


| Frequency | 6dB Bandwidth (MHz) | 99% Occupied BW (MHz) | Min. Limit (kHz) | Test Result |
|-----------|---------------------|-----------------------|------------------|-------------|
| 2422 MHz | 35.21 | 36.00 | 500 | Complies |
| 2437 MHz | 35.31 | 36.00 | 500 | Complies |
| 2452 MHz | 35.71 | 36.00 | 500 | Complies |

TX CH03




Date: 31.JUL.2014 09:39:47

TX CH06



Date: 31.JUL.2014 09:41:29

TX CH09




Date: 31.JUL.2014 09:42:48

Test Mode : TX N-40MHz Mode_CH03/06/09_ANT 2


| Frequency | 6dB Bandwidth (MHz) | 99% Occupied BW (MHz) | Min. Limit (kHz) | Test Result |
|-----------|---------------------|-----------------------|------------------|-------------|
| 2422 MHz | 36.10 | 36.10 | 500 | Complies |
| 2437 MHz | 35.50 | 36.10 | 500 | Complies |
| 2452 MHz | 36.10 | 36.10 | 500 | Complies |

TX CH03




Date: 31.JUL.2014 10:16:16

TX CH06



Date: 31.JUL.2014 10:18:48

TX CH09



Date: 31.JUL.2014 10:20:23

ATTACHMENT F - MAXIMUM OUTPUT POWER

| Test Mode : TX B Mode_ANT 1 | | | | | |
|-----------------------------|-----------------------|---------------------|-----------------|---------------|----------|
| Frequency | Conducted Power (dBm) | Conducted Power (W) | Max. Limit(dBm) | Max. Limit(W) | Result |
| 2412 MHz | 14.03 | 0.0253 | 30.00 | 1.00 | Complies |
| 2437 MHz | 14.00 | 0.0251 | 30.00 | 1.00 | Complies |
| 2462 MHz | 14.33 | 0.0271 | 30.00 | 1.00 | Complies |

| Test Mode : TX B Mode_Ant 2 | | | | | |
|-----------------------------|-----------------------|---------------------|-----------------|---------------|----------|
| Frequency | Conducted Power (dBm) | Conducted Power (W) | Max. Limit(dBm) | Max. Limit(W) | Result |
| 2412 MHz | 14.24 | 0.0265 | 30.00 | 1.00 | Complies |
| 2437 MHz | 14.41 | 0.0276 | 30.00 | 1.00 | Complies |
| 2462 MHz | 14.31 | 0.0270 | 30.00 | 1.00 | Complies |

| Test Mode : TX B Mode_Total | | | | | |
|-----------------------------|-----------------------|---------------------|-----------------|---------------|----------|
| Frequency | Conducted Power (dBm) | Conducted Power (W) | Max. Limit(dBm) | Max. Limit(W) | Result |
| 2412 MHz | 17.15 | 0.0518 | 30.00 | 1.00 | Complies |
| 2437 MHz | 17.22 | 0.0527 | 30.00 | 1.00 | Complies |
| 2462 MHz | 17.33 | 0.0541 | 30.00 | 1.00 | Complies |

| Test Mode : TX G Mode_ANT 1 | | | | | |
|-----------------------------|-----------------------|---------------------|-----------------|---------------|----------|
| Frequency | Conducted Power (dBm) | Conducted Power (W) | Max. Limit(dBm) | Max. Limit(W) | Result |
| 2412 MHz | 20.03 | 0.1007 | 30.00 | 1.00 | Complies |
| 2437 MHz | 20.25 | 0.1059 | 30.00 | 1.00 | Complies |
| 2462 MHz | 20.43 | 0.1104 | 30.00 | 1.00 | Complies |

| Test Mode : TX G Mode_Ant 2 | | | | | |
|-----------------------------|-----------------------|---------------------|-----------------|---------------|----------|
| Frequency | Conducted Power (dBm) | Conducted Power (W) | Max. Limit(dBm) | Max. Limit(W) | Result |
| 2412 MHz | 18.02 | 0.0634 | 30.00 | 1.00 | Complies |
| 2437 MHz | 18.89 | 0.0774 | 30.00 | 1.00 | Complies |
| 2462 MHz | 18.92 | 0.0780 | 30.00 | 1.00 | Complies |

| Test Mode : TX G Mode_Total | | | | | |
|-----------------------------|-----------------------|---------------------|-----------------|---------------|----------|
| Frequency | Conducted Power (dBm) | Conducted Power (W) | Max. Limit(dBm) | Max. Limit(W) | Result |
| 2412 MHz | 22.15 | 0.1641 | 30.00 | 1.00 | Complies |
| 2437 MHz | 22.63 | 0.1834 | 30.00 | 1.00 | Complies |
| 2462 MHz | 22.75 | 0.1884 | 30.00 | 1.00 | Complies |

| Test Mode : TX N-20M Mode_ANT 1 | | | | | |
|---------------------------------|-----------------------|---------------------|-----------------|---------------|----------|
| Frequency | Conducted Power (dBm) | Conducted Power (W) | Max. Limit(dBm) | Max. Limit(W) | Result |
| 2412 MHz | 20.25 | 0.1059 | 30.00 | 1.00 | Complies |
| 2437 MHz | 20.35 | 0.1084 | 30.00 | 1.00 | Complies |
| 2462 MHz | 20.08 | 0.1019 | 30.00 | 1.00 | Complies |

| Test Mode : TX N-20M Mode_ANT 2 | | | | | |
|---------------------------------|-----------------------|---------------------|-----------------|---------------|----------|
| Frequency | Conducted Power (dBm) | Conducted Power (W) | Max. Limit(dBm) | Max. Limit(W) | Result |
| 2412 MHz | 18.03 | 0.0635 | 30.00 | 1.00 | Complies |
| 2437 MHz | 18.74 | 0.0748 | 30.00 | 1.00 | Complies |
| 2462 MHz | 18.63 | 0.0729 | 30.00 | 1.00 | Complies |

| Test Mode : TX N-20M Mode_Total | | | | | |
|---------------------------------|-----------------------|---------------------|-----------------|---------------|----------|
| Frequency | Conducted Power (dBm) | Conducted Power (W) | Max. Limit(dBm) | Max. Limit(W) | Result |
| 2412 MHz | 22.29 | 0.1695 | 30.00 | 1.00 | Complies |
| 2437 MHz | 22.63 | 0.1832 | 30.00 | 1.00 | Complies |
| 2462 MHz | 22.43 | 0.1748 | 30.00 | 1.00 | Complies |

| Test Mode : TX N-40M Mode_ANT 1 | | | | | |
|---------------------------------|-----------------------|---------------------|-----------------|---------------|----------|
| Frequency | Conducted Power (dBm) | Conducted Power (W) | Max. Limit(dBm) | Max. Limit(W) | Result |
| 2422 MHz | 19.32 | 0.0855 | 30.00 | 1.00 | Complies |
| 2437 MHz | 20.36 | 0.1086 | 30.00 | 1.00 | Complies |
| 2452 MHz | 20.17 | 0.1040 | 30.00 | 1.00 | Complies |


| Test Mode : TX N-40M Mode_ANT 2 | | | | | |
|---------------------------------|-----------------------|---------------------|-----------------|---------------|----------|
| Frequency | Conducted Power (dBm) | Conducted Power (W) | Max. Limit(dBm) | Max. Limit(W) | Result |
| 2422 MHz | 16.93 | 0.0493 | 30.00 | 1.00 | Complies |
| 2437 MHz | 17.54 | 0.0568 | 30.00 | 1.00 | Complies |
| 2452 MHz | 16.92 | 0.0492 | 30.00 | 1.00 | Complies |

| Test Mode : TX N-40M Mode_Total | | | | | |
|---------------------------------|-----------------------|---------------------|-----------------|---------------|----------|
| Frequency | Conducted Power (dBm) | Conducted Power (W) | Max. Limit(dBm) | Max. Limit(W) | Result |
| 2422 MHz | 21.30 | 0.1348 | 30.00 | 1.00 | Complies |
| 2437 MHz | 22.19 | 0.1654 | 30.00 | 1.00 | Complies |
| 2452 MHz | 21.85 | 0.1532 | 30.00 | 1.00 | Complies |

ATTACHMENT G - ANTENNA CONDUCTED SPURIOUS EMISSION


| | |
|-------------|-----------------|
| Test Mode : | TX B Mode_ANT 1 |
|-------------|-----------------|

TX B mode CH01




Date: 31.JUL.2014 09:14:06

TX B mode CH11




Date: 31.JUL.2014 09:21:06

TX B mode CH01 (10 Harmonic of the frequency)




Date: 31.JUL.2014 09:12:29

TX B mode CH06 (10 Harmonic of the frequency)



Date: 31.JUL.2014 09:15:43


TX B mode CH11 (10 Harmonic of the frequency)



Date: 31.JUL.2014 09:17:33


| | |
|--------------------|------------------------|
| Test Mode : | TX B Mode_ANT 2 |
|--------------------|------------------------|

TX B mode CH01




Date: 31.JUL.2014 09:51:26

TX B mode CH11




Date: 31.JUL.2014 10:02:51

TX B mode CH01 (10 Harmonic of the frequency)




Date: 31.JUL.2014 09:50:29

TX B mode CH06 (10 Harmonic of the frequency)



Date: 31.JUL.2014 09:59:52


TX B mode CH11 (10 Harmonic of the frequency)



Date: 31.JUL.2014 10:01:43


| | |
|--------------------|------------------------|
| Test Mode : | TX G Mode_ANT 1 |
|--------------------|------------------------|

TX G mode CH01




Date: 31.JUL.2014 09:22:59

TX G mode CH11




Date: 31.JUL.2014 09:28:22

TX G mode CH01 (10 Harmonic of the frequency)




Date: 31.JUL.2014 09:22:06

TX G mode CH06 (10 Harmonic of the frequency)



Date: 31.JUL.2014 09:24:48


TX G mode CH11 (10 Harmonic of the frequency)



Date: 31.JUL.2014 09:27:17


| | |
|--------------------|------------------------|
| Test Mode : | TX G Mode_ANT 2 |
|--------------------|------------------------|

TX G mode CH01




Date: 31.JUL.2014 10:04:35

TX G mode CH11




Date: 31.JUL.2014 10:07:27

TX G mode CH01 (10 Harmonic of the frequency)




Date: 31.JUL.2014 10:03:45

TX G mode CH06 (10 Harmonic of the frequency)



Date: 31.JUL.2014 10:05:22


TX G mode CH11 (10 Harmonic of the frequency)



Date: 31.JUL.2014 10:06:39


| | |
|--------------------|----------------------------|
| Test Mode : | TX N-20M Mode_ANT 1 |
|--------------------|----------------------------|

TX HT20 mode CH01




Date: 31.JUL.2014 09:30:12

TX HT20 mode CH11




Date: 31.JUL.2014 09:38:08

TX HT20 mode CH01 (10 Harmonic of the frequency)




Date: 31.JUL.2014 09:29:17

TX HT20 mode CH06 (10 Harmonic of the frequency)



Date: 31.JUL.2014 09:31:55


TX HT20 mode CH11 (10 Harmonic of the frequency)



Date: 31.JUL.2014 09:36:53


| | |
|--------------------|----------------------------|
| Test Mode : | TX N-20M Mode_ANT 2 |
|--------------------|----------------------------|

TX HT20 mode CH01




Date: 31.JUL.2014 10:11:38

TX HT20 mode CH11




Date: 31.JUL.2014 10:15:02

TX HT20 mode CH01 (10 Harmonic of the frequency)




Date: 31.JUL.2014 10:10:41

TX HT20 mode CH06 (10 Harmonic of the frequency)



Date: 31.JUL.2014 10:12:50


TX HT20 mode CH11 (10 Harmonic of the frequency)



Date: 31.JUL.2014 10:14:16


| | |
|--------------------|----------------------------|
| Test Mode : | TX N-40M Mode_ANT 1 |
|--------------------|----------------------------|

TX HT40 mode CH03




Date: 31.JUL.2014 09:40:13

TX HT40 mode CH09




Date: 31.JUL.2014 09:43:57

TX HT40 mode CH03 (10 Harmonic of the frequency)




Date: 31.JUL.2014 09:39:21

TX HT40 mode CH06 (10 Harmonic of the frequency)



Date: 31.JUL.2014 09:41:04


TX HT40 mode CH09 (10 Harmonic of the frequency)



Date: 31.JUL.2014 09:42:21


| | |
|--------------------|----------------------------|
| Test Mode : | TX N-40M Mode_ANT 2 |
|--------------------|----------------------------|

TX HT40 mode CH03




Date: 31.JUL.2014 10:16:39

TX HT40 mode CH09




Date: 31.JUL.2014 10:21:51

TX HT40 mode CH03 (10 Harmonic of the frequency)




Date: 31.JUL.2014 10:15:53

TX HT40 mode CH06 (10 Harmonic of the frequency)



Date: 31.JUL.2014 10:17:29

TX HT40 mode CH09 (10 Harmonic of the frequency)




Date: 31.JUL.2014 10:19:53

ATTACHMENT H - POWER SPECTRAL DENSITY

Test Mode :TX B Mode_CH01/06/11_ANT 1


| Frequency | Power Density (dBm/3kHz) | Power Density (mW/3kHz) | Max. Limit (dBm) | Result |
|-----------|--------------------------|-------------------------|------------------|----------|
| 2412 MHz | -7.20 | 0.19 | 8.00 | Complies |
| 2437 MHz | -9.30 | 0.12 | 8.00 | Complies |
| 2462 MHz | -5.26 | 0.30 | 8.00 | Complies |

TX CH01




Date: 31.JUL.2014 09:15:07

TX CH06



Date: 31.JUL.2014 09:16:48

TX CH11




Date: 31.JUL.2014 09:21:21

Test Mode :TX B Mode_CH01/06/11_ANT 2


| Frequency | Power Density (dBm/3kHz) | Power Density (mW/3kHz) | Max. Limit (dBm) | Result |
|-----------|--------------------------|-------------------------|------------------|----------|
| 2412 MHz | -5.59 | 0.28 | 8.00 | Complies |
| 2437 MHz | -5.70 | 0.27 | 8.00 | Complies |
| 2462 MHz | -3.49 | 0.45 | 8.00 | Complies |

TX CH01




Date: 31.JUL.2014 09:58:44

TX CH06



Date: 31.JUL.2014 10:01:06

TX CH11



Date: 31.JUL.2014 10:03:05


Test Mode :TX B Mode_CH01/06/11_Total

| Frequency | Power Density (dBm/3kHz) | Power Density (mW/3kHz) | Max. Limit (dBm) | Result |
|-----------|--------------------------|-------------------------|------------------|----------|
| 2412 MHz | -3.31 | 0.47 | 8.00 | Complies |
| 2437 MHz | -4.13 | 0.39 | 8.00 | Complies |
| 2462 MHz | -1.28 | 0.75 | 8.00 | Complies |

Test Mode :TX G Mode_CH01/06/11_ANT 1


| Frequency | Power Density (dBm/3kHz) | Power Density (mW/3kHz) | Max. Limit (dBm) | Result |
|-----------|--------------------------|-------------------------|------------------|----------|
| 2412 MHz | -14.21 | 0.04 | 8.00 | Complies |
| 2437 MHz | -13.42 | 0.05 | 8.00 | Complies |
| 2462 MHz | -12.32 | 0.06 | 8.00 | Complies |

TX CH01




Date: 31.JUL.2014 09:23:58

TX CH06



Date: 31.JUL.2014 09:25:50

TX CH11




Date: 31.JUL.2014 09:28:41

Test Mode :TX G Mode_CH01/06/11_ANT 2


| Frequency | Power Density (dBm/3kHz) | Power Density (mW/3kHz) | Max. Limit (dBm) | Result |
|-----------|--------------------------|-------------------------|------------------|----------|
| 2412 MHz | -12.48 | 0.06 | 8.00 | Complies |
| 2437 MHz | -11.47 | 0.07 | 8.00 | Complies |
| 2462 MHz | -13.41 | 0.05 | 8.00 | Complies |

TX CH01




Date: 31.JUL.2014 10:04:49

TX CH06



Date: 31.JUL.2014 10:06:03

TX CH11



Date: 31.JUL.2014 10:07:44


Test Mode :TX G Mode_CH01/06/11_Total

| Frequency | Power Density (dBm/3kHz) | Power Density (mW/3kHz) | Max. Limit (dBm) | Result |
|-----------|--------------------------|-------------------------|------------------|----------|
| 2412 MHz | -10.25 | 0.09 | 8.00 | Complies |
| 2437 MHz | -9.33 | 0.12 | 8.00 | Complies |
| 2462 MHz | -9.82 | 0.10 | 8.00 | Complies |

Test Mode : TX N-20M Mode_CH01/06/11_ANT 1


| Frequency | Power Density (dBm/3kHz) | Power Density (mW/3kHz) | Max. Limit (dBm) | Result |
|-----------|--------------------------|-------------------------|------------------|----------|
| 2412 MHz | -14.37 | 0.04 | 8.00 | Complies |
| 2437 MHz | -14.19 | 0.04 | 8.00 | Complies |
| 2462 MHz | -14.01 | 0.04 | 8.00 | Complies |

TX CH01




Date: 31.JUL.2014 09:30:56

TX CH06



Date: 31.JUL.2014 09:32:43

TX CH11




Date: 31.JUL.2014 09:38:30

Test Mode : TX N-20M Mode_CH01/06/11_ANT 2


| Frequency | Power Density (dBm/3kHz) | Power Density (mW/3kHz) | Max. Limit (dBm) | Result |
|-----------|--------------------------|-------------------------|------------------|----------|
| 2412 MHz | -12.32 | 0.06 | 8.00 | Complies |
| 2437 MHz | -12.86 | 0.05 | 8.00 | Complies |
| 2462 MHz | -12.38 | 0.06 | 8.00 | Complies |

TX CH01




Date: 31.JUL.2014 10:11:53

TX CH06



Date: 31.JUL.2014 10:13:30

TX CH11



Date: 31.JUL.2014 10:15:17


Test Mode : TX N-20M Mode_CH01/06/11_Total

| Frequency | Power Density (dBm/3kHz) | Power Density (mW/3kHz) | Max. Limit (dBm) | Result |
|-----------|-----------------------------|----------------------------|------------------|----------|
| 2412 MHz | -10.21 | 0.10 | 8.00 | Complies |
| 2437 MHz | -10.46 | 0.09 | 8.00 | Complies |
| 2462 MHz | -10.11 | 0.10 | 8.00 | Complies |

Test Mode : TX N-40M Mode_CH03/06/09_ANT 1


| Frequency | Power Density (dBm/3kHz) | Power Density (mW/3kHz) | Max. Limit (dBm) | Result |
|-----------|--------------------------|-------------------------|------------------|----------|
| 2422 MHz | -17.12 | 0.02 | 8.00 | Complies |
| 2437 MHz | -16.83 | 0.02 | 8.00 | Complies |
| 2452 MHz | -15.78 | 0.03 | 8.00 | Complies |

TX CH03




Date: 31.JUL.2014 09:40:33

TX CH06



Date: 31.JUL.2014 09:41:46

TX CH09




Date: 31.JUL.2014 09:46:06

Test Mode : TX N-40M Mode_CH03/06/09_ANT 2


| Frequency | Power Density (dBm/3kHz) | Power Density (mW/3kHz) | Max. Limit (dBm) | Result |
|-----------|--------------------------|-------------------------|------------------|----------|
| 2422 MHz | -15.51 | 0.03 | 8.00 | Complies |
| 2437 MHz | -14.93 | 0.03 | 8.00 | Complies |
| 2452 MHz | -14.52 | 0.04 | 8.00 | Complies |

TX CH03




Date: 31.JUL.2014 10:16:59

TX CH06



Date: 31.JUL.2014 10:19:11

TX CH09



Date: 31.JUL.2014 10:22:13

Test Mode : TX N-40M Mode_CH03/06/09_Total

| Frequency | Power Density (dBm/3kHz) | Power Density (mW/3kHz) | Max. Limit (dBm) | Result |
|-----------|-----------------------------|----------------------------|------------------|----------|
| 2422 MHz | -13.23 | 0.05 | 8.00 | Complies |
| 2437 MHz | -12.77 | 0.05 | 8.00 | Complies |
| 2452 MHz | -12.09 | 0.06 | 8.00 | Complies |