

Annex B: Measurement Results

Tested Model: JD-GP11

Report Number: FCC17030205A-3

MEASUREMENT 1

Rear-side-middle

Type: Phone measurement (Complete)

Date of measurement: 16/4/2017


Measurement duration: 8 minutes 32 seconds

A. Experimental conditions.

<u>Area Scan</u>	dx=15mm dy=15mm				
<u>ZoomScan</u>	5x5x7,dx=8mm dy=8mm dz=5mm,Complete				
<u>Phantom</u>	<u>Validation plane</u>				
<u>Device Position</u>	Body				
<u>Band</u>	CUSTOM (GPRS850 4Tx)				
<u>Channels</u>	<u>Middle</u>				
<u>Signal</u>	Duty Cycle: 2.00 (Crest factor: 2.0)				
Conversion factor	5.07				

B. SAR Measurement Results

Frequency (MHz)	836.600012
Relative permittivity (real part)	54.022579
Relative permittivity (imaginary part)	21.248079
Conductivity (S/m)	0.972926
Variation (%)	1.290000




Maximum location: X=-9.00, Y=17.00

SAR Peak: 0.36 W/kg

SAR 10g (W/Kg)	0.176308		
SAR 1g (W/Kg)	0.254456		

Z (mm)	0.00	4.00	9.00	14.00	19.00	24.00	29.00
SAR (W/Kg)	0.3391	0.2606	0.1879	0.1289	0.1075	0.0631	0.0575
	0.34-				· 		
	0.30-	+					
	0.25-	\square					
	(%) 1/¥ 0.20-	$\perp \downarrow \downarrow \downarrow$	++				
	뜆 0.15-		\rightarrow				
	0.10-			\mathbb{H}			
	0.03 - 0	. 02. 55. 07. 5	12.5 17	7.5 22.5	27.5 32.5	40.0	
	Z (mm)						



MEASUREMENT 2

Bottom-side-high

Type: Phone measurement (Complete)

Date of measurement: 18/4/2017


Measurement duration: 10 minutes 13 seconds

A. Experimental conditions.

<u>Area Scan</u>	dx=15mm dy=15mm				
<u>ZoomScan</u>	5x5x7,dx=8mm dy=8mm dz=5mm,Complete				
<u>Phantom</u>	<u>Validation plane</u>				
<u>Device Position</u>	<u>Body</u>				
<u>Band</u>	CUSTOM (GPRS1900 4Tx)				
<u>Channels</u>	<u>High</u>				
<u>Signal</u>	Duty Cycle: 2.00 (Crest factor: 2.0)				
Conversion factor	4.78				

B. SAR Measurement Results

Frequency (MHz)	1909.800000
Relative permittivity (real part)	53.356098
Relative permittivity (imaginary part)	14.668600
Conductivity (S/m)	1.532054
Variation (%)	0.760000



Maximum location: X=1.00, Y=3.00

SAR Peak: 1.29 W/kg

SAR 10g (W/Kg)	0.350093		
SAR 1g (W/Kg)	0.673170		

Z (mm)	0.00	4.00	9.00	14.00	19.00	24.00	29.00
SAR (W/Kg)	1.4659	0.9887	0.5946	0.3738	0.2239	0.1279	0.0783
	1.5-1 1.2 1.0 2WS (%/kg) 0.8 0.6 0.4 0.2 0.0	02.55.07.5	12.5 17.	.5 22.5 2 Z (mm)	27.5 32.5	40.0	

