

Test Report

Report No	EI0851-1
Client	Advanced Body Sensing 60 Prescott Street Worcester, MA 01605
Phone	508-757-7070
FRN	0017987124
Model	Pulse Ox Sensor
FCC ID	WKC-POX001
Equipment Type Equipment Code	Low Power Communications Device DXX
Results	As detailed within this report
Prepared by	Evan Gould – Compliance Engineer
Authorized by	Mairaj Hussain – EMC Supervisor
Issue Date	8/27/08
Conditions of Issue	This Test Report is issued subject to the conditions stated in the 'Conditions of Testing' section on page 14 of this report.

Curtis-Straus LLC is accredited to ISO/IEC 17025 by A2LA for the specific scope of accreditation under Certificate Number 1627-01. This report may contain data which is not covered by the A2LA accreditation. Any opinions or interpretations expressed in this report are outside the scope of our A2LA accreditation as A2LA only accredits testing.



Contents

Summary	3
Test Methodology	
Product Tested - Configuration Documentation	
Fundamental Emission	
Harmonics	
Out-of-band Emissions	
Duty Cycle Correction Factor	
Measurement Uncertainty	
Test Equipment Used	
Conditions Of Testing	

Summary

This test report supports an application for certification of a transmitter operating pursuant to 47 CFR 15.249. The product is the Advanced Body Sensing Pulse Ox Sensor wireless oximeter. It's operating frequency range is 902-928MHz. It is powered by a non-rechargeable 3.6V lithium coin cell battery.

Test Methodology

Testing was performed according to ANSI C63.4-2003. Radiated emissions were maximized by rotating the device around its three orthogonal axes, as well as varying the test antenna's height and polarity. Fresh batteries were used for testing.

Frequency range investigated: 30MHz – 10GHz

Measurement distance: 30-1000MHz 3m

1-10GHz 1m

Both the receiver portion of this device, and the associated digital circuitry are subject to the Verification authorization procedure. A separate test report has been issued to ABS in order to cover this requirement.

Product Tested - Configuration Documentation

				EUT Con	figuratio	n				
Company Address:	Advanced Bo 60 Prescott S Worcester, N Jeffrey Cho	Street								
		MN			PN			SN		
EUT:	Pulse Ox Se	nsor			-			16		·
EUT Description: TX Frequency: EUT Max Frequency:	902.9 - 927.2									
Support Equipment:		MN						SN		
None										
EUT Ports:										
Port Label	Port Type	No. of ports	No. Populated	Cable Type	Shielded	Ferrites	Length	Max Length	In/Out NEBS Type	Unpopulated Reason
None										
Software / Operating Mode Description:										
Intentional radiator tests: EUT is set to transmit at +7dBm out of the RF chip; FSK modulation; Set to low, middle, and high channels. Spurious Emissions test: EUT is operating normally with TX and RX modes active										

Fundamental Emission

LIMIT

"...the field strength of emissions from intentional radiators operated within these frequency bands shall comply with the following:"

Fundamental	Field Strength	Field Strength
Frequency	of Fundamental	of Harmonics
	(millivolts/meter)	(microvolts/meter)
902 – 928 MHz	50	500

[15.249(a)]

 $Limit = 20 \times \log(50,000 \mu V) = 93.9 dB\mu V/m @ 3m (as per 15.249(c))$

MEASUREMENT

Radiated	l Fundar	nental E	Emissi	ons Ta	ble			Curt	tis-Straus LLC
Date:	Date: 19-Aug-08 Company: ABS								10851
Engineer:	Evan Gould		EUT Desc	Pulse Ox S	Sensor				
	Frequency Range: 902-928MHz Measurement Distance: 3 m								
Notes:	Calculation							RBW:	120kHz
	Adjusted Reading = Reading - Preamp Factor + Antenna Factor + Cable Factor VBW: 300kHz								
Antenna			Preamp	Antenna	Cable	Adjusted	4	7 CFR 15.249	(a)
Polarization	Frequency	Reading	Factor	Factor	Factor	Reading	Limit	Margin	Result
(H / V)	(MHz)	(dBµV)	(dB)	(dB/m)	(dB)	(dBµV/m)	(dBµV/m)	(dB)	(Pass/Fail)
Н	914.5	54.1	0.0	22.7	6.6	83.4	93.9	-10.5	Pass
Н	902.9	53.2	0.0	22.7	6.5	82.4	93.9	-11.5	Pass
Н	927.2	55.2	0.0	22.8	6.6	84.6	93.9	-9.3	Pass
Table	e Result:	Pass	by	-9.3	dB		Worst Freq:	927.2	MHz
Test Site:	"F"	Pre-Amp:	none	Cable:	EMIR-18	Analyzer	: Gold	Antenna:	Red-White

Harmonics

LIMIT

"...the field strength of emissions from intentional radiators operated within these frequency bands shall comply with the following:"

Fundamental	Field Strength	Field Strength
Frequency	of Fundamental	of Harmonics
	(millivolts/meter)	(microvolts/meter)
902 – 928 MHz	50	500

[15.249(a)]

 $Limit = 20 \times \log(500 \mu V) = 53.9 dB\mu V/m @ 3m (as per 15.249(c))$

MEASUREMENTS

Radiated	l Emissi	ons Tal	ole						Cur	tis-Straus LLC
Date:	19-Aug-08		Company	ABS					Work Order:	10851
Engineer:	Evan Gould		EUT Desc	Pulse Ox S	Sensor					
	Freque	ncy Range:	1-10GHz				Measure	ment Distance:	l m	
Notes:	Duty Cycle co	rrection fact	or = 20dB						RBW:	1MHz
	Adjusted Rea	ding = Read	ling - Prean	np + Antenn	a + Cable	e - Duty Cycle (it	calculating ave	rage)	VBW:	3MHz
Antenna			Preamp	Antenna	Cable	Duty Cycle	Adjusted	15.24	49(a) and 15.2	209(a)
Polarization	Frequency	Reading	Factor	Factor	Factor	Factor	Reading	Limit	Margin	Result
(H / V)	(MHz)	(dBµV)	(dB)	(dB/m)	(dB)	(dB)	(dBµV/m)	(dBµV/m)	(dB)	(Pass/Fail)
Hpk	1854.4	40.4	17.1	27.5	1.8	0.0	52.6	63.5	-10.9	Pass
Hpk	6490.2	45.5	17.5	35.7	3.7	0.0	67.4	83.5	-16.1	Pass
Hav	6490.2	45.5	17.5	35.7	3.7	20.0	47.4	63.5	-16.1	Pass
Hpk	4635.8	42.7	18.0	33.5	2.9	0.0	61.1	83.5	-22.4	Pass
Hav	4635.8	42.7	18.0	33.5	2.9	20.0	41.1	63.5	-22.4	Pass
Hpk	5563.0	45.3	17.7	35.3	3.3	0.0	66.2	83.5	-17.3	Pass
Hav	5563.0	45.3	17.7	35.3	3.3	20.0	46.2	63.5	-17.3	Pass
Table	e Result:	Pass	by	-10.9	dB			Worst Freq:	1854.4	MHz
Test Site:	"F"	Pre-Amp:	White	Cable:	EMIR-H	GH-11	Analyzer	: Gold	Antenna:	Yellow Horn

Out-of-band Emissions

LIMIT


"Emissions radiated outside of the specified frequency bands, except for harmonics, shall be attenuated by at least 50dB below the level of the fundamental or to the general radiated emission limits in Section 15.209, whichever is the lesser attenuation." [15.249(d)]

The limits in 15.209 represent the lesser attenuation.

MEASUREMENTS

Radiated	Band E	dge Em			Curi	tis-Straus LLC				
Date:	19-Aug-08			Work Order:	10851					
Engineer:	Evan Gould		EUT Desc:	Pulse Ox S	Sensor					
	Frequency Range: 902-928MHz Measurement Distance: 3 m									
Notes:	Calculation							RBW:	120kHz	
	Adjusted Rea	nding = Read	ing - Pream	np + Antenn	a + Cable			VBW:	300kHz	
Antenna			Preamp	Antenna	Cable	Adjusted	4	7 CFR 15.209	(a)	
Polarization	Frequency	Reading	Factor	Factor	Factor	Reading	Limit	Margin	Result	
(H / V)	(MHz)	(dBµV)	(dB)	(dB/m)	(dB)	(dBµV/m)	(dBµV/m)	(dB)	(Pass/Fail)	
High Band Edge										
Hqp	928.0	26.7	22.1	22.8	6.6	34.0	46.0	-12.0	Pass	
Low Band Edge										
Hqp	902.0	25.6	21.9	22.7	6.5	32.9	46.0	-13.1	Pass	
Table	e Result:	Pass	by	-12.0	2.0 dB Worst Freq: 928.0 MHz					
Test Site:	"F"	Pre-Amp:	Blue	Cable:	EMIR-18	Analyzer	: Gold	Antenna:	Red-White	

Duty Cycle Correction Factor



According to the timing diagram shown above, the worst case 100ms duty cycle is 10ms ontime out of 100ms. Therefore, the factor to be used to calculate average readings from peak readings is the following:

DCCF = 20*log (10ms/100ms)

DCCF = 20*log(0.1)

DCCF = -20dB

See Timing Diagram exhibit for further clarification of the duty cycle.

Measurement Uncertainty

The listed uncertainties are the worst case uncertainty for the entire range of measurement. Please note that the uncertainty values are provided for informational purposes only and are not used in determining the PASS/FAIL results.

Measurement	Expanded Uncertainty k=2	Maximum allowable uncertainty (ETSI)
Radiated Emissions (30-1000MHz)	5.6dB	N/A
Radiated Emissions (1-26.5GHz)	4.6dB	N/A
Radiated Emissions (above 26.5GHz)	4.9dB	N/A
Magnetic Radiated Emissions	5.6dB	N/A
Conducted Emissions	3.9dB	N/A
Telco Conducted Emissions (Current)	2.9dB	N/A
Telco Conducted Emissions (Voltage)	4.4dB	N/A
Electrostatic Discharge	11.5%	N/A
Radiated RF Immunity (Uniform Field)	1.6dB	N/A
Electrical Fast Transients	23.1%	N/A
Surge	23.1%	N/A
Conducted RF Immunity	3dB	N/A
Magnetic Immunity	12.8%	N/A
Dips and Interrupts	2.3V	N/A
Harmonics	3.5%	N/A
Flicker	3.5%	N/A
Radio frequency	8.2 x 10 ⁻⁸	1 x 10 ⁻⁷
RF power, conducted	0.7dB	0.75dB
Maximum frequency deviation: Within 300Hz and 6kHz of audio frequency Within 6kHz and 25kHz of audio frequency	• 1.2% • 0.1dB	• 5% • 3dB
Adjacent channel power	1.9dB	3dB
Conducted spurious emission of transmitter, valid up to 12.75GHz	0.7dB	3dB
Conducted emission of receivers	0.7dB	1dB
Radiated emission of transmitter, valid up to 26.5GHz	5.6dB	6dB
Radiated emission of transmitter, valid up to 80GHz	5.6dB	6dB
Radiated emission of receiver, valid up to 26.5GHz	5.6dB	6dB
Radiated emission of receiver, valid up to 80GHz	5.6dB	6dB
RF level uncertainty for a given BER	0.7dB	1dB
Humidity	2.31%	5%
Temperature	0.6°C	1.0°C
Time	0.8%	10%
RF Power Density, Conducted	2.2dB	3dB
DC and low frequency voltages	1.29%	3%
Voltage (AC, <10kHz)	1.29%	2%
Voltage (DC)	0.23%	1%
The above reflects a 95% confidence level		

Test Equipment Used

rest Equipm							REV. 14-AUG	G-2008	
SPECTRUM ANAL RECEIVER		RANGE	М	l Mfr	S	SN As	SET CA	Г	CALIBRATION DUE
RED		9kHz-1.8GHz	859 ²			A03559 00	024 I		25-FEB-2009
WHITE		9kHz-22GHz	8593				022 I		31-OCT-2008
BLUE		9kHz-1.8GHz	8591				070 I		01-OCT-2008
YELLOW		9kHz-2.9GHz	8594			A01958 00	100 I		19-JUN-2009
GREEN		9kHz-26.5GHz	8593			A03618 00	143 I		02-JUN-2009
BLACK		9kHz-12.8GHz	8596	SE Agiler	nt 3710 <i>A</i>	A00944 00	337 I		02-SEP-2008
TELECOM 35	85A	20Hz-40.0MHz	3585	5A Agiler	nt 2504 <i>F</i>	A05219 00	030 I		09-APR-2009
GOLD		100Hz-26.5 GHz	E440	7B Agiler	nt MY45	113816 12	284 I		06-AUG-2009
REFERENCE EMITES	T RECEIVER	20-1000MHz	ESVS	30 R&S	8279	57/001 01	098 I		To be determined
RENTAL SA #1 (E	BROWN)	9kHz-26.5GHz	E440	7B Agiler	nt SG44	210511 Re	ntal I		29-JAN-2009
LISNS/MEASURE	MENT								
PROBES	WIEN I	RANGE		MN	MFR	SN	ASSET	CA	T CALIBRATION DUE
RED LISN		9кHz-50MHz	8012-50	-R-24-BNC	SOLAR	956348	00753	I	16-JUN-2009
BLUE LISN (DO	C)	50kHz-50MHz	8012-50	-R-24-BNC	SOLAR	956349	00752	- 1	29-JUL-2009
YELLOW-BLACK L	JSN	30kHz-50MHz	8012-50	-R-24-BNC	SOLAR	0411657	00248	- 1	28-MAY-2009
ORANGE LISN	٧	9ĸHz-50MHz	8012-50	-R-24-BNC	SOLAR	903707	00754	1	02-MAY-2009
GOLD LISN (DO	C)	9ĸHz-50MHz	8012-50	-R-24-BNC	SOLAR	984734	00247	- 1	15-JUL-2009
Brown LISN	I	9ĸHz-50MHz	8012-50	-R-24-BNC	SOLAR	0411656	00986	- 1	15-JUL-2009
GREEN LISN		9ĸHz-50MHz	8012-50	-R-24-BNC	SOLAR	984735	00987	- 1	20-MAR-2009
YELLOW LISN		9ĸHz-50MHz	8012-50	-R-24-BNC	SOLAR	0411658	1080	I	28-MAY-2009
RENTAL SILVER		9ĸHz-34MHz		-R-24-BNC	SOLAR	8379440	RENTAL	. 1	28-JUL-2009
WHITE-BLACK LI	ISN	10kHz-30MHz	8610-50	-TS-100-N	SOLAR	972019	00678	- 1	14-MAY-2009
BLACK LISN		10kHz-30MHz		-TS-100-N	SOLAR	972017	00675	- 1	30-JUN-2009
RED-BLACK LIS	SN	10kHz-30MHz		-TS-100-N	SOLAR	972016	00677	- 1	30-JUN-2009
BLUE-BLACK LIS		10kHz-30MHz		-TS-100-N	SOLAR	972018	00676	i	14-MAY-2009
BLUE MONITORING		0.01-150MHz		550-2	TEGAM	12350	00807	i	31-MAY-2009
YELLOW MONITORING		0.01-150MHz		550-2	ETS	50972	00493	i	29-JAN-2010
Brown Monitoring		0.01-250MHz		33-1	FISCHER	425	1110	i	23-JAN-2010
WHITE MONITORING		0.01-250MHz		-8423-1	SCHAFFNER	510	1112	i	23-JAN-2010
GREEN CURRENT TRANS		40Hz-20MHz		150	PEARSON	10226	00793	i	19-APR-2009
BLUE CISPR LINE F		10kHz-50MHz		N/A	C-S	N/A	00805	i	08-JUN-2009
BLACK CISPR LINE I		10kHz-50MHz		N/A	C-S	N/A	1254	ii.	08-JUN-2009
CISPR TELCO VOLTAG		10kHz-30MHz		A/C-10	C-S	CS01	00296	ii	11-AUG-2009
CISPR 22 TELCO		9kHz-30MHz		LISN-T4	FISCHER	20115	00236	ï	15-NOV-2008
CIGI IN ZZ TELCO	IOIN	3KHZ-30WHZ	100-	LIGIN-14	TISCHER	20113	00740	<u> </u>	13-110-12000
OPEN AREA TE	ST SITES (O	ATS)	FCC C	ODE	IC CODE	VCCI C	ODE CAT		CALIBRATION DUE
Sr	TE F		9344	8	2762A-1	R-168	38 II		27-JUL-2010
Sr	TE T		9344	8	2762A-2	R-90	5 II		06-DEC-2009
Si	те А		9344	8	2762A-4	R-90	3 II		04-DEC-2009
	те М		9344	8	2762A-5	R-90	4 II		25-JUN-2010
Sı	TE J		9344	8	2762A-3	R-237	77 II		06-MAY-2010
Causuares Tese C	Name (84	/ T =: 05\	F00.0	225	10.00==	1/001	2005	0	On the case of the
CONDUCTED TEST S	SITES (MAINS MI 1	S / IELCO)	FCC C		IC CODE N/A	VCCI (C-1801,		CAT	CALIBRATION DUE NA
	MI 2		9344		N/A N/A	C-1801, C-1802,		III	NA NA
	MI 3		9344			C-1802, C-1803,			
	MI 4		9344		N/A N/A	C-1603,		111 111	NA NA
MIXERS/DIPLEXERS	RANGE	MN	440.0	MFR		SN	ASSET	Сат	CALIBRATION DUE
MIXER / HORN	26.5-40 GH			HP/ATM		95/A046903-01	1087	!	01-OCT-2009
MIXER / HORN	26.5-40 GH			HP/ATM		25/A046903-01	1086	!	19-SEP-2008
MIXER / HORN	40-60 GHz	-		OML		0110-1	00821	!	29-JUN-2009
MIXER	33-50 GHz			HP		3A03155	00104	!	28-NOV-2009
Mixer / Horn	50-75 GHz			HP/QuinStar		197/8794001	1179	!	28-NOV-2009
MIXER	75-110 GH			HP		1A01334	00105	I .	28-NOV-2009
Mixer / Horn	60-90 GHz			OML		0110-1	00822	Į.	29-JUN-2009
Mixer / Horn	90-140 GH			OML		1206-1	00811	- 1	29-JUN-2009
Mixer / Horn	140-220 GH			OML		1206-1	00812	- 1	29-JUN-2009
DIPLEXER	40-220 GH	z DPL.2	:6	OML		N/A	00813	<u> </u>	29-JUN-2009

ABSORBING	PANCE	MAN	MED	CNI	Accer	CAT	CALIBRATION DUE

ABSORBING
CLAMPS
RANGE
MN
MFR
SN
ASSET
CAT
CALIBRATION DUE
FISCHER CLAMP
30-1000MHz
F-201-23mm
FISCHER
10
00081
I
29-JAN-2010

HARMONIC & FLICKER ANALYZER	MN	MfR	SN	ASSET	Сат	CALIBRATION DUE
HFTS	HP6842A	HP	3531A-00169	00738	II	04-MAR-2009
10001I/2 AC POWER SYSTEM	(2) 5001	CALIFORNIA INSTRUMENTS	HK53687/HK53688	00376	II	26-OCT-2008
RENTAL 5001I/2 AC POWER	5001	CALIFORNIA INSTRUMENTS	56220	RENTAL	II	17-OCT-2009

PREAMPS /COUPLERS ATTENUATORS / FILTERS	RANGE	MN	MFR	SN	ASSET	Сат	CALIBRATION DUE
RED	0.009-2000MHz	ZFL-1000-LN	C-S	N/A	00798	Ш	04-APR-2009
BLUE	0.009-2000MHz	ZFL-1000-LN	C-S	N/A	00759	Ш	04-APR-2009
BLUE-BLACK	0.009-2000MHz	ZFL-1000-LN	C-S	N/A	00800	Ш	30-MAY-2009
GREEN	0.009-2000MHz	ZFL-1000-LN	C-S	N/A	00802	Ш	04-APR-2009
BLACK	0.009-2000MHz	ZFL-1000-LN	C-S	N/A	00799	Ш	14-AUG-2009
ORANGE	0.009-2000MHz	ZFL-1000-LN	C-S	N/A	00765	Ш	30-MAY-2009
RED-WHITE	0.009-2000MHz	ZFL-1000-LN	C-S	N/A	1258	Ш	04-APR-2009
WHITE	1-18GHz	SMC-12A	C-S	426643	00760	Ш	08-JUL-2009
Brown	1-20GHz	PM2-38-218-4R5-17-15-SFF	C-S	PL1655	1132	Ш	04-Jun-2009
RED-GREEN	1-20GHz	PM2-38-218-4R5-17-15-SFF	C-S	N/A	1256	Ш	01-SEP-2008
RED-BLUE	1-20GHz	PE2-38-218-4R5-17-15-SFF	C-S	PL3177	1257	Ш	29-APR-2009
HF (YELLOW)	18-26.5GHz	AFS4-18002650-60-8P-4	C-S	467559	1266	- 1	01-OCT-2009
HIGH PASS FILTER	0.03-20 GHz	SPA-F-55204	K&L	36	00817	Ш	08-JAN-2010
Low Pass Filter	0.03-18 GHz	11SL10-4100/X4400-O/O	K&L	4	00816	Ш	08-JAN-2010
HIGH PASS FILTER	0.03-6.5 GHz	11SH10-1000/T3000-0/0	K&L	1	1310	II	08-JAN-2010
HIGH PASS FILTER	0.03-14.5 GHz	11SH10-3000/T9000-0/0	K&L	1	1311	Ш	08-JAN-2010
HIGH PASS FILTER	0.03-8 GHz	VHP-19	MINI-CIRCUITS	NA	1287	Ш	08-JAN-2010
HIGH PASS FILTER	0.03-9 GHz	VHP-16	MINI-CIRCUITS	NA	1288	Ш	08-JAN-2010
HF 20dB 50W ATTENUATOR	0.03-20 GHz	PE 7019-20	PASTERNACK	01	00791	II	08-MAY-2009
HF 30dB 50W ATTENUATOR	0.03-20 GHz	PE 7019-30	PASTERNACK	02	1168	Ш	08-MAY-2009
40DB 100W ATTENUATOR	0.09-2000MHz	BW-40N100W+	MINI-CIRCUITS	V N014900638	1231	П	06-NOV-2008
RFI-Low 130 KHz LPF	10-100kHz Pass	130 kHz LPF	KIWA	NA	1235	II	17-APR-2009
50W HF DIRECT. COUPLER	1-20GHz	DC7420	AR	0325960	1307	П	06-NOV-2008
500W DIRECT. COUPLER	0.009-2000MHz	C6277-10	WERLATONE	41911	1264	П	06-NOV-2008
200W DIRECT. COUPLER	0.009-2000MHz	C5571-10	WERLATONE	23098	1185	II	06-NOV-2008

DANCE	MNI	MED	SNI	Accet	CAT	CALIBRATION DUE
						13-FEB-2010
					II.	13-FEB-2010
					ı	22-APR-2010
30-1000MHz		EMCO	1271	00803		06-MAY-2009
20-2000MHz	3141	EMCO	9703-1038	00066	Ш	07-MAY-2009(EMI) / 07-FEB-2009(RFI2)
20-2000MHz	CBL6140A	CHASE	1112	00126	Ш	07-MAY-2009(EMI) / 14-AUG-2009(RFI1)
30-2000MHz	JB1	SUNOL	A091604-1	01105	ı	07-NOV-2008
30-2000MHz	JB1	SUNOL	A091604-2	01106	ı	20-OCT-2008
30-2000MHz	JB1	SUNOL	A0032406	1218	- 1	11-AUG-2010
1-18GHz	3115	EMCO	9608-4898	00037	- 1	31-MAY-2009(EMI) / 22-MAY-2009 (RFI)
1-18GHz	3115	EMCO	9703-5148	00056	- 1	22-JUN-2009(EMI) / 22-MAY-2009 (RFI)
1-18GHz	3115	EMCO	0004-6123	00390	- 1	12-JUN-2009 (EMI) / 16-MAY-2009 (RFI)
18-26.5GHz	801-WLM	WAVELINE	00758	00758	- 1	01-OCT-2008
10kHz-30MHz	PLA-130/A	ARA	1024	00755	- 1	05-MAR-2010
20Hz-5MHz	6511	EMCO	9704-1154	00067	- 1	20-FEB-2010
1kHz-30MHz	6509	EMCO	1503	RENTAL	- 1	04-FEB-2010
30Hz-30MHz	3301B	EMCO	3824	00068	Ш	06-JUN-2009
50-60Hz	1000-4-8	C-S	N/A	00778	Ш	08-MAY-2010
50-60Hz	1000-4-8	C-S	N/A	1314	Ш	08-MAY-2010
30-1000MHz	3121C	EMCO		00757	- 1	26-OCT-2008
30-1000MHz	3121C			00756	İ	09-NOV-2008
30Hz-100kHz	RE101-13.3cm			00818	Ĥ	22-MAR-2009
						22-MAR-2009
30Hz-100kHz						22-MAR-2009
	20-2000MHz 30-2000MHz 30-2000MHz 1-18GHz 1-18GHz 1-18GHz 18-26.5GHz 10кHz-30MHz 20Hz-5MHz 1кHz-30MHz 30Hz-30MHz 50-60Hz 30-1000MHz 30-1000MHz 30-100кHz 30Hz-100кHz	30-2000MHz CBL6112B 30-2000MHz CBL6112B 30-2000MHz CBL6112B 30-1000MHz 3143 20-2000MHz 3141 20-2000MHz JB1 30-2000MHz JB1 30-2000MHz JB1 30-2000MHz JB1 30-2000MHz JB1 1-18GHz 3115 1-18GHz 3115 18-26.5GHz 801-WLM 10KHz-30MHz 6511 1KHz-30MHz 6509 30Hz-30MHz 3301B 50-60Hz 1000-4-8 30-1000MHz 3121C 30-1000MHz 3121C 30Hz-100KHz RE101-13.3cM 30Hz-100KHz RS101-12CM	30-2000MHz CBL6112B CHASE 30-2000MHz CBL6112B CHASE 30-2000MHz CBL6112B CHASE 30-1000MHz 3143 EMCO 20-2000MHz 3141 EMCO 20-2000MHz 3141 EMCO 30-2000MHz JB1 SUNOL 30-18GHz SMCO SMCO 1-18GHz 3115 EMCO 18-26.5GHz 801-WLM WAVELINE 10KHz-30MHz 6511 EMCO 30Hz-30MHz 3301B EMCO 30-1000MHz 3301B EMCO 30-1000MHz 3121C EMCO	30-2000MHz CBL6112B CHASE 2742 30-2000MHz CBL6112B CHASE 2412 30-2000MHz CBL6112B CHASE 2435 30-1000MHz 3143 EMCO 1271 20-2000MHz 3141 EMCO 9703-1038 20-2000MHz CBL6140A CHASE 1112 30-2000MHz JB1 SUNOL A091604-1 30-2000MHz JB1 SUNOL A091604-2 30-2000MHz JB1 SUNOL A091604-2 30-2000MHz JB1 SUNOL A091604-2 30-2000MHz JB1 SUNOL A091604-2 30-2000MHz JB1 SUNOL A0032406 1-18GHz 3115 EMCO 9608-4898 1-18GHz 3115 EMCO 9703-5148 1-18GHz 3115 EMCO 9703-5148 1-18GHz 3115 EMCO 9703-5148 1-18GHz 301-WLM WAVELINE 00758 10KHz-30MHz 6511 </td <td>30-2000MHz CBL6112B CHASE 2742 00620 30-2000MHz CBL6112B CHASE 2412 00127 30-2000MHz CBL6112B CHASE 2435 00990 30-1000MHz 3143 EMCO 1271 00803 20-2000MHz 3141 EMCO 9703-1038 00066 20-2000MHz CBL6140A CHASE 1112 00126 30-2000MHz JB1 SUNOL A091604-1 01105 30-2000MHz JB1 SUNOL A091604-2 01106 30-2000MHz JB1 SUNOL A0032406 1218 1-18GHz 3115 EMCO 9608-4898 00037 1-18GHz 3115 EMCO 9703-5148 00056 1-18GHz 3115 EMCO</td> <td> 30-2000MHz</td>	30-2000MHz CBL6112B CHASE 2742 00620 30-2000MHz CBL6112B CHASE 2412 00127 30-2000MHz CBL6112B CHASE 2435 00990 30-1000MHz 3143 EMCO 1271 00803 20-2000MHz 3141 EMCO 9703-1038 00066 20-2000MHz CBL6140A CHASE 1112 00126 30-2000MHz JB1 SUNOL A091604-1 01105 30-2000MHz JB1 SUNOL A091604-2 01106 30-2000MHz JB1 SUNOL A0032406 1218 1-18GHz 3115 EMCO 9608-4898 00037 1-18GHz 3115 EMCO 9703-5148 00056 1-18GHz 3115 EMCO	30-2000MHz

												Сат		
EFT		MN		MFR			SN		A	ASSET		CALIBRATION I	DUE	
CAS 3025 BURST INA 265A VERIFICATION ATTENUATORS		NA 265A/	/266 SCHAFFNER		₹	20096		0	0947	П	31-JUL-201	10		
EFT DIRECT COUPLING CAP		N/A		C-S			01		0	0794	II	19-AUG-200	08	
Modul		N	/IODULA61			ESEQ		_	525		268	l II	OUT OF CA	
RED BEST	rEMC-2		711-1100		Sch	AFFNER	₹	200122-074SC		SC 0	00623		27-FEB-200)9
ESD GENE	DATORS		MN		MFR			SN	SN ASSET		т Сат		CALIBRATION DU	
GREE			NSG435		SCHAFFNER			000839					12-NOV-2008	<u></u>
RED	·		NSG435			FFNER		000000	-	0762			13-MAR-2009	
YELLO		930D			ETS			201	_	0673	i		27-SEP-2009	
D	- 1			MED			ON			T CAT CA			1	
	D INTERRUPT				MFR		1	SN		ASSET	Сат	T	ALIBRATION DUE	-
INA 6502 AUTOM	DULA6150 ATIC STEPTRANS	MODULA61 SFORMER INA 6502			TESEQ TESEQ			34525 105		1268 1269			OUT OF CAL	
	POWER SYST				CALIFORNIA INSTRUMENTS		HK53687/HK53688		688	00376			OUT OF CAL	
Ren F	BESTEMC-2		711-	1100	SCHAFFNER		200	122-07480	:	00623	1 11		27-FEB-2009	
	MPACT4			PACT4		HAEFELY		155858	,	RENTAL			11-FEB-2009	
CHAMBERS AND		2 1 1	MN ETER CON	ADACT	DA	MFR NASHIE		SN N/A	Ass 007		CAT II		RATION DUE_ .UG-2009	
RFI 2 CHA		_	7' SHIELDIN			NASHIE NDGREI		13329	007	-	II		EB-2009	
RFI 3 STR		01 70	N/A	O O TO TEIM		C-S		N/A	007		 III	0, ,	NA	
ENVIRONMENT	AL (SAFETY)		ECL5		B-I	M-A In	C.	2041	000	29	I	03-J	AN-2009	
ENVIRONMENT	AL (SAFETY)		SGTH-31	IS	B-I	M-A In	C.	2245	003	21	I	03-J	AN-2009	
AMPLIFIERS	AMPLIFIERS RANGE		MN MFR		SN Asse		ASSET	Сат	CALIBRATION DUE					
RED	0.5-1000MHz		0W1000B AR		18708		00032 00123	II					BACK ONLY	
GREEN	0.5-1000MHz		1000B	AR		23423		II 				3-2009	. ,	
BLUE	0.01-100MHz		\250 \250	AR		165	00039	II II				S CRFI) / 24-JUN-2009 (EU CRFI		
BLACK ORANGE	0.01-100MHz 0.01-100MHz		\250 \250	AR AR	AR 23411 AR 26827		00122 00367	II II		09-JUN-09 (NEBS CRFI) / 24-JUN-2009 (EU 09-JUN-09 (NEBS CRFI) / 24-JUN-2009 (EU			•	,
BROWN 150W	0.1-250MHz		A250	AR	313454		1255	ii	03	07-FEB-2009 (R				1 1)
YELLOW 150W	80-1000MHz	150V	V1000	AR	0324	4607	1253	II		13-AUG-2009 (RFI1)			(RFI1)	
500W AMP	0.1-250MHz		A250	AR		3385	1297	II	40.14	*** **** ***	14-AUC		` '	
GTC 1-2.6 HUGHES 10W	1.0-2.6 GHz 2.0-4.0GHz		5016A 7H01	GTC Hughes		21 55	RENTAL RENTAL	II II		,		,	IAY-2009 (BLK AND YE IAY-2009 (BLK AND YE	,
HUGHES 10W	4.0-8.0GHz		H02F	HUGHES		40	RENTAL	ii	10-101	A1-2009 (OF		OF SER	•	LLOW
HUGHES 10W	4.0-8.0 GHz		H02F	HUGHES	19		RENTAL	ii		11-AUG-20			(AND YELLOW HORNS)	
HUGHES 10W	8-10.0GHz	80	108	Hughes	13	38	RENTAL	II	16-M	AY-2009 (OF	ANGE HOR	v) / 22-M	IAY-2009 (BLK AND YE	LLOW)
HP495A	7.0-10.0GHz	HP4	495A	HP	304-0	00237	00086	II		C	OUT OF SI	ERVICE	(SPARE)	
AUDIO AMP	AUDIO FREQ		A-200	RADIO SHAC		438	NONE	III				NA		
AUDIO AMP	AUDIO FREQ	MPA	A-200	RADIO SHAC	× 708	545	00862	III				NA		
FIELD P							MFR	SN				АТ	CALIBRATION [
RE		0.01-1000MHz					_ADAY 90369			00031		1	24-MAR-200	
GRE		0.01-1000MHz					LADAY 97363			00136 I		!	09-NOV-200	
BLU							LADAY 95696			01100 I		1	01-MAY-200	
	Reference Laser Field Probe				Star Probe AR -1501 HOLAI		AK LADAY	321700 Y 00075464		1252 1244		1	31-JAN-201 Calibrate Before	
	MICROWAVE SURVEY METER GAUSSMETER (ELF METER)				-1501 HOLAD -080 SYPR					1305		i	02-MAY-200	
SIGNAL GENERATORS		RANG		MN	MFR			SN		Asse		CAT	CALIBRATION	
RED Blue		0.09-200		HP8648E HP8648A	Agilent Agilent			3847U02192 3426A00548					07-MAY-20 26-SEP-20	
GREEN		0.1-1000		HP8648E	Agilent Agilent			3426A00548 3623A02072				i	21-OCT-20	
ORANGE		0.1-1000		HP8648E	Agilen			3537A012				İ	12-JUN-200	
Brown		0.01Hz-1	5MHz	HP33120	A Agiler		nt	US360166		121	1	I	OUT OF SERV	
WHITE		0.01Hz-1		HP33120	A Agiler			t US36048		48143 1219		I	22-MAY-20	
BROWN-WHITE		0.01Hz-1		HP33120		Agile		SG400	19842 1232			!	13-NOV-20	
BLUE-WHITE		0.1Hz-13 0.01-20.		HP3312A		Agile		1432A(I II	26-MAR-20	
	RFI-HIGH SWEEPER		OGHZ 5GHZ	HP83752		Agile: Agile:		3610A0				II I	15-MAY-20 22-MAY-20	
	REFERENCE SWEEPER AM/FM STEREO SIG. GEN.		MHz	LG3236	,	LEADE						i	To be determ	
IMPULSE GENI		1-100		CIG-25	ELEC		METRICS	29		0095 0094		i	To be determ	



GREEN (NESS CRF)											
GREN (EU CRF)						ASSET		C	ALIBRATIO	N DUE	
RED (NÉES CRET)								, ,		,	
RED (ELU CRFI)	,								,		
REDIGRICADO-160E 0.01-2MHz 9528-1 ETS \$4028 1020 1										,	
BLUE (RTCA/DO-160E) 2-450MHz									,		
SBC NOISE CART	,	- /									
SBC NOISE CART		,								,	
SBC Transient Cart											
OSCILLOSCOPES											
EMC 100MHz TDS 220 Tektronix	SBC TRANSIENT	CART	C-S	12		286 III		WAVESHAPE VERIFIED BEFORE USE			
EMC 100MHz TDS 220 Tektronix	Oscili osco	DEC.	MNI	MED			SNI	Ассет	Слт	CALIBRATION DUE	
ESD REFERENCE 1GHz					NIIY				I		
A00MHZ e*Scope									i		
PRODUCT SAFETY 100 MHz									i		
DIFFERENTIAL PROBE	PRODUCT SAFETY	100 MHz		TEKTRO	NIX			00737	1		
500MHz 10X PROBE P6139A TEKTRONIX NA 1280 19-JUL-2009	TELECOM 100	MHz	54645A	HP/AGILI	ENT			00103	1	21-SEP-2008	
SOOMH2 10x PROSE	DIFFERENTIAL F	PROBE	4222	PROBEMA	STER			1296	1	10-OCT-2008	
REFERENCE 500MHz 10x PROBE P6139A TEKTRONIX NA 1282 111-JUL-2009 SEREFRENCE 500MHz 10x PROBE P6139A TEKTRONIX NA 1283 19-JUL-2009 SOMM± 10x PROBE P6139A TEKTRONIX NA 1283 19-JUL-2009 REFERENCE HV 1000X PROBE P6015A TEKTRONIX B056555 1277 111-JUL-2009 REFERENCE HV 1000X PROBE P6015A TEKTRONIX B056555 1277 111-JUL-2009 REFERENCE HV 1000X PROBE P6015A TEKTRONIX B056590 1278 111-JUL-2009 REFERENCE HV 1000X PROBE P6015A TEKTRONIX B056590 1278 111-JUL-2009 REFERENCE HV 1000X PROBE P6015A TEKTRONIX B056590 1278 111-JUL-2009 REFERENCE HV 1000X PROBE P6015A TEKTRONIX B056590 1278 111-JUL-2009 REFERENCE HV 1000X PROBE P6015A TEKTRONIX B056590 1278 111-JUL-2009 REFERENCE HV 1000X PROBE P6015A TEKTRONIX B056590 1278 111-JUL-2009 REFERENCE HV 1000X PROBE P6015A TEKTRONIX B056590 1278 111-JUL-2009 REFERENCE HV 1000X PROBE P6015A TEKTRONIX B056590 1278 111-JUL-2009 REFERENCE HV 1000X PROBE P6015A TEKTRONIX B056590 1278 111-JUL-2009 REFERENCE HV 1000X PROBE P6015A TEKTRONIX B056590 1278 111-JUL-2009 REFERENCE HV 1000X PROBE P6015A TEKTRONIX B056590 1278 111-JUL-2009 REFERENCE HV 1000X PROBE P6015A TEKTRONIX B056590 1278 111-JUL-2009 REFERENCE HV 1000X PROBE P6015A TEKTRONIX B056590 1278 111-JUL-2009 REFERENCE HV 1000X PROBE P6015A TEKTRONIX B056590 1278 111-JUL-2009 REFERENCE HV 1000X PROBE P6015A TEKTRONIX B056590 1278 111-JUL-2009 REFERENCE HV 1000X PROBE P6015A TEKTRONIX B056590 1278 111-JUL-2009 REFERENCE HV 1000X PROBE P6015A TEKTRONIX B056590 1278 111-JUL-2009 REFERENCE HV 1000X PROBE P6015A TEKTRONIX B056590 1278 111-JUL-2009 REFERENCE HV 1000X PROBE P6015A TEKTRONIX B056590 1278 111-JUL-2009 REFERENCE HV 1000X PROBE P6015A TEKTRONIX B056590 1278 111-JUL-2009 REFERENCE HV 1000X PROBE P0015A TEKTRONIX B056590 1278 111-JUL-2009 REFERENCE HV 1000X PROBE P0015A TEKTRONIX B056550 1224 PC 101-JUL-2009 REFERENCE HV 1000X PC 101-JUL-2009 REFERENCE HV 1000X PC 101-JUL-2009 REFERENCE HV 101-JUL-2009 REFERENCE HV 101-JUL-2009 REFERENCE HV 101-JUL-200	500MHz 10x F	PROBE	P6139A	TEKTRO	NIX	NA		1280	1	19-JUL-2009	
REFERENCE 500MHz 10x Probe								_	I		
SOOMHZ 10x PROBE								-	Į.		
REFERENCE HV 1000X PROBE P6015A TEKTRONIX B056550 1277 I 11-JUL-2009									!		
REFERENCE HV 1000X PROBE P6015A TEKTRONIX B056590 1278 I 11-JUL-2009						_			!		
CDN Networks									!		
BLUE	REFERENCE HV 100	REFERENCE HV 1000X PROBE		TEKTRO	NIX	В	056590	1278	ı	11-JUL-2009	
BLUE	CDN NETWORKS RANGE		MN	MFR		ASSET CAT		CALIBRATION DUE			
RED 0.10-100MHz 15A M-3 C-S 00784 II 24-JUN-09 (BLUE, BLACK & ORANGE AMP) YELLOW-BLACK 0.10-100MHz 30A M-3 C-S 00779 II 24-JUN-09 (BLUE, BLACK & ORANGE AMP) YELLOW 0.10-100MHz 30A M-5 C-S 00804 II 13-AUG-2009 (BLACK AMP) BROWN 0.10-100MHz M-3 C-S 1189 II 24-JUN-09 (BLUE, BLACK & ORANGE AMP) BROWN-WHITE 0.10-100MHz M-3 C-S 1170 II 24-JUN-09 (BLUE, BLACK & ORANGE AMP) BROWN-BLACK 0.10-100MHz M-3 C-S 1171 II 24-JUN-09 (BLUE, BLACK & ORANGE AMP) BROWN-BLACK 0.10-100MHz M-2 (DC) C-S 1177 II 24-JUN-09 (BLUE, BLACK & ORANGE AMP) GREEN-WHITE 0.10-100MHz M-2 (DC) C-S 1259 II 24-JUN-09 (BLUE, BLACK & ORANGE AMP) GREEN (RES) 0.10-100MHz 100Ω RESISTOR C-S 0.0810 II 24-JUN-09 (BLUE, BLACK & ORANGE AMP) GREEN (RES) 0.10-100MHz 100Ω RESISTOR								24-JUN-			
Yellow-Black 0.10-100MHz 15A M-3 C-S 00784 II 24-JUN-09 (Blue, Black & Orange Amp) Green 0.10-100MHz 30A M-3 C-S 00804 II 24-JUN-09 (Blue, Black & Orange Amp) Yellow 0.10-100MHz 30A M-5 C-S 00804 II 13-AUG-2009 (Black Amp) BROWN 0.10-100MHz M-3 C-S 1169 II 24-JUN-09 (Blue, Black & Orange Amp) BROWN-WHITE 0.10-100MHz M-3 C-S 1170 II 24-JUN-09 (Blue, Black & Orange Amp) BROWN-Black & 0.10-100MHz M-2 (DC) C-S 1171 II 24-JUN-09 (Blue, Black & Orange Amp) BROWN-Black & 0.10-100MHz M-2 (DC) C-S 1177 II 24-JUN-09 (Blue, Black & Orange Amp) RD-Black 0.10-100MHz M-2 (DC) C-S 1177 II 24-JUN-09 (Blue, Black & Orange Amp) GREEN-WHITE 0.10-100MHz M-2 (DC) C-S 1259 II 24-JUN-09 (Blue, Black & Orange Amp) Yellow (Res) 0.10-100MHz 100Ω Resistor C-S 00810 II 24-JUN-09 (Blue, Black & Orange Amp) Yellow (Res) 0.10-100MHz 100Ω Resistor C-S 00810 II 24-JUN-09 (Blue, Black & Orange Amp) ARTIFICIAL HAND 510Ω/220PF C-S-AH C-S 1262 II 24-JUN-09 (Blue, Black & Orange Amp) ARTIFICIAL HAND 510Ω/220PF C-S-AH C-S 1262 II 24-JUN-09 (Blue, Black & Orange Amp) ARTIFICIAL HAND 510Ω/220PF C-S-AH C-S 1262 II 24-JUN-09 (Blue, Black & Orange Amp) ARTIFICIAL HAND 510Ω/220PF C-S-AH C-S 1262 II 24-JUN-09 (Blue, Black & Orange Amp) ARTIFICIAL HAND 510Ω/220PF C-S-AH C-S 1262 II 24-JUN-09 (Blue, Black & Orange Amp) ARTIFICIAL HAND 510Ω/220PF C-S-AH C-S 1262 II 24-JUN-09 (Blue, Black & Orange Amp) ARTIFICIAL HAND 510Ω/220PF C-S-AH C-S 1262 II 24-JUN-09 (Blue, Black & Orange Amp) ARTIFICIAL HAND 510Ω/220PF C-S-AH C-S 1262 II 24-JUN-09 (Blue, Black & Orange Amp) ARTIFICIAL HAND 510Ω/220PF C-S-AH C-S 1262 II 24-JUN-09 (Blue, Black & Orange Amp) ARTIFICIAL HAND 510Ω/220PF C-S-AH C-S 1262 II 24-JUN-09 (Blue, Black & Orange Amp) ARTIFICIAL HAND 510Ω/220PF C-S-AH C-S											
Yellow 0,10-100MHz 30 A M-5 C-S 08804 II 13-AUG-2009 (BLACK AMP)										,	
BROWN 0.10-100MHz M-3	GREEN	Green 0.10-100MHz		C-	S 0	0779	II	24-JUN-	09 (BLUE, BL	ACK & ORANGE AMP)	
BROWN-WHITE 0.10-100MHz	YELLOW	YELLOW 0.10-100MHz				0804		13	-AUG-2009	(BLACK AMP)	
BROWN-BLACK 0.10-100MHz M-2 (DC) C-S 1171 II 24-JUN-09 (BLUE, BLACK & ORANGE AMP)				_	-					,	
RED-BLACK 0.10-100MHz M-2 (DC) C-S 1177 II 24-JUN-09 (BLUE, BLACK & ORANGE AMP)				_	-	-					
Green-White 0.10-100MHz M-2 (DC) C-S 1259 II 24-JUN-09 (BLUE, BLACK & ORANGE AMP)			` ,								
YELLOW (RES) 0.10-100MHz 100Ω RESISTOR C-S 00810 II 24-JUN-09 (BLUE, BLACK & ORANGE AMP) GREEN (RES) 0.10-100MHz 100Ω RESISTOR C-S 1172 II 24-JUN-09 (BLUE, BLACK & ORANGE AMP) ARTIFICIAL HAND 510Ω / 220pF CS-AH C-S 1262 II 26-JUN-2009 ARTIFICIAL HAND 510Ω / 220pF CS-AH C-S 1263 II 26-JUN-2009 RMS VOLTMETERS / CURRENT CLAMP MN MNFR SN ASSET CAT CALIBRATION DUE TRUE-RMS MULTIMETER 79III FLUKE 71700298 00769 I 06-FEB-2009 TRUE-RMS MULTIMETER 1779 FLUKE 83390024 00973 I 22-MAR-2009 TRUE-RMS MULTIMETER (REFERENCE) 177 FLUKE 83390025 00974 I 11-MAR-2009 TRUE-RMS MULTIMETER (DRAND) 177 FLUKE 91320460 1226 1 11-MAR-2009 AC/DC CURRENT PROBE A622 TEKTRONIX 08DD 6275DV 1246 I 12-M			, ,								
GREEN (RES) 0.10-100MHz 100Ω RESISTOR C-S 1172 II 24-JUN-09 (BLUE, BLACK & ORANGE AMP)			, ,								
ARTIFICIAL HAND 510Ω / 220PF CS-AH C-S 1262 II 26-JUN-2009 RMS VOLTMETERS/CURRENT CLAMP MN MNFR SN ASSET CAT CALIBRATION DUE TRUE-RMS MULTIMETER 79III FLUKE 71700298 00769 I 06-FEB-2009 TRUE RMS MULTIMETER 179 FLUKE 89280616 1228 I 04-SEP-2008 TRUE-RMS MULTIMETER 177 FLUKE 83390024 00973 I 22-MAR-2009 TRUE-RMS MULTIMETER (REFERENCE) 177 FLUKE 83390025 00974 I 11-MAR-2009 TRUE-RMS MULTIMETER (D RAND) 1777 FLUKE 91320460 1226 1 11-MAR-2009 TRUE-RMS MULTIMETER (D RAND) 1777 FLUKE 83430419 00975 I 31-MAR-2009 AC/DC CURRENT PROBE A622 TEKTRONIX 08DD 6275DV 1246 I 12-MAR-2009 POWER/NOISE METER 435B HP 2445A11012 00773 I 07-MAY-2009 POWER ME	` ,							• • •			
RMS Voltmeters/Current Clamp MIN								24-3011		,	
RMS Voltmeters/Current Clamp MN Mnfr SN Asset Cat Calibration Due True-RMS Multimeter 79III Fluke 71700298 00769 I 06-FEB-2009 True-RMS Multimeter 179 Fluke 89280616 1228 I 04-SEP-2008 True-RMS Multimeter 177 Fluke 83390024 00973 I 22-MAR-2009 True-RMS Multimeter (Reference) 177 Fluke 83390025 00974 I 11-MAR-2009 True-RMS Multimeter (D Rand) 177 Fluke 91320460 1226 1 11-MAR-2009 True-RMS Multimeter 177 Fluke 83430419 00975 I 31-MAR-2009 Power Meter				_	-	-					
TRUE-RMS MULTIMETER 79III FLUKE 71700298 00769 I 06-FEB-2009 TRUE RMS MULTIMETER 179 FLUKE 89280616 1228 I 04-SEP-2008 TRUE-RMS MULTIMETER 177 FLUKE 83390024 00973 I 22-MAR-2009 TRUE-RMS MULTIMETER (REFERENCE) 177 FLUKE 83390025 00974 I 11-MAR-2009 TRUE-RMS MULTIMETER (DRAND) 177 FLUKE 91320460 1226 I 11-MAR-2009 TRUE-RMS MULTIMETER 177 FLUKE 91320460 1226 I 11-MAR-2009 TRUE-RMS MULTIMETER 177 FLUKE 83430419 00975 I 31-MAR-2009 AC/DC CURRENT PROBE A622 TEKTRONIX 08DD 6275DV 1246 I 12-MAR-2009 POWER/NOISE METERS MN MFR SN ASSET CAT CALIBRATION DUE POWER METER 435B HP 2445A11012 00773 I 07-MAY-2009 POWER METER 437B HP 2912A01367 01099 I 06-MAY-2009 POWER SENSOR 8481A HP 2912A01367 01099 I 06-MAY-2009 POWER METER 4232A BOONTON 11000 1260 I 24-AUG-2008 POWER METER 4232A BOONTON 11000 1260 I 24-AUG-2008 POWER SENSOR 51013-4E BOONTON 34457 1261 I 24-AUG-2008 PSOPHOMETER 2429 BRUEL & KJAER 1237642 00585 II 23-FEB-2009 TRANSMISSION LINE TESTER (DBRNC) 185T AMREL 18507030010 1236 II 04-APR-2009 TRANSMISSION LINE TESTER (DBRNC) 185T AMREL 998658 00823 II 04-APR-2009 THD, POWER &HARMONIC ANALYZER NANOVIP PLUS ELCONTROL ENERGY 15925 00250 I 04-SEP-2009											
TRUE RMS MULTIMETER 179 FLUKE 89280616 1228 I 04-SEP-2008 TRUE-RMS MULTIMETER 177 FLUKE 83390024 00973 I 22-MAR-2009 TRUE-RMS MULTIMETER (REFERENCE) 177 FLUKE 83390025 00974 I 11-MAR-2009 TRUE-RMS MULTIMETER (D RAND) 177 FLUKE 91320460 1226 1 11-MAR-2009 TRUE-RMS MULTIMETER (D RAND) 177 FLUKE 91320460 1226 1 11-MAR-2009 TRUE-RMS MULTIMETER (D RAND) 177 FLUKE 91320460 1226 1 11-MAR-2009 TRUE-RMS MULTIMETER (D RAND) 177 FLUKE 91320460 126 1 11-MAR-2009 TRUE-RMS MULTIMETER (D RAND) 177 FLUKE 91320460 126 1 11-MAR-2009 TRUE-RMS MULTIMETER (D RAND) 177 FLUKE 91320460 126 1 12-MAR-2009 POWER METER 435B HP 2445A11012 00773 I 07-MAY-2009 POWER	RMS VOLTMETERS	S/CURRENT CLAN	1P MN	MN	IFR		SN	ASSET	Сат	CALIBRATION DUE	
TRUE-RMS MULTIMETER 177 FLUKE 83390024 00973 I 22-MAR-2009 TRUE-RMS MULTIMETER (REFERENCE) 177 FLUKE 83390025 00974 I 11-MAR-2009 TRUE-RMS MULTIMETER (D RAND) 177 FLUKE 91320460 1226 1 11-MAR-2009 TRUE-RMS MULTIMETER 177 FLUKE 83430419 00975 I 31-MAR-2009 AC/DC CURRENT PROBE A622 TEKTRONIX 08DD 6275DV 1246 I 12-MAR-2009 POWER/NOISE METER 435B HP 2445A11012 00773 I 07-MAY-2009 POWER METER 437B HP 2912A01367 01099 I 06-MAY-2009 POWER SENSOR 8481A HP 2702A61351 00774 I 06-MAY-2009 POWER METER 4232A BOONTON 11000 1260 I 24-AUG-2008 POWER SENSOR 51013-4E BOONTON 34457 1261 I 24-AUG-2008 PSOPHOMETER 2429 BRU	TRUE-RMS	MULTIMETER	79111	FLU	JKE	71	1700298	00769	I	06-FEB-2009	
TRUE-RMS MULTIMETER (REFERENCE) 177 FLUKE 83390025 00974 I 11-MAR-2009 TRUE-RMS MULTIMETER (D RAND) 177 FLUKE 91320460 1226 1 11-MAR-2009 TRUE-RMS MULTIMETER 177 FLUKE 83430419 00975 I 31-MAR-2009 AC/DC CURRENT PROBE A622 TEKTRONIX 08DD 6275DV 1246 I 12-MAR-2009 POWER METER 435B HP 2445A11012 00773 I 07-MAY-2009 POWER METER 437B HP 2912A01367 01099 I 06-MAY-2009 POWER SENSOR 8481A HP 2702A61351 00774 I 06-MAY-2009 POWER METER 4232A BOONTON 11000 1260 I 24-AUG-2008 POWER SENSOR 51013-4E BOONTON 34457 1261 I 24-AUG-2008 PSOPHOMETER 2429 BRUEL & KJAER 1237642 00585 II 23-FEB-2009 TRANSMISSION LINE TESTER (DBRNC) 185T	TRUE RMS I	MULTIMETER	179	FLU	JKE	89	9280616	1228	1	04-SEP-2008	
TRUE-RMS MULTIMETER (D RAND)									1		
TRUE-RMS MULTIMETER									I		
POWER/NOISE METERS MN MFR SN ASSET CAT CALIBRATION DUE POWER METER 435B HP 2445A11012 00773 I 07-MAY-2009 POWER METER 437B HP 2912A01367 01099 I 06-MAY-2009 POWER SENSOR 8481A HP 2702A61351 00774 I 06-MAY-2009 POWER METER 4232A BOONTON 11000 1260 I 24-AUG-2008 POWER SENSOR 51013-4E BOONTON 34457 1261 I 24-AUG-2008 PSOPHOMETER 2429 BRUEL & KJAER 1237642 00585 II 23-FEB-2009 TRANSMISSION LINE TESTER (DBRNC) 185T AMREL 18507030010 1236 II 04-APR-2009 THD, POWER &HARMONIC ANALYZER NANOVIP PLUS ELCONTROL ENERGY 15925 00250 I 04-SEP-2009									1		
POWER/NOISE METERS MN MFR SN ASSET CAT CALIBRATION DUE POWER METER 435B HP 2445A11012 00773 I 07-MAY-2009 POWER METER 437B HP 2912A01367 01099 I 06-MAY-2009 POWER SENSOR 8481A HP 2702A61351 00774 I 06-MAY-2009 POWER METER 4232A BOONTON 11000 1260 I 24-AUG-2008 POWER SENSOR 51013-4E BOONTON 34457 1261 I 24-AUG-2008 PSOPHOMETER 2429 BRUEL & KJAER 1237642 00585 II 23-FEB-2009 TRANSMISSION LINE TESTER (DBRNC) 185T AMREL 18507030010 1236 II 04-APR-2009 THD, POWER &HARMONIC ANALYZER NANOVIP PLUS ELCONTROL ENERGY 15925 00250 I 04-SEP-2009									!		
POWER METER 435B HP 2445A11012 00773 I 07-MAY-2009 POWER METER 437B HP 2912A01367 01099 I 06-MAY-2009 POWER SENSOR 8481A HP 2702A61351 00774 I 06-MAY-2009 POWER METER 4232A BOONTON 11000 1260 I 24-AUG-2008 POWER SENSOR 51013-4E BOONTON 34457 1261 I 24-AUG-2008 PSOPHOMETER 2429 BRUEL & KJAER 1237642 00585 II 23-FEB-2009 TRANSMISSION LINE TESTER (DBRNC) 185T AMREL 18507030010 1236 II 04-APR-2009 TRANSMISSION LINE TESTER (DBRNC) 185T AMREL 998658 00823 II 04-APR-2009 THD, POWER & HARMONIC ANALYZER NANOVIP PLUS ELCONTROL ENERGY 15925 00250 I 04-SEP-2009	AC/DC CUR	RENT PROBE	A622	TEKT	RONIX	080	D 6275DV	1246	l	12-MAR-2009	
POWER METER 435B HP 2445A11012 00773 I 07-MAY-2009 POWER METER 437B HP 2912A01367 01099 I 06-MAY-2009 POWER SENSOR 8481A HP 2702A61351 00774 I 06-MAY-2009 POWER METER 4232A BOONTON 11000 1260 I 24-AUG-2008 POWER SENSOR 51013-4E BOONTON 34457 1261 I 24-AUG-2008 PSOPHOMETER 2429 BRUEL & KJAER 1237642 00585 II 23-FEB-2009 TRANSMISSION LINE TESTER (DBRNC) 185T AMREL 18507030010 1236 II 04-APR-2009 TRANSMISSION LINE TESTER (DBRNC) 185T AMREL 998658 00823 II 04-APR-2009 THD, POWER & HARMONIC ANALYZER NANOVIP PLUS ELCONTROL ENERGY 15925 00250 I 04-SEP-2009	POWER/NOISE METERS MN MFR SN 450							ASSET	Сат	CALIBRATION DUF	
POWER METER 437B HP 2912A01367 01099 I 06-MAY-2009 POWER SENSOR 8481A HP 2702A61351 00774 I 06-MAY-2009 POWER METER 4232A BOONTON 11000 1260 I 24-AUG-2008 POWER SENSOR 51013-4E BOONTON 34457 1261 I 24-AUG-2008 PSOPHOMETER 2429 BRUEL & KJAER 1237642 00585 II 23-FEB-2009 TRANSMISSION LINE TESTER (DBRNC) 185T AMREL 18507030010 1236 II 04-APR-2009 THD, POWER &HARMONIC ANALYZER NANOVIP PLUS ELCONTROL ENERGY 15925 00250 I 04-SEP-2009											
POWER SENSOR 8481A HP 2702A61351 00774 I 06-MAY-2009 POWER METER 4232A BOONTON 11000 1260 I 24-AUG-2008 POWER SENSOR 51013-4E BOONTON 34457 1261 I 24-AUG-2008 PSOPHOMETER 2429 BRUEL & KJAER 1237642 00585 II 23-FEB-2009 TRANSMISSION LINE TESTER (DBRNC) 185T AMREL 18507030010 1236 II 04-APR-2009 THD, POWER &HARMONIC ANALYZER NANOVIP PLUS ELCONTROL ENERGY 15925 00250 I 04-SEP-2009									i		
POWER METER 4232A BOONTON 11000 1260 I 24-AUG-2008 POWER SENSOR 51013-4E BOONTON 34457 1261 I 24-AUG-2008 PSOPHOMETER 2429 BRUEL & KJAER 1237642 00585 II 23-FEB-2009 TRANSMISSION LINE TESTER (DBRNC) 185T AMREL 18507030010 1236 II 04-APR-2009 TRANSMISSION LINE TESTER (DBRNC) 185T AMREL 998658 00823 II 04-APR-2009 THD, POWER &HARMONIC ANALYZER NANOVIP PLUS ELCONTROL ENERGY 15925 00250 I 04-SEP-2009									i		
POWER SENSOR 51013-4E BOONTON 34457 1261 I 24-AUG-2008 PSOPHOMETER 2429 BRUEL & KJAER 1237642 00585 II 23-FEB-2009 TRANSMISSION LINE TESTER (DBRNC) 185T AMREL 18507030010 1236 II 04-APR-2009 TRANSMISSION LINE TESTER (DBRNC) 185T AMREL 998658 00823 II 04-APR-2009 THD, POWER &HARMONIC ANALYZER NANOVIP PLUS ELCONTROL ENERGY 15925 00250 I 04-SEP-2009									İ		
PSOPHOMETER 2429 BRUEL & KJAER 1237642 00585 II 23-FEB-2009 TRANSMISSION LINE TESTER (DBRNC) 185T AMREL 18507030010 1236 II 04-APR-2009 TRANSMISSION LINE TESTER (DBRNC) 185T AMREL 998658 00823 II 04-APR-2009 THD, POWER &HARMONIC ANALYZER NANOVIP PLUS ELCONTROL ENERGY 15925 00250 I 04-SEP-2009									1		
TRANSMISSION LINE TESTER (DBRNC) 185T AMREL 18507030010 1236 II 04-APR-2009 TRANSMISSION LINE TESTER (DBRNC) 185T AMREL 998658 00823 II 04-APR-2009 THD, POWER &HARMONIC ANALYZER NANOVIP PLUS ELCONTROL ENERGY 15925 00250 I 04-SEP-2009									II		
THD, POWER &HARMONIC ANALYZER NANOVIP PLUS ELCONTROL ENERGY 15925 00250 I 04-SEP-2009							18507030010	1236		04-APR-2009	
									II		
CURRENT CLAMP FOR NANOVIP MN 13-EL ELCONTROL ENERGY NA 1293 I 04-SEP-2009									Į.		
	CURRENT CLAMP F	OR NANOVIP	MN 13-EL	ELCONTR	OL ENERGY		NA	1293	<u> </u>	04-SEP-2009	



SN Сат SURGE GENERATORS MN MFR ASSET **CALIBRATION DUE** TRANSIENT WAVEFORM MONITOR TWM-5 CDI 003982 00323 Ш 03-JUN-2009 UNIVERSAL SURGE GENERATOR CDI 003966 00324 CAL BEFORE USE M5 Ш THREE PHASE COUPLING NWK 3CN CDI 003455 00325 Ш CAL BEFORE USE 1.2x50uS Plugin Module 1.2x50uS PLUGIN CDI N/A 00842 Ш CAL BEFORE USE 10x160uS Plugin Module 10x160uS PLUGIN C-S N/A 00843 Ш CAL BEFORE USE 10x560uS PLUGIN MODULE 10x560uS PLUGIN C-S N/A 00841 Ш CAL BEFORE USE 150267 PSURGE CONTROLLER MODULE PSURGE 8000 HAEFELY 00879 Ш 01-JUL-2009 COUPLING/DECOUPLING MODULE **PCD 900** HAEFELY 149213 00880 П 01-JUL-2009 IMPULSE MODULE PIM 900 **HAEFELY** 149202 00881 Ш 01-JUL-2009 C-S HIGH VOLTAGE CAP NWK 5KVDC, 18μF CS-HVCC 01 00772 Ш 16-APR-2009 C-S 00088 NEBS SURGE GENERATOR (LIMITED CAL) N/A N/A Ш 17-JUN-2009 2X10US SURGE GENERATOR 2x10uS C-S N/A 00846 П CAL BEFORE USE 10x700uS Surge Generator 10x700uS C-S N/A 00847 II CAL BEFORE USE 12 PAIR SURGE RESISTOR MODULE C-S N/A 00768 Ш 17-JUN-2009 N/A V0502100032 VSS 500-M TSS 500 M12 S2 **EMTEST** 1155 Ш **CAL BEFORE USE** TSS 500-M TSS500 M10 **EMTEST** V0502100031 1156 Ш **CAL BEFORE USE NSG 2050 SURGE GENERATOR** NSG 2050 **TESEQ** 200720-605LU 1273 Ш 30-JUL-2009 PNW 2050 1.2x50 IMPULSE NETWORK PNW 2050 **TESEQ** 200711-604LU 1279 Ш 30-JUL-2009 CDN 133 3 Phase Coupling Network **CDN 133 TESEQ** 34416 1274 Ш 30-JUL-2009 MODULA6150 MODULA6150 **TESEQ** 34525 1268 OUT OF CAL ı **RED BESTEMC-2** 711-1100 SCHAFFNER 200122-074SC 00623 Ш 27-FEB-2009 SURGE CURRENT MONITOR CM-1-L ION PHYSICS 896730 1276 Ш 26-AUG-2008 ECOMPACT4 ECOMPACT4 **HAEFELY** 155858 RENTAL Ш 11-FEB-2009 SN **OVERVOLTAGE CHAMBERS** MN MFR **ASSET** CAT **CALIBRATION DUE** OV₁ N/A 00792 72kW Power Fault Simulator C-S N/A OV2 C-S POWER FAULT SIMULATOR N/A 00116 Ш N/A Сат **DIPOLE TAPE MEASURES** MN MFR SN ASSET **CALIBRATION DUE** 26FT TAPE #1 2338CME LUFKIN C3166-1 00776 Ш 22-MAR-2009 26FT TAPE #2 2338CME LUFKIN C3166-2 00777 Ш 22-MAR-2009 METEOROLOGICAL METERS MN MFR SN ASSET CAT **CALIBRATION DUE** TEMP./HUMIDITY/ATM. PRESSURE GAUGE 7400 PERCEPTION II DAVIS N/A 00965 Ш OUT OF SERVICE TEMPERATURE /HUMIDITY GAUGE THG-912 4000562 00789 31-JAN-2009 **HUGER** WEATHER CLOCK (PRESSURE ONLY) **BA928** OREGON SCIENTIFIC C3166-1 00831 08-FEB-2009 Т OFFICE HYGRO/THERMOMETER 35519-044 CONTROL COMPANY 72436083 1336 07-AUG-2009 35519-044 HYGRO/THERMOMETER (SITE A) CONTROL COMPANY 72457628 1337 14-AUG-2009 HYGRO/THERMOMETER (EMI3) 35519-044 CONTROL COMPANY 72457729 1338 14-AUG-2009 HYGRO/THERMOMETER (EMI4) 35519-044 72457728 CONTROL COMPANY 1339 14-AUG-2009 HYGRO/THERMOMETER (EMI2) 35519-044 CONTROL COMPANY 72457719 1340 14-AUG-2009 HYGRO/THERMOMETER (OV1) 35519-044 CONTROL COMPANY 72457633 1341 14-AUG-2009 HYGRO/THERMOMETER (SITE F) 35519-044 CONTROL COMPANY 72457631 1342 14-AUG-2009 HYGRO/THERMOMETER (SITE M) 35519-044 CONTROL COMPANY 72457758 1343 14-AUG-2009 HYGRO/THERMOMETER (EMI1) 35519-044 CONTROL COMPANY 72457730 1344 14-AUG-2009 HYGRO/THERMOMETER (RFI1) 35519-044 CONTROL COMPANY 72457635 1334 26-NOV-2009 HYGRO/THERMOMETER (RFI2) 35519-044 CONTROL COMPANY 72457738 1335 26-NOV-2009 HYGRO/THERMOMETER (RFI3) 35519-044 CONTROL COMPANY 72457642 1345 14-AUG-2009 HYGRO/THERMOMETER (EMC 1-2) 35519-044 CONTROL COMPANY 72457636 1346 14-AUG-2009 HYGRO/THERMOMETER (SITE T) 35519-044 CONTROL COMPANY 72457639 1347 14-AUG-2009 ı HYGRO/THERMOMETER (EMC 3-4) 35519-044 CONTROL COMPANY 72457647 1348 14-AUG-2009 THERMOCOUPLE MODULE(FOR DMM) 80TK **FLUKE** 93410013 1308 20-NOV-2008 Т THERMOCOUPLE MODULE (FOR DMM) 80TK **FLUKE** 93410017 1309 ı 20-NOV-2008 SPEC. STOCK/MN **ASSET** Сат **CALIBRATION DUE C**ONSUMABLES MFR 26-28M/KG ED&D ACC-01 N/A **NEBS CHEESECLOTH** Ш N/A **NEBS CARBON BLOCK** 3-MIL-GAP 1KV SURGE 3AB N/A Ш N/A RELIABLE

All equipment is calibrated using standards traceable to NIST or other nationally recognized calibration standard.



Conditions Of Testing

[Bureau Veritas Consumer Products Services, Inc., a Massachusetts corporation], and/or its affiliates (collectively, the "Company") will conduct, at the request of the Submitter ("Client"), the tests specified on the submitted Test Request Form or equivalent in accordance with, and subject to, the following terms and conditions (collectively, "Conditions"):

- 1. All orders for tests are subject to acceptance by the Company, and no order will constitute a binding commitment of the Company unless and until such order is accepted by it, as evidenced by the issuance of a written report ("Test Report") by the Company. The Test Report is issued solely by the Company, is intended for the exclusive use of Client and shall not be published, used for advertising purposes, copied or replicated for distribution to any other person or entity or otherwise publicly disclosed without the prior written consent of the Company. By submitting a request for services to the Company, Client consents to the disclosure to accreditation bodies of those records of Client relevant to the accreditation body's assessment of the Company's competence and compliance with relevant accreditation criteria. The Company shall not be liable for any loss or damage whatsoever resulting from the failure of the Company to provide its services within any time period for completion estimated by the Company. If Client anticipates using the Test Report in any legal proceeding, arbitration, dispute resolution forum or other proceeding, it shall so notify the Company prior to submitting the Test Report in such proceeding. The Company has no obligation to provide a fact or expert witness at such proceeding unless the Company agrees in advance to do so for a separate and additional fee.
- 2. The Test Report will set forth the findings of the Company solely with respect to the test samples identified therein. Unless specifically and expressly indicated in the Test Report, the results set forth in such Test Report are not intended to be indicative or representative of the quality or characteristics of the lot from which a test sample is taken, and Client shall not rely upon the Test Report as being so indicative or representative of the lot or of the tested product in general. The Test Report will reflect the findings of the Company at the time of testing only, and the Company shall have no obligation to update the Test Report after its issuance. The Test Report will set forth the results of the tests performed by the Company based upon the written information provided to the Company. The Test Report will be based solely on the samples and written information submitted to the Company by Client, and the Company shall not be obligated to conduct any independent investigation or inquiry with respect thereto.
- 3. The Company may, in its sole discretion, destroy samples which have been furnished to the Company for testing and which have not been destroyed in the course of testing. The Company may delegate the performance of all or a portion of the services contemplated hereunder to an affiliate, agent or subcontractor of the Company, and Client consents to such delegation.
- 4. These Conditions and the Test Report represent the entire understanding of the parties hereto with respect to the subject matter hereof and of the Test Report, and no modification, variance or extrapolation with respect thereto shall be permitted without the prior written consent of the Company.
- 5. The names, service marks, trademarks and copyrights of the Company and its affiliates, including the names "BUREAU VERITAS," "BUREAU VERITAS CONSUMER PRODUCTS SERVICES," "BVCPS", "MTL", "ACTS", "MTL-ACTS" and CURTIS-STRAUS (collectively, the "Marks") are and shall remain the sole property of the Company or its affiliates and shall not be used by Client except solely to the extent that Client obtains the prior written approval of the Company and then only in the manner prescribed by the Company. Client shall not contest the validity of the Marks or take any action that might impair the value or goodwill associated with the Marks or the image or reputation of the Company or its affiliates.
- 6. Payment in full shall be due 30 days after the date of invoice. Interest shall be due on overdue amounts from the due date until paid at an interest rate of 1.5% per month or, if less, the maximum rate permitted by law. The Company reserves the right, at any time and from time to time, to revoke any credit extended to Client. Client shall reimburse the Company for any costs it incurs in collecting past due amounts, including court costs and fees and expenses of attorneys and collection agencies. The Test Report may not be used or relied upon by Client if and for so long as Client fails to pay when due any invoice issued by the Company or any affiliate of it to Client or any affiliate or subsidiary of Client together with interest and penalties, if any, accrued thereon.
- 7. The Company disclaims any and all responsibility or liability arising out of or in connection with e-mail transmissions of such information.
- 8. Client understands and agrees that the Company is neither an insurer nor a guarantor, that the Company does not take the place of Client or any designer, manufacturer, agent, buyer, distributor or transportation or shipping company, and that the Company disclaims all liability in such capacities. Client further understands that if it seeks assurance against loss or damage, it should obtain appropriate insurance.
- 9. Client agrees that the Company, by providing the services, does not take the place of Client nor any third party, nor does the Company release them from any of their obligations, nor does the Company otherwise assume, abridge, abrogate or undertake to discharge any duty of any third party to Client or any duty of Client or any third party to any other third party, and Client will not release any third party from its obligations and duties with respect to the tested goods.
- 10. Client shall, on a timely basis, (a) provide adequate instructions to the Company in order to enable the Company to perform properly its services, (b) provide, or cause Client's suppliers and contractors to provide, the Company with all documents necessary to enable the Company to perform its services, (c) furnish the Company with all relevant information regarding Client's intended use and purposes of the tested goods, (d) advise the Company of essential dates and deadlines relevant to the tested goods and (e) fully exercise all rights and remedies available to Client against third parties in respect of the tested goods.
- 11. The Company shall undertake due care and ordinary skill in the performance of its services to Client, and the Company shall accept responsibility only were such skill has not been exercised and, even in such event, only to the extent of the limitation of liability set forth herein.
- 12. If Client desires to assert a claim arising from or relating to (i) the performance, purported performance or non-performance of any services by the Company or (ii) the sale, resale, manufacture, distribution or use of any tested goods, it must submit that claim to the Company in a writing that sets forth with particularity the basis for such claim within 60 days from discovery of the potential claim and not more than six months after the date of issuance of the Test Report to Client. Client waives any and all such claims including, without limitation, claims that the Test Report is inaccurate, incomplete or misleading or that additional or different testing is required, unless and then only to the extent that Client submits a written claim to the Company within both such time periods.

 13. CLIENT SHALL, EXCEPT TO THE EXTENT OF COMPANY'S LIABILITY TO CLIENT HEREUNDER (WHICH IN NO EVENT SHALL EXCEED THE LIMITATION OF LIABILITY HEREIN), HOLD HARMLESS AND INDEMNIFY THE COMPANY, ITS



AFFILIATES AND THEIR RESPECTIVE DIRECTORS, OFFICERS, EMPLOYEES, AGENTS AND SUBCONTRACTORS AGAINST ALL ACTUAL OR ALLEGED THIRD PARTY CLAIMS FOR LOSS, DAMAGE OR EXPENSE OF WHATSOEVER NATURE AND HOWSOEVER ARISING FROM OR RELATING TO (i) THE PERFORMANCE, PURPORTED PERFORMANCE OR NON-PERFORMANCE OF ANY SERVICES BY THE COMPANY OR (ii) THE SALE, RESALE, MANUFACTURE, DISTRIBUTION OR USE OF ANY TESTED GOODS.

- 14. EXCEPT AS MAY OTHERWISE BE EXPRESSLY AGREED TO IN WRITING BY THE COMPANY AND NOTWITHSTANDING ANY PROVISION TO THE CONTRARY CONTAINED HEREIN OR IN ANY TEST REPORT, NO WARRANTY OR GUARANTEE, EXPRESS OR IMPLIED, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR USE, IS MADE.
- 15. (A) IN NO EVENT WHATSOEVER SHALL THE COMPANY BE LIABLE FOR ANY CONSEQUENTIAL, SPECIAL, INCIDENTAL, EXEMPLARY OR PUNITIVE DAMAGES IN CONNECTION WITH, RELATING TO OR ARISING OUT OF THE TEST REPORT OR THE SERVICES PROVIDED BY THE COMPANY HEREUNDER, INCLUDING WITHOUT LIMITATION LOSS OF OR DAMAGE TO PROPERTY; LOSS OF INCOME, PROFIT OR USE; OR ANY CLAIMS OR DEMANDS MADE AGAINST CLIENT OR ANY OTHER PERSON BY ANY THIRD PARTY IN CONNECTION WITH, RELATING TO OR ARISING OUT OF THE SERVICES PROVIDED BY THE COMPANY HEREUNDER.

(B)NOTWITHSTANDING ANY PROVISION TO THE CONTRARY CONTAINED HEREIN, AND IN RECOGNITION OF THE RELATIVE RISKS AND BENEFITS TO CLIENT AND THE COMPANY ASSOCIATED WITH THE TESTING SERVICES CONTEMPLATED HEREBY, THE RISKS HAVE BEEN ALLOCATED SUCH THAT UNDER NO CIRCUMSTANCES WHATSOEVER SHALL THE LIABILITY OF THE COMPANY TO CLIENT OR ANY THIRD PARTY IN RESPECT OF ANY CLAIM FOR LOSS, DAMAGE OR EXPENSE, OF WHATSOEVER NATURE OR MAGNITUDE, AND HOWSOEVER ARISING, EXCEED AN AMOUNT EQUAL TO FIVE (5) TIMES THE AMOUNT OF THE FEES PAID TO THE COMPANY FOR THE SPECIFIC SERVICES WHICH GAVE RISE TO SUCH CLAIM OR U.S.\$10,000, WHICHEVER IS THE LESSER AMOUNT.

- 16. The Company shall not be liable for any loss or damage resulting from any delay or failure in performance of its obligations hereunder resulting directly or indirectly from any event of force majeure or any event outside the control of the Company. If any such event occurs, the Company may immediately cancel or suspend its performance hereunder without incurring any liability whatsoever to Client.
- 17. Company's services, including these Conditions, shall be governed by, and construed in accordance with, the local laws of the country where the Company performs the tests or, in the case of tests performed in the United States of America, the laws of Massachusetts without regard to conflicts of laws principles. If any aspect(s) of these Conditions is found to be illegal or unenforceable, the validity, legality and enforceability of all remaining aspects of these Conditions shall not in any way be affected or impaired thereby. Any proceeding related to the subject matter hereof shall be brought, if at all, in the courts of the country where the Company performs the tests or, in the case of tests performed in the United States of America, in the courts of Massachusetts. Client waives the right to interpose any counterclaim or setoffs of any nature in any litigation arising hereunder.

Rev.160009121(2)_#684340 v13CS

