Annex D Additional results for IC to test report: F091735E2


EUT: SePem 01 Logger

Manufacturer: Hermann Sewerin GmbH



## **1 99 % BANDWIDTH**

## 1.1 METHOD OF MEASUREMENT (99 % BANDWIDTH)



The following procedure will be used for the occupied bandwidth measurement:

The span of the analyzer shall be set to capture all products of the modulation process, including the emission skirts. The resolution bandwidth shall be set to as close to 1% of the selected span as is possible without being below 1%. The video bandwidth shall be set to 3 times the resolution bandwidth. Video averaging is not permitted. Where practical, a sampling detector shall be used since a peak or, peak hold, may produce a wider bandwidth than actual.

The trace data points are recovered and are directly summed in linear terms. The recovered amplitude data points, beginning at the lowest frequency, are placed in a running sum until 0.5% of the total is reached and that frequency recorded. The process is repeated for the highest frequency data points. This frequency is recorded.

The span between the two recorded frequencies is the occupied bandwidth.

Examiner: Thomas KÜHN Date of issue: 01 October 2009 page 1 of 2

Annex D Additional results for IC to test report: F091735E2

EUT: SePem 01 Logger

Manufacturer: Hermann Sewerin GmbH




## 1.2 TEST RESULTS (99 % BANDWIDTH)

Ambient temperature:	21 °C	Relative humidity:	50 %
----------------------	-------	--------------------	------

Transmit mode: Burst transmission

## 91735 34.wmf: 99 % Bandwidth:



Lower frequency	Upper frequency	99 % bandwidth
462.858542 MHz	462.866458 MHz	7.916 kHz
Measurement	uncertainty	+0.66 dB / -0.72 dB

TEST EQUIPMENT USED THE TEST:	
31	

Examiner: Thomas KÜHN Date of issue: 01 October 2009 page 2 of 2