

Orthogonal Axis :	X
Test Mode :	TX N-40M MODE 2452MHz-Internal Antenna


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	4904.120	26.51	3.77	30.28	54.00	-23.72	AVG	
2		4904.760	36.29	3.77	40.06	74.00	-33.94	peak	

Orthogonal Axis :	X
Test Mode :	TX N-40M MODE 2452MHz-Internal Antenna

Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	2448.000	71.39	31.96	103.35	74.00	29.35	peak	No Limit
2	*	2456.800	61.75	31.97	93.72	54.00	39.72	AVG	No Limit
3		2483.500	31.88	32.01	63.89	74.00	-10.11	peak	
4		2483.500	20.54	32.01	52.55	54.00	-1.45	AVG	

Orthogonal Axis :	X
Test Mode :	TX N-40M MODE 2452MHz-Internal Antenna


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		4904.000	36.95	3.77	40.72	74.00	-33.28	peak	
2	*	4904.040	28.25	3.77	32.02	54.00	-21.98	AVG	

Orthogonal Axis :	X
Test Mode :	TX B MODE 2412MHz-External Antenna

Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		2390.000	25.33	31.88	57.21	74.00	-16.79	peak	
2		2390.000	15.24	31.88	47.12	54.00	-6.88	AVG	
3	*	2411.200	70.81	31.91	102.72	54.00	48.72	AVG	No Limit
4	X	2413.000	73.02	31.91	104.93	74.00	30.93	peak	No Limit

Orthogonal Axis :	X
Test Mode :	TX B MODE 2412MHz-External Antenna


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	4823.950	41.45	3.62	45.07	54.00	-8.93	AVG	
2		4823.990	45.47	3.62	49.09	74.00	-24.91	peak	

Orthogonal Axis :	X
Test Mode :	TX B MODE 2412MHz-External Antenna

Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		2390.000	24.21	31.88	56.09	74.00	-17.91	peak	
2		2390.000	14.17	31.88	46.05	54.00	-7.95	AVG	
3	X	2411.200	64.25	31.91	96.16	74.00	22.16	peak	No Limit
4	*	2411.200	61.52	31.91	93.43	54.00	39.43	AVG	No Limit

Orthogonal Axis :	X
Test Mode :	TX B MODE 2412MHz-External Antenna


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		4824.010	44.22	3.62	47.84	74.00	-26.16	peak	
2	*	4824.010	39.56	3.62	43.18	54.00	-10.82	AVG	

Orthogonal Axis :	X
Test Mode :	TX B MODE 2437MHz-External Antenna

Vertical



No.	Mk.	Freq.	Reading	Correct	Measure-	Limit	Over		
		MHz	Level	Factor	ment			Detector	Comment
			dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	2436.200	70.85	31.94	102.79	54.00	48.79	AVG	No Limit
2	X	2436.600	73.34	31.94	105.28	74.00	31.28	peak	No Limit

Orthogonal Axis :	X
Test Mode :	TX B MODE 2437MHz-External Antenna


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		4874.030	47.12	3.72	50.84	74.00	-23.16	peak	
2	*	4874.040	43.38	3.72	47.10	54.00	-6.90	AVG	

Orthogonal Axis :	X
Test Mode :	TX B MODE 2437MHz-External Antenna

Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	2436.200	62.10	31.94	94.04	54.00	40.04	AVG	No Limit
2	X	2436.700	64.48	31.94	96.42	74.00	22.42	peak	No Limit

Orthogonal Axis :	X
Test Mode :	TX B MODE 2437MHz-External Antenna


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		4874.020	45.88	3.72	49.60	74.00	-24.40	peak	
2	*	4874.035	41.35	3.72	45.07	54.00	-8.93	AVG	

Orthogonal Axis :	X
Test Mode :	TX B MODE 2462MHz-External Antenna

Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	2461.200	68.53	31.98	100.51	54.00	46.51	AVG	No Limit
2	X	2461.600	71.15	31.98	103.13	74.00	29.13	peak	No Limit
3		2483.500	26.91	32.01	58.92	74.00	-15.08	peak	
4		2483.500	16.38	32.01	48.39	54.00	-5.61	AVG	

Orthogonal Axis :	X
Test Mode :	TX B MODE 2462MHz-External Antenna


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	4923.945	38.72	3.80	42.52	54.00	-11.48	AVG	
2		4924.040	43.34	3.80	47.14	74.00	-26.86	peak	

Orthogonal Axis :	X
Test Mode :	TX B MODE 2462MHz-External Antenna


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	2460.200	59.00	31.98	90.98	54.00	36.98	AVG	No Limit
2	X	2461.200	61.87	31.98	93.85	74.00	19.85	peak	No Limit
3		2483.500	24.34	32.01	56.35	74.00	-17.65	peak	
4		2483.500	13.78	32.01	45.79	54.00	-8.21	AVG	

Orthogonal Axis :	X
Test Mode :	TX B MODE 2462MHz-External Antenna


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		4923.890	42.12	3.80	45.92	74.00	-28.08	peak	
2	*	4924.060	35.68	3.80	39.48	54.00	-14.52	AVG	

Orthogonal Axis :	X
Test Mode :	TX G MODE 2412MHz-External Antenna

Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		2390.000	25.50	31.88	57.38	74.00	-16.62	peak	
2		2390.000	15.56	31.88	47.44	54.00	-6.56	AVG	
3	*	2415.600	63.01	31.91	94.92	54.00	40.92	AVG	No Limit
4	X	2416.100	72.69	31.91	104.60	74.00	30.60	peak	No Limit

Orthogonal Axis :	X
Test Mode :	TX G MODE 2412MHz-External Antenna


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		4823.115	40.31	3.62	43.93	74.00	-30.07	peak	
2	*	4823.230	28.55	3.62	32.17	54.00	-21.83	AVG	

Orthogonal Axis :	X
Test Mode :	TX G MODE 2412MHz-External Antenna

Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		2390.000	24.51	31.88	56.39	74.00	-17.61	peak	
2		2390.000	14.04	31.88	45.92	54.00	-8.08	AVG	
3	*	2408.600	54.94	31.91	86.85	54.00	32.85	AVG	No Limit
4	X	2408.700	64.62	31.91	96.53	74.00	22.53	peak	No Limit

Orthogonal Axis :	X
Test Mode :	TX G MODE 2412MHz-External Antenna


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	4823.880	28.17	3.62	31.79	54.00	-22.21	AVG	
2		4823.980	40.54	3.62	44.16	74.00	-29.84	peak	

Orthogonal Axis :	X
Test Mode :	TX G MODE 2437MHz-External Antenna

Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	2439.900	76.49	31.95	108.44	74.00	34.44	peak	No Limit
2	*	2440.600	67.75	31.95	99.70	54.00	45.70	AVG	No Limit

Orthogonal Axis :	X
Test Mode :	TX G MODE 2437MHz-External Antenna


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		4873.265	45.20	3.72	48.92	74.00	-25.08	peak	
2	*	4874.385	32.24	3.72	35.96	54.00	-18.04	AVG	

Orthogonal Axis :	X
Test Mode :	TX G MODE 2437MHz-External Antenna

Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	2433.200	66.79	31.94	98.73	74.00	24.73	peak	No Limit
2	*	2433.300	58.68	31.94	90.62	54.00	36.62	AVG	No Limit

Orthogonal Axis :	X
Test Mode :	TX G MODE 2437MHz-External Antenna


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		4874.145	43.86	3.72	47.58	74.00	-26.42	peak	
2	*	4874.270	31.22	3.72	34.94	54.00	-19.06	AVG	

Orthogonal Axis :	X
Test Mode :	TX G MODE 2462MHz-External Antenna

Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	2461.900	71.69	31.98	103.67	74.00	29.67	peak	No Limit
2	*	2465.500	61.41	31.98	93.39	54.00	39.39	AVG	No Limit
3		2483.500	27.18	32.01	59.19	74.00	-14.81	peak	
4		2483.500	15.57	32.01	47.58	54.00	-6.42	AVG	

Orthogonal Axis :	X
Test Mode :	TX G MODE 2462MHz-External Antenna


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		4923.710	40.18	3.80	43.98	74.00	-30.02	peak	
2	*	4923.815	28.26	3.80	32.06	54.00	-21.94	AVG	

Orthogonal Axis :	X
Test Mode :	TX G MODE 2462MHz-External Antenna

Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	2458.400	52.36	31.98	84.34	54.00	30.34	AVG	No Limit
2	X	2458.900	62.00	31.98	93.98	74.00	19.98	peak	No Limit
3		2483.500	23.80	32.01	55.81	74.00	-18.19	peak	
4		2483.500	13.74	32.01	45.75	54.00	-8.25	AVG	

Orthogonal Axis :	X
Test Mode :	TX G MODE 2462MHz-External Antenna


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	4924.135	27.47	3.80	31.27	54.00	-22.73	AVG	
2		4924.665	38.78	3.80	42.58	74.00	-31.42	peak	

Orthogonal Axis :	X
Test Mode :	TX N-20M MODE 2412MHz-External Antenna

Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		2390.000	26.50	31.88	58.38	74.00	-15.62	peak	
2		2390.000	15.64	31.88	47.52	54.00	-6.48	AVG	
3	X	2410.200	71.32	31.91	103.23	74.00	29.23	peak	No Limit
4	*	2416.400	61.99	31.91	93.90	54.00	39.90	AVG	No Limit

Orthogonal Axis :	X
Test Mode :	TX N-20M MODE 2412MHz-External Antenna


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	4823.755	27.36	3.62	30.98	54.00	-23.02	AVG	
2		4823.980	39.18	3.62	42.80	74.00	-31.20	peak	

Orthogonal Axis :	X
Test Mode :	TX N-20M MODE 2412MHz-External Antenna

Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		2390.000	22.81	31.88	54.69	74.00	-19.31	peak	
2		2390.000	14.05	31.88	45.93	54.00	-8.07	AVG	
3	X	2407.600	62.48	31.91	94.39	74.00	20.39	peak	No Limit
4	*	2408.400	53.91	31.91	85.82	54.00	31.82	AVG	No Limit

Orthogonal Axis :	X
Test Mode :	TX N-20M MODE 2412MHz-External Antenna


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	4823.865	27.13	3.62	30.75	54.00	-23.25	AVG	
2		4824.105	38.93	3.62	42.55	74.00	-31.45	peak	

Orthogonal Axis :	X
Test Mode :	TX N-20M MODE 2437MHz-External Antenna

Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	2433.300	65.52	31.94	97.46	54.00	43.46	AVG	No Limit
2	X	2440.800	74.95	31.95	106.90	74.00	32.90	peak	No Limit

Orthogonal Axis :	X
Test Mode :	TX N-20M MODE 2437MHz-External Antenna


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	4873.735	30.37	3.72	34.09	54.00	-19.91	AVG	
2		4873.985	42.24	3.72	45.96	74.00	-28.04	peak	

Orthogonal Axis :	X
Test Mode :	TX N-20M MODE 2437MHz-External Antenna

Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	2433.800	66.43	31.94	98.37	74.00	24.37	peak	No Limit
2	*	2434.100	57.64	31.94	89.58	54.00	35.58	AVG	No Limit

Orthogonal Axis :	X
Test Mode :	TX N-20M MODE 2437MHz-External Antenna


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	4873.205	29.33	3.72	33.05	54.00	-20.95	AVG	
2		4874.375	41.77	3.72	45.49	74.00	-28.51	peak	

Orthogonal Axis :	X
Test Mode :	TX N-20M MODE 2462MHz-External Antenna

Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	2464.900	70.36	31.98	102.34	74.00	28.34	peak	No Limit
2	*	2465.400	60.96	31.98	92.94	54.00	38.94	AVG	No Limit
3		2483.500	26.94	32.01	58.95	74.00	-15.05	peak	
4		2483.500	15.95	32.01	47.96	54.00	-6.04	AVG	

Orthogonal Axis :	X
Test Mode :	TX N-20M MODE 2462MHz-External Antenna


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	4923.800	27.61	3.80	31.41	54.00	-22.59	AVG	
2		4924.005	39.36	3.80	43.16	74.00	-30.84	peak	

Orthogonal Axis :	X
Test Mode :	TX N-20M MODE 2462MHz-External Antenna

Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	2458.900	52.57	31.98	84.55	54.00	30.55	AVG	No Limit
2	X	2460.700	58.85	31.98	90.83	74.00	16.83	peak	No Limit
3		2483.500	23.62	32.01	55.63	74.00	-18.37	peak	
4		2483.500	13.81	32.01	45.82	54.00	-8.18	AVG	

Orthogonal Axis :	X
Test Mode :	TX N-20M MODE 2462MHz-External Antenna


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	4923.875	26.91	3.80	30.71	54.00	-23.29	AVG	
2		4924.250	37.98	3.80	41.78	74.00	-32.22	peak	

Orthogonal Axis :	X
Test Mode :	TX N-40M MODE 2422MHz-External Antenna

Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		2390.000	27.14	31.88	59.02	74.00	-14.98	peak	
2		2390.000	16.58	31.88	48.46	54.00	-5.54	AVG	
3	X	2418.800	66.38	31.92	98.30	74.00	24.30	peak	No Limit
4	*	2427.000	56.09	31.93	88.02	54.00	34.02	AVG	No Limit

Orthogonal Axis :	X
Test Mode :	TX N-40M MODE 2422MHz-External Antenna


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		4843.895	38.55	3.66	42.21	74.00	-31.79	peak	
2	*	4843.925	26.74	3.66	30.40	54.00	-23.60	AVG	

Orthogonal Axis :	X
Test Mode :	TX N-40M MODE 2422MHz-External Antenna

Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		2390.000	25.28	31.88	57.16	74.00	-16.84	peak	
2		2390.000	14.51	31.88	46.39	54.00	-7.61	AVG	
3	*	2417.000	48.91	31.91	80.82	54.00	26.82	AVG	No Limit
4	X	2419.200	58.89	31.92	90.81	74.00	16.81	peak	No Limit

Orthogonal Axis :	X
Test Mode :	TX N-40M MODE 2422MHz-External Antenna


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	4843.820	26.51	3.66	30.17	54.00	-23.83	AVG	
2		4844.095	38.48	3.66	42.14	74.00	-31.86	peak	

Orthogonal Axis :	X
Test Mode :	TX N-40M MODE 2437MHz-External Antenna

Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	2434.600	69.12	31.94	101.06	74.00	27.06	peak	No Limit
2	*	2442.200	59.28	31.95	91.23	54.00	37.23	AVG	No Limit

Orthogonal Axis :	X
Test Mode :	TX N-40M MODE 2437MHz-External Antenna


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	4873.315	27.04	3.72	30.76	54.00	-23.24	AVG	
2		4873.785	38.82	3.72	42.54	74.00	-31.46	peak	

Orthogonal Axis :	X
Test Mode :	TX N-40M MODE 2437MHz-External Antenna

Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	2432.400	50.74	31.94	82.68	54.00	28.68	AVG	No Limit
2	X	2442.000	59.66	31.95	91.61	74.00	17.61	peak	No Limit

Orthogonal Axis :	X
Test Mode :	TX N-40M MODE 2437MHz-External Antenna


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	4873.965	26.93	3.72	30.65	54.00	-23.35	AVG	
2		4874.120	37.98	3.72	41.70	74.00	-32.30	peak	

Orthogonal Axis :	X
Test Mode :	TX N-40M MODE 2452MHz-External Antenna

Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	2454.400	65.77	31.96	97.73	74.00	23.73	peak	No Limit
2	*	2455.600	55.79	31.96	87.75	54.00	33.75	AVG	No Limit
3		2483.500	26.57	32.01	58.58	74.00	-15.42	peak	
4		2483.500	16.35	32.01	48.36	54.00	-5.64	AVG	

Orthogonal Axis :	X
Test Mode :	TX N-40M MODE 2452MHz-External Antenna


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		4903.865	37.34	3.77	41.11	74.00	-32.89	peak	
2	*	4903.965	26.31	3.77	30.08	54.00	-23.92	AVG	

Orthogonal Axis :	X
Test Mode :	TX N-40M MODE 2452MHz-External Antenna

Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	2446.800	56.80	31.96	88.76	74.00	14.76	peak	No Limit
2	*	2447.600	47.51	31.96	79.47	54.00	25.47	AVG	No Limit
3		2483.500	25.54	32.01	57.55	74.00	-16.45	peak	
4		2483.500	13.95	32.01	45.96	54.00	-8.04	AVG	

Orthogonal Axis :	X
Test Mode :	TX N-40M MODE 2452MHz-External Antenna

Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	4903.915	26.15	3.77	29.92	54.00	-24.08	AVG	
2		4903.965	36.96	3.77	40.73	74.00	-33.27	peak	

ATTACHMENT E - BANDWIDTH

Test Mode : TX B Mode_CH01/06/11


Frequency (MHz)	6dB Bandwidth (MHz)	99% Occupied BW (MHz)	Min. Limit (kHz)	Test Result
2412	7.98	10.12	500	Complies
2437	8.16	10.12	500	Complies
2462	8.06	10.12	500	Complies

TX CH01




Date: 7.DEC.2014 12:14:27

TX CH06



Date: 7.DEC.2014 12:16:24

TX CH11




Date: 7.DEC.2014 12:17:18

Test Mode: TX G Mode_CH01/06/11


Frequency (MHz)	6dB Bandwidth (MHz)	99% Occupied BW (MHz)	Min. Limit (kHz)	Test Result
2412	16.48	16.52	500	Complies
2437	16.41	16.52	500	Complies
2462	16.47	16.52	500	Complies

TX CH01




Date: 7.DEC.2014 12:18:29

TX CH06



Date: 7.DEC.2014 12:20:03

TX CH11




Date: 7.DEC.2014 12:21:12

Test Mode : TX N-20MHz Mode_CH01/06/11


Frequency (MHz)	6dB Bandwidth (MHz)	99% Occupied BW (MHz)	Min. Limit (kHz)	Test Result
2412	17.64	17.64	500	Complies
2437	17.62	17.68	500	Complies
2462	17.67	17.64	500	Complies

TX CH01




Date: 7.DEC.2014 12:22:55

TX CH06



Date: 7.DEC.2014 12:24:40

TX CH11




Date: 7.DEC.2014 12:25:38

Test Mode : TX N-40MHz Mode_CH03/06/09


Frequency (MHz)	6dB Bandwidth (MHz)	99% Occupied BW (MHz)	Min. Limit (kHz)	Test Result
2422	35.44	36.00	500	Complies
2437	36.15	36.00	500	Complies
2452	35.44	36.00	500	Complies

TX CH03




Date: 9.DEC.2014 07:27:09

TX CH06



Date: 9.DEC.2014 07:28:10

TX CH09



Date: 9.DEC.2014 07:29:19

ATTACHMENT F – MAXIMUM PEAK CONDUCTED OUTPUT POWER

Test Mode :TX B Mode_CH01/06/11

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
2412	18.75	0.07	26.00	0.40	Complies
2437	18.56	0.07	26.00	0.40	Complies
2462	15.70	0.04	26.00	0.40	Complies

Test Mode :TX G Mode_CH01/06/11

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
2412	22.60	0.18	26.00	0.40	Complies
2437	25.30	0.34	26.00	0.40	Complies
2462	20.50	0.11	26.00	0.40	Complies

Test Mode :TX N20 Mode_CH01/06/11

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
2412	19.10	0.08	26.00	0.40	Complies
2437	23.00	0.20	26.00	0.40	Complies
2462	19.60	0.09	26.00	0.40	Complies


Test Mode :TX N40 Mode_CH03/06/09

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
2422	19.80	0.10	26.00	1.00	Complies
2437	21.10	0.13	26.00	1.00	Complies
2452	16.90	0.05	26.00	1.00	Complies

ATTACHMENT G - ANTENNA CONDUCTED SPURIOUS EMISSION


Test Mode :	TX B Mode
--------------------	------------------

TX B mode CH01




Date: 7.DEC.2014 12:14:48

TX B mode CH11




Date: 7.DEC.2014 12:17:38

TX B mode CH01 (10 Harmonic of the frequency)




Date: 7.DEC.2014 12:14:40

TX B mode CH06 (10 Harmonic of the frequency)



Date: 7.DEC.2014 12:16:38


TX B mode CH11 (10 Harmonic of the frequency)



Date: 7.DEC.2014 12:17:31


Test Mode :	TX G Mode
--------------------	------------------

TX G mode CH01




Date: 7.DEC.2014 12:18:50

TX G mode CH11




Date: 7.DEC.2014 12:21:33

TX G mode CH01 (10 Harmonic of the frequency)




Date: 7.DEC.2014 12:18:43

TX G mode CH06 (10 Harmonic of the frequency)



Date: 7.DEC.2014 12:20:16


TX G mode CH11 (10 Harmonic of the frequency)



Date: 7.DEC.2014 12:21:26


Test Mode :	TX N-20M Mode
--------------------	----------------------

TX HT20 mode CH01




Date: 7.DEC.2014 12:23:16

TX HT20 mode CH11




Date: 7.DEC.2014 12:25:59

TX HT20 mode CH01 (10 Harmonic of the frequency)




Date: 7.DEC.2014 12:23:09

TX HT20 mode CH06 (10 Harmonic of the frequency)



Date: 7.DEC.2014 12:24:53


TX HT20 mode CH11 (10 Harmonic of the frequency)



Date: 7.DEC.2014 12:25:51


Test Mode :	TX N-40M Mode
--------------------	----------------------

TX HT40 mode CH03




Date: 9.DEC.2014 07:27:31

TX HT40 mode CH09




Date: 9.DEC.2014 07:29:40

TX HT40 mode CH03 (10 Harmonic of the frequency)




Date: 9.DEC.2014 07:27:23

TX HT40 mode CH06 (10 Harmonic of the frequency)



Date: 9.DEC.2014 07:28:24

TX HT40 mode CH09 (10 Harmonic of the frequency)




Date: 9.DEC.2014 07:29:32

ATTACHMENT H - POWER SPECTRAL DENSITY

Test Mode :TX B Mode_CH01/06/11


Frequency (MHz)	Power Density (dBm/3kHz)	Power Density (mW/3kHz)	Max. Limit (dBm/3kHz)	Result
2412	-11.19	0.08	4.00	Complies
2437	-11.70	0.07	4.00	Complies
2462	-14.18	0.04	4.00	Complies

TX CH01




Date: 7.DEC.2014 12:14:57

TX CH06



Date: 7.DEC.2014 12:16:47

TX CH11




Date: 7.DEC.2014 12:17:47

Test Mode :TX G Mode_CH01/06/11


Frequency (MHz)	Power Density (dBm/3kHz)	Power Density (mW/3kHz)	Max. Limit (dBm/3kHz)	Result
2412	-17.89	0.02	4.00	Complies
2437	-15.94	0.03	4.00	Complies
2462	-19.25	0.01	4.00	Complies

TX CH01




Date: 7.DEC.2014 12:18:59

TX CH06



Date: 7.DEC.2014 12:20:25

TX CH11




Date: 7.DEC.2014 12:21:42

Test Mode : TX N-20M Mode_CH01/06/11


Frequency (MHz)	Power Density (dBm/3kHz)	Power Density (mW/3kHz)	Max. Limit (dBm/3kHz)	Result
2412	-22.00	0.01	4.00	Complies
2437	-18.77	0.01	4.00	Complies
2462	-20.53	0.01	4.00	Complies

TX CH01




Date: 7.DEC.2014 12:23:25

TX CH06



Date: 7.DEC.2014 12:25:02

TX CH11




Date: 7.DEC.2014 12:26:07

Test Mode : TX N-40M Mode_CH03/06/09


Frequency (MHz)	Power Density (dBm/3kHz)	Power Density (mW/3kHz)	Max. Limit (dBm/3kHz)	Result
2422	-21.61	0.01	4.00	Complies
2437	-17.98	0.02	4.00	Complies
2452	-20.18	0.01	4.00	Complies

TX CH03




Date: 9.DEC.2014 07:27:42

TX CH06



Date: 9.DEC.2014 07:28:35

TX CH09



Date: 9.DEC.2014 07:29:52