### #01\_GSM850\_GPRS (4 Tx slots)\_Right Cheek\_Ch128

Communication System: GSM850; Frequency: 824.2 MHz; Duty Cycle: 1:2.08

Medium: HSL\_850\_160510 Medium parameters used: f = 824.2 MHz;  $\sigma = 0.879$  mho/m;  $\epsilon_r = 41.4$ ;  $\rho$ 

Date: 2016/5/10

 $= 1000 \text{ kg/m}^3$ 

Ambient Temperature: 23.7 °C; Liquid Temperature: 22.7 °C

#### DASY4 Configuration:

- Probe: ES3DV3 SN3270; ConvF(6.32, 6.32, 6.32); Calibrated: 2015/9/28
- Sensor-Surface: 3mm (Mechanical Surface Detection)
- Electronics: DAE3 Sn360; Calibrated: 2015/10/15
- Phantom: SAM Right; Type: SAM Right; Serial: TP-1303
- ;Postprocessing SW: SEMCAD, V1.8 Build 159

**Area Scan (71x121x1):** Measurement grid: dx=15mm, dy=15mm

Maximum value of SAR (interpolated) = 0.400 mW/g


**Zoom Scan (5x5x7)/Cube 0:** Measurement grid: dx=8mm, dy=8mm, dz=5mm

Reference Value = 21.3 V/m; Power Drift = 0.094 dB

Peak SAR (extrapolated) = 0.429 W/kg

SAR(1 g) = 0.362 mW/g; SAR(10 g) = 0.283 mW/g

Maximum value of SAR (measured) = 0.388 mW/g



### #02\_GSM1900\_EDGE (4 Tx slots)\_Left Cheek\_Ch512

Communication System: PCS; Frequency: 1850.2 MHz; Duty Cycle: 1:2.08

Medium: HSL 1900 160508 Medium parameters used : f = 1850.2 MHz;  $\sigma = 1.35$  mho/m;  $\varepsilon_r = 38.8$ ;

Date: 2016/5/8

 $\rho = 1000 \text{ kg/m}^3$ 

Ambient Temperature: 23.5 °C; Liquid Temperature: 22.5 °C

### DASY4 Configuration:

- Probe: ES3DV3 SN3270; ConvF(5.12, 5.12, 5.12); Calibrated: 2015/9/28
- Sensor-Surface: 3mm (Mechanical Surface Detection)
- Electronics: DAE3 Sn360; Calibrated: 2015/10/15
- Phantom: SAM Right; Type: SAM Right; Serial: TP-1303
- ;Postprocessing SW: SEMCAD, V1.8 Build 159

**Area Scan (71x121x1):** Measurement grid: dx=15mm, dy=15mm

Maximum value of SAR (interpolated) = 0.383 mW/g


**Zoom Scan (5x5x7)/Cube 0:** Measurement grid: dx=8mm, dy=8mm, dz=5mm

Reference Value = 14.1 V/m; Power Drift = -0.037 dB

Peak SAR (extrapolated) = 0.584 W/kg

SAR(1 g) = 0.306 mW/g; SAR(10 g) = 0.153 mW/g

Maximum value of SAR (measured) = 0.430 mW/g



### #03\_WCDMA II\_RMC 12.2Kbps\_Left Cheek\_Ch9400

Communication System: WCDMA; Frequency: 1880 MHz; Duty Cycle: 1:1

Medium: HSL\_1900\_160512 Medium parameters used: f = 1880 MHz;  $\sigma = 1.41$  mho/m;  $\epsilon_r = 40.6$ ;  $\rho$ 

Date: 2016/5/12

 $= 1000 \text{ kg/m}^3$ 

Ambient Temperature: 23.7 °C; Liquid Temperature: 22.7 °C

### DASY4 Configuration:

- Probe: EX3DV4 SN7346; ConvF(8.33, 8.33, 8.33); Calibrated: 2015/9/2
- Sensor-Surface: 1.4mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn916; Calibrated: 2015/12/16
- Phantom: SAM Right; Type: SAM Right; Serial: TP-1303
- ;Postprocessing SW: SEMCAD, V1.8 Build 159

**Area Scan (71x121x1):** Measurement grid: dx=15mm, dy=15mm Maximum value of SAR (interpolated) = 0.831 mW/g


**Zoom Scan (5x5x7)/Cube 0:** Measurement grid: dx=8mm, dy=8mm, dz=5mm Reference

Value = 21.0 V/m; Power Drift = -0.107 dB

Peak SAR (extrapolated) = 0.995 W/kg

SAR(1 g) = 0.535 mW/g; SAR(10 g) = 0.279 mW/g

Maximum value of SAR (measured) = 0.738 mW/g



### #04\_WCDMA IV\_RMC 12.2Kbps\_Left Cheek\_Ch1513

Communication System: WCDMA; Frequency: 1752.6 MHz; Duty Cycle: 1:1

Medium: HSL\_1750\_160512 Medium parameters used: f = 1753 MHz;  $\sigma$  = 1.38 mho/m;  $\epsilon_r$  = 40.7;  $\rho$ 

Date: 2016/5/12

 $= 1000 \text{ kg/m}^3$ 

Ambient Temperature: 23.7 °C; Liquid Temperature: 22.7 °C

### DASY4 Configuration:

- Probe: EX3DV4 SN7346; ConvF(8.6, 8.6, 8.6); Calibrated: 2015/9/2
- Sensor-Surface: 1.4mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn916; Calibrated: 2015/12/16
- Phantom: SAM Right; Type: SAM Right; Serial: TP-1303
- ;Postprocessing SW: SEMCAD, V1.8 Build 159

**Area Scan (71x121x1):** Measurement grid: dx=15mm, dy=15mm Maximum value of SAR (interpolated) = 1.27 mW/g


**Zoom Scan (5x5x7)/Cube 0:** Measurement grid: dx=8mm, dy=8mm, dz=5mm Reference

Value = 24.0 V/m; Power Drift = -0.101 dB

Peak SAR (extrapolated) = 1.28 W/kg

SAR(1 g) = 0.760 mW/g; SAR(10 g) = 0.441 mW/g

Maximum value of SAR (measured) = 1.09 mW/g



## #05\_WCDMA V\_RMC 12.2Kbps\_Right Cheek\_Ch4132

Communication System: WCDMA; Frequency: 826.4 MHz; Duty Cycle: 1:1

Medium: HSL\_850\_160510 Medium parameters used: f = 826.4 MHz;  $\sigma = 0.881$  mho/m;  $\epsilon_r = 41.3$ ;  $\rho$ 

Date: 2016/5/10

 $= 1000 \text{ kg/m}^3$ 

Ambient Temperature: 23.7 °C; Liquid Temperature: 22.7 °C

#### DASY4 Configuration:

- Probe: ES3DV3 SN3270; ConvF(6.32, 6.32, 6.32); Calibrated: 2015/9/28
- Sensor-Surface: 3mm (Mechanical Surface Detection)
- Electronics: DAE3 Sn360; Calibrated: 2015/10/15
- Phantom: SAM Right; Type: SAM Right; Serial: TP-1303
- ;Postprocessing SW: SEMCAD, V1.8 Build 159

Area Scan (71x121x1): Measurement grid: dx=15mm, dy=15mm

Maximum value of SAR (interpolated) = 0.336 mW/g

**Zoom Scan (5x5x7)/Cube 0:** Measurement grid: dx=8mm, dy=8mm, dz=5mm

Reference Value = 19.6 V/m; Power Drift = 0.102 dB

Peak SAR (extrapolated) = 0.388 W/kg

SAR(1 g) = 0.323 mW/g; SAR(10 g) = 0.253 mW/g

Maximum value of SAR (measured) = 0.351 mW/g



## #06\_LTE Band 2\_20M\_QPSK\_1\_49\_Left Cheek\_Ch18700

Communication System: LTE; Frequency: 1860 MHz; Duty Cycle: 1:1

Medium: HSL\_1900\_160508 Medium parameters used: f = 1860 MHz;  $\sigma = 1.36$  mho/m;  $\varepsilon_r = 38.8$ ;  $\rho$ 

Date: 2016/5/8

 $= 1000 \text{ kg/m}^3$ 

Ambient Temperature: 23.5 °C; Liquid Temperature: 22.5 °C

### DASY4 Configuration:

- Probe: ES3DV3 SN3270; ConvF(5.12, 5.12, 5.12); Calibrated: 2015/9/28
- Sensor-Surface: 3mm (Mechanical Surface Detection)
- Electronics: DAE3 Sn360; Calibrated: 2015/10/15
- Phantom: SAM Right; Type: SAM Right; Serial: TP-1303
- ;Postprocessing SW: SEMCAD, V1.8 Build 159

**Area Scan (61x121x1):** Measurement grid: dx=15mm, dy=15mm

Maximum value of SAR (interpolated) = 0.670 mW/g


**Zoom Scan (5x5x7)/Cube 0:** Measurement grid: dx=8mm, dy=8mm, dz=5mm

Reference Value = 17.8 V/m; Power Drift = 0.178 dB

Peak SAR (extrapolated) = 0.951 W/kg

SAR(1 g) = 0.530 mW/g; SAR(10 g) = 0.286 mW/g

Maximum value of SAR (measured) = 0.705 mW/g



### #07\_LTE Band 4\_20M\_QPSK\_1\_49\_Left Cheek\_Ch20175

Communication System: LTE; Frequency: 1732.5 MHz; Duty Cycle: 1:1

Medium: HSL 1750 160508 Medium parameters used: f = 1732.5 MHz;  $\sigma = 1.37$  mho/m;  $\varepsilon_r = 39.2$ ;

Date: 2016/5/8

 $\rho = 1000 \text{ kg/m}^3$ 

Ambient Temperature: 23.5 °C; Liquid Temperature: 22.5 °C

### DASY4 Configuration:

- Probe: ES3DV3 SN3270; ConvF(5.32, 5.32, 5.32); Calibrated: 2015/9/28
- Sensor-Surface: 3mm (Mechanical Surface Detection)
- Electronics: DAE3 Sn360; Calibrated: 2015/10/15
- Phantom: SAM Right; Type: SAM Right; Serial: TP-1303
- ;Postprocessing SW: SEMCAD, V1.8 Build 159

**Area Scan (61x121x1):** Measurement grid: dx=15mm, dy=15mm

Maximum value of SAR (interpolated) = 0.604 mW/g


**Zoom Scan (5x5x7)/Cube 0:** Measurement grid: dx=8mm, dy=8mm, dz=5mm

Reference Value = 16.3 V/m; Power Drift = 0.089 dB

Peak SAR (extrapolated) = 0.951 W/kg

SAR(1 g) = 0.493 mW/g; SAR(10 g) = 0.246 mW/g

Maximum value of SAR (measured) = 0.562 mW/g



## #08\_LTE Band 5\_10M\_QPSK\_1\_25\_Right Cheek\_Ch20525

Communication System: LTE; Frequency: 836.5 MHz; Duty Cycle: 1:1

Medium: HSL\_850\_160510 Medium parameters used: f = 836.5 MHz;  $\sigma = 0.89$  mho/m;  $\varepsilon_r =$ 

Date: 2016/5/10

41.2;  $\rho = 1000 \text{ kg/m}^3$ 

Ambient Temperature: 23.7°C; Liquid Temperature: 22.7°C

#### DASY4 Configuration:

- Probe: ES3DV3 SN3270; ConvF(6.32, 6.32, 6.32); Calibrated: 2015/9/28
- Sensor-Surface: 3mm (Mechanical Surface Detection)
- Electronics: DAE3 Sn360; Calibrated: 2015/10/15
- Phantom: SAM\_Right; Type: SAM\_Right; Serial: TP-1303
- ;Postprocessing SW: SEMCAD, V1.8 Build 159

**Area Scan (61x121x1):** Measurement grid: dx=15mm, dy=15mm Maximum value of SAR (interpolated) = 0.376 mW/g


**Zoom Scan (5x5x7)/Cube 0:** Measurement grid: dx=8mm, dy=8mm, dz=5mm

Reference Value = 20.1 V/m; Power Drift = 0.074 dB

Peak SAR (extrapolated) = 0.407 W/kg

SAR(1 g) = 0.336 mW/g; SAR(10 g) = 0.261 mW/g

Maximum value of SAR (measured) = 0.359 mW/g



## #09\_LTE Band 7\_20M\_QPSK\_1\_49\_Left Cheek\_Ch20850

Communication System: LTE; Frequency: 2510 MHz; Duty Cycle: 1:1

Medium: HSL 2600 160509 Medium parameters used: f = 2510 MHz;  $\sigma = 1.85$  mho/m;  $\varepsilon_r = 39.8$ ;  $\rho$ 

Date: 2016/5/9

 $= 1000 \text{ kg/m}^3$ 

Ambient Temperature: 23.4 °C; Liquid Temperature: 22.4 °C

### DASY4 Configuration:

- Probe: ES3DV3 SN3270; ConvF(4.44, 4.44, 4.44); Calibrated: 2015/9/28
- Sensor-Surface: 3mm (Mechanical Surface Detection)
- Electronics: DAE3 Sn360; Calibrated: 2015/10/15
- Phantom: SAM Right; Type: SAM Right; Serial: TP-1303
- ;Postprocessing SW: SEMCAD, V1.8 Build 159

**Area Scan (81x151x1):** Measurement grid: dx=12mm, dy=12mm

Maximum value of SAR (interpolated) = 0.137 mW/g


**Zoom Scan (7x7x7)/Cube 0:** Measurement grid: dx=5mm, dy=5mm, dz=5mm

Reference Value = 8.11 V/m; Power Drift = -0.103 dB

Peak SAR (extrapolated) = 0.235 W/kg

SAR(1 g) = 0.110 mW/g; SAR(10 g) = 0.049 mW/g

Maximum value of SAR (measured) = 0.139 mW/g



Communication System: LTE; Frequency: 707.5 MHz; Duty Cycle: 1:1

Medium: HSL\_750\_160510 Medium parameters used : f = 707.5 MHz;  $\sigma = 0.854$  mho/m;  $\varepsilon_r = 43.1$ ;  $\rho$ 

Date: 2016/5/10

 $= 1000 \text{ kg/m}^3$ 

Ambient Temperature: 23.5 °C; Liquid Temperature: 22.5 °C

### DASY4 Configuration:

- Probe: ES3DV3 SN3270; ConvF(6.5, 6.5, 6.5); Calibrated: 2015/9/28
- Sensor-Surface: 3mm (Mechanical Surface Detection)
- Electronics: DAE3 Sn360; Calibrated: 2015/10/15
- Phantom: SAM Right; Type: SAM Right; Serial: TP-1303
- ;Postprocessing SW: SEMCAD, V1.8 Build 159

**Area Scan (71x121x1):** Measurement grid: dx=15mm, dy=15mm

Maximum value of SAR (interpolated) = 0.159 mW/g


**Zoom Scan (5x5x7)/Cube 0:** Measurement grid: dx=8mm, dy=8mm, dz=5mm

Reference Value = 14.2 V/m; Power Drift = 0.162 dB

Peak SAR (extrapolated) = 0.180 W/kg

SAR(1 g) = 0.152 mW/g; SAR(10 g) = 0.126 mW/g

Maximum value of SAR (measured) = 0.161 mW/g



## #11\_WLAN2.4GHz 802.11b 1Mbps Left Cheek Ch6

Communication System: 802.11b; Frequency: 2437 MHz; Duty Cycle: 1:1.029

Medium: HSL\_2450\_160513 Medium parameters used: f = 2437 MHz;  $\sigma = 1.729$  S/m;  $\epsilon_r = 39.01$ ;  $\rho = 1.729$  S/m;  $\epsilon_r = 39.01$ ;  $\epsilon_r = 39.01$ 

Date: 2016/5/13

 $1000 \text{ kg/m}^3$ 

Ambient Temperature: 23.7 °C; Liquid Temperature: 22.7 °C

### **DASY5** Configuration

- Probe: EX3DV4 SN3931; ConvF(7.51, 7.51, 7.51); Calibrated: 2015/10/1;
- Sensor-Surface: 1.4mm (Mechanical Surface Detection)
- Electronics: DAE3 Sn577; Calibrated: 2015/9/24
- Phantom: SAM LEFT; Type: QD000P40CD; Serial: TP:1718
- Measurement SW: DASY52, Version 52.8 (8); SEMCAD X Version 14.6.10 (7331)

**Area Scan (71x151x1):** Interpolated grid: dx=1.200 mm, dy=1.200 mm Maximum value of SAR (interpolated) = 0.205 W/kg


**Zoom Scan (7x7x7)/Cube 0:** Measurement grid: dx=5mm, dy=5mm, dz=5mm

Reference Value = 7.206 V/m; Power Drift = 0.19 dB

Peak SAR (extrapolated) = 0.248 W/kg

SAR(1 g) = 0.125 W/kg; SAR(10 g) = 0.061 W/kg

Maximum value of SAR (measured) = 0.196 W/kg



0 dB = 0.205 W/kg = -6.88 dBW/kg

### #12\_GSM850\_GPRS (4 Tx slots)\_Back\_10mm\_Ch128

Communication System: GSM850; Frequency: 824.2 MHz; Duty Cycle: 1:2.08

Medium: MSL\_850\_160508 Medium parameters used: f = 824.2 MHz;  $\sigma = 0.977$  mho/m;  $\varepsilon_r = 56.9$ ;  $\rho$ 

Date: 2016/5/8

 $= 1000 \text{ kg/m}^3$ 

Ambient Temperature: 23.2 °C; Liquid Temperature: 22.2 °C

#### DASY4 Configuration:

- Probe: ES3DV3 SN3270; ConvF(6.24, 6.24, 6.24); Calibrated: 2015/9/28
- Sensor-Surface: 3mm (Mechanical Surface Detection)
- Electronics: DAE3 Sn360; Calibrated: 2015/10/15
- Phantom: SAM Right; Type: SAM Right; Serial: TP-1303
- ;Postprocessing SW: SEMCAD, V1.8 Build 159

**Area Scan (61x121x1):** Measurement grid: dx=15mm, dy=15mm

Maximum value of SAR (interpolated) = 0.839 mW/g


**Zoom Scan (5x5x7)/Cube 0:** Measurement grid: dx=8mm, dy=8mm, dz=5mm

Reference Value = 29.1 V/m; Power Drift = 0.165 dB

Peak SAR (extrapolated) = 0.957 W/kg

SAR(1 g) = 0.717 mW/g; SAR(10 g) = 0.517 mW/g

Maximum value of SAR (measured) = 0.830 mW/g



## #13\_GSM1900\_EDGE (4 Tx slots)\_Bottom Side\_10mm\_Ch810

Communication System: PCS; Frequency: 1909.8 MHz; Duty Cycle: 1:2.08

Medium: MSL 1900 160507 Medium parameters used: f = 1910 MHz;  $\sigma = 1.58$  mho/m;  $\varepsilon_r = 55.1$ ;  $\rho$ 

Date: 2016/5/7

 $= 1000 \text{ kg/m}^3$ 

Ambient Temperature: 23.8 °C; Liquid Temperature: 22.8 °C

### DASY4 Configuration:

- Probe: ES3DV3 SN3270; ConvF(4.78, 4.78, 4.78); Calibrated: 2015/9/28
- Sensor-Surface: 3mm (Mechanical Surface Detection)
- Electronics: DAE3 Sn360; Calibrated: 2015/10/15
- Phantom: SAM Right; Type: SAM Right; Serial: TP-1303
- ;Postprocessing SW: SEMCAD, V1.8 Build 159

**Area Scan (41x61x1):** Measurement grid: dx=15mm, dy=15mm

Maximum value of SAR (interpolated) = 0.972 mW/g


**Zoom Scan (5x5x7)/Cube 0:** Measurement grid: dx=8mm, dy=8mm, dz=5mm

Reference Value = 24.2 V/m; Power Drift = -0.015 dB

Peak SAR (extrapolated) = 1.39 W/kg

SAR(1 g) = 0.759 mW/g; SAR(10 g) = 0.392 mW/g

Maximum value of SAR (measured) = 0.879 mW/g



Communication System: WCDMA; Frequency: 1907.6 MHz; Duty Cycle: 1:1

Medium: MSL\_1900\_160511 Medium parameters used: f = 1908 MHz;  $\sigma = 1.56$  mho/m;  $\varepsilon_r = 54.1$ ;  $\rho$ 

Date: 2016/5/11

 $= 1000 \text{ kg/m}^3$ 

Ambient Temperature: 23.3 °C; Liquid Temperature: 22.3 °C

### DASY4 Configuration:

- Probe: EX3DV4 SN7346; ConvF(7.77, 7.77, 7.77); Calibrated: 2015/9/2
- Sensor-Surface: 1.4mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn916; Calibrated: 2015/12/16
- Phantom: SAM Right; Type: SAM Right; Serial: TP-1303
- ;Postprocessing SW: SEMCAD, V1.8 Build 159

Area Scan (41x61x1): Measurement grid: dx=15mm, dy=15mm

Maximum value of SAR (interpolated) = 1.31 mW/g


**Zoom Scan (5x5x7)/Cube 0:** Measurement grid: dx=8mm, dy=8mm, dz=5mm

Reference Value = 26.9 V/m; Power Drift = 0.104 dB

Peak SAR (extrapolated) = 1.44 W/kg

SAR(1 g) = 0.824 mW/g; SAR(10 g) = 0.448 mW/g

Maximum value of SAR (measured) = 1.20 mW/g



Communication System: WCDMA; Frequency: 1752.6 MHz; Duty Cycle: 1:1

Medium: MSL\_1750\_160511 Medium parameters used: f = 1753 MHz;  $\sigma = 1.47$  mho/m;  $\varepsilon_r = 55$ ;  $\rho =$ 

Date: 2016/5/11

 $1000 \text{ kg/m}^3$ 

Ambient Temperature: 23.3 °C; Liquid Temperature: 22.3 °C

### DASY4 Configuration:

- Probe: EX3DV4 SN7346; ConvF(8.06, 8.06, 8.06); Calibrated: 2015/9/2
- Sensor-Surface: 1.4mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn916; Calibrated: 2015/12/16
- Phantom: SAM Right; Type: SAM Right; Serial: TP-1303
- ;Postprocessing SW: SEMCAD, V1.8 Build 159

Area Scan (41x71x1): Measurement grid: dx=15mm, dy=15mm

Maximum value of SAR (interpolated) = 1.12 mW/g


**Zoom Scan (5x5x7)/Cube 0:** Measurement grid: dx=8mm, dy=8mm, dz=5mm

Reference Value = 15.3 V/m; Power Drift = -0.070 dB

Peak SAR (extrapolated) = 1.45 W/kg

SAR(1 g) = 0.897 mW/g; SAR(10 g) = 0.486 mW/g

Maximum value of SAR (measured) = 1.11 mW/g



Communication System: WCDMA; Frequency: 836.4 MHz; Duty Cycle: 1:1

Medium: MSL\_850\_160508 Medium parameters used: f = 836.4 MHz;  $\sigma = 0.989$  mho/m;  $\varepsilon_r = 56.8$ ;  $\rho$ 

Date: 2016/5/8

 $= 1000 \text{ kg/m}^3$ 

Ambient Temperature: 23.2 °C; Liquid Temperature: 22.2 °C

### DASY4 Configuration:

- Probe: ES3DV3 SN3270; ConvF(6.24, 6.24, 6.24); Calibrated: 2015/9/28
- Sensor-Surface: 3mm (Mechanical Surface Detection)
- Electronics: DAE3 Sn360; Calibrated: 2015/10/15
- Phantom: SAM Right; Type: SAM Right; Serial: TP-1303
- ;Postprocessing SW: SEMCAD, V1.8 Build 159

**Area Scan (61x121x1):** Measurement grid: dx=15mm, dy=15mm

Maximum value of SAR (interpolated) = 0.828 mW/g


**Zoom Scan (5x5x7)/Cube 0:** Measurement grid: dx=8mm, dy=8mm, dz=5mm

Reference Value = 29.2 V/m; Power Drift = 0.107 dB

Peak SAR (extrapolated) = 0.984 W/kg

SAR(1 g) = 0.731 mW/g; SAR(10 g) = 0.516 mW/g

Maximum value of SAR (measured) = 0.825 mW/g



Communication System: LTE; Frequency: 1880 MHz; Duty Cycle: 1:1

Medium: MSL\_1900\_160511 Medium parameters used: f = 1880 MHz;  $\sigma = 1.53$  mho/m;  $\varepsilon_r = 54.2$ ;  $\rho$ 

Date: 2016/5/11

 $= 1000 \text{ kg/m}^3$ 

Ambient Temperature: 23.3 °C; Liquid Temperature: 22.3 °C

### DASY4 Configuration:

- Probe: EX3DV4 SN7346; ConvF(7.77, 7.77, 7.77); Calibrated: 2015/9/2
- Sensor-Surface: 1.4mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn916; Calibrated: 2015/12/16
- Phantom: SAM Right; Type: SAM Right; Serial: TP-1303
- ;Postprocessing SW: SEMCAD, V1.8 Build 159

Area Scan (41x61x1): Measurement grid: dx=15mm, dy=15mm

Maximum value of SAR (interpolated) = 1.32 mW/g


**Zoom Scan (5x5x7)/Cube 0:** Measurement grid: dx=8mm, dy=8mm, dz=5mm

Reference Value = 28.2 V/m; Power Drift = 0.165 dB

Peak SAR (extrapolated) = 1.49 W/kg

SAR(1 g) = 0.854 mW/g; SAR(10 g) = 0.461 mW/g

Maximum value of SAR (measured) = 1.24 mW/g



## #18\_LTE Band 4\_20M\_QPSK\_1\_49\_Bottom Side\_10mm\_Ch20175

Communication System: LTE; Frequency: 1732.5 MHz; Duty Cycle: 1:1

Medium: MSL 1750 160507 Medium parameters used : f = 1732.5 MHz;  $\sigma = 1.43$  mho/m;  $\varepsilon_r = 52.8$ ;

Date: 2016/5/7

 $\rho = 1000 \text{ kg/m}^3$ 

Ambient Temperature: 23.8 °C; Liquid Temperature: 22.8 °C

### DASY4 Configuration:

- Probe: ES3DV3 SN3270; ConvF(4.95, 4.95, 4.95); Calibrated: 2015/9/28
- Sensor-Surface: 3mm (Mechanical Surface Detection)
- Electronics: DAE3 Sn360; Calibrated: 2015/10/15
- Phantom: SAM Right; Type: SAM Right; Serial: TP-1303
- ;Postprocessing SW: SEMCAD, V1.8 Build 159

Area Scan (41x71x1): Measurement grid: dx=15mm, dy=15mm

Maximum value of SAR (interpolated) = 1.04 mW/g


**Zoom Scan (5x5x7)/Cube 0:** Measurement grid: dx=8mm, dy=8mm, dz=5mm

Reference Value = 13.0 V/m; Power Drift = 0.10 dB

Peak SAR (extrapolated) = 1.73 W/kg

SAR(1 g) = 1.04 mW/g; SAR(10 g) = 0.563 mW/g

Maximum value of SAR (measured) = 1.27 mW/g



## #19\_LTE Band 5\_10M\_QPSK\_1\_25\_Back\_10mm\_Ch20525

Communication System: LTE; Frequency: 836.5 MHz; Duty Cycle: 1:1

Medium: MSL\_850\_160508 Medium parameters used : f = 836.5 MHz;  $\sigma = 0.989$  mho/m;  $\varepsilon_r = 56.8$ ;

Date: 2016/5/8

 $\rho = 1000 \text{ kg/m}^3$ 

Ambient Temperature: 23.2 °C; Liquid Temperature: 22.2 °C

### DASY4 Configuration:

- Probe: ES3DV3 SN3270; ConvF(6.24, 6.24, 6.24); Calibrated: 2015/9/28
- Sensor-Surface: 3mm (Mechanical Surface Detection)
- Electronics: DAE3 Sn360; Calibrated: 2015/10/15
- Phantom: SAM Right; Type: SAM Right; Serial: TP-1303
- Postprocessing SW: SEMCAD, V1.8 Build 159

**Area Scan (61x131x1):** Measurement grid: dx=15mm, dy=15mm

Maximum value of SAR (interpolated) = 0.806 mW/g


**Zoom Scan (5x5x7)/Cube 0:** Measurement grid: dx=8mm, dy=8mm, dz=5mm

Reference Value = 23.7 V/m; Power Drift = 0.127 dB

Peak SAR (extrapolated) = 1.08 W/kg

SAR(1 g) = 0.660 mW/g; SAR(10 g) = 0.407 mW/g

Maximum value of SAR (measured) = 0.782 mW/g



### #20\_LTE Band 7\_20M\_QPSK\_1\_49\_Back\_10mm\_Ch20850

Communication System: LTE; Frequency: 2510 MHz; Duty Cycle: 1:1

Medium: MSL\_2600\_160509 Medium parameters used: f = 2510 MHz;  $\sigma = 2.01$  mho/m;  $\varepsilon_r = 54$ ;  $\rho =$ 

Date: 2016/5/9

 $1000 \text{ kg/m}^3$ 

Ambient Temperature: 23.4 °C; Liquid Temperature: 22.4 °C

### DASY4 Configuration:

- Probe: ES3DV3 SN3270; ConvF(4.27, 4.27, 4.27); Calibrated: 2015/9/28
- Sensor-Surface: 3mm (Mechanical Surface Detection)
- Electronics: DAE3 Sn360; Calibrated: 2015/10/15
- Phantom: SAM Right; Type: SAM Right; Serial: TP-1303
- Postprocessing SW: SEMCAD, V1.8 Build 159

**Area Scan (81x151x1):** Measurement grid: dx=12mm, dy=12mm

Maximum value of SAR (interpolated) = 0.317 mW/g


**Zoom Scan (7x7x7)/Cube 0:** Measurement grid: dx=5mm, dy=5mm, dz=5mm

Reference Value = 12.6 V/m; Power Drift = 0.018 dB

Peak SAR (extrapolated) = 0.459 W/kg

SAR(1 g) = 0.237 mW/g; SAR(10 g) = 0.129 mW/g

Maximum value of SAR (measured) = 0.291 mW/g



## #21\_LTE Band 12\_10M\_QPSK\_1\_25\_Back\_10mm\_Ch23095

Communication System: LTE; Frequency: 707.5 MHz; Duty Cycle: 1:1

Medium: MSL 750 160509 Medium parameters used: f = 707.5 MHz;  $\sigma = 0.916$  mho/m;  $\varepsilon_r = 56.8$ ;  $\rho$ 

Date: 2016/5/9

 $= 1000 \text{ kg/m}^3$ 

Ambient Temperature: 23.2 °C; Liquid Temperature: 22.2 °C

#### DASY4 Configuration:

- Probe: ES3DV3 SN3270; ConvF(6.3, 6.3, 6.3); Calibrated: 2015/9/28
- Sensor-Surface: 3mm (Mechanical Surface Detection)
- Electronics: DAE3 Sn360; Calibrated: 2015/10/15
- Phantom: SAM Right; Type: SAM Right; Serial: TP-1303
- Postprocessing SW: SEMCAD, V1.8 Build 159

**Area Scan (61x121x1):** Measurement grid: dx=15mm, dy=15mm

Maximum value of SAR (interpolated) = 0.490 mW/g


**Zoom Scan (5x5x7)/Cube 0:** Measurement grid: dx=8mm, dy=8mm, dz=5mm

Reference Value = 23.3 V/m; Power Drift = -0.003 dB

Peak SAR (extrapolated) = 0.621 W/kg

SAR(1 g) = 0.408 mW/g; SAR(10 g) = 0.272 mW/g

Maximum value of SAR (measured) = 0.474 mW/g



# #22\_WLAN2.4GHz\_802.11b 1Mbps\_Back\_10mm\_Ch6

Communication System: 802.11b; Frequency: 2437 MHz; Duty Cycle: 1:1.029

Medium: MSL\_2450\_160513 Medium parameters used: f = 2437 MHz;  $\sigma$  = 1.902 S/m;  $\epsilon_r$  = 52.881;  $\rho$ 

Date: 2016/5/13

 $= 1000 \text{ kg/m}^3$ 

Ambient Temperature: 23.7 °C; Liquid Temperature: 22.7 °C

#### **DASY5** Configuration

- Probe: EX3DV4 SN3931; ConvF(7.54, 7.54, 7.54); Calibrated: 2015/10/1;
- Sensor-Surface: 1.4mm (Mechanical Surface Detection)
- Electronics: DAE3 Sn577; Calibrated: 2015/9/24
- Phantom: SAM\_RIGHT; Type: QD000P40CD; Serial: 1719
- Measurement SW: DASY52, Version 52.8 (8); SEMCAD X Version 14.6.10 (7331)

**Area Scan (81x151x1):** Interpolated grid: dx=1.200 mm, dy=1.200 mm Maximum value of SAR (interpolated) = 0.256 W/kg


**Zoom Scan (7x7x7)/Cube 0:** Measurement grid: dx=5mm, dy=5mm, dz=5mm

Reference Value = 9.432 V/m; Power Drift = -0.11 dB

Peak SAR (extrapolated) = 0.345 W/kg

SAR(1 g) = 0.178 W/kg; SAR(10 g) = 0.092 W/kg

Maximum value of SAR (measured) = 0.282 W/kg



0 dB = 0.256 W/kg = -5.92 dBW/kg

## #23\_GSM850\_GPRS (4 Tx slots)\_Back\_10mm\_Ch128

Communication System: GSM850; Frequency: 824.2 MHz; Duty Cycle: 1:2.08

Medium: MSL\_850\_160508 Medium parameters used: f = 824.2 MHz;  $\sigma = 0.977$  mho/m;  $\varepsilon_r = 56.9$ ;  $\rho$ 

Date: 2016/5/8

 $= 1000 \text{ kg/m}^3$ 

Ambient Temperature: 23.2 °C; Liquid Temperature: 22.2 °C

#### DASY4 Configuration:

- Probe: ES3DV3 SN3270; ConvF(6.24, 6.24, 6.24); Calibrated: 2015/9/28
- Sensor-Surface: 3mm (Mechanical Surface Detection)
- Electronics: DAE3 Sn360; Calibrated: 2015/10/15
- Phantom: SAM Right; Type: SAM Right; Serial: TP-1303
- Postprocessing SW: SEMCAD, V1.8 Build 159

**Area Scan (61x121x1):** Measurement grid: dx=15mm, dy=15mm Maximum value of SAR (interpolated) = 0.839 mW/g


**Zoom Scan (5x5x7)/Cube 0:** Measurement grid: dx=8mm, dy=8mm, dz=5mm

Reference Value = 29.1 V/m; Power Drift = 0.165 dB

Peak SAR (extrapolated) = 0.957 W/kg

SAR(1 g) = 0.717 mW/g; SAR(10 g) = 0.517 mW/g

Maximum value of SAR (measured) = 0.830 mW/g



## #24\_GSM1900\_EDGE (4 Tx slots) Front\_10mm\_Ch810

Communication System: PCS; Frequency: 1909.8 MHz; Duty Cycle: 1:2.08

Medium: MSL\_1900\_160507 Medium parameters used: f = 1910 MHz;  $\sigma = 1.58$  mho/m;  $\varepsilon_r = 55.1$ ;  $\rho$ 

Date: 2016/5/7

 $= 1000 \text{ kg/m}^3$ 

Ambient Temperature: 23.8 °C; Liquid Temperature: 22.8 °C

### DASY4 Configuration:

- Probe: ES3DV3 SN3270; ConvF(4.78, 4.78, 4.78); Calibrated: 2015/9/28
- Sensor-Surface: 3mm (Mechanical Surface Detection)
- Electronics: DAE3 Sn360; Calibrated: 2015/10/15
- Phantom: SAM Right; Type: SAM Right; Serial: TP-1303
- Postprocessing SW: SEMCAD, V1.8 Build 159

**Area Scan (61x131x1):** Measurement grid: dx=15mm, dy=15mm Maximum value of SAR (interpolated) = 0.441 mW/g


**Zoom Scan (5x5x7)/Cube 0:** Measurement grid: dx=8mm, dy=8mm, dz=5mm

Reference Value = 15.0 V/m; Power Drift = 0.129 dB

Peak SAR (extrapolated) = 0.791 W/kg

SAR(1 g) = 0.350 mW/g; SAR(10 g) = 0.195 mW/g

Maximum value of SAR (measured) = 0.438 mW/g



## #25\_WCDMA II\_RMC 12.2Kbps\_Back\_10mm\_Ch9538

Communication System: WCDMA; Frequency: 1907.6 MHz; Duty Cycle: 1:1

Medium: MSL\_1900\_160507 Medium parameters used: f = 1908 MHz;  $\sigma = 1.57$  mho/m;  $\varepsilon_r = 55.1$ ;  $\rho$ 

Date: 2016/5/7

 $= 1000 \text{ kg/m}^3$ 

Ambient Temperature: 23.8 °C; Liquid Temperature: 22.8 °C

### DASY4 Configuration:

- Probe: ES3DV3 SN3270; ConvF(4.78, 4.78, 4.78); Calibrated: 2015/9/28
- Sensor-Surface: 3mm (Mechanical Surface Detection)
- Electronics: DAE3 Sn360; Calibrated: 2015/10/15
- Phantom: SAM Right; Type: SAM Right; Serial: TP-1303
- Postprocessing SW: SEMCAD, V1.8 Build 159

**Area Scan (71x121x1):** Measurement grid: dx=15mm, dy=15mm Maximum value of SAR (interpolated) = 0.724 mW/g


**Zoom Scan (5x5x7)/Cube 0:** Measurement grid: dx=8mm, dy=8mm, dz=5mm Reference

Value = 20.9 V/m; Power Drift = -0.006 dB

Peak SAR (extrapolated) = 1.13 W/kg

SAR(1 g) = 0.679 mW/g; SAR(10 g) = 0.377 mW/g

Maximum value of SAR (measured) = 0.838 mW/g



## #26\_WCDMA IV\_RMC 12.2Kbps\_Back\_10mm\_Ch1513

Communication System: WCDMA; Frequency: 1752.6 MHz; Duty Cycle: 1:1

Medium: MSL 1750 160507 Medium parameters used: f = 1753 MHz;  $\sigma = 1.45$  mho/m;  $\varepsilon_r = 52.8$ ;  $\rho$ 

Date: 2016/5/7

 $= 1000 \text{ kg/m}^3$ 

Ambient Temperature: 23.8 °C; Liquid Temperature: 22.8 °C

### DASY4 Configuration:

- Probe: ES3DV3 SN3270; ConvF(4.95, 4.95, 4.95); Calibrated: 2015/9/28
- Sensor-Surface: 3mm (Mechanical Surface Detection)
- Electronics: DAE3 Sn360; Calibrated: 2015/10/15
- Phantom: SAM Right; Type: SAM Right; Serial: TP-1303
- Postprocessing SW: SEMCAD, V1.8 Build 159

**Area Scan (71x121x1):** Measurement grid: dx=15mm, dy=15mm Maximum value of SAR (interpolated) = 1.06 mW/g


**Zoom Scan (5x5x7)/Cube 0:** Measurement grid: dx=8mm, dy=8mm, dz=5mm Reference

Value = 28.6 V/m; Power Drift = 0.026 dB

Peak SAR (extrapolated) = 1.51 W/kg

SAR(1 g) = 0.897 mW/g; SAR(10 g) = 0.493 mW/g

Maximum value of SAR (measured) = 1.10 mW/g



Communication System: WCDMA; Frequency: 836.4 MHz; Duty Cycle: 1:1

Medium: MSL\_850\_160508 Medium parameters used: f = 836.4 MHz;  $\sigma = 0.989$  mho/m;  $\varepsilon_r = 56.8$ ;  $\rho$ 

Date: 2016/5/8

 $= 1000 \text{ kg/m}^3$ 

Ambient Temperature: 23.2 °C; Liquid Temperature: 22.2 °C

### DASY4 Configuration:

- Probe: ES3DV3 SN3270; ConvF(6.24, 6.24, 6.24); Calibrated: 2015/9/28
- Sensor-Surface: 3mm (Mechanical Surface Detection)
- Electronics: DAE3 Sn360; Calibrated: 2015/10/15
- Phantom: SAM Right; Type: SAM Right; Serial: TP-1303
- Postprocessing SW: SEMCAD, V1.8 Build 159

**Area Scan (61x121x1):** Measurement grid: dx=15mm, dy=15mm Maximum value of SAR (interpolated) = 0.828 mW/g


**Zoom Scan (5x5x7)/Cube 0:** Measurement grid: dx=8mm, dy=8mm, dz=5mm Reference

Value = 29.2 V/m; Power Drift = 0.107 dB

Peak SAR (extrapolated) = 0.984 W/kg

SAR(1 g) = 0.731 mW/g; SAR(10 g) = 0.516 mW/g

Maximum value of SAR (measured) = 0.825 mW/g



## #28\_LTE Band 2\_20M\_QPSK\_1\_49\_Front\_10mm\_Ch18900

Communication System: LTE; Frequency: 1880 MHz; Duty Cycle: 1:1

Medium: MSL 1900 160507 Medium parameters used: f = 1880 MHz;  $\sigma = 1.54$  mho/m;  $\varepsilon_r = 55.2$ ;  $\rho$ 

Date: 2016/5/7

 $= 1000 \text{ kg/m}^3$ 

Ambient Temperature: 23.8 °C; Liquid Temperature: 22.8 °C

### DASY4 Configuration:

- Probe: ES3DV3 SN3270; ConvF(4.78, 4.78, 4.78); Calibrated: 2015/9/28
- Sensor-Surface: 3mm (Mechanical Surface Detection)
- Electronics: DAE3 Sn360; Calibrated: 2015/10/15
- Phantom: SAM Right; Type: SAM Right; Serial: TP-1303
- Postprocessing SW: SEMCAD, V1.8 Build 159

**Area Scan (61x131x1):** Measurement grid: dx=15mm, dy=15mm Maximum value of SAR (interpolated) = 0.710 mW/g


**Zoom Scan (5x5x7)/Cube 0:** Measurement grid: dx=8mm, dy=8mm, dz=5mm Reference

Value = 20.9 V/m; Power Drift = 0.050 dB

Peak SAR (extrapolated) = 0.983 W/kg

SAR(1 g) = 0.604 mW/g; SAR(10 g) = 0.345 mW/g

Maximum value of SAR (measured) = 0.745 mW/g



## #29\_LTE Band 4\_20M\_QPSK\_1\_49\_Back\_10mm\_Ch20175

Communication System: LTE; Frequency: 1732.5 MHz; Duty Cycle: 1:1

Medium: MSL 1750 160507 Medium parameters used: f = 1732.5 MHz;  $\sigma = 1.43$  mho/m;  $\varepsilon_r = 52.8$ ;

Date: 2016/5/7

 $\rho = 1000 \text{ kg/m}^3$ 

Ambient Temperature: 23.8 °C; Liquid Temperature: 22.8 °C

### DASY4 Configuration:

- Probe: ES3DV3 SN3270; ConvF(4.95, 4.95, 4.95); Calibrated: 2015/9/28
- Sensor-Surface: 3mm (Mechanical Surface Detection)
- Electronics: DAE3 Sn360; Calibrated: 2015/10/15
- Phantom: SAM Right; Type: SAM Right; Serial: TP-1303
- Postprocessing SW: SEMCAD, V1.8 Build 159

**Area Scan (71x121x1):** Measurement grid: dx=15mm, dy=15mm Maximum value of SAR (interpolated) = 0.799 mW/g


**Zoom Scan (5x5x7)/Cube 0:** Measurement grid: dx=8mm, dy=8mm, dz=5mm Reference

Value = 19.8 V/m; Power Drift = -0.157 dB

Peak SAR (extrapolated) = 1.04 W/kg

SAR(1 g) = 0.625 mW/g; SAR(10 g) = 0.346 mW/g

Maximum value of SAR (measured) = 0.771 mW/g



Communication System: LTE; Frequency: 836.5 MHz; Duty Cycle: 1:1

Medium: MSL\_850\_160508 Medium parameters used : f = 836.5 MHz;  $\sigma = 0.989$  mho/m;  $\varepsilon_r = 56.8$ ;

Date: 2016/5/8

 $\rho = 1000 \text{ kg/m}^3$ 

Ambient Temperature: 23.2 °C; Liquid Temperature: 22.2 °C

### DASY4 Configuration:

- Probe: ES3DV3 SN3270; ConvF(6.24, 6.24, 6.24); Calibrated: 2015/9/28
- Sensor-Surface: 3mm (Mechanical Surface Detection)
- Electronics: DAE3 Sn360; Calibrated: 2015/10/15
- Phantom: SAM Right; Type: SAM Right; Serial: TP-1303
- Postprocessing SW: SEMCAD, V1.8 Build 159

**Area Scan (61x131x1):** Measurement grid: dx=15mm, dy=15mm Maximum value of SAR (interpolated) = 0.806 mW/g


**Zoom Scan (5x5x7)/Cube 0:** Measurement grid: dx=8mm, dy=8mm, dz=5mm Reference

Value = 23.7 V/m; Power Drift = 0.127 dB

Peak SAR (extrapolated) = 1.08 W/kg

SAR(1 g) = 0.660 mW/g; SAR(10 g) = 0.407 mW/g

Maximum value of SAR (measured) = 0.782 mW/g



### #31\_LTE Band 7\_20M\_QPSK\_1\_49\_Back\_10mm\_Ch20850

Communication System: LTE; Frequency: 2510 MHz; Duty Cycle: 1:1

Medium: MSL\_2600\_160509 Medium parameters used: f = 2510 MHz;  $\sigma = 2.01$  mho/m;  $\varepsilon_r = 54$ ;  $\rho =$ 

Date: 2016/5/9

 $1000 \text{ kg/m}^3$ 

Ambient Temperature: 23.4 °C; Liquid Temperature: 22.4 °C

### DASY4 Configuration:

- Probe: ES3DV3 SN3270; ConvF(4.27, 4.27, 4.27); Calibrated: 2015/9/28
- Sensor-Surface: 3mm (Mechanical Surface Detection)
- Electronics: DAE3 Sn360; Calibrated: 2015/10/15
- Phantom: SAM Right; Type: SAM Right; Serial: TP-1303
- Postprocessing SW: SEMCAD, V1.8 Build 159

**Area Scan (81x151x1):** Measurement grid: dx=12mm, dy=12mm Maximum value of SAR (interpolated) = 0.317 mW/g


**Zoom Scan (7x7x7)/Cube 0:** Measurement grid: dx=5mm, dy=5mm, dz=5mm Reference

Value = 12.6 V/m; Power Drift = 0.018 dB

Peak SAR (extrapolated) = 0.459 W/kg

SAR(1 g) = 0.237 mW/g; SAR(10 g) = 0.129 mW/g

Maximum value of SAR (measured) = 0.291 mW/g



## #32\_LTE Band 12\_10M\_QPSK\_1\_25\_Back\_10mm\_Ch23095

Communication System: LTE; Frequency: 707.5 MHz; Duty Cycle: 1:1

Medium: MSL 750 160509 Medium parameters used: f = 707.5 MHz;  $\sigma = 0.916$  mho/m;  $\varepsilon_r = 56.8$ ;  $\rho$ 

Date: 2016/5/9

 $= 1000 \text{ kg/m}^3$ 

Ambient Temperature: 23.2 °C; Liquid Temperature: 22.2 °C

### DASY4 Configuration:

- Probe: ES3DV3 SN3270; ConvF(6.3, 6.3, 6.3); Calibrated: 2015/9/28
- Sensor-Surface: 3mm (Mechanical Surface Detection)
- Electronics: DAE3 Sn360; Calibrated: 2015/10/15
- Phantom: SAM Right; Type: SAM Right; Serial: TP-1303
- Postprocessing SW: SEMCAD, V1.8 Build 159

**Area Scan (61x121x1):** Measurement grid: dx=15mm, dy=15mm Maximum value of SAR (interpolated) = 0.490 mW/g


**Zoom Scan (5x5x7)/Cube 0:** Measurement grid: dx=8mm, dy=8mm, dz=5mm Reference

Value = 23.3 V/m; Power Drift = -0.003 dB

Peak SAR (extrapolated) = 0.621 W/kg

SAR(1 g) = 0.408 mW/g; SAR(10 g) = 0.272 mW/g

Maximum value of SAR (measured) = 0.474 mW/g



# #33\_WLAN2.4GHz\_802.11b 1Mbps\_Back\_10mm\_Ch6

Communication System: 802.11b; Frequency: 2437 MHz; Duty Cycle: 1:1.029

Medium: MSL\_2450\_160513 Medium parameters used: f = 2437 MHz;  $\sigma$  = 1.902 S/m;  $\epsilon_r$  = 52.881;  $\rho$ 

Date: 2016/5/13

 $= 1000 \text{ kg/m}^3$ 

Ambient Temperature: 23.7 °C; Liquid Temperature: 22.7 °C

#### **DASY5** Configuration

- Probe: EX3DV4 SN3931; ConvF(7.54, 7.54, 7.54); Calibrated: 2015/10/1;
- Sensor-Surface: 1.4mm (Mechanical Surface Detection)
- Electronics: DAE3 Sn577; Calibrated: 2015/9/24
- Phantom: SAM RIGHT; Type: QD000P40CD; Serial: 1719
- Measurement SW: DASY52, Version 52.8 (8); SEMCAD X Version 14.6.10 (7331)

**Area Scan (81x151x1):** Interpolated grid: dx=1.200 mm, dy=1.200 mm Maximum value of SAR (interpolated) = 0.256 W/kg


**Zoom Scan (7x7x7)/Cube 0:** Measurement grid: dx=5mm, dy=5mm, dz=5mm

Reference Value = 9.432 V/m; Power Drift = -0.11 dB

Peak SAR (extrapolated) = 0.345 W/kg

SAR(1 g) = 0.178 W/kg; SAR(10 g) = 0.092 W/kg

Maximum value of SAR (measured) = 0.282 W/kg



0 dB = 0.256 W/kg = -5.92 dBW/kg

# #34\_Bluetooth\_1Mbps\_Back\_10mm\_Ch00

Communication System: Bluetooth; Frequency: 2402 MHz; Duty Cycle: 1:1.2

Medium: MSL 2450 160513 Medium parameters used: f = 2402 MHz;  $\sigma = 1.855$  S/m;  $\varepsilon_r = 53.005$ ;  $\rho$ 

Date: 2016/5/13

 $= 1000 \text{ kg/m}^3$ 


Ambient Temperature : 23.7 °C; Liquid Temperature : 22.7 °C

### DASY5 Configuration:

- Probe: EX3DV4 SN3931; ConvF(7.54, 7.54, 7.54); Calibrated: 2015/10/1;
- Sensor-Surface: 1.4mm (Mechanical Surface Detection)
- Electronics: DAE3 Sn577; Calibrated: 2015/9/24
- Phantom: SAM RIGHT; Type: QD000P40CD; Serial: 1719
- Measurement SW: DASY52, Version 52.8 (8); SEMCAD X Version 14.6.10 (7331)

**Area Scan (81x151x1):** Interpolated grid: dx=1.200 mm, dy=1.200 mm Maximum value of SAR (interpolated) = 0.147 W/kg

**Zoom Scan (7x7x7)/Cube 0:** Measurement grid: dx=5mm, dy=5mm,dz=5mm Reference Value = 4.179 V/m; Power Drift = -0.01 dB Peak SAR (extrapolated) = 0.333 W/kg **SAR(1 g) = 0.056 W/kg; SAR(10 g) = 0.08 W/kg** Maximum value of SAR (measured) = 0.172 W/kg



0 dB = 0.147 W/kg = -8.32 dBW/kg