RTA-A2L Error Description V12.7.0

Error Description Help Document

www.etas.com

Copyright

The data in this document may not be altered or amended without special notification from ETAS GmbH. ETAS GmbH undertakes no further obligation in relation to this document. The software described in it can only be used if the customer is in possession of a general license agreement or single license. Using and copying is only allowed in concurrence with the specifications stipulated in the contract.

Under no circumstances may any part of this document be copied, reproduced, transmitted, stored in a retrieval system or translated into another language without the express written permission of ETAS GmbH.

© Copyright 2025 ETAS GmbH, Stuttgart

The names and designations used in this document are trademarks or brands belonging to the respective owners.

ETAS RTA-A2L 12.7.0 - RTA-A2L Error Description Help Document R01 EN-05.2025

Contents

1 Safety and Privacy Information 10

1.1 Intended Use 10

1.2 Target Group 10

1.3 Classification of Safety Messages 10

1.4 Safety Information 10

1.5 Privacy 10

1.6 Definitions and Abbreviations 10

2 About this Manual 11

3 RTA-A2L Validations 12

3.1 RTA-A2L Measurement and Calibration Validations 12

3.1.1 A2L_MCS_003 12
3.1.2 A2L_MCS_004 12
3.1.3 A2L_MCS_007 12
3.1.4 A2L_MCS_008 13
3.1.5 A2L_MCS_012 13
3.1.6 A2L_MCS_015 13
3.1.7 A2L_MCS_020 14
3.1.8 A2L_MCS_023 14
3.1.9 A2L_MCS_024 14
3.1.10 A2L_MCS_025 15
3.1.11 A2L_MCS_029 15
3.1.12 A2L_MCS_030 15
3.1.13 A2L_MCS_031 15
3.1.14 A2L_MCS_032 16
3.1.15 A2L_MCS_033 16
3.1.16 A2L_MCS_034 16
3.1.17 A2L_MCS_035 17
3.1.18 A2L_MCS_036 17
3.1.19 A2L_MCS_038 17
3.1.20 A2L_MCS_039 17
3.1.21 A2L_MCS_041 18
3.1.22 A2L_MCS_042 18
3.1.23 A2L_MCS_047 18
3.1.24 A2L_MCS_048 19
3.1.25 A2L_MCS_049 19
3.1.26 A2L_MCS_050 19
3.1.27 A2L_MCS_051 19
3.1.28 A2L_MCS_052 20
3.1.29 A2L_MCS_053 20
3.1.30 A2L_MCS_054 20
3.1.31 A2L_MCS_055 21
3.1.32 A2L_MCS_056 21
3.1.33 A2L_MCS_057 21
3.1.34 A2L_MCS_058 22
3.1.35 A2L_MCS_059 22
3.1.36 A2L_MCS_060 22
3.1.37 A2L_MCS_061 23
3.1.38 A2L_MCS_062 23
3.1.39 A2L_MCS_063 23

3.1.40 A2L_MCS_064 ... 24
3.1.41 A2L_MCS_065 ... 24
3.1.42 A2L_MCS_066 ... 24
3.1.43 A2L_MCS_067 ... 24
3.1.44 A2L_MCS_068 ... 25
3.1.45 A2L_MCS_069 ... 25
3.1.46 A2L_MCS_070 ... 25
3.1.47 A2L_MCS_071 ... 26
3.1.48 A2L_MCS_072 ... 26
3.1.49 A2L_MCS_073 ... 26
3.1.50 A2L_MCS_074 ... 27
3.1.51 A2L_MCS_075 ... 27
3.1.52 A2L_MCS_076 ... 27
3.1.53 A2L_MCS_077 ... 28
3.1.54 A2L_MCS_078 ... 28
3.1.55 A2L_MCS_078 ... 28
3.1.56 A2L_MCS_079 ... 29
3.1.57 A2L_MCS_080 ... 29
3.1.58 A2L_MCS_081 ... 29
3.1.59 A2L_MCS_082 ... 29
3.1.60 A2L_MCS_083 ... 30
3.1.61 A2L_MCS_084 ... 30
3.1.62 A2L_MCS_085 ... 30
3.1.63 A2L_MCS_086 ... 31
3.1.64 A2L_MCS_087 ... 31
3.1.65 A2L_MCS_088 ... 31
3.1.66 A2L_MCS_ERROR_010 ... 32
3.1.67 A2L_MCS_ERROR_013 ... 32
3.1.68 A2L_MCS_ERROR_014 ... 32
3.1.69 A2L_MCS_ERROR_015 ... 32
3.1.70 A2L_MCS_ERROR_016 ... 33
3.1.71 A2L_MCS_ERROR_017 ... 33
3.1.72 A2L_MCS_ERROR_022 ... 33
3.1.73 A2L_MCS_ERROR_023 ... 34
3.1.74 A2L_MCS_ERROR_026 ... 34
3.1.75 A2L_MCS_ERROR_031 ... 34
3.1.76 A2L_MCS_ERROR_032 ... 35
3.1.77 A2L_MCS_ERROR_033 ... 35
3.1.78 A2L_MCS_ERROR_035 ... 35
3.1.79 A2L_MCS_ERROR_036 ... 36
3.1.80 A2L_MCS_ERROR_037 ... 36
3.1.81 A2L_MCS_ERROR_038 ... 36
3.1.82 A2L_MCS_INFO_001 ... 36
3.1.83 A2L_MCS_INFO_002 ... 37
3.1.84 A2L_MCS_INFO_003 ... 37
3.1.85 A2L_MCS_INFO_004 ... 37
3.1.86 A2L_MCS_INFO_005 ... 37
3.1.87 A2L_MCS_INFO_006 ... 38
3.1.88 A2L_MCS_INFO_007 ... 38
3.1.89 A2L_MCS_INFO_009 ... 38
3.1.90 A2L_MCS_INFO_010 ... 39
3.1.91 A2L_MCS_INFO_011 ... 39
3.1.92 A2L_MCS_INFO_012 ... 39
3.1.93 A2L_MCS_INFO_013 ... 39
3.1.94 A2L_MCS_INFO_014 ... 40
3.1.95 A2L_MCS_INFO_015 ... 40
3.1.96 A2L_MCS_INFO_016 ... 40

3.1.97 A2L_MCS_INFO_017 41
3.1.98 A2L_MCS_INFO_018 41
3.1.99 A2L_MCS_INFO_019 41
3.1.100 A2L_MCS_INFO_020 42
3.1.101 A2L_MCS_WARN_037 42
3.1.102 A2L_MCS_WARN_031 42
3.1.103 A2L_MCS_WARN_032 42
3.1.104 A2L_MCS_WARN_033 43
3.1.105 A2L_MCS_WARN_034 43
3.1.106 A2L_MCS_WARN_035 43
3.1.107 A2L_MCS_WARN_036 44
3.1.108 A2L_MCS_WARN_039 44
3.1.109 A2L_MCS_WARN_040 44
3.1.110 A2L_MCS_WARN_041 45
3.1.111 A2L_MCS_WARN_042 45
3.1.112 A2L_MCS_WARN_043 45
3.1.113 A2L_MCS_WARN_044 45
3.1.114 A2L_MCS_WARN_045 46
3.1.115 A2L_MCS_WARN_046 46
3.1.116 A2L_WRITER 46
3.1.117 A2LGEN_MISSING_MANDATORY_PARAMS 46
3.1.118 ARA2L_ARTOP_WARN_001 47
3.1.119 ARA2L_ARTOP_ERROR_001 47
3.1.120 ARA2L_ARTOP_WARN_002 47
3.1.121 ARA2L_ARTOP_ERROR_002 48
3.1.122 ARA2L_ARTOP_ERROR_003 48
3.1.123 A2LGEN_PROJECTROOT_DOES_NOT_EXISTS 48
3.1.124 A2LGEN_SYSTEM 48
3.1.125 A2LGEN_DEBUG_RUNTIME 49
3.1.126 A2LGEN_SYSTEM_RUNTIME 49
3.1.127 A2LGEN_VERSION 49
3.1.128 A2LGEN_PROJECTROOT_CANNONICAL_PATH_PROBLEM 49
3.1.129 A2LGEN_PROJECTROOT_NOT_DIR 50
3.1.130 ICE-ARA2L-E-FILE-PATH 50
3.1.131 ICE-ARA2L-E-ADX-DATA-FORMAT 50
3.1.132 ICE-ARA2L-E-ADX-SAX-PARSER 50
3.1.133 ICE-ARA2L-E-ADX-ERROR 51
3.1.134 A2LMERGE-E-OFFSET-FORMAT 51
3.1.135 A2LMERGE-E-INVALID-ARGUMENT 51
3.1.136 A2LMERGE-E-MISSING-ARGUMENT 51
3.1.137 A2LMERGE-E-ADDR-LMT-FORMAT 52
3.1.138 A2LMERGE-E-INVALID-MODE 52
3.1.139 A2LMERGE-E-FILE-ERROR 52
3.1.140 A2LMERGE-E-INVALID-DIRECTORY 53
3.1.141 A2LMERGE-E-NO_WRITE_ACCESS 53
3.1.142 A2LMERGE-E-ADDR-MISSING 53
3.1.143 A2LMERGE-E-LABEL-NOT-UNIQUE 53
3.1.144 A2LMERGE-E-ABORT 54
3.1.145 A2LMERGE-E-INVALID-CONTENT 54
3.1.146 A2LMERGE-E-DUP-SYSTEM-CONSTANT 54
3.1.147 A2LMERGE-E-INDEX-NOT-PRESENT 55
3.1.148 A2LMERGE-E-ARRAY-SIZE-DIFFERENCE 55
3.1.149 A2LMERGE-E-ASAP-VERSION-MISMATCH 55
3.1.150 A2LMERGE-E-ASAP-VERSION-CHECK-DISABLED 56
3.1.151 A2LMERGE-E-FILE-ENCODING 56
3.1.152 A2LMERGE-E-NOT-ABLE-TO-FETCH-DATA-TYPE 56
3.1.153 A2LMERGER-E-DATA-SIZE-MISMATCH 57

3.1.154 A2LMERGER-E-BIT-MASK-MISMATCH 57
3.1.155 A2LMERGE-E-INVALID-MERGE-MULTIPLE-MODULES-OPTION 57
3.1.156 A2LMERGE-E-IFDATA-ARXML-FILE-PARSING 58
3.1.157 A2LMERGER-E-RECORD-LAYOUT-NOT-PRESENT 58
3.1.158 A2LMERGE-W-ADDR-LMT 58
3.1.159 A2LMERGE-W-INVALID-ADDRESS-LIMIT 58
3.1.160 A2LMERGE-W-BLOCK-ADDRESS-MISMATCH 59
3.1.161 A2LMERGE-W-MISSING-BLOCK 59
3.1.162 A2LMERGE-W-DUPLICATE-LABEL 59
3.1.163 A2LMERGER-W-DUP-FUNCTION-VERSION-MISMATCH 60
3.1.164 A2LMERGER-W-DUP-MEASUREMENT-DESC-MISMATCH 60
3.1.165 A2LMERGER-W-DUP-MEASUREMENT-DATATYPE-MISMATCH 60
3.1.166 A2LMERGER-W-DUP-MEASUREMENT-CONVERSION-MISMATCH 61
3.1.167 A2LMERGER-W-DUP-MEASUREMENT-RESOLUTION-MISMATCH 61
3.1.168 A2LMERGER-W-DUP-MEASUREMENT-ACCURACY-MISMATCH 62
3.1.169 A2LMERGER-W-DUP-MEASUREMENT-LOWERLMT-MISMATCH 62
3.1.170 A2LMERGER-W-DUP-MEASUREMENT-UPPERLMT-MISMATCH 62
3.1.171 A2LMERGER-W-DUP-MEASUREMENT-UNIT-MISMATCH 63
3.1.172 A2LMERGER-W-DUP-MEASUREMENT-COEFFS-MISMATCH 63
3.1.173 A2LMERGE-W-WRONG-IFDATA-BLOCK 63
3.1.174 A2LMERGE-W-IFDATA-PARENT-NOT-EXISTS 64
3.1.175 A2LMERGE-W-MERGE-IFDATA-DEFINATION-NOT-EXISTS 64
3.1.176 A2LMERGE-W-DUPLICATE-COMPU-METHOD 65
3.1.177 A2LMERGE-W-FILE-ENCODING 65
3.1.178 A2LMERGE-I-COPYRIGHT-INFO 65
3.1.179 A2LMERGE-I-LOG-FILE 66
3.1.180 A2LMERGE-I-ASAP-VERSION-MISMATCH 66
3.1.181 A2LMERGE-I-ADXFILE-MODE 66
3.1.182 A2LMERGE-I-SYMBOL-LINK-NOT-GENERATED 67
3.1.183 A2LMERGE-I-HWI-MODE 67
3.1.184 A2LMERGE-I-IFDATA-EXISTS 67
3.1.185 A2LMERGER-I-IGNORED-ELEMENT 68
3.1.186 A2LMERGER-I-OPTIMIZED-RME-ELEMENT 68
3.1.187 A2LMERGER-I-SYSTEM-INFO 68
3.1.188 A2LMERGE-I-MESSAGE-NOT-EXIST 69
3.1.189 A2LMERGE-I-WRITE-STATUS 69
3.1.190 A2LMERGE-I-MISSING-ARGUMENT 69
3.1.191 A2LMERGE-I-EXECUTION-STATUS 70
3.1.192 A2LMERGE-I-REQUIRE-RESOURCE-REPLACED 70
3.1.193 A2LMERGE-E-FILE-PATH 70
3.1.194 A2LMERGE-E-ADX-DATA-FORMAT 71
3.1.195 A2LMERGE-E-ADX-SAX-PARSER 71
3.1.196 A2LMERGE-E-DUP-SYSTEM_CONSTANT 71
3.1.197 A2LMERGE-W-GSTC-ADX 71
3.1.198 A2LMERGE-I-ULF-FILE 72
3.1.199 A2LMERGE-E-INPUT-ERROR 72
3.1.200 A2LMERGE-E-MESSAGE-NAME-ALREADY-PRESENT 72
3.1.201 A2LMERGE-E-MESSAGE-COPY-ADDRESS-NOT-PRESENT 72
3.1.202 A2LMERGER-I-OUTPUT-A2L-FILE 73
3.1.203 A2LMERGE-E-MISSING-TAG 73
3.1.204 A2LMERGE-W-MISSING-CONF-FILE 73
3.1.205 A2LMERGE-E-FILE-FORMAT 74
3.1.206 A2LMERGE-E-INVALID-ASAP2_VERSION_CHECK 74
3.1.207 A2LMERGE-I-TOOL-MODE 74
3.1.208 A2LMERGE-E-INVALID-FILE 74
3.1.209 A2LMERGE-I-HELP 75
3.1.210 A2LMERGE-E-ERROR 75

3.1.211 A2L_MERGER_SYSTEM 75
3.1.212 A2L_MERGER_DUPLICATE_MEAS_INFO 76
3.1.213 A2LMERGER-E-MEASUREMENT-NOT-IN-RAM 76
3.1.214 A2LMERGER-I-NEW-RECORD-LAYOUT 76
3.1.215 A2LMERGER-I-CHARACTERISTIC-NOT-EXIST 77
3.1.216 A2LMERGER-E-LABEL-NOT-EXIST 77
3.1.217 A2LMERGER-I-ORIGINAL-ADDR-MERGING 77
3.1.218 A2LMERGER-I-ADX-FILE-NOT-EXIST 78
3.1.219 A2LMERGE_E_ASAP2_1_7_MISMATCH 78
3.1.220 A2LMERGE-E-MEMORY-SEGMENT-NOT-UNIQUE 78
3.1.221 A2LMERGE-E-OVERLAPPING-MEMORY-SEGMENT 79
3.1.222 A2LMERGE-I-PREFIX-POSTFIX-FOR-CLUSTER-ELEMENTS 79
3.1.223 A2LMERGE-W-NON-UNIQUE-CLUSTER-ELEMENT 79
3.1.224 A2LMERGE-I-MISSING-MEAS-LABEL 80
3.1.225 A2LMERGE-I-ADDR-MISSING-SYMBOLS-FILE 80
3.1.226 A2LMERGE-W-DIFFERENT-ALIGNMENT-SIZE 80
3.1.227 ADC_OPT001 81
3.1.228 ADC_OPT006 81
3.1.229 ADC_OPT004 81
3.1.230 ADC_OPT005 82
3.1.231 ADC_OPT007 82
3.1.232 ADC_MAP004 82
3.1.233 ADC_MAP002 82
3.1.234 ADC_MAP003 83
3.1.235 ADC_XMAP001 83
3.1.236 ADC_MAP001 83
3.1.237 ADC_MAP005 83
3.1.238 ADC_MAP007 84
3.1.239 ADC_MAP006 84
3.1.240 ADC_MAP008 84
3.1.241 ADC_MAP009 84
3.1.242 ADC_MAP010 85
3.1.243 ADC_CAX002 85
3.1.244 ADC_CAX023 85
3.1.245 ADC_XCAX001 85
3.1.246 ADC_CAX001 86
3.1.247 ADC_CAX003 86
3.1.248 ADC_CAX004 86
3.1.249 ADC_CAX005 86
3.1.250 ADC_CAX006 87
3.1.251 ADC_MAP024 87
3.1.252 A2L_HEADER_ERROR_001 87
3.1.253 A2L_HEADER_ERROR_002 87
3.1.254 A2L_HEADER_ERROR_003 88
3.1.255 A2L_HEADER_ERROR_004 88
3.1.256 A2L_HEADER_ERROR_005 88
3.1.257 A2L_HEADER_ERROR_006 88
3.1.258 A2L_HEADER_ERROR_007 89
3.1.259 A2L_HEADER_ERROR_008 89
3.1.260 A2L_HEADER_ERROR_009 89
3.1.261 A2L_HEADER_ERROR_010 90
3.1.262 A2L_HEADER_ERROR_011 90
3.1.263 A2L_HEADER_ERROR_012 91
3.1.264 A2L_HEADER_ERROR_013 91
3.1.265 A2L_HEADER_ERROR_014 91
3.1.266 A2L_HEADER_ERROR_015 91
3.1.267 A2L_HEADER_ERROR_016 92

3.1.268 A2L_HEADER_ERROR_017 92
3.1.269 A2L_HEADER_WARN_001 92
3.1.270 A2L_HEADER_ERROR_018 92
3.1.271 A2L_HEADER_ERROR_019 93
3.1.272 A2L_HEADER_WARN_002 93
3.1.273 A2L_HEADER_WARN_003 93
3.1.274 A2L_HEADER_INFO_001 94
3.1.275 ADX_OPT002 94
3.1.276 ADX_OPT003 94
3.1.277 ADX_ADX001 94
3.1.278 ADX_ADX002 95
3.1.279 ADX_ADX003 95
3.1.280 ADX_CAX007 95
3.1.281 ADX_CAX008 96
3.1.282 ADX_CAX009 96
3.1.283 ADX_CAX010 96
3.1.284 ADX_CAX011 96
3.1.285 ADX_CAX012 97
3.1.286 ADX_CAX013 97
3.1.287 ADX_CAX014 98
3.1.288 ADX_CAX015 98
3.1.289 ADX_CAX016 98
3.1.290 ADX_CAX017 99
3.1.291 ADX_CAX018 99
3.1.292 ADX_CAX019 99
3.1.293 ADX_CAX020 100
3.1.294 ADX_CAX021 100
3.1.295 ADX_CAX022 100
3.1.296 ADX_CAX023 100
3.1.297 ADX_CAX024 101
3.1.298 ADX_CAX025 101
3.1.299 ADX_ELF027 101
3.1.300 ADX_EXC006 101
3.1.301 ADX_CIGN005 102
3.1.302 ADX_MAP011 102
3.1.303 ADX_MAP012 102
3.1.304 ADX_MAP015 103
3.1.305 ADX_MAP016 103
3.1.306 ADX_MAP017 103
3.1.307 ADX_MAP019 104
3.1.308 ADX_MAP020 105
3.1.309 ADX_MAP021 105
3.1.310 ADX_MAP022 105
3.1.311 ADX_MAP023 106
3.1.312 ADX_MAP024 106
3.1.313 ADX_OUT001 106
3.1.314 ADX_OUT004 106
3.1.315 ADX_OUT005 107
3.1.316 ADX_OUT007 107
3.1.317 ADX_OUT010 107
3.1.318 ADX_OUT011 108
3.1.319 ADX_OUT012 108
3.1.320 ADX_OUT013 109
3.1.321 ADX_XMAP002 109
3.1.322 ADX_XADX002 109
3.1.323 ADX_VAL001 109
3.1.324 ADX_VAL002 110

3.1.325 ADX_LOG001 110
3.1.326 ADX_OUT008 111
3.1.327 ADX_CFG015 111
3.1.328 ADX_ELF037 111
3.1.329 ADX_OUT009 112
3.1.330 ADX_FMU001 112
3.1.331 ADX_FMU002 112
3.1.332 ADX_FMU003 113
3.1.333 ADX_FMU004 113
3.1.334 ADX_ELF038 113
3.1.335 RTA-A2L_SYSTEM 113
3.1.336 RTA-A2L_DEBUG_RUNTIME 114
3.1.337 RTA-A2L_SYSTEM_RUNTIME 114
3.1.338 RTA-A2L_VERSION 114

4 Contact Information 115

1 Safety and Privacy Information

1.1 Intended Use

This document can be referred to get the information and resolution of the error, warning and info messages logged from RTA-A2L.

1.2 Target Group

All ETAS RTA-CAR users who wants to generate A2L files for AUTOSAR components.

1.3 Classification of Safety Messages

The safety messages used here warn of dangers that can lead to personal injury or damage to property:

DANGER

DANGER indicates a hazardous situation that, if not avoided, will result in death or serious injury.

WARNING

WARNING indicates a hazardous situation that, if not avoided, could result in death or serious injury.

CAUTION

CAUTION indicates a hazardous situation that, if not avoided, could result in minor or moderate injury.

NOTICE

NOTICE indicates a situation that, if not avoided, could result in damage to property.

1.4 Safety Information

This document is only for the information and suggested resolutions of the error, warning and info messages logged from RTA-A2L.

1.5 Privacy

Made available with RTA-CAR license.

1.6 Definitions and Abbreviations

Term/Abbreviation	Definition
HW	**H**ard**W**are
SW	**S**oft**W**are
ASW	AUTOSAR **A**pplication **S**oft**W**are
BSW	AUTOSAR **B**asic **S**oft**W**are

2 About this Manual

This document provides a list of validations error messages. For each error message a description of the cause and possible solutions are included.

3 RTA-A2L Validations

This section deals with the error description of RTA-A2L validations. This is applicable for AUTOSAR and A2L elements.

3.1 RTA-A2L Measurement and Calibration Validations

This section describes about RTA-A2L general validations.

3.1.1 A2L_MCS_003

3.1.1.1 Error Description

<LONG-NAME> and <DESC> tags both are missing in the input mcsupport block.

3.1.1.2 How to Solve

Add the missing <LONG-NAME> or <DESC> tag for the input block.

3.1.1.3 Error Message Syntax

Missing '{{Value}}' in {{McSupportFileBlock}} '{{McSupportFileBlockName}}'

3.1.2 A2L_MCS_004

3.1.2.1 Error Description

<COMPU-PHYS-TO-INTERNAL> tag appears for the TAB-VERB/TEXTTABLE type of <COMPU-METHOD> blocks.

3.1.2.2 How to Solve

Add only the <COMPU-INTERNAL-TO-PHYS> type of COMPU-SCALES for the TAB-VERB/TEXTTABLE type of COMPU-METHOD blocks.

3.1.2.3 Error Message Syntax

Category Type '{{VALUE}}' in {{McSupportFileBlock}} '{{McSupportFileBlockName}}' is not supported. Hence the {{A2LFileBlock}} '{{A2LFileBlockName}}' will not be generated in the A2L File.

3.1.3 A2L_MCS_007

3.1.3.1 Error Description

<COMPU-PHYS-TO-INTERNAL> tag appears for the TAB-VERB/TEXTTABLE type of <COMPU-METHOD> blocks.

3.1.3.2 How to Solve

Add only the <COMPU-INTERNAL-TO-PHYS> type of COMPU-SCALES for the TAB-VERB/TEXTTABLE type of COMPU-METHOD blocks

3.1.3.3 Error Message Syntax

Only '{{tagname}}' type has been supported for {{McSupportFileBlock}} '{{McSupportFile-BlockName}}'. Hence, the {{A2LFileBlock}} '{{A2LFileBlockName}}' will not be generated in the A2L File.

3.1.4 A2L_MCS_008

3.1.4.1 Error Description

<MC-DATA-INSTANCE> of the same <SHORT-NAME> appears more than once.

3.1.4.2 How to Solve

Make sure the input file contains the unique name for the <MC-DATA-INSTANCE> blocks and remove duplicate entries.

3.1.4.3 Error Message Syntax

Multiple entries of {{maintagName}} exists with the {{shortnametag}} '{{shortnam-evalue}}'. But only the first entry will be considered for the A2L file generation.

3.1.5 A2L_MCS_012

3.1.5.1 Error Description

<DISPLAY-NAME> tag is missing/invalid in the <UNIT> block.

3.1.5.2 How to Solve

Add missing /correct <DISPLAY-NAME> tag.

3.1.5.3 Error Message Syntax

<DISPLAY-NAME> in <UNIT> '{{McSupportFileBlockName}}' is Missing/Empty, default DISPLAY-NAME "" is considered.

3.1.6 A2L_MCS_015

3.1.6.1 Error Description

Optional tag contains reference to another object, which does not exist or invalid in the input file.

3.1.6.2 How to Solve

Add missing referred object in the input file. Or if the referred object is invalid, make it as a valid object.

3.1.6.3 Error Message Syntax

The {{McSupportFileBlock}} '{{mcsupportfileblockname}}' contains the {{REFERENCETYPE}} as '{{proxyreferencename}}'. But the definition of this reference is missing in the input file.

3.1.7 A2L_MCS_020

3.1.7.1 Error Description

<SW-SYSTEMCONST-VALUE> contains the <SW-SYSTEMCONST-REF>, which does not exist or invalid in the input file.

3.1.7.2 How to Solve

Provide <SW-SYSTEMCONST-REF> which exists in the input file and is Valid.

3.1.7.3 Error Message Syntax

The '{{AUTOSARBlockName}}' contains {{proxyreference}} as '{{proxyrefname}}'. But the definition of this '{{AUTOSARblock}}' is missing in the input file. Hence, this entry will not be considered for the SYSTEM_CONSTANT generation.

3.1.8 A2L_MCS_023

3.1.8.1 Error Description

Missing <SW-RECORD-LAYOUT-REF> / <COMPU-METHOD-REF> for VALUE type of <MC-DATA-INSTANCE>.

3.1.8.2 How to Solve

No activity is needed, since the A2LGen creates default RecordLayout / default compumethod blocks for the VALUE type of <MC-DATA-INSTANCE>.

3.1.8.3 Error Message Syntax

Missing {{referenceTagName}} in the {{arblock}} '{{arBlockname}}'. Hence, the {{defaultblock}} with the name '{{defaultName}}' will be created and assigned to this {{A2LBlock}} '{{A2LBlockName}}' block.

3.1.9 A2L_MCS_024

3.1.9.1 Error Description

VALUE type of <MC-DATA-INSTANCE> contains <SW-RECORD-LAYOUT-REF> / <COMPU-METHOD-REF> which does not exist in the input file.

3.1.9.2 How to Solve

Expected swRecordLayout and compuMethod should be referenced in the <MC-DATA-INSTANCE>.

3.1.9.3 Error Message Syntax

The {{arblock}} '{{arblockname}}' contains the {{referencetag}} as the '{{proxyrefName}}' but the definition of this {{referencedBlock}} is missing in the inputfile. Hence, the {{defaultblock}} with the name '{{Defaultblockname}}' will be created and assigned to the {{A2LBlock}} '{{A2LBlockName}}' block.

3.1.10 A2L_MCS_025

3.1.10.1 Error Description

VALUE type of <MC-DATA-INSTANCE> contains <SW-RECORD-LAYOUT-REF> / <COMPU-METHOD-REF> which is invalid.

3.1.10.2 How to Solve

No activity is needed.

3.1.10.3 Error Message Syntax

The {{arblock}} '{{arblockname}}' contains the invalid {{referencetag}} '{{invalidrefName}}'. Hence, the {{defaultblock}} with the name '{{Defaultblockname}}' will be created and assigned to the {{A2LBlock}} '{{A2LBlockName}}' block.

3.1.11 A2L_MCS_029

3.1.11.1 Error Description

While generating the IDENTICAL compuMethod in the A2L file, the default co-efficients(COEFFS) are would be considered.

3.1.11.2 How to Solve

No action required. Info message.

3.1.11.3 Error Message Syntax

The default COEFFS are considered for the IDENTICAL COMPU_METHOD '{{compumethodName}}' in the generated A2L file

3.1.12 A2L_MCS_030

3.1.12.1 Error Description

Mandatory tag to create the A2L block is missing in the input file (Example: <SHORT-NAME>).

3.1.12.2 How to Solve

Add missing tag to the input file.

3.1.12.3 Error Message Syntax

Missing '{{tagName}}' in the <MC-DATA-INSTANCE>.Hence, this <MC-DATA-INSTANCE> will not be considered for the A2LFile/ADX Block generation.

3.1.13 A2L_MCS_031

3.1.13.1 Error Description

<SYMBOL> information is missing for the input <MC-DATA-INSTANCE> blocks.

3.1.13.2 How to Solve

Add missing <SYMBOL> information to the input <MC-DATA-INSTANCE> blocks.

3.1.13.3 Error Message Syntax

Missing '{{tagName}}' information in the <MC-DATA-INSTANCE> '{{mcDataInstanceName}}'.Hence, this corresponding entry will not be generated in the ADX File.

3.1.14 A2L_MCS_032

3.1.14.1 Error Description

<SHORT-NAME> information is missing for the <SUB-ELEMENT> of input <MC-DATA-INSTANCE> blocks.

3.1.14.2 How to Solve

Add the missing <SHORT-NAME> information to the <SUB-ELEMENT> <MC-DATA-INSTANCE> blocks.

3.1.14.3 Error Message Syntax

Missing '{{tagName}}' information in the <SUB-ELEMENTS> <MC-DATA-INSTANCE> '{{mcDataInstanceName}}'.Hence, this entry will not be considered for the A2LFile/ADX Block generation.

3.1.15 A2L_MCS_033

3.1.15.1 Error Description

<CATEGORY> information is missing for <SUB-ELEMENT> of input <MC-DATA-INSTANCE> blocks.

3.1.15.2 How to Solve

Add missing <CATEGORY> information to the <SUB-ELEMENT> <MC-DATA-INSTANCE> blocks.

3.1.15.3 Error Message Syntax

Missing '{{tagName}}' information in the <MC-DATA-INSTANCE> '{{mcDataInstanceName}}'.Hence, this <MC-DATA-INSTANCE> will not be considered for the A2LFile/ADXFile Block generation

3.1.16 A2L_MCS_034

3.1.16.1 Error Description

<ARRAY-SIZE> information is missing for ARRAY type of <MC-DATA-INSTANCE> blocks.

3.1.16.2 How to Solve

Add missing <ARRAY-SIZE> information ARRAY <MC-DATA-INSTANCE> blocks.

3.1.16.3 Error Message Syntax

Missing <ARRAY-SIZE> information in the <MC-DATA-INSTANCE> '{{mcDataInstanceName}}'.Hence, by default the <ARRAY-SIZE> value has been considered as the number of <SUB-ELEMENTS> present in the <MC-DATA-INSTANCE>.

3.1.17 A2L_MCS_035

3.1.17.1 Error Description

Any of the <PHYSICAL-DIMENTION> tags contain invalid value (not numeric value).

3.1.17.2 How to Solve

Provide valid value for the <PHYSICAL-DIMENTION> tags

3.1.17.3 Error Message Syntax

Invalid value '{{value}}' for the '{{tagName}}' in the <PHYSICAL-DIMENSION> '{{physicalDimentionName}}'.Hence the default value 0 will be assigned to SI_EXPONENTS '{{A2Lfileentry}}' value in the referred UNIT block.

3.1.18 A2L_MCS_036

3.1.18.1 Error Description

Input <MC-DATA-INSTANCE> block contains the <CATEGORY> type, which is not supported currently by the RTA-A2L.

3.1.18.2 How to Solve

Remove unsupported <MC-DATA-INSTANCE> blocks from input file.

3.1.18.3 Error Message Syntax

The <MC-DATA-INSTANCE> of <CATEGORY> {{categoryname}} is not handled currently.Hence, the <MC-DATA-INSTANCE> '{{mccdatainstancename}}' will not be considered for the A2L block generation.

3.1.19 A2L_MCS_038

3.1.19.1 Error Description

Input SIMLE CURVE/MAP <MC-DATA-INSTANCE> blocks, the definition of COMPU-METHOD from AXIS and COMPU-METHOD of the referred VARIABLE is not equal.

3.1.19.2 How to Solve

Provide same COMPU-METHOD at the AXIS and for the referred VARIABLE.

3.1.19.3 Error Message Syntax

The Definition of COMPU_METHOD referred in <SW-CALPRM-AXIS> of <MC-DATA-INSTANCE> '{{mcdatainstanceName}}' is not equal to the COMPU_METHOD of the referred <VARIABLE>.

3.1.20 A2L_MCS_039

3.1.20.1 Error Description

<MC-DATA-INSTANCE> corresponding to either Characteristic block or Measurement block which doesn’t define <MC-FUNCTION> attribute (in AR files <4.1.1 && mcFunctionUpdator module is not enabled in the RTA-A2L).

3.1.20.2 How to Solve

Provide <MC-FUNCTION> attribute for the missing <MC-DATA-INSTANCE> blocks.

3.1.20.3 Error Message Syntax

Unable to associate A2L Function Block for following A2L blocks -'{{blockName}}' as '{{Value}}' is missing in {{McSupportFileBlock}} '{{McSupportFileBlockName}}'.

3.1.21 A2L_MCS_041

3.1.21.1 Error Description

<BASE-TYPE-REF> tag is missing/invalid for the GAPS in the input RECORD-LAYOUT blocks.

3.1.21.2 How to Solve

Add valid <BASE-TYPE-REF> tag for GAPS in the input RECORD-LAYOUT blocks.

3.1.21.3 Error Message Syntax

The base type reference is missing in the SwRecordLayoutV of type "GAPS" for the swRecordLayout '{{recordLayoutName}}'. Hence the record layout will not be generated in the A2L File.

3.1.22 A2L_MCS_042

3.1.22.1 Error Description

CURVE/MAP <MC-DATA-INSATNCE> and the referred RECORD-LAYOUT does not contain the <BASE-TYPE-REF> or contains invalid <BASE-TYPE-REF>.

3.1.22.2 How to Solve

Add valid <BASE-TYPE-REF> tag either for the AXIS of the CURVE/MAP type of <MC-DATA-INSTANCE> OR to the referred <RECORD-LAYOUT> blocks.

3.1.22.3 Error Message Syntax

Axis {{AxisName}} in a SW-RECORD-LAYOUT '{{recordLayoutName}}' is not having BASE-TYPE-REF either in SW-RECORD-LAYOUT or in corresponding SW-CALPRM-AXIS in the MC-DATA-INSTANCE '{{McDataInstanceName}}'.

3.1.23 A2L_MCS_047

3.1.23.1 Error Description

For any input BLOCK (other than <MC-DATA-INSTANCE>), if any duplicate Entry found with the same hash code.

3.1.23.2 How to Solve

Remove one entry from input file.

3.1.23.3 Error Message Syntax

The Duplicate entries of the {{AR block}} with the name '{{ShortName}}' found in the same package {{PackageName}}. Hence, this entry will not be considered for the A2L Block generation

3.1.24 A2L_MCS_048

3.1.24.1 Error Description

One <RECORD-LAYOUT> is referring to another <RECORD-LAYOUT> in the input file.

3.1.24.2 How to Solve

Remove <RECORD-LAYOUT-REF> tag from input <RECORD-LAYOUT> blocks.

3.1.24.3 Error Message Syntax

The record layout "{{swRecordLayoutName}}" refers to another record layout "{{swRecordLayoutReferredName}}". Hence the record layout "{{swRecordLayoutName}}" will not be generated in the A2L file.

3.1.25 A2L_MCS_049

3.1.25.1 Error Description

Input block (MC-DATA-INSTANCE /COMPU-METHOD/UNIT) contains the reference to another block, which does not exist in the input file.

3.1.25.2 How to Solve

provide the reference to the block, which exists in the input file and is valid.

3.1.25.3 Error Message Syntax

The {{McSupportFileBlock}} '{{mcsupportfileblockname}}' contains the {{REFERENCETYPE}} as '{{proxyreferencename}}'.But the definition of this reference is missing in the input file. Hence, this block will not be considered for the A2L block generation

3.1.26 A2L_MCS_050

3.1.26.1 Error Description

<SW-SYSTEMCONST-REF> is missing in <SW-SYSTEMCONST-VALUE>.

3.1.26.2 How to Solve

Add missing <SW-SYSTEMCONST-REF> tag for <SW-SYSTEMCONST-VALUE>.

3.1.26.3 Error Message Syntax

Missing {{TagName}} in the {{McSupportBlockName}}.

3.1.27 A2L_MCS_051

3.1.27.1 Error Description

Input UNIT block contains <PHYSICAL-DIMENTION-REF> to the PHYSICAL-DIMENTION block, which is INVALID.

3.1.27.2 How to Solve

Add valid <PHYSICAL-DIMENTION-REF> to input UNIT block.

3.1.27.3 Error Message Syntax

Invalid {{tagReference}} has been associated to the {{arBlock}} '{{arBlockName}}'. Hence, the SI_EXPONENTS will not be generated for this UNIT Block.

3.1.28 A2L_MCS_052

3.1.28.1 Error Description

<DATA-CONSTR> does not contain the <LOWER-LIMIT> or the <UPPER-LIMIT> tags and values.

3.1.28.2 How to Solve

Add the missing <LOWER-LIMIT>/<UPPER-LIMIT> values in the <DATA-CONSTR>.

3.1.28.3 Error Message Syntax

Missing {{tagName}} for the <DATA-CONSTR> '{{DataConstrName}}'.

3.1.29 A2L_MCS_053

3.1.29.1 Error Description

Case 1: Invalid <LOWER-LIMIT> /<UPPER-LIMIT> in the input <DATA-CONSTR> block.

Case 2: Invalid <COMPU-NUMERATOR> <V> value in the input <COMPU-METHOD> block.

3.1.29.2 How to Solve

Case 1: Add the valid hexadecimal/decimal <LOWER-LIMIT> /<UPPER-LIMIT> to the input <DATA-CONSTR> blocks.

Case 2: Add the valid hexadecimal/decimal <COMPU-NUMERATOR> <V> value in the input <COMPU-METHOD> block.

3.1.29.3 Error Message Syntax

Case 1: Invalid {{tagName}} '{{value}}' in the {{arBlock}} '{{arblockName}}'. Only hexadecimal/decimal values are allowed.

Case 2: Invalid {{tagName}} '{{value}}' in the {{arBlock}} '{{arblockName}}'. Only hexadecimal/decimal values are allowed.

3.1.30 A2L_MCS_054

3.1.30.1 Error Description

Case 1: Missing<LOWER-LIMIT> /<UPPER-LIMIT> in the input <DATA-CONSTR> block.

Case 2: Missing <COMPU-SCALES> OR <COMPU-NUMERATOR> <V> value in the input RAT-FUNC <COMPU-METHOD> block.

Case 3: Add missing <COMPU-CONST> <VT> OR <LOWER-LIMIT> value in the input TAB-INTP/TAB-NOINTP/TAB-VERB <COMPU-METHOD> block.

Case 4: Missing mandatory tags in the input blocks.

3.1.30.2 How to Solve

Case 1: Add valid hexadecimal/decimal <LOWER-LIMIT> /<UPPER-LIMIT> to the input <DATA-CONSTR> blocks.

Case 2: Add the <COMPU-SCALES> and the valid hexadecimal/decimal <COMPU-NUMERATOR> <V> value in the input <COMPU-METHOD> block.

Case 3: Missing <COMPU-CONST> <VT> OR <LOWER-LIMIT> value in the input TAB-INTP/TAB-NOINTP/TAB-VERB <COMPU-METHOD> block.

Case 4: Missing mandatory tags for the input blocks

3.1.30.3 Error Message Syntax

Case 1: Missing {{tagName}} in the {{McSupportBlock}} '{{mcSupportBlockName}}'.

Case 2: Missing {{tagName}} in the {{McSupportBlock}} '{{mcSupportBlockName}}'.

Case 3: Missing {{tagName}} in the {{McSupportBlock}} '{{mcSupportBlockName}}'.

Case 4: Missing {{tagName}} in the {{McSupportBlock}} '{{mcSupportBlockName}}'

3.1.31 A2L_MCS_055

3.1.31.1 Error Description

Invalid mandatory tags in the input blocks.

3.1.31.2 How to Solve

Add valid mandatory tags for the input blocks.

3.1.31.3 Error Message Syntax

Invalid {{tagName}} '{{value}}' in the {{McSupportBlock}} '{{mcSupportBlockName}}'

3.1.32 A2L_MCS_056

3.1.32.1 Error Description

Missing <VALUE> tag in the <SW-SYSTEMCONST-VALUE>, which has been referred by <SW-SYSTEMCONST>.

3.1.32.2 How to Solve

Add missing <VALUE> tag to the <SW-SYSTEMCONST-VALUE>.

3.1.32.3 Error Message Syntax

Missing '{{value}}' in the '{{mcsupportfileBlock}}' block, which contains the {{reference}} as '{{referencename}}'.

3.1.33 A2L_MCS_057

3.1.33.1 Error Description

Unknown CategoryType in AUTOSAR has been provided as the <CATEGORY> for the <COMPU-METHOD> blocks.

3.1.33.2 How to Solve

Remove the COMPU-METHOD block which contains the AUTOSAR Unknown category.

3.1.33.3 Error Message Syntax

The Category Type '{{categoryname}}' in the {{McSupportFileBlock}} '{{McSupportFile-BlockName}}' is not known in the AUTOSAR.

3.1.34 A2L_MCS_058

3.1.34.1 Error Description

Case 1: <COMPU-INTERNAL-TO-PHYS> has been supported for the CompuMethod of type TAB_INTP or TAB_NOINTP which is not allowed.

Case 2: Only <COMPU-PHYS-TO-INTERNAL> has been supported for the CompuMethod of type TAB_VERB.

3.1.34.2 How to Solve

Case 1: Support only <COMPU-PHYS-TO-INTERNAL> type for the CompuMethod of type TAB_INTP or TAB_NOINTP.

Case 2: Support only <COMPU-INTERNAL-TO-PHYS> type for the CompuMethod of type TAB_VERB

3.1.34.3 Error Message Syntax

Case 1: Only '{{tagname}}' type has been supported for {{McSupportFileBlock}} '{{McSup-portFileBlockName}}'.

Case 2: Only '{{tagname}}' type has been supported for {{McSupportFileBlock}} '{{McSup-portFileBlockName}}'.

3.1.35 A2L_MCS_059

3.1.35.1 Error Description

Missing one input for the optional attribute creation in the McSupport blocks.

3.1.35.2 How to Solve

Add missing input tags in the input blocks.

Example: If the <MC-DATA-INSTANCE-VAR-REF> is missing in the simple CURVE/MAP type of <MC-DATA-INSTANCE>.

3.1.35.3 Error Message Syntax

Missing {{tagName}} in the {{McSupportBlock}} '{{mcSupportBlockName}}'.

3.1.36 A2L_MCS_060

3.1.36.1 Error Description

McSupport block referred Block is invalid.

3.1.36.2 How to Solve

Add a valid block as a reference in the mcsupport blocks.

Example: If the <MC-DATA-INSTACE> blocks is referring to a <COMPU-METHOD> object, which is invalid.

3.1.36.3 Error Message Syntax

Invalid {{tagName}} '{{value}}' in the {{McSupportBlock}} '{{mcSupportBlockName}}'.

3.1.37 A2L_MCS_061

3.1.37.1 Error Description

If the <SW-AXIS-INDEX> value is other than 1 for x-axis in case of CURVE/MAP/COM-AXIS type of <MC-DATA-INSTANCE>

3.1.37.2 How to Solve

Add the <SW-AXIS-INDEX> value as 1 for x-axis in case of CURVE/MAP/COM-AXIS type of <MC-DATA-INSTANCE>.

3.1.37.3 Error Message Syntax

Invalid {{tagName}} '{{value}}' in the {{McSupportBlock}} '{{mcSupportBlockName}}'. The {{order}} <SW-AXIS-INDEX> value should be equal to '{{valueType}}'

3.1.38 A2L_MCS_062

3.1.38.1 Error Description

If the <DATA-CNSTR> contains more than one <DATA-CONSTR-RULE>s.

3.1.38.2 How to Solve

RTA-A2L considers the first <DATA-CONSTR-RULE>.Hence, No activity is needed.

3.1.38.3 Error Message Syntax

Only the first <DATA-CONSTR-RULE> will be considered for the {{arBlock}} '{{arBlock-Name}}'

3.1.39 A2L_MCS_063

3.1.39.1 Error Description

Input block becomes invalid, after the validation phase.

3.1.39.2 How to Solve

Update the input block to remove all the errors logged by the RTA-A2L

3.1.39.3 Error Message Syntax

Invalid {{ARBlockType}} '{{arBlockName}}'. Hence this block will not be considered for the A2L Block generation

3.1.40 A2L_MCS_064

3.1.40.1 Error Description

If the input block becomes invalid, and not able to create the A2L block using this input block.

3.1.40.2 How to Solve

Update the input block to remove all the errors logged by the RTA-A2L

3.1.40.3 Error Message Syntax

OBJ-NOT-INSERTED : Unable to build the A2L {{blockType}} '{{arBlockName}}'.

3.1.41 A2L_MCS_065

3.1.41.1 Error Description

Invalid <SW-RECORD-LAYOUT-V-PROP> appears in the input.

RECORD-LAYOUT blocks (If the <SW-RECORD-LAYOUT-PROP> value is other than VALUE/COUNT/SOURCE-ADR/GAPS.

3.1.41.2 How to Solve

Remove the invalid <SW-RECORD-LAYOUT-V-PROP> from the input RECORD-LAYOUT blocks.

3.1.41.3 Error Message Syntax

The {{tagValue}} type '{{value}}' is not supported for the {{ARBlock}} '{{arBlockName}}'.

3.1.42 A2L_MCS_066

3.1.42.1 Error Description

If not able to create the COMPU-TABLEs, due to some errors in the input COMPU-METHOD.

3.1.42.2 How to Solve

Correct the invalid tags from the input COMPU-METHOD blocks.

3.1.42.3 Error Message Syntax

Unable to create the COMPU-TABLE for the COMPU-METHOD '{{compuMethodName}}'. Hence, this COMPU-METHOD will not be generated in the A2L file

3.1.43 A2L_MCS_067

3.1.43.1 Error Description

If the <SW-SYSTEMCONST-VALUE>/<VALUE> tag contains the value other than the decimal/hexadecimal value.

3.1.43.2 How to Solve

Add only the hexadecimal/decimal value as input for the <VALUE> tag of the <SW-SYSTEMCONST-VALUE>.

3.1.43.3 Error Message Syntax

Invalid '{{value}}' in the '{{mcsupportfileBlock}}' block,which contains the {{reference}} as '{{referencename}}'.Only hexadecimal/decimal values are allowed.

3.1.44 A2L_MCS_068

3.1.44.1 Error Description

In case of DSerap structure element, if the child element of the structure contains the <SD> value other than "CALPRM".

3.1.44.2 How to Solve

Add the <SD> tag value of the STRUCTURAL sub-element as CALPRM in case of DSERAP structures.

3.1.44.3 Error Message Syntax

Invalid <ADMIN-DATA> <SD> tag value for the {{mcSupportBlock}} '{{mcSupportBlockName}}' .The D-SERAP child element should be of type 'CALPRM'

3.1.45 A2L_MCS_069

3.1.45.1 Error Description

If the X or Y <SW-CALPARAM-AXIS> is not valid in case of CURVE/MAP/COM-AXIS calparams.

3.1.45.2 How to Solve

Correct all the error messages logged by RTA-A2L with respect to <SW-CALPARAM-AXIS>

3.1.45.3 Error Message Syntax

Invalid {{tagName}} value in the {{McSupportBlock}} '{{mcSupportBlockName}}'.

3.1.46 A2L_MCS_070

3.1.46.1 Error Description

If the X or Y <SW-CALPARAM-AXIS> does not contain the <BASETYPE-REF> attribute and there is no Valid <SW-BASETYPE-REF> in the referred RECORD-LAYOUT in case of CURVE/MAP/COM-AXIS calparams.

3.1.46.2 How to Solve

Add a valid <BASETYPE-REF> to the <SW-CALPARAM-AXIS> and to the referred <RECORD-LAYOUT> block in the input.

3.1.46.3 Error Message Syntax

Missing {{tagName}} in the {{McSupportBlock}} '{{mcSupportBlockName}}'. And also, there is no valid {{tagName}} in the {{McElementBlock}} '{{mcElementBlockName}}' referred by the {{mcSupportBlockName}}.

3.1.47 A2L_MCS_071

3.1.47.1 Error Description

If the X or Y <SW-CALPARAM-AXIS> contains the INVALID <BASETYPE-REF> attribute and also there is no Valid <BASETYPE-REF> in the referred RECORD-LAYOUT in case of CURVE/MAP/COM-AXIS calparams

3.1.47.2 How to Solve

Add a valid <BASETYPE-REF> to the <SW-CALPARAM-AXIS> and to the referred <RECORD-LAYOUT> block in the input.

3.1.47.3 Error Message Syntax

Invalid {{tagName}} '{{value}}' in the {{McSupportBlock}} '{{mcSupportBlockName}}'. And also there is no valid {{tagName}} in the {{McElementBlock}} '{{mcElementBlockName}}' referred by the {{McSupportBlock}}.

3.1.48 A2L_MCS_072

3.1.48.1 Error Description

If the X or Y <SW-CALPARAM-AXIS> contains the INVALID <SW-BASETYPE-REF> attribute and also there is no Valid <SW-BASETYPE-REF> in the referred RECORD-LAYOUT in case of CURVE/MAP/COM-AXIS calparams

3.1.48.2 How to Solve

Add a valid <SW-BASETYPE-REF> to the <SW-CALPARAM-AXIS> and to the referred <RECORD-LAYOUT> block in the input

3.1.48.3 Error Message Syntax

The {{McSupportBlock}} '{{mcSupportBlockName}}' of category {{CharacteristicType}} has Missing/Invalid Base Type. And not able to create Default Record Layout. So, the {{mcSupportCharName}} is not generated in the A2L file

3.1.49 A2L_MCS_073

3.1.49.1 Error Description

Missing/Invalid <BASE-TYPE-REF> and Invalid base-

Types in <SW-RECORD-LAYOUTREF> for the CURVE/MAP/COM-AXIS <MC-DATA-INSTANCE> s.

3.1.49.2 How to Solve

Add a valid <SW-BASETYPE-REF> to the <SW-CALPARAM-AXIS> and to the referred <RECORD-LAYOUT> block in the input.

3.1.49.3 Error Message Syntax

The {{McSupportBlock}} '{{mcSupportBlockName}}' of category {{CharacteristicType}} needs {{noofaxisMessage}} in the referred {{McElementBlock}} '{{mcElementBlockName}}'.

3.1.50 A2L_MCS_074

3.1.50.1 Error Description

If the <SW-MAX-AXIS-POINTS> contains other, then the Integer value.

3.1.50.2 How to Solve

Add only the integer values for the <SW-MAX-AXIS-POINTS>.

3.1.50.3 Error Message Syntax

Invalid {{tagName}} '{{value}}' in the {{arBlock}} '{{arblockName}}'. Only integer values are allowed.

3.1.51 A2L_MCS_075

3.1.51.1 Error Description

Improper <SW-RECORD-LAYOUT-V-AXIS>/<SW-RECORD-LAYOUT-V-INDEX> in the input RECORD-LAYOUT blocks.

3.1.51.2 How to Solve

Add correct value for the <SW-RECORD-LAYOUT-V-AXIS>/<SW-RECORD-LAYOUT-V-INDEX>.

- For Value axis <SW-RECORD-LAYOUT-V-AXIS>=0, <SW-RECORD-LAYOUT-V-INDEX> =V
- For X axis <SW-RECORD-LAYOUT-V-AXIS>=1, <SW-RECORD-LAYOUT-V-INDEX> =X
- For Y axis <SW-RECORD-LAYOUT-V-AXIS>=2, <SW-RECORD-LAYOUT-V-INDEX> =Y

3.1.51.3 Error Message Syntax

The {{tagValue}} value '{{value}}' is not supported for the {{ARBlock}} '{{arBlockName}}'.

3.1.52 A2L_MCS_076

3.1.52.1 Error Description

This error occurs if in the ARXML file the data constraint in MC-CALPARAM-INSTANCE and MC-VARIABLE-INSTANCE blocks is missing and the compu_method's category referred by these blocks is other than TEXTTABLE and IDENTICAL.

3.1.52.2 How to Solve

In ARXML file check that data-constraint of MC-CALPARAM-INSTANCE and MC-VARIABLE-INSTANCE blocks is present and valid. If it is not present, then check that compu-method's category referred by these blocks is either TEXTTABLE or IDENTICAL.

3.1.52.3 Error Message Syntax

Internal limits are generated for the {{A2Lblock}} block: '{{A2LBlockName}}'

3.1.53 A2L_MCS_077

3.1.53.1 Error Description

This error occurs if in the ARXML file the data constraint in <SW-CALPRM-AXIS> blocks is missing and the compu_method's category referred by these blocks is other than TEXT-TABLE and IDENTICAL.

3.1.53.2 How to Solve

In ARXML file check that data-constraint in <SW-CALPRM-AXIS> blocks is present and valid. If it is not present, then check that compu-method's category referred by these blocks is either TEXTTABLE or IDENTICAL.

3.1.53.3 Error Message Syntax

Internal limits are generated for the {{Axis_Desc}} block of the {{CharA2LBlock}}: '{{A2LBlockName}}'

3.1.54 A2L_MCS_078

3.1.54.1 Error Description

This INFO message is thrown for <MC-DATA-INSTANCE>s of category BOOLEAN, if the referred tag <SW-COMPU-METHOD-REF> is missing or if the definition of the compu method is not present in the input ARXML file.

3.1.54.2 How to Solve

Check if the compuMethodRef is required or add the add the correct compuMethodRef.

3.1.54.3 Error Message Syntax

Missing or Invalid {{ReferenceTag}} in the {{McDataInstance}} '{{McDataInstanceName}}' of category {{Category}}. Hence, NO_COMPU_METHOD keyword is assigned to this {{A2Lblock}} '{{A2LblockName}}' block.

3.1.55 A2L_MCS_078

3.1.55.1 Error Description

This INFO message is thrown for <MC-DATA-INSTANCE>s of category BOOLEAN, if the referred tag <SW-COMPU-METHOD-REF> is missing or if the definition of the compu method is not present in the input ARXML file.

3.1.55.2 How to Solve

Check if the compuMethodRef is required or add the add the correct compuMethodRef.

3.1.55.3 Error Message Syntax

Missing or Invalid {{ReferenceTag}} in the {{McDataInstance}} '{{McDataInstanceName}}' of category {{Category}}. Hence, NO_COMPU_METHOD keyword is assigned to this {{A2Lblock}} '{{A2LblockName}}' block.

3.1.56 A2L_MCS_079

3.1.56.1 Error Description

This ERROR occurs for a CALPRM <MC-DATA-INSTANCE>s of category VAL_BLK, if the tag <SW-VALUE-BLOCK-SIZE> is missing in the dataDefProps in the input ARXML file. And the final A2L file does not contain characteristic corresponding to this mcDataInstance.

3.1.56.2 How to Solve

Check why this tag <SW-VALUE-BLOCK-SIZE> is not generated by RTE-RTA or if the file is modified manually.

3.1.56.3 Error Message Syntax

Missing or Empty <SW-VALUE-BLOCK-SIZE> in the {{MCDataInstance}} : '{{mcDataInstanceName}}'

3.1.57 A2L_MCS_080

3.1.57.1 Error Description

This ERROR occurs for a CALPRM <MC-DATA-INSTANCE>s of category VAL_BLK, if the value inside the tag <SW-VALUE-BLOCK-SIZE> is not a number. And the final A2L file does not contain characteristic corresponding to this mcDataInstance.

3.1.57.2 How to Solve

Check why this tag <SW-VALUE-BLOCK-SIZE> is not generated properly by RTE-RTA or if the file is modified manually.

3.1.57.3 Error Message Syntax

Invalid format of the <SW-VALUE-BLOCK-SIZE> in the {{MCDataInstance}} : '{{mcDataInstanceName}}'. Only numbers are allowed.

3.1.58 A2L_MCS_081

3.1.58.1 Error Description

If the <SYMBOL> information is missing for the McDataInstance, when the enableSymbolLinkUpdator is set to Y.

3.1.58.2 How to Solve

Add the <SYMBOL> info to the input McDataInstance.

3.1.58.3 Error Message Syntax

Missing <SYMBOL> information for the <MC-DATA-INSTANCE> '{{mcDataInstanceName}}' .Hence SYMBOL_LINK info will not be generated for this '{{A2LblockName}}'

3.1.59 A2L_MCS_082

3.1.59.1 Error Description

If the basetypesize and basetypeencoding doesnot matches.

3.1.59.2 How to Solve

Refer the RTA-A2L reference manual and add the correct combinations of basetypesize and basetypeencoding values.

3.1.59.3 Error Message Syntax

Invalid <BASE-TYPE-SIZE> '{{basetypesizevalue}}' and <BASE-TYPE-ENCODING> '{{basetypeencoding}}' combinations in <SW-BASE-TYPE> '{{swbasetypename}}'

3.1.60 A2L_MCS_083

3.1.60.1 Error Description

If any of the <PHYSICAL-DIMENTION> tag have empty value.

3.1.60.2 How to Solve

Provide a valid value for the <PHYSICAL-DIMENTION> tag.

3.1.60.3 Error Message Syntax

Empty value is set for the '{{tagName}}' tag in the <PHYSICAL-DIMENSION> '{{physicalDimentionName}}'.

3.1.61 A2L_MCS_084

3.1.61.1 Error Description

If any of the <PHYSICAL-DIMENTION> tags are missing.

3.1.61.2 How to Solve

Provide the <PHYSICAL-DIMENTION> tag with valid value.

3.1.61.3 Error Message Syntax

Missing '{{tagName}}' tag in the <PHYSICAL-DIMENSION> '{{physicalDimentionName}}' .

3.1.62 A2L_MCS_085

3.1.62.1 Error Description

Preference is given for ASAP version.

3.1.62.2 How to Solve

RTA-A2L shall generate STATIC_ADDRESS_OFFSETS for record Layouts.

3.1.62.3 Error Message Syntax

The option '{{staticAddressoffsetsOrStaticrecordLayoutSetInOpt}}’ and asap_version '{{asapVersion}}' is an invalid scenario.

3.1.63 A2L_MCS_086

3.1.63.1 Error Description

In case of Ram-Block elements, the subelements should be of category CALPRM-GROUP and the subelements of child-elements should be of type CALPRM.

3.1.63.2 How to Solve

Add the <SD> tag value of the RAM_BLOCK STRUCTURAL subelement as CALPRM-GROUP and subelements of subelements as CALPRM.

3.1.63.3 Error Message Syntax

Invalid <ADMIN-DATA> <SD> tag value for the {{mcSupportBlock}} '{{mcSupportBlockName}}'. The immediate child element of RAM-BLOCK is expected to be of type 'CALPRM-GROUP'.

3.1.64 A2L_MCS_087

3.1.64.1 Error Description

In case of Ram-Block elements, the subelements should be of category CALPRM-GROUP and the subelements of child-elements should be of type CALPRM.

3.1.64.2 How to Solve

Add the <SD> tag value of the RAM_BLOCK STRUCTURAL subelement as CALPRM-GROUP and subelements of subelements as CALPRM.

3.1.64.3 Error Message Syntax

Invalid <ADMIN-DATA> <SD> tag value for the {{mcSupportBlock}} '{{mcSupportBlockName}}'. The subelement of immediate child elements of RAM-BLOCK is expected to be of type CALPRM.

3.1.65 A2L_MCS_088

3.1.65.1 Error Description

In case of Ram-Block elements, the immediate subelements should be of category STRUCTURE.

3.1.65.2 How to Solve

Ensure the sub-elements of RAM-BLOCK is of Category STRUCTURE

3.1.65.3 Error Message Syntax

Invalid <CATEGORY> value for{{mcSupportBlock}} '{{mcSupportBlockName}}'. The Category of immediate subelement of RAM-BLOCK is expected to be STRUCTURE.

3.1.66 A2L_MCS_ERROR_010

3.1.66.1 Error Description

If the value of (number of bits + bit position) is greater than the dataTypeSize of the BaseType refered by the mcDataInstance.

3.1.66.2 How to Solve

System Conditions handling is not supported in A2LGen yet. Hence, remove these system conditions from the input tags.

3.1.66.3 Error Message Syntax

The combination of '{{tagname}}': {{value}} and '{{tagname1}}': {{value1}} exceeds the dataTypeSize {{value2}} of {{tagName2}} '{{baseTypeName}}' in the mcDataInstance '{{blockName}}'

3.1.67 A2L_MCS_ERROR_013

3.1.67.1 Error Description

If any of the input block contains the System Condition expression in the tags.

3.1.67.2 How to Solve

System Conditions handling is not supported in A2LGen yet. Hence, remove these system conditions from the input tags.

3.1.67.3 Error Message Syntax

The {{block}} block '{{blockName}}' contains VariationPoint with BindingTime PRE-COMPILE-TIME or later and expression with system condition. Hence, this block will not be considered for the A2L file generation.

3.1.68 A2L_MCS_ERROR_014

3.1.68.1 Error Description

If the COMPU-METHOD contains the System Condition expression in the COMPU-SCALES.

3.1.68.2 How to Solve

System Conditions handling is not supported in A2LGen yet. Hence, remove these system conditions from the COMPU-SCALES.

3.1.68.3 Error Message Syntax

The {{block}} block {{blockName}} contains VariationPoint in compuScale with BindingTime PRE-COMPILE-TIME or later and expression with system condition. Hence, this block will not be written to the A2L file.

3.1.69 A2L_MCS_ERROR_015

3.1.69.1 Error Description

If the COMPU-METHOD contains the Numerical Variation points with the System conditions in the COMPU-SCALES.

3.1.69.2 How to Solve

System Conditions handling is not supported in RTA-A2L yet. Hence, remove these system conditions from the COMPU-SCALES.

3.1.69.3 Error Message Syntax

The {{block}} block '{{blockName}}' contains Numerical value variation point in compuScale {{tagName}} tag with BindingTime PRE-COMPILE-TIME or later and expression with system condition. Hence, this block will not be written to the A2L file.

3.1.70 A2L_MCS_ERROR_016

3.1.70.1 Error Description

If the <SW-VALUE-BLOCK-SIZE> contains the Numerical Variation points with the System Conddtions and this <SW-VALUE-BLOCK-SIZE> is referred by the MC-DATA-INSTANCE. Tool will ignore generation of this particular mcDataInstance.

3.1.70.2 How to Solve

System Conditions handling is not supported in A2LGen yet. Hence, remove these system conditions from the <SW-VALUE-BLOCK-SIZE>.

3.1.70.3 Error Message Syntax

The {{block}} block '{{blockName}}' contains Numerical value VariationPoint with Binding-Time PRE-COMPILE-TIME or later and expression with system condition. Hence, this block will not be considered for the A2L file generation.

3.1.71 A2L_MCS_ERROR_017

3.1.71.1 Error Description

Combination of BIT-POSITION and NUMBER-OF-BITS exceeds the data type size referred in recordLayout. RecordLayout would be referred in McDataInstance.

3.1.71.2 How to Solve

Higher dataType should be used or BIT-POSITION and NUMBER-OF-BITS should be decreased.

3.1.71.3 Error Message Syntax

The combination of '<BIT-POSITION>' : {{bitPosition}} and '<NUMBER-OF-BITS>' : {{noOfBits}} exceeds the dataTypeSize {{baseTypeSize}} of <BASE-TYPE-REF> '{{baseTypeName}}' from the <RECORD-LAYOUT> '{{recLayName}}' in the mcDataInstance '{{blockName}}'.

3.1.72 A2L_MCS_ERROR_022

3.1.72.1 Error Description

If the DATA-CONSTR contains the Numerical Variation points with the System conditions and this DataConstr is referred by the MC-DATA-INSTANCE.

3.1.72.2 How to Solve

System Conditions handling is not supported in A2LGen yet. Hence, remove these system conditions from the COMPU-SCALES.

3.1.72.3 Error Message Syntax

The {{block}} block '{{blockName}}' contains VariationPoint in SwDataDefPropsConditional with BindingTime PRE-COMPILE-TIME or later and expression with system condition. Hence, this block will not be written to the A2L file.

3.1.73 A2L_MCS_ERROR_023

3.1.73.1 Error Description

If the MC-DATA-INSTANCE contains the Numerical Variation points with the System conditions in the <SW-DATA-DEF-PROPS-CONDITIONAL> tag.

3.1.73.2 How to Solve

System Conditions handling is not supported in A2LGen yet. Hence, remove these system conditions from the <SW-DATA-DEF-PROPS-CONDITIONAL>.

3.1.73.3 Error Message Syntax

The {{block}} block '{{blockName}}' contained in SwSystemconstValue with Numerical VariationPoint with BindingTime PRE-COMPILE-TIME or later and expression with system condition. Hence, this block will not be written to the A2L file.

3.1.74 A2L_MCS_ERROR_026

3.1.74.1 Error Description

SwSystemConstant contained in SwSystemconstValue with Numerical VariationPoint.

3.1.74.2 How to Solve

System Conditions handling is not supported in A2LGen yet. Hence, remove these system conditions from the SwSystemConstant.

3.1.74.3 Error Message Syntax

The {{arblock}} block '{{arblockName}}' contains the {{tagName}} with VariationPoint with BindingTime PRE-COMPILE-TIME or later and expression with system condition. Hence, this block will not be considered for the A2L file generation.

3.1.75 A2L_MCS_ERROR_031

3.1.75.1 Error Description

If the CURVE/MAP/COM-AXIS, <MC-DATA-INSTANCE> blocks contains <SW-CALIBRATION-ACCESS> as READ-ONLY/READ-WRITE and the <SW-CALPARAM-AXIS> with the <SW-CALIBRATION-ACCESS> value as NOT-ACCESSIBLE.

3.1.75.2 How to Solve

Change the <SW-CALIBRAION-ACCESS> of the <SW-CALPARAM-AXIS> as READ-ONLY/READ-WRITE.

3.1.75.3 Error Message Syntax

The <MC-DATA-INSTANCE> '{{name}}' contains the SW-CALIBRATION-ACCESS as {{parentswcalparamaccess}}. But the SW-CALPARAM-AXIS contains the SW-CALIBRATION-ACCESS as '{{value}}' is NOT allowed.

3.1.76 A2L_MCS_ERROR_032

3.1.76.1 Error Description

If the READ-ONLY/READ-WRITE, GROUPED CURVE/MAP, <MC-DATA-INSTANCE> blocks refer to NOT-ACCESSIBLE type of COM-AXIS.

3.1.76.2 How to Solve

Provide the <MC-DATA-INSTANCE-REF> of the GROUPED CURVE/MAP to READ-WRITE/READ-ONLY type of COM-AXIS.

3.1.76.3 Error Message Syntax

The GROUPED {{category}} type of <MC-DATA-INSTANCE> '{{name}}' refers to the NOT-ACCESSIBLE type of COM-AXIS <MC-DATA-INSTANCE> '{{referedmcDataInstanceName}}'.

3.1.77 A2L_MCS_ERROR_033

3.1.77.1 Error Description

If the READ-ONLY/READ-WRITE, CURVE/MAP, <MC-DATA-INSTANCE> blocks contain NOT-ACCESSIBLE type of SW-CALPARAM-AXIS.

3.1.77.2 How to Solve

Update the SW-CALPARAM-AXIS of the CURVE/MAP to READ-WRITE/READ-ONLY.

3.1.77.3 Error Message Syntax

The <MC-DATA-INSTANCE> '{{name}}' contains the '{{value}}' type of <SW-CALIBRATION-ACCESS> in the SW-CALPARAM-AXIS is NOT allowed.

3.1.78 A2L_MCS_ERROR_035

3.1.78.1 Error Description

A2LGen was generating the wrong coeffs values in the A2L file.

3.1.78.2 How to Solve

Just an information message to identify the bug.

3.1.78.3 Error Message Syntax

The COMPUMETHOD '{{compumethodname}}' was generated with the wrong COEFFS values in the A2L file with the earlier A2LGen versions: The Invalid values were: {{a}} {{b}} {{c}} {{d}} {{e}} {{f}} The Correct values are:{{a1}} {{b1}} {{c1}} {{d1}} {{e1}} {{f1}}

3.1.79 A2L_MCS_ERROR_036

3.1.79.1 Error Description

A2LGen was generating the wrong coeffs values in the A2L file, and the calparam/measurement /axis pts refers to that wrong compumethod.

3.1.79.2 How to Solve

Just an information message to identify the bug.

3.1.79.3 Error Message Syntax

The {{blocktype}} '{{calparamname}}' refers to CompuMethod '{{compumethodname}}' for which the wrong COEFFS values were generated with the earlier A2LGen versions

3.1.80 A2L_MCS_ERROR_037

3.1.80.1 Error Description

The referred mcDataInstVarRef should of type 'VALUE' to generate VIRTUAL MEASUREMENTs.

3.1.80.2 How to Solve

Generation of VIRTUAL measurements.

3.1.80.3 Error Message Syntax

The {{McSupportFileBlock}} '{{mcsupportfileblockname}}' does not contain {{swDataDependency}} to generate Virtual Measurements.

3.1.81 A2L_MCS_ERROR_038

3.1.81.1 Error Description

<SW-DATA-DEPENDENCY> and <SW-IS-VIRTUAL> tags are required to generate Virtual Measurements in the A2L file.

3.1.81.2 How to Solve

Generation of VIRTUAL measurements.

3.1.81.3 Error Message Syntax

The <MC-DATA-INSTANCE-VAR-REF> '{{mcDataInstShortName}}' doesn't have the Category as 'VALUE'. So Virtual Measurements will not be generated for '{{measurementName}}'.

3.1.82 A2L_MCS_INFO_001

3.1.82.1 Error Description

If the input COMPU-METHOD blocks category is of type TEXTTABLE, which will be appear as TAB_VERB in A2L.

3.1.82.2 How to Solve

No activity is needed.

3.1.82.3 Error Message Syntax

The <COMPU-METHOD> '{{arCompuMethodName}}' is having the Category as 'TEXT-TABLE' will be appearing as 'TAB_VERB' in the generated A2L File.

3.1.83 A2L_MCS_INFO_002

3.1.83.1 Error Description

If the input COMPU-METHOD blocks category is of type TAB_INTP, which is not known in AUTOSAR.

3.1.83.2 How to Solve

No activity is needed.

3.1.83.3 Error Message Syntax

The <COMPU-METHOD> '{{arCompuMethodName}}' is having Category 'TAB_INTP'.But the category 'TAB_INTP' is not known in AUTOSAR.

3.1.84 A2L_MCS_INFO_003

3.1.84.1 Error Description

If the input COMPU-METHOD blocks category is of type TAB_VERB, which is not known in AUTOSAR.

3.1.84.2 How to Solve

No activity is needed.

3.1.84.3 Error Message Syntax

The <COMPU-METHOD> '{{arCompuMethodName}}' is having Category 'TAB_VERB' is unknown CompuMethod Type in AUTOSAR.A2LGen handles it as 'TEXTTABLE' type.

3.1.85 A2L_MCS_INFO_004

3.1.85.1 Error Description

If the input COMPU-METHOD blocks category is of type IDENTICAL/LINEAR, which are not supported by ASAP.

3.1.85.2 How to Solve

No activity is needed, these will be created as RAT_FUNC in the generated A2L file

3.1.85.3 Error Message Syntax

The <COMPU-METHOD> '{{arCompuMethodName}}' is having Category '{{arCatego-ryType}}'. This COMPU_METHOD ConversionType will be appearing as 'RAT_FUNC' in the generated A2L File.

3.1.86 A2L_MCS_INFO_005

3.1.86.1 Error Description

If the COMPU-METHOD referred <UNIT>. Block is Invalid.

3.1.86.2 How to Solve

Provide the <UNIT-REF> in the compumethod, which exists in the input file and also valid (else A2Lgen generates the default "" value).

3.1.86.3 Error Message Syntax

Invalid <UNIT-REF> '{{value}}' in the CompuMethod '{{arCompuMethod-Name}}'.Hence ,by default the 'unit' will be set to "" for the A2L COMPU-METHOD {{A2LCompuMethodName}}.

3.1.87 A2L_MCS_INFO_006

3.1.87.1 Error Description

If the COMPU-METHOD referred <UNIT> does not exists in the input file.

3.1.87.2 How to Solve

Provide the <UNIT-REF> in the compumethod, which exists in the input file and also valid (else A2Lgen generates the default "" value).

3.1.87.3 Error Message Syntax

The <COMPU-METHOD> '{{arCompuMethodName}}' contains the <UNIT-REF> as '{{proxyunitrefname}}'.But, the definition of this <UNIT> is missing in the input file. Hence, by default the 'unit' will be set to "".

3.1.88 A2L_MCS_INFO_007

3.1.88.1 Error Description

If the <UNIT-REF> attribute is missing for the <COMPU-METHOD> blocks.

3.1.88.2 How to Solve

Add the <UNIT-REF> for the <COMPU-METHOD> blocks.

3.1.88.3 Error Message Syntax

Missing <UNIT-REF> in the <COMPU-METHOD> '{{arCompuMethodName}}' .Hence ,by default the 'unit' will be set to "" for the A2L COMPU-METHOD {{A2LCom-puMethodName}}

3.1.89 A2L_MCS_INFO_009

3.1.89.1 Error Description

If the <UNIT-REF> attribute is missing for the <COMPU-METHOD> blocks.

3.1.89.2 How to Solve

Add the <UNIT-REF> for the <COMPU-METHOD> blocks.

3.1.89.3 Error Message Syntax

Invalid {{arTagName}} value in the <SW-BASE-TYPE> '{{ardataTypeName}}'. Hence, the DataType for the {{A2LBlock}} '{{A2LBlockName}}'will be set to the default value 'UBYTE'.

3.1.90 A2L_MCS_INFO_010

3.1.90.1 Error Description

If the <SW-SYSTEMCPONST> is of type NOT-ACCESSIBLE.

3.1.90.2 How to Solve

No activity is needed (since A2LGen ignores this block).

3.1.90.3 Error Message Syntax

The <SW-SYSTEMCONST> '{{SystemConstantName}} contains the <SW-CALIBRATION-ACCESS> as NOT_ACCESSIBLE .Hence,this SYSTEM_CONSTANT will not be written to the A2L file.

3.1.91 A2L_MCS_INFO_011

3.1.91.1 Error Description

If the <DISPLAY-FORMAT> in the input attribute ends with other than "f/F" for the COMPU-METHOD or MC-DATA-INSTANCEs.

3.1.91.2 How to Solve

Add only the <DISPLAY-FORMAT> ends with "f/F".

3.1.91.3 Error Message Syntax

The {{arblockType}} {{arBlockName}} contains the <DISPLAY-FORMAT> ends with '{{formatspecifier}}' which is currenlty not supported by A2LGen.Hence %10.5 will be considered as the default Format value for the {{A2LBlockType}} '{{A2LblockName}}'

3.1.92 A2L_MCS_INFO_012

3.1.92.1 Error Description

If the <DISPLAY-FORMAT> in the input attribute ends with other than "f/F" for the <SW-CALPARAM-AXIS>.

3.1.92.2 How to Solve

Add only the <DISPLAY-FORMAT> ends with "f/F" for the <SW-CALPARAM-AXIS>.

3.1.92.3 Error Message Syntax

The {{arblockType}} {{arBlockName}} contains the <DISPLAY-FORMAT> ends with '{{formatspecifier}}' which is currenlty not supported by A2LGen.Hence %10.5 will be considered as the default Format value for the {{A2LBlockType}}

3.1.93 A2L_MCS_INFO_013

3.1.93.1 Error Description

If the <DISPLAY-FORMAT> tag is missing in case of CURVE/MAP type of MC-DATA-INSTANCEs or in case of COMPU-METHODs.

3.1.93.2 How to Solve

Add the <DISPLAY-FORMAT> tag for the CURVE/MAP type of MC-DATA-INSTANCEs or in case of COMPU-METHODs.

3.1.93.3 Error Message Syntax

Missing <DISPLAY-FORMAT> in the {{arblockType}} '{{arBlockName}}'.Hence %10.5 will be considered as the default Format value for the {{A2LBlockType}} '{{A2Lblock-Name}}'

3.1.94 A2L_MCS_INFO_014

3.1.94.1 Error Description

If the <DISPLAY-FORMAT> tag is missing in case of <SW-CALPARAM-AXIS> blocks.

3.1.94.2 How to Solve

Add the <DISPLAY-FORMAT> tag for the <SW-CALPARAM-AXIS> blocks.

3.1.94.3 Error Message Syntax

Missing <DISPLAY-FORMAT> in the {{arblockType}} '{{arBlockName}}'.Hence %10.5 will be considered as the default Format value for the {{A2LBlockType}}

3.1.95 A2L_MCS_INFO_015

3.1.95.1 Error Description

If the <DISPLAY-FORMAT> present in the VALUE type of PARAM <MC-DATA-INSTANCE>s with containing the value other than "f".

3.1.95.2 How to Solve

Add the <DISPLAY-FORMAT> ends only with "f".

3.1.95.3 Error Message Syntax

The {{arblockType}} {{arBlockName}} contains the <DISPLAY-FORMAT> ends with '{{formatspecifier}}' which is currently not supported by A2LGen.Hence no Format value for the {{A2LBlockType}} '{{A2LblockName}}'is considered.

3.1.96 A2L_MCS_INFO_016

3.1.96.1 Error Description

Missing <COMPU-METHOD-REF> and <VARIABLE-REF> for the <SW-CALPARAM-AXIS> of the CURVE/MAP/COM-AXIS McDataInstance.

3.1.96.2 How to Solve

No activity is needed, NO_COMPU_METHOD attribute will be set for the Conversion of the AXIS_DESCR.

3.1.96.3 Error Message Syntax

The duplicate entry of the {{arblock}} '{{arBlockName}}' present in the package {{fullyqualifiedPackageName}} of the File {{fileName}} will be appearing as '{{uniqueName}}' in the A2L file.

3.1.97 A2L_MCS_INFO_017

3.1.97.1 Error Description

Missing <COMPU-METHOD-REF> and <VARIABLE-REF> for the <SW-CALPARAM-AXIS> of the COM-AXIS McDataInstance.

3.1.97.2 How to Solve

No activity is needed, NO_COMPU_METHOD attribute will be set for the Conversion of the AXIS_PTS block.

3.1.97.3 Error Message Syntax

Missing {{tagName}} in the {{McSupportBlock}} '{{mcSupportBlockName}}'. Hence , the '{{Keyword}}' will be assigned to {{attribute}} in the {{A2LBlockType}} '{{A2LblockName}}'.

3.1.98 A2L_MCS_INFO_018

3.1.98.1 Error Description

Invalid<COMPU-METHOD-REF> and <VARIABLE-REF> for the <SW-CALPARAM-AXIS> of the CURVE/MAP/COM-AXIS McDataInstance.

3.1.98.2 How to Solve

No activity is needed, NO_COMPU_METHOD attribute will be set for the Conversion of the AXIS_DESCR.

3.1.98.3 Error Message Syntax

Invalid {{tagName}} in the {{McSupportBlock}} '{{mcSupportBlockName}}'. Hence, the '{{Keyword}}' will be assigned to {{attribute}} in the {{A2LBlockType}} '{{A2LblockName}}'

3.1.99 A2L_MCS_INFO_019

3.1.99.1 Error Description

The element is provided multiple times in adx_signals or adx_parameters list.

3.1.99.2 How to Solve

Remove duplicates from the input adx_signals/adx_parameters file.

3.1.99.3 Error Message Syntax

Element "{{elementName}}" is found multiple times in the inputs. Please note that only the first occurrence of this element will be taken into consideration.

3.1.100 A2L_MCS_INFO_020

3.1.100.1 Error Description

UNION/POINTER/FUNCTION isn't supported in ADX to A2L.

3.1.100.2 How to Solve

These elements can’t be represented in A2L file.

3.1.100.3 Error Message Syntax

ADX categories of type UNION/POINTER/FUNCTION isn't supported. So, {{shortName}} will not be generated in A2L file.

3.1.101 A2L_MCS_WARN_037

3.1.101.1 Error Description

If the <DISPLAY-FORMAT> in the input attribute ends with other than 'f/F' and do not conform to AUTOSAR FORMAT specification for the <COMPU-METHOD> or <MC-DATA-INSTANCE> or <SW-CALPARAM-AXIS>.

3.1.101.2 How to Solve

Add only <DISPLAY-FORMAT> which end with 'f/F' or that conform to AUTOSAR FORMAT specification.

3.1.101.3 Error Message Syntax

The {{arblockType}} '{{arBlockName}}' contains the <DISPLAY-FORMAT> as '{{formatspecifier}}' Which is invalid AUTOSAR FORMAT specifier. Hence %10.5 will be considered as the default FORMAT value for the {{A2LBlockType}} '{{A2LblockName}}'.

3.1.102 A2L_MCS_WARN_031

3.1.102.1 Error Description

If the SYMBOL information exists in the leafElement of the ARRAY McDataInstance.

3.1.102.2 How to Solve

No activity is needed.

3.1.102.3 Error Message Syntax

The ARRAY subElement '{{mcDataInstanceName}}' contains the <SYMBOL> information as '{{subElementSymbol}}'. But this will not be used for ADX entry generation.

3.1.103 A2L_MCS_WARN_032

3.1.103.1 Error Description

If the category of the record layout is not found in the <SW-RECORD-LAYOUT-GROUP>, then this warning message is logged. The category is restricted to ROW_DIR and COLUMN_DIR and category of the MCDataInstance should be a map.

3.1.103.2 How to Solve

Support Record Layouts with <SW-RECORD-LAYOUT-V-INDEX>X Y for category MAP cal-params.

3.1.103.3 Error Message Syntax

The category (ROW_DIR or COLUMN_DIR) of the <SW-RECORD-LAYOUT-GROUP> "{{recordLayoutName}}" could not be found, the record layout order will be calculated.

3.1.104 A2L_MCS_WARN_033

3.1.104.1 Error Description

Duplicate elements cannot exist in the same AR-PACKAGE. But the duplicate element can be present in the different ArPackage or different file.

3.1.104.2 How to Solve

Abort RTA-A2L for duplicate elements in the same ARPackage.

3.1.104.3 Error Message Syntax

Duplicate entry of {{arBlockType}} with name '{{shortName}}' exists in the same package {{packageName}} of file {{file}}.

3.1.105 A2L_MCS_WARN_034

3.1.105.1 Error Description

If the category of the record layout is not found in the <SW-RECORD-LAYOUT-GROUP>, then this warning message is logged. The category is restricted to ROW_DIR and COL-UMN_DIR and category of the MCDataInstance should be a Cuboid, Cube_4 or Cube_5.

3.1.105.2 How to Solve

If Category missing, then by default set the order as COLUMN_DIR.

3.1.105.3 Error Message Syntax

The category (ROW_DIR or COLUMN_DIR) of the <SW-RECORD-LAYOUT-GROUP> "{{recordLayoutName}}" could not be found, the record layout order will be set at COL-UMN_DIR by default.

3.1.106 A2L_MCS_WARN_035

3.1.106.1 Error Description

Supported calibrationMethods in Bosch are NONE or SINGLE_POINTERED2, if it other than these two, then this warning message is logged.

3.1.106.2 How to Solve

Implementation - Support of defCharacteristics in mcFunction for DSerap structures.

3.1.106.3 Error Message Syntax

The calibrationMethod "{{calibrationMethod}}" isn't supported from RTA-A2L.

3.1.107 A2L_MCS_WARN_036

3.1.107.1 Error Description

In a UnitGroup, if there are two unit groups which have the FactoToSiUnit and OffsetSi-ToUnit as 1.0 and 0.0 respectively, then first Unit would be considered as base/Ex-tended_Si unit.

3.1.107.2 How to Solve

Implementation: Support derived unit in AUTOSAR A2L generation.

3.1.107.3 Error Message Syntax

UnitGroup "{{unitGroupName}}" consists of duplicate units which have same SI Units. First Unit will be considered as an EXTENDED_SI Unit.

3.1.108 A2L_MCS_WARN_039

3.1.108.1 Error Description

If the <BYTE-ORDER> under the <SW-BASE-TYPE> in the input ARXML file is having value as OPAQUE then this value is not supported for a2l file generation. The mcDataInstance re-ferring to this base type having OPAQUE byte order will not have byte_order generated in the a2l file.

3.1.108.2 How to Solve

No activity is needed. Only BYTE-ORDER with value as MOST-SIGNIFICANT-BYTE-FIRST and MOST-SIGNIFICANT-BYTE-LAST are supported for a2l generation.

3.1.108.3 Error Message Syntax

The <BYTE-ORDER> value '{{byte_order}}' for the <MC-DATA-INSTANCE> '{{mcDataInstanceName}}' isn't supported for A2L generation.

3.1.109 A2L_MCS_WARN_040

3.1.109.1 Error Description

If the <BYTE-ORDER> under the <SW-BASE-TYPE> in the input ARXML file is having value as OPAQUE then this value is not supported in the a2l file generation. The mcDataInstance's axis_descr referring to this base type having OPAQUE byte order will not have byte_order generated in the a2l file.

3.1.109.2 How to Solve

No activity is needed. Only BYTE-ORDER with value as MOST-SIGNIFICANT-BYTE-FIRST and MOST-SIGNIFICANT-BYTE-LAST are supported for a2l generation.

3.1.109.3 Error Message Syntax

The <BYTE-ORDER> value '{{byte_order}}' referred in <SW-CALPRM-AXIS> of <MC-DATA-INSTANCE> '{{mcdatainstanceName}}' isn't supported for A2L genera-tion.

3.1.110 A2L_MCS_WARN_041

3.1.110.1 Error Description

The input element provided in adx_signals/adx_parameters is missing in the adx file.

3.1.110.2 How to Solve

Remove the element from the input/ Sources of the project should be updated with element.

3.1.110.3 Error Message Syntax

Element is missing in the ADX file. So, "{{shortName}}" will not be considered for A2L generation.

3.1.111 A2L_MCS_WARN_042

3.1.111.1 Error Description

The input array element provided in adx_signals/adx_parameters doesn't consist of <ARRAY-NBR-ELEMENTS>.

3.1.111.2 How to Solve

<ARRAY-NBR-ELEMENTS> tag should be provided for Array element.

3.1.111.3 Error Message Syntax

The <ARRAY-NBR-ELEMENTS>(dimensions) of the array could not be determined. So, "{{shortName}}" will not be considered for A2L generation.

3.1.112 A2L_MCS_WARN_043

3.1.112.1 Error Description

The <ENCODING> tag value which is provided in the ADX file couldn't be recognized.

3.1.112.2 How to Solve

Valid values like UNSIGNED/SIGNED/FLOAT should be provided in <ENCODING>.

3.1.112.3 Error Message Syntax

The size of the ADX element couldn't be determined. So, “{{shortName}}" will not be generated in A2L file.

3.1.113 A2L_MCS_WARN_044

3.1.113.1 Error Description

Input option value is not supported for A2L generation.

3.1.113.2 How to Solve

Provide supported value for Input option.

3.1.113.3 Error Message Syntax

{{optionsValue}} is not supported for {{optionkey}}.

3.1.114 A2L_MCS_WARN_045

3.1.114.1 Error Description

Duplicate LabelNames in ADX file.

3.1.114.2 How to Solve

Ensure ADX file is proper without duplicates.

3.1.114.3 Error Message Syntax

There is more than one possible match for A2L label {{elementName}} in ADX file. Hence the element will not be considered for A2L generation.

3.1.115 A2L_MCS_WARN_046

3.1.115.1 Error Description

Same ElementName/Pattern given in both parameters and signals input file.

3.1.115.2 How to Solve

Ensure parameter and signals given as input are unique.

3.1.115.3 Error Message Syntax

Duplicate entry found for "{{elementName}}" in both parameters and signals input. Hence only parameter will be considered for A2L generation.

3.1.116 A2L_WRITER

3.1.116.1 Error Description

Exception occurred while writing A2L file into the specified path.

Unable to access the file path.

File already in open state in another editor.

3.1.116.2 How to Solve

Close the file, if it is already open in another editor.

3.1.116.3 Error Message Syntax

Error while writing to file: '{{FileName}}'.

3.1.117 A2LGEN_MISSING_MANDATORY_PARAMS

3.1.117.1 Error Description

Certain mandatory parameters are not supplied as input to RTA-A2L (in the options file/ supplied paths are not valid).

At present this message id is used only for A2LGen module.

3.1.117.2 How to Solve

Verify the options file and see if all the mandatory arguments are supplied.

3.1.117.3 Error Message Syntax

Missing mandatory parameter: {{parameter}}.

3.1.118 ARA2L_ARTOP_WARN_001

3.1.118.1 Error Description

If the input ARXML is having warnings according to AUTOSAR schema file, then this warning message is logged with details. But the tool still processes the files and ignores the warnings in ARXML file.

3.1.118.2 How to Solve

Check if the warnings really cause any problem. otherwise, these can be ignored.

3.1.118.3 Error Message Syntax

Schema Validation warning: {{message}} at line number {{line}}, column number {{column}}.

3.1.119 ARA2L_ARTOP_ERROR_001

3.1.119.1 Error Description

If the input ARXML is not well-formed according to AUTOSAR schema file, then this error is logged with details and the tool aborts after logging the next error ARA2L_ARTOP_ERROR_001.

3.1.119.2 How to Solve

Analyze why RTE tool is generating ARXML file which is not well-formed according to the AUTOSAR schema. Or any manual changes done on ARXML file.

3.1.119.3 Error Message Syntax

Wellformness error: {{message}} at line number {{line}}, column number {{column}}.

3.1.120 ARA2L_ARTOP_WARN_002

3.1.120.1 Error Description

If the input ARXML is not valid according to AUTOSAR schema file, then this error is logged with details. But the tool still processes the files and ignores the error present in ARXML file.

3.1.120.2 How to Solve

Check the error details for line numbers to know where exactly the problem in input ARXML file is. If the data is required, then analyze why RTE is generating data which is not according to the AUTOSAR schema.

3.1.120.3 Error Message Syntax

Schema Validation error: {{message}} at line number {{line}}, column number {{column}}.

3.1.121 ARA2L_ARTOP_ERROR_002

3.1.121.1 Error Description

If the input ARXML is not well-formed according to AUTOSAR schema file, then this error is logged with details and the tool aborts after logging the next error.

3.1.121.2 How to Solve

Analyze why RTE tool is generating ARXML file which is not well-formed according to the AUTOSAR schema. Or any manual changes done on ARXML file.

3.1.121.3 Error Message Syntax

Aborting due to presence of wellformness error.

3.1.122 ARA2L_ARTOP_ERROR_003

3.1.122.1 Error Description

If the input ARXML file does not exist.

3.1.122.2 How to Solve

Provide the correct input ARXML file path.

3.1.122.3 Error Message Syntax

The McSupportFile '{{mcSupportFileName}}' does not exist.

3.1.123 A2LGEN_PROJECTROOT_DOES_NOT_EXISTS

3.1.123.1 Error Description

If the project root path specified does not exist.

This message id is for all the A2LGEN modules.

3.1.123.2 How to Solve

Specify the project root path which exists.

3.1.123.3 Error Message Syntax

Specified project root path does not exist:: '{{projectRootDir}}'

3.1.124 A2LGEN_SYSTEM

3.1.124.1 Error Description

This is a system level message and does not correspond to any issue.

It is just an information message.

3.1.124.2 How to Solve

None

3.1.124.3 Error Message Syntax

{{SYSTEM_MESSAGE}}

3.1.125 A2LGEN_DEBUG_RUNTIME

3.1.125.1 Error Description

This is an info message for the time taken by RTA-A2L tool.

3.1.125.2 How to Solve

None

3.1.125.3 Error Message Syntax

Total time taken for {{Component name}}: {{Time ms}}ms ({{Time s}}s)

3.1.126 A2LGEN_SYSTEM_RUNTIME

3.1.126.1 Error Description

This is an info message for the time taken by A2LGEN tool.

3.1.126.2 How to Solve

None

3.1.126.3 Error Message Syntax

Total time taken for {{Component name}}: {{Time ms}}ms ({{Time s}}s) .

3.1.127 A2LGEN_VERSION

3.1.127.1 Error Description

This is just an information message about the A2LGEN version.

3.1.127.2 How to Solve

None

3.1.127.3 Error Message Syntax

Generated by A2LGEN Version: {{A2LGEN_PROD_VERSION}}.

3.1.128 A2LGEN_PROJECTROOT_CANNONICAL_PATH_PROBLEM

3.1.128.1 Error Description

if the file path is not proper or the file path is not accessible.

This message id is for all the A2LGEN modules.

3.1.128.2 How to Solve

Specify the correct file path.

3.1.128.3 Error Message Syntax

Error while building the absolute path of projectRoot directory: '{{projectRootPath}}'.

3.1.129 A2LGEN_PROJECTROOT_NOT_DIR

3.1.129.1 Error Description

If the project root path is not pointing to a directory/folder. This message id is for all the A2LGEN modules.

3.1.129.2 How to Solve

Verify that the project root path starts with a directory.

3.1.129.3 Error Message Syntax

Specified project root path is not a directory:: '{{projectRootDir}}'

3.1.130 ICE-ARA2L-E-FILE-PATH

3.1.130.1 Error Description

This is logged when an IOException is thrown while trying to read a file . i.e when the tool is trying to read that could not be found.

3.1.130.2 How to Solve

Provide the proper file paths in the options file or as separate arguments which is readable and accessible.

3.1.130.3 Error Message Syntax

An IOException occured while trying to read the file:: '{{filepath}}'

3.1.131 ICE-ARA2L-E-ADX-DATA-FORMAT

3.1.131.1 Error Description

This is logged when a DataFormatException is encountered while parsing the ADX file.

3.1.131.2 How to Solve

No activity required

3.1.131.3 Error Message Syntax

A DataFormatException occured while parsing the ADX file:: '{{adxfilepath}}'

3.1.132 ICE-ARA2L-E-ADX-SAX-PARSER

3.1.132.1 Error Description

This is logged when a SAXException occurred while parsing the ADX file.

3.1.132.2 How to Solve

No activity required

3.1.132.3 Error Message Syntax

A SAXException occured while parsing the ADX file :: '{{adxfilepath}}'

3.1.133 ICE-ARA2L-E-ADX-ERROR

3.1.133.1 Error Description

This is logged when an there is Multiple entries with same labelName in ADX file.

3.1.133.2 How to Solve

Ensure that the ADX file is not having any duplicate enrtries.

3.1.133.3 Error Message Syntax

Errors related to ADX file will be logged.

3.1.134 A2LMERGE-E-OFFSET-FORMAT

3.1.134.1 Error Description

This message is logged when the offset format provided by user through --off_val or --off_lst option is anything other than hex, KB or MB.

3.1.134.2 How to Solve

change the value for --off_val or --off_lst to hex, KB or MB format.

3.1.134.3 Error Message Syntax

Please give --off_val in hex / KB / MB format.

3.1.135 A2LMERGE-E-INVALID-ARGUMENT

3.1.135.1 Error Description

This is logged when the value for command line argument or option is invalid.

i.e if some other value other than the expected value is provided.

3.1.135.2 How to Solve

Provide only the valid values for each argument in the options file as specified in the user guide. Refer to user guide for expected values of argument.

3.1.135.3 Error Message Syntax

Permissible values of parameter --clusterelementnameconflicts are \"prefix\" or \"post-fix\" "

3.1.136 A2LMERGE-E-MISSING-ARGUMENT

3.1.136.1 Error Description

This is logged when any of the mandatory arguments are missing in the options file of A2Lmerger.

Also the tool will be aborted in this case.

Missing mandatory argument(s) - <list of missing mandatory arguments>.

3.1.136.2 How to Solve

The mandatory arguments list is available in user guide. refer to user guide and provide all the mandatory arguments in the options file.

3.1.136.3 Error Message Syntax

Missing mandatory argument(s)-

Missing argument(s)-

3.1.137 A2LMERGE-E-ADDR-LMT-FORMAT

3.1.137.1 Error Description

logged when the address limit of ADL address provided by user through --addr_lmt

is outside the range 0 to 32.

3.1.137.2 How to Solve

The address limit provided through --addr_lmt should be provided within the range 0 to 32.

3.1.137.3 Error Message Syntax

Please give --addr_lmt in the range 0-32.

3.1.138 A2LMERGE-E-INVALID-MODE

3.1.138.1 Error Description

Logged If execution mode specified by user through --mode is anything

other than "Lazy", "Continue" or "Productive".

3.1.138.2 How to Solve

Only the allowed value "Lazy", "Continue" or "Productive" to be given for the argument --mode in the options file.

3.1.138.3 Error Message Syntax

Permissible values of parameter --clusterelementnameconflicts are \"prefix\" or \"post-fix\" ".

3.1.139 A2LMERGE-E-FILE-ERROR

3.1.139.1 Error Description

Logged If the tool is unable to find or read an input file or even when the access is denied to create or close a file.

3.1.139.2 How to Solve

Provide proper file path or enable read-write property for the file.

3.1.139.3 Error Message Syntax

Access denied while creating file.

3.1.140 A2LMERGE-E-INVALID-DIRECTORY

3.1.140.1 Error Description

Logged if the directory path specified by the user is invalid.

Eg. When the user provides the wrong dierctory for the option --cA2L_dir.

3.1.140.2 How to Solve

Provide the proper directory in the options file.

3.1.140.3 Error Message Syntax

Invalid directory

3.1.141 A2LMERGE-E-NO_WRITE_ACCESS

3.1.141.1 Error Description

logged if output file path is not found or not writable.

3.1.141.2 How to Solve

No activity required

3.1.141.3 Error Message Syntax

No write access for the file.

3.1.142 A2LMERGE-E-ADDR-MISSING

3.1.142.1 Error Description

Address or Memory element definition for A2L <block_type> block

<name_of_block> missing in ADX file <ADX path>. This error is thrown for block type Characteristic, Measurement and Axis_Pts and such blocks are not merged.

3.1.142.2 How to Solve

Check the reason why address is missing in the ADX file by dumping the elf file using the compiler and if the element is not available in the elf file check if in the c file the variable which is defined is being used or not, if it is not used then it might be optimized the linker.

3.1.142.3 Error Message Syntax

No such Characteristic element {{ }} found in ADX file {{path}}.

3.1.143 A2LMERGE-E-LABEL-NOT-UNIQUE

3.1.143.1 Error Description

If a label appears more than once in ADX file.

An error, The A2L <block_type> block <name_of_block> is not unique in

ADX file <ADX path>, is displayed and the corresponding block is not considered for merge.

3.1.143.2 How to Solve

Contact ETAS support team.

3.1.143.3 Error Message Syntax

The Characteristic label {{}} found in ADX file {{path}} is not unique, SYMBOL_LINK will not be generated for this label.

3.1.144 A2LMERGE-E-ABORT

3.1.144.1 Error Description

Aborts due to an error and the final A2L file will not be generated.

This message will be logged along with another message that would have caused the tool to abort.

3.1.144.2 How to Solve

Check the reason for abort and fix the reason for tool abort. Abort reason may vary.

Abort reason would be specified just before the abort message.

Contact ETAS support if no solution found.

3.1.144.3 Error Message Syntax

Aborting due to error.

3.1.145 A2LMERGE-E-INVALID-CONTENT

3.1.145.1 Error Description

Logged when there is invalid content in the specified file path, i.e if the file cannot be found or read in the specified file path.

3.1.145.2 How to Solve

Provide the proper file path for A2Lmerger tool execution in the options file.

3.1.145.3 Error Message Syntax

Could not find or read file {line} in customer A2L list.

3.1.146 A2LMERGE-E-DUP-SYSTEM-CONSTANT

3.1.146.1 Error Description

Logged if the SYSTEM-CONSTANT appears in both Bosch A2L file and customer A2L file with different value. In this case tool will consider the system constant from Bosch A2L file without aborting.

3.1.146.2 How to Solve

Provide the same system constant value in both Bosch and customer A2L file and if it is having different value then system constant value from the Bosch A2L file will be considered.

3.1.146.3 Error Message Syntax

The A2L block SYSTEM_CONSTANT '{{systemConstant Name}}' is defined in both customer A2L files {{relative path}} and Main A2L file with different values. For Merging into final A2L file, SystemConstant definition from main A2L file is considered.

3.1.147 A2LMERGE-E-INDEX-NOT-PRESENT

3.1.147.1 Error Description

Logged if the Measurement block of array type in customer A2L file does not consist of all the elements in order starting from zero index.

3.1.147.2 How to Solve

Provide all the array indices from 0th index for the array type in customer A2L file.

3.1.147.3 Error Message Syntax

The single dimension A2L Measurement block with name \" {{measurement Name}} \" present in Customer file {{path}} is not having all the array elements. A2LMerger expects the Measurement block to start with zero index and have all the array elements present. Hence this measurement block \" {{measurement Name}} \"is not considered for merging.

3.1.148 A2LMERGE-E-ARRAY-SIZE-DIFFERENCE

3.1.148.1 Error Description

Logged when different array size present in main A2L file and in customer A2L file for the same MEASUREMENT block.

3.1.148.2 How to Solve

Provide the same array size in both customer and main A2L file in case of duplicate MEASUREMENT block.

3.1.148.3 Error Message Syntax

Different array size present in main A2L file for the same MEASUREMENT \"{{cust Name}}

\" block of customer A2L file.

3.1.149 A2LMERGE-E-ASAP-VERSION-MISMATCH

3.1.149.1 Error Description

If VersionNo of Master A2L file and Customer/Internal-AR A2L files is different then this error message is logged. And also if the VersionNo of Master A2L file and Customer/Internal AR A2L file is same but the first upgrade digit of Master A2L file is lower than the Customer/Internal AR A2L files then this error message is logged.

Example: ASAP2_VERSION 1 31 /* Version 1.31 */

Here "1" is version number and "31" is upgrade number.

The above error message is logged if VersionNo is different or the first upgrade digit of Master A2L file is lower than the Customer/Internal AR A2L files.

3.1.149.2 How to Solve

Provide the customer/internal AR-A2L files with ASAP version same or lesser than the ASAP version of main A2L file.

eg: Main A2L ASAP version 1.70

customer A2L ASAP version either 1.70 or <1.70.

3.1.149.3 Error Message Syntax

ASAP2_VERSION of main A2L file is lower than the {{A2LFileType}} "\" {{A2LDocument path}}"\".

3.1.150 A2LMERGE-E-ASAP-VERSION-CHECK-DISABLED

3.1.150.1 Error Description

This message is logged when A2L Merger is run with ASAP version check in disable mode. If the VersionNo of Master A2L file and Customer/Internal AR A2L files is different or also if the VersionNo of Master A2L file and Customer/Internal AR A2L file is same but the first upgrade digit of Master A2L file is lower than the Customer/Internal-AR then this error message is logged.

3.1.150.2 How to Solve

Always provide the master A2L file with ASAP Version greater than or same as the customer/Internal-AR A2L File ASAP Version.

3.1.150.3 Error Message Syntax

ASAP2 version check is disabled for A2L Merger and there is inconsistency in the ASAP versions of Main A2L file and supplied {{A2LFileType}} file \" {{A2LDocument path}}"\".

3.1.151 A2LMERGE-E-FILE-ENCODING

3.1.151.1 Error Description

Logged when an Exception occurred while finding the encoding of the customer A2L file.

3.1.151.2 How to Solve

Provide the proper encoding format of the customer A2L file (ANSI) which is supported.

3.1.151.3 Error Message Syntax

Exception occurred while finding the encoding of the customer A2L file {{A2LFile}}

3.1.152 A2LMERGE-E-NOT-ABLE-TO-FETCH-DATA-TYPE

3.1.152.1 Error Description

For address calculation of single dimensional array characteristic/axis_pts, if not able to fetch dataType from the referred record layout then by default 0 data size is considered for address calculation and this message will be logged in the above case.

3.1.152.2 How to Solve

The right data type has to be specified for the referred recordLayout.

3.1.152.3 Error Message Syntax

For address calculation of single dimensional array characteristic/axis_pts \"

{{namedCalObject name}} \", not able to fetch dataType from the referred record layout \" {{strRecLyt}} \". By default, \"0\" data size is considered for address calculation

3.1.153 A2LMERGER-E-DATA-SIZE-MISMATCH

3.1.153.1 Error Description

Logged if the value of datatype(that is in bits) is different than the size of bit specified in ADX/adl file for the corresponding measurement label name of type structure.

3.1.153.2 How to Solve

Make sure the C code and input specification files (AUTOSAR) is having the same bit size of the element.

3.1.153.3 Error Message Syntax

The A2L block MEASUREMENT {{measurement Name}} 's datatype value of {{measurement DataTypeName}} does not match with ADX element size of {{adlSize}}.

3.1.154 A2LMERGER-E-BIT-MASK-MISMATCH

3.1.154.1 Error Description

If the value of "Bit_Mask" is different than the value of Bit_Mask (which is calculated based on "number of bits" and the "bit position") present in the ADX/adl file for the corresponding measurement label name of type structure.

3.1.154.2 How to Solve

Make sure the C code and input specification files (AUTOSAR) is having the same bit mask value of the element.

3.1.154.3 Error Message Syntax

The A2L block MEASUREMENT {{measurement Name}}'s BIT_MASK value of 0x {{bitMaskFromA2L}} in file {{relative path of A2LCustDocument}}-

does not match with ADX bit mask value of 0x {{bitMaskFromADX}}.

3.1.155 A2LMERGE-E-INVALID-MERGE-MULTIPLE-MODULES-OPTION

3.1.155.1 Error Description

Permissible values of parameter --mergemultiplemodules are "true" and "false". If in the input is given other than these values, then the tool throws error and aborts.

3.1.155.2 How to Solve

Provide only the allowed values i.e "true" or "false" for --mergemultiplemodules argument in the options file.

3.1.155.3 Error Message Syntax

Permissible values of parameter --mergemultiplemodules are \"true\" or \"false\".

3.1.156 A2LMERGE-E-IFDATA-ARXML-FILE-PARSING

3.1.156.1 Error Description

This error is thrown when A2L Merger parses the input ARXML files for merging IF_DATA blocks.

3.1.156.2 How to Solve

Provide the proper ARXML file with proper schema for IF_DATA blocks merging. The error message would be logged in the log file. The error should be checked and accordingly the ARXML file error has to be fixed.

3.1.156.3 Error Message Syntax

Error while parsing the file {{relative path of ifDataARXMLFilePath }} {{error Message}}.

3.1.157 A2LMERGER-E-RECORD-LAYOUT-NOT-PRESENT

3.1.157.1 Error Description

If the RECORD_LAYOUT referenced in A2L block CHARACTERISTIC is not defined, then this message is logged and the characteristic block will not be considered for merge.

3.1.157.2 How to Solve

In the input A2L file provide the definition for the RECORD_LAYOUT which is referred by the characteristic block.

3.1.157.3 Error Message Syntax

The RECORD_LAYOUT referenced in A2L block CHARACTERISTIC {{custChar Name}} is not defined. Not considering for merge.

3.1.158 A2LMERGE-W-ADDR-LMT

3.1.158.1 Error Description

Logged if ADX address for label <label_name> exceeds user specified address limit in the options file for option --addr_lmt.

3.1.158.2 How to Solve

Change the addr_lmt if required so that the label would not exceed the user specified address limit value in the options file.

3.1.158.3 Error Message Syntax

ADX address for label {{cust Name}}: 0x{{strADLAdrsVal}} exceeds the specified / default address limit of 0x{{m_strMaxHexLmt}}.

3.1.159 A2LMERGE-W-INVALID-ADDRESS-LIMIT

3.1.159.1 Error Description

Logged If the main ECU address and its IF_DATA block address do not match.

3.1.159.2 How to Solve

No activity required

3.1.159.3 Error Message Syntax

{{message}}

3.1.160 A2LMERGE-W-BLOCK-ADDRESS-MISMATCH

3.1.160.1 Error Description

Logged If the main ECU address and its IF_DATA block address do not match.

3.1.160.2 How to Solve

No activity required

3.1.160.3 Error Message Syntax

{{message}}

3.1.161 A2LMERGE-W-MISSING-BLOCK

3.1.161.1 Error Description

Cannot find IF_DATA ASAP1B_CCP block to perform necessary modifications in file -->

There are no such warnings observed till now.

3.1.161.2 How to Solve

No activity required

3.1.161.3 Error Message Syntax

Cannot find IF_DATA ASAP1B_CCP block to perform necessary modifications in file {{p_strMainA2L path}}

3.1.162 A2LMERGE-W-DUPLICATE-LABEL

3.1.162.1 Error Description

Warns the user that there is duplicate label found during merging A2L files.

Labels can be of any of below type

Characteristic,

AxisPts,

RecordLayout,

CompuTable,

CompuMethod,

Group,

Unit.

And preference is given to the MAIN A2L file.

This message is logged both for customer A2L file merging and internal AUTOSAR A2L files.

3.1.162.2 How to Solve

Remove the duplicate entries from either of the input A2L files in whichever it is not required.

3.1.162.3 Error Message Syntax

Duplicate Characteristic block {{char Name}} in file {{custA2LDoc path}}.

3.1.163 A2LMERGER-W-DUP-FUNCTION-VERSION-MISMATCH

3.1.163.1 Error Description

If the FUNCTION_VERSION of a function from master A2L file and in internal AUTOSAR A2L files or customer A2L file is different, then FUNCTION_VERSION of the function from master A2L file is given preference and the same is written for the function in the merged A2L file. And in this scenario the following message is logged.

3.1.163.2 How to Solve

Change the function version for the duplicate Function block in any of the input A2L files.

3.1.163.3 Error Message Syntax

The A2L block Function {{custFunction Name}} exists in both main and customer A2L files and their version do not match.

3.1.164 A2LMERGER-W-DUP-MEASUREMENT-DESC-MISMATCH

3.1.164.1 Error Description

Logged if the LongIdentifier description of the duplicate measurement block is different in customer/internal AR A2L file and main A2L file.

This message will be disabled when --deactivate_specific_dupmeas_warnings switch is set to true. And preference is given to the customer A2L file's LongIdentifier description.

This message is logged both for customer A2L file merging and internal AUTOSAR A2L files.

3.1.164.2 How to Solve

Change the description value for the duplicate measurement blocks in anyone of the input A2L files.

3.1.164.3 Error Message Syntax

The A2L block Measurement {{mainMeasurement Name}}'s description '{{mainMeasurement Longidentifier}}' does not match with customer document's description '{{custMeasurement Longidentifier}}' present in \" {{A2LCustDocument path}} \".

3.1.165 A2LMERGER-W-DUP-MEASUREMENT-DATATYPE-MISMATCH

3.1.165.1 Error Description

Logged if the Datatype of duplicate Measurement block is different in customer/internal AR A2L file and main A2L file. And preference is given to the customer A2L file's DataType value. This message is logged both for customer A2L file merging and internal AUTOSAR A2L files.

3.1.165.2 How to Solve

Change the data type for the duplicate measurement blocks in anyone of the input A2L files.

3.1.165.3 Error Message Syntax

The A2L block Measurement {{mainMeasurement Name}}'s data type '{{mainMeasurement DataType}}' does not match with customer document's data type '{{custMeasurement DataType}}' present in \" {{A2LCustDocument path}}\".

3.1.166 A2LMERGER-W-DUP-MEASUREMENT-CONVERSION-MISMATCH

3.1.166.1 Error Description

Logged if the "Conversion" referred in duplicate Measurement block of customer/internal AR A2L file and main A2L file are different.

This message will be disabled when --deactivate_specific_dupmeas_warnings switch is set to true. And preference is given to the customer A2L file's Conversion value.

This message is logged both for customer A2L file merging and internal AUTOSAR A2L files.

3.1.166.2 How to Solve

Change the conversion value for the duplicate measurement blocks in any one of the input A2L files.

3.1.166.3 Error Message Syntax

The A2L block Measurement {{mainMeasurement Name}}'s conversion '{{mainMeasurement CompuMethod Name}}' does not match with customer document's conversion '{{custMeasurement CompuMethod Name}}' present in \"{{A2LCustDocument}}\".

3.1.167 A2LMERGER-W-DUP-MEASUREMENT-RESOLUTION-MISMATCH

3.1.167.1 Error Description

Logged if the "Resolution" value in duplicate Measurement block of customer/internal AR A2L file and main A2L file are different.

And preference is given to the customer A2L file's Resolution value.

This message is logged both for customer A2L file merging and internal AUTOSAR A2L files.

3.1.167.2 How to Solve

Change the resolution value for the duplicate measurement block in any one of the A2L files.

3.1.167.3 Error Message Syntax

The A2L block Measurement {{mainMeasurement Name}}'s resolution value of '{{mainMeasurement Resolution}}' does not match with customer document's resolution value of '{{custMeasurement.getResolution}}' present in \"+ {{A2LCustDocument path}} \".

3.1.168 A2LMERGER-W-DUP-MEASUREMENT-ACCURACY-MISMATCH

3.1.168.1 Error Description

Logged if the "Accuracy" value in duplicate Measurement block of customer/internal AR A2L file and main A2L file is different.

This message will be disabled when --deactivate_specific_dupmeas_warnings switch is set to true. And preference is given to the Customer A2L file's accuracy value.

This message is logged both for customer A2L file merging and internal AUTOSAR A2L files.

3.1.168.2 How to Solve

Change the accuracy value for the measurement in any of the input A2L files.

3.1.168.3 Error Message Syntax

The A2L block Measurement {{mainMeasurement Name}}'s accuracy value of '{{main-Measurement AccuracyStr}}' does not match with customer document's accuracy value of '{{custMeasurement AccuracyStr}}' present in \"{{A2LCustDocument path}} \".

3.1.169 A2LMERGER-W-DUP-MEASUREMENT-LOWERLMT-MISMATCH

3.1.169.1 Error Description

logged if the "LowerLimit" value in duplicate Measurement block of customer/internal AR A2L file and main A2L file are different. And preference is given to the customer A2L file's lower limit value.

This message is logged both for customer A2L file merging and internal AUTOSAR A2L files.

3.1.169.2 How to Solve

Change the lower limit value for the duplicate measurement blocks in any one of the input A2L files in which the measurement block is duplicate.

3.1.169.3 Error Message Syntax

The A2L block Measurement {{mainMeasurement Name}}'s lower limit value of '{{main-Measurement LowerLimitStr}}' does not match with customer document's lower limit value of 'custMeasurement LowerLimitStr}}' present in \" {{A2LCustDocument path}} \".

3.1.170 A2LMERGER-W-DUP-MEASUREMENT-UPPERLMT-MISMATCH

3.1.170.1 Error Description

Logged if the "UpperLimit" value in duplicate Measurement block of customer/internal AR A2L file and main A2L file are different. And preference is given to the Customer A2L file's upper limit value.

This message is logged both for customer A2L file merging and internal AUTOSAR A2L files.

3.1.170.2 How to Solve

Change the upper limit value for the duplicate measurement block in any one of the input A2L files in which the measurement block is duplicate.

3.1.170.3 Error Message Syntax

The A2L block Measurement {{mainMeasurement Name}}'s upper limit value of '{{mainMeasurement UpperLimitStr}}' does not match with customer document's upper limit value of '{{custMeasurement UpperLimitStr}}' present in \"{{A2LCustDocument path\}} \".

3.1.171 A2LMERGER-W-DUP-MEASUREMENT-UNIT-MISMATCH

3.1.171.1 Error Description

Logged if the "Unit" value of COMPU_METHOD referred in duplicate Measurement block of customer/internal AR A2L file and main A2L file is different. This message will be disabled when --deactivate_specific_dupmeas_warnings switch is set to true.

And preference is given to the Customer A2L file's unit.

This message is logged both for customer A2L file merging and internal AUTOSAR A2L files.

3.1.171.2 How to Solve

Change the "Unit" value of the Compu_method referred in duplicate measurement block in any one of the input A2L files in which the measurement block is duplicate.

3.1.171.3 Error Message Syntax

The A2L block Measurement {{mainMeasurement Name}} exists in both main and customer A2L file\"{{A2LCustDocument}} \"and their Unit values do not match\nRB-A2L before merge: conversion \" {{mainMeasConvName}} + "\" => Unit \"{{mainMeasUnit}}\"

\nCustomer and Final A2L: conversion \"{{custCustConv Name}}\" => Unit \"custCustUnit\"

3.1.172 A2LMERGER-W-DUP-MEASUREMENT-COEFFS-MISMATCH

3.1.172.1 Error Description

Logged if the "COEFFS" value of COMPU_METHOD referred in duplicate Measurement block of customer/internal AR A2L file and main A2L file are different.

And preference is given to the Customer A2L file's Coeffs.

This message is logged both for customer A2L file merging and internal AUTOSAR A2L files.

3.1.172.2 How to Solve

Change the "COEFFS" value of the compu method referred in duplicate measurement blocks in any one of the input A2L files having the duplicate measurement block.

3.1.172.3 Error Message Syntax

The A2L block Measurement {{mainMeasurement Name}} exists in both main and customer A2L file\"{{A2LCustDocument path}}\" and their coefficient values do not match.

3.1.173 A2LMERGE-W-WRONG-IFDATA-BLOCK

3.1.173.1 Error Description

Logged while populating IF_DATA Blocks from the input ARXML files and A2L Merger

not able to fetch the IF_DATA name because of invalid IF_DATA block.

3.1.173.2 How to Solve

Provide the proper IF_DATA block with proper name which is available in the input ARXML file.

3.1.173.3 Error Message Syntax

Not able to fetch {{ifDataType}} IfData block name of the {{elementType}}\"{{mcDataInstanceShortName}}\", in the file {{ifDataInputFilePath}}.

3.1.174 A2LMERGE-W-IFDATA-PARENT-NOT-EXISTS

3.1.174.1 Error Description

This warning is thrown if VAR or CALPRM MC-DATA-INSTANCES is

configured with IF_DATA blocks in input mcsupport ARXML file, but the

corresponding element's block definition is not present in the input A2L files.

Logged for Characteristics, axis points and measurement.

3.1.174.2 How to Solve

Provide the definition for the chracteristic block corresponding to the CALPRM MC-DATA-INSTANCES in the input A2L file or remove the CALPRM MC-DATA-INSTANCES with IF_DATA blocks in the input ARXML file not having definition in the A2L file.

3.1.174.3 Error Message Syntax

CALPRM MC-DATA-INSTANCE \"{{calprmMcDataInstanceName}}\" is configured with IF_DATA blocks in input mcsupport ARXML file, but the corresponding Characteristic/AxisPts block definition is not present in the input A2L files.

3.1.175 A2LMERGE-W-MERGE-IFDATA-DEFINATION-NOT-EXISTS

3.1.175.1 Error Description

A VAR or CALPRM is configured with IF_DATA MERGE block

<SD GID=\"IF_DATA_BLOCKS_MERGE\"> in input mcsupport ARXML file, but

corresponding IF_DATA block definition is not present in the input A2L file or in input ARXML files. Logged for Characteristics, Axis points and Measurement.

3.1.175.2 How to Solve

Provide the IF_DATA block definition in the input A2L or ARXML files for the VAR or CALPRM which is configured with IF_DATA MERGE block

<SD GID=\"IF_DATA_BLOCKS_MERGE\"> in input mcsupport ARXML file.

3.1.175.3 Error Message Syntax

CALPRM MC-DATA-INSTANCE \"{{calprmMcDataInstanceName}}\" is configured with <SD GID=\"IF_DATA_BLOCKS_MERGE\"> block \"{{ifDataName}}\" in input mcsupport ARXML file, but the corresponding IF_DATA block definition is not present in the input A2L file or in input ARXML files.

3.1.176 A2LMERGE-W-DUPLICATE-COMPU-METHOD

3.1.176.1 Error Description

If the contents of a compu method having same name in customer and master A2L file is differing, then this is logged.

High prio warning message since this can lead to wrong compu method definition in the merged A2L file.

3.1.176.2 How to Solve

Either the duplicate compu method should be removed or it should be having the same definition.

3.1.176.3 Error Message Syntax

Mismatch in the compuMethod \"{{firstCompu Name}}\" definition from "{{relative custA2LDoc}}", mismatched properties \"{mismatchPropName}}\". Check the A2L elements from main/internal/customer A2L files, referring to this compuMethod are not impacted.

3.1.177 A2LMERGE-W-FILE-ENCODING

3.1.177.1 Error Description

Logged when unable to detect the encoding format of input A2L Files

3.1.177.2 How to Solve

Provide input files with correct encoding or provide the encoding of input files in options file.

3.1.177.3 Error Message Syntax

Unable to detect encoding of the file \"{{A2LFilePath}} \”. Output A2L file might contain unexpected characters. To resolve, use encoding option to specify the encoding of the input files.

3.1.178 A2LMERGE-I-COPYRIGHT-INFO

3.1.178.1 Error Description

Displays the copyright information for the tool (A2LMerger).

3.1.178.2 How to Solve

Since only the copyright information of the tool is displayed, no activity required.

3.1.178.3 Error Message Syntax

{{ToolName}} {{CopyrightInfo}}

3.1.179 A2LMERGE-I-LOG-FILE

3.1.179.1 Error Description

Logged if text log file path is not provided by the user, root directory of execution is taken as default path.

3.1.179.2 How to Solve

If log files have to be generated in a specific location then the log file paths has to be provided in the options file.

3.1.179.3 Error Message Syntax

Considering default log file path name as {{logPath}}.

3.1.180 A2LMERGE-I-ASAP-VERSION-MISMATCH

3.1.180.1 Error Description

If the ASAP version of customer A2L file is lower than main A2L file, this message is logged.

Ex: main A2L file has ASAP version 1 51 and customer file has 1 41.

And also if main A2L has ASAP version 1 50 and customer file has 1 51.

3.1.180.2 How to Solve

In this case the merged A2L file will take the asap version of the main A2L file. Usually provide the same version of main, customer/internal AR A2L file.

3.1.180.3 Error Message Syntax

A2L snippet of {{A2LFileType}} \"{{A2LDocument path}}\" is having ASAP2_VERSION lower than main A2L file.

3.1.181 A2LMERGE-I-ADXFILE-MODE

3.1.181.1 Error Description

If in the input arguments of A2L Merger, ADX/ADl file path is not provided then this info message is logged.

Message: A2L Merger is running in no-address mode and merged label addresses of customer/internal AR-A2L files will be updated with 0x0.

3.1.181.2 How to Solve

Provide the ADX file for generating the A2L file with proper addresses for A2L elements.

3.1.181.3 Error Message Syntax

A2L Merger is running in no-address mode and merged label addresses of customer/internal AR-A2L files will be updated with 0x0.

3.1.182 A2LMERGE-I-SYMBOL-LINK-NOT-GENERATED

3.1.182.1 Error Description

If in the input arguments of A2L Merger, ADX/ADl file path is not provided and enablesymbollinkgeneration switch is set as true then this info message is logged.

Message: A2L Merger is running in no-address mode, i.e ADX file is not provided as input hence the SYMBOL_LINK would not be generated for all the labels.

3.1.182.2 How to Solve

Provide the ADX file for generating the A2L file with proper addresses for A2L elements and also generating the symbol link information for the A2L elements.

3.1.182.3 Error Message Syntax

A2L Merger is running in no-address mode, i.e ADX file is not provided as input hence the SYMBOL_LINK would not be generated for all the labels.

3.1.183 A2LMERGE-I-HWI-MODE

3.1.183.1 Error Description

This info message is logged when the "--hwimode" switch is set to "y" in the optionsfile, to indicate to the user that A2Lmerger is running in hwi mode and the input "--ADXfile" will not be considered as input to A2Lmerger. The behavior will be same as no ADX file mode in this case.

3.1.183.2 How to Solve

Before setting this option in the optionsfile user has to verify whether it is valid to set this option in their use case, i.e are they already having the proper addresses for the elements in the A2L file before running A2Lmerger.

3.1.183.3 Error Message Syntax

The switch \"-hwimode\" is enabled. ADX file will not be considered as input in this case and elements will be merged with 0x0 as address.

3.1.184 A2LMERGE-I-IFDATA-EXISTS

3.1.184.1 Error Description

Configured IF_DATA block in input mc support ARXML files, is already present in the input A2L files or ByPass IF_DATA with <SD GID=\"BYPASS_IF_DATA\"> block has already configured in the input ARXML file.

3.1.184.2 How to Solve

Can remove the IF_DATA block from the input mc support ARXML file which is already present in the input A2L files or Bypass IF_DATA is configured in the input ARXML file.

3.1.184.3 Error Message Syntax

Configured {{InputIfDataType}} IF_DATA block \"{{ifDataName}}\" is already present in the characteristic/AxisPts block \"{{characteristicName}}\" of input A2L files.

3.1.185 A2LMERGER-I-IGNORED-ELEMENT

3.1.185.1 Error Description

If the element address is not present in main ADX file and it is present in one of the ADX files provided in ignore ADX file list (optimized by linker, not available in elf file),

then the tool logs this info message and ignores this element for merging into final A2L file

OR

In case if --skipElementsWithMissingAddress true is provided in the input arguments, then A2L Merger skips the customer A2L elements for which address is missing in the ADX/ADL, to merge into main A2L file.

In this case info message is logged for each element that is skipped.

3.1.185.2 How to Solve

No activity required.

3.1.185.3 Error Message Syntax

The option \"--skipelementswithmissingaddress\" is set to true. If the address for the elements in customer/InternalAr A2L files is missing in the ADL/ADX file, then the element will be ignored for merging into final A2L file.

3.1.186 A2LMERGER-I-OPTIMIZED-RME-ELEMENT

3.1.186.1 Error Description

If any Characteristics, Measurements, Axis_pts are RME labels and A2L definition is present for the respective elements, the info message is logged and it is ignored while merging. If these are referenced in either Groups/ Functions then the references are ignored while writing into final A2L file.

3.1.186.2 How to Solve

No activity required.

3.1.186.3 Error Message Syntax

MessageCopy block {{clonedMeas}} is RME Label, so this element is ignored for merging into final A2L file.

3.1.187 A2LMERGER-I-SYSTEM-INFO

3.1.187.1 Error Description

This message is logged when there is no valid content available in the customer A2L list file. It is also logged when certain A2L file operations were not successful.

Also Used to log system information messages. When the tool is invoked from

cmd, the CallString is logged in ULF file with this message ID.

3.1.187.2 How to Solve

Depending on what is the reason for the log message either provide valid content in the customer A2L file list, provide the proper path to the file which is readable and editable or in few cases no activity required.

3.1.187.3 Error Message Syntax

A2LMerger will start generating the PossiblyAffectedItems list file.

3.1.188 A2LMERGE-I-MESSAGE-NOT-EXIST

3.1.188.1 Error Description

Used to inform that the original object is not present and hence the message copy cannot be created.

i.e The message (measurement object) present in the file, is not present in the Bosch/customer A2L files. So, ignoring the copy associated to the message to generate in final A2L file.

3.1.188.2 How to Solve

In --mcopadaptrefsfilelist provide the message copy information only for which the original object is present in the input A2L file.

3.1.188.3 Error Message Syntax

The message \"{{messageName}}\" present in the file {{mcopadaptrefsfilepath}} is not present in the main/customer A2L files. So ignoring the copy \"{{messageCopy}}\" associated to the message to generate in final A2L file.

3.1.189 A2LMERGE-I-WRITE-STATUS

3.1.189.1 Error Description

This is logged to inform to the user about the write status, i.e either writing the merged, updated or the modified A2L file in the final A2L file path.

3.1.189.2 How to Solve

No activity required.

3.1.189.3 Error Message Syntax

Writing modified A2L file {{m_strFinalA2L path}}.

3.1.190 A2LMERGE-I-MISSING-ARGUMENT

3.1.190.1 Error Description

This message is logged when there are no customer A2L file, list or directory

and internal A2L file provided as input only when the --addressupdate is not set to "true" because if "--addressupdate" is set to true then only the main A2L file would be provided as input.

3.1.190.2 How to Solve

Provide the customer or internal AR A2L files for the merging feature to be performed, else the main A2L file contents would be written as it is in the final A2L file.

3.1.190.3 Error Message Syntax

Missing argument(s)- {{CUSTA2L path}} or {{CUSTA2LDIR path}} or {{CUSTA2LLST path}}.

3.1.191 A2LMERGE-I-EXECUTION-STATUS

3.1.191.1 Error Description

Logged to indicate to the user about the successful execution status i.e when the execution of merging or updating or modification is successful.

3.1.191.2 How to Solve

No activity required.

3.1.191.3 Error Message Syntax

Writing modified A2L file {{m_strFinalA2L}}.

3.1.192 A2LMERGE-I-REQUIRE-RESOURCE-REPLACED

3.1.192.1 Error Description

This info message is logged when a characteristic block which is require resource in host/cluster A2L file is replaced with the corresponding provider measurement block.

3.1.192.2 How to Solve

No activity is required. This is information to calibration engineers or users.

3.1.192.3 Error Message Syntax

The Characteristic \"{{requireResourceName}}\" from the cluster A2L file {{A2LCustDocument path }}" is replaced by the Measurement (provider label) \"{{provideResourceA2LName}}\" from other cluster A2L files while merging.

3.1.193 A2LMERGE-E-FILE-PATH

3.1.193.1 Error Description

This is logged when an IOException is thrown while trying to read a file. i.e when the tool is trying to read that could not be found.

3.1.193.2 How to Solve

Provide the proper file paths in the options file or as separate arguments which is readable and accessible.

3.1.193.3 Error Message Syntax

An IOException occured while trying to read the file {{m_strOffLst}}.

3.1.194 A2LMERGE-E-ADX-DATA-FORMAT

3.1.194.1 Error Description

This is logged when a DataFormatException is encountered while parsing the ADX file.

3.1.194.2 How to Solve

No activity required.

3.1.194.3 Error Message Syntax

A DataFormatException occurred while parsing the ADX file {{filePath}}.

3.1.195 A2LMERGE-E-ADX-SAX-PARSER

3.1.195.1 Error Description

This is logged when a SAX Exception occurred while parsing the ADX file.

3.1.195.2 How to Solve

No activity required.

3.1.195.3 Error Message Syntax

A SAX Exception occured while parsing the ADX file {{filePath}}.

3.1.196 A2LMERGE-E-DUP-SYSTEM_CONSTANT

3.1.196.1 Error Description

Logged when different system constant values for the same system constant name are available in 2 different files.

3.1.196.2 How to Solve

No activity required.

3.1.196.3 Error Message Syntax

The A2L block SYSTEM_CONSTANT '{{systemConstant bname}}' is defined in both customer A2L files {{fileNames path}} and Main A2L file with different values. For Merging into final A2L file, SystemConstant definition from main A2L file is considered.

3.1.197 A2LMERGE-W-GSTC-ADX

3.1.197.1 Error Description

A generic message is logged if the switch −−mergeA2Lfileswithoriginaladdress is set to "true" to indicate to the user that the ADX file has been provided in GS−TC mode and that the ADX files will be ignored.

3.1.197.2 How to Solve

No activity required

3.1.197.3 Error Message Syntax

ADX file provided in GS-TC mode. Ignoring ADX files.

3.1.198 A2LMERGE-I-ULF-FILE

3.1.198.1 Error Description

This is used to indicate to the user that the ULF file has been created at the specified location. But the method under which this log message is being logged "setULFLog" is not used anywhere.

3.1.198.2 How to Solve

No activity required.

3.1.198.3 Error Message Syntax

Created ULF file {{p_strFile path}}.

3.1.199 A2LMERGE-E-INPUT-ERROR

3.1.199.1 Error Description

This is used to indicate to user that error occurred while processing the file (i.e invalid files have been provided) or when the access is denied to create a file.

3.1.199.2 How to Solve

Provide proper input files which is accessible or proper path which is accessible to create a file at the specified location.

3.1.199.3 Error Message Syntax

Error occurred while processing the file.

3.1.200 A2LMERGE-E-MESSAGE-NAME-ALREADY-PRESENT

3.1.200.1 Error Description

Used when the message copy name is already present in the input A2L file.

3.1.200.2 How to Solve

No activity required.

3.1.200.3 Error Message Syntax

{{message}}

3.1.201 A2LMERGE-E-MESSAGE-COPY-ADDRESS-NOT-PRESENT

3.1.201.1 Error Description

If the address for the message copy is not present in the ADX file, then this message is logged and the message copy will be ignored to generate in the final A2L file.

This message will be logged only when --mcopadaptrefsfilelist option is set in the options file.

3.1.201.2 How to Solve

Check if the message copy for which the address is not available in the ADX file was optimized at the linker stage by dumping elf. If no solution found contact ETAS support team.

3.1.201.3 Error Message Syntax

The address for the message copy \"{{messageCopyName}}\" is not present in the ADX/ADL file {{adrsContainer ADXfilePath}}. So, ignoring this message copy to generate in final A2L file.

3.1.202 A2LMERGER-I-OUTPUT-A2L-FILE

3.1.202.1 Error Description

This message is logged to indicate that the output A2L file has been generated assuming the default file name as the output file name provided in the options file.

This is logged when the tool is executed as modifier.

3.1.202.2 How to Solve

No activity required.

3.1.202.3 Error Message Syntax

Generated output A2L file assuming the default name as {{strFinalA2LName}}.

3.1.203 A2LMERGE-E-MISSING-TAG

3.1.203.1 Error Description

Logged when the length of the raster "segment synchronous" could not be found due to the missing "CCP_NUMOFODT_SERIES" in the ConfData file. In this case the default length will be considered as 4. This message is logged only when the tool is run as modifier.

3.1.203.2 How to Solve

Provide the tag "CCP_NUMOFODT_SERIES" to get the correct length of raster "segment synchronous".

3.1.203.3 Error Message Syntax

Cannot find the length of the raster \"segment synchronous\" due to the missing tag \"CCP_NUMOFODT_SERIES\" in file {{p_strConfData path}}. Considering the default length 4.

3.1.204 A2LMERGE-W-MISSING-CONF-FILE

3.1.204.1 Error Description

This is logged when ccp_confdata.xml file is not given as input. In this case default values of "LENGTH", "FIRST_PID" and "BAUDRATE" will be considered for modification.

The same information will be logged to the user.

This message is logged only when the tool is run as modifier.

3.1.204.2 How to Solve

Provide the ccp_confdata.xml file as input to get the actual values of "LENGTH", "FIRST_PID" and "BAUDRATE".

3.1.204.3 Error Message Syntax

ccp_confdata.xml file not given as input. Considering default values of \"LENGTH\", \"FIRST_PID\" and \"BAUDRATE\" for modification.

3.1.205 A2LMERGE-E-FILE-FORMAT

3.1.205.1 Error Description

Logged when invalid main A2L file is provided as input.

3.1.205.2 How to Solve

Provide proper A2L file as the input main A2L file to A2Lmerger tool.

3.1.205.3 Error Message Syntax

Please give a valid A2L file as input for main A2L.

3.1.206 A2LMERGE-E-INVALID-ASAP2_VERSION_CHECK

3.1.206.1 Error Description

Permissible values for --enable_asap2_version_check is "true" or "false".

This message is logged when any other value is provided other than the permissible values.

3.1.206.2 How to Solve

For the option --enable_asap2_version_check only provide the permissible values i.e "true" or "false" in the options file.

3.1.206.3 Error Message Syntax

Permissible values of parameter --ENABLE_ASAP2_VERSION_CHECK is \"true\" and \"false\"

3.1.207 A2LMERGE-I-TOOL-MODE

3.1.207.1 Error Description

Logged when the A2Lmerger tool is working as A2L Modifier.

3.1.207.2 How to Solve

No activity required.

3.1.207.3 Error Message Syntax

Tool is operating as A2L Modifier.

3.1.208 A2LMERGE-E-INVALID-FILE

3.1.208.1 Error Description

Logged when the file specified could not be found or read.

3.1.208.2 How to Solve

Provide proper file path which is available and can be read.

3.1.208.3 Error Message Syntax

Could not find or read file.

3.1.209 A2LMERGE-I-HELP

3.1.209.1 Error Description

This message is used to display the help text for the A2LMerger tool.

3.1.209.2 How to Solve

No activity required.

3.1.209.3 Error Message Syntax

{{ToolName}} {{ CopyrightInfo}}

3.1.210 A2LMERGE-E-ERROR

3.1.210.1 Error Description

This message is used to display the stackTrace of an exception i.e it is used to print the StackTrace of an exception in a logger.

3.1.210.2 How to Solve

One of the input A2L files provided might be incorrect which would result in parse exception. Contact ETAS support team if unable to resolve the parse error or any other errors.

3.1.210.3 Error Message Syntax

The json file \"{{optimizedIfDataPath}}\" is having schema errors {{validationResult Message}}.

3.1.211 A2L_MERGER_SYSTEM

3.1.211.1 Error Description

This is logged when the merging of A2L files is started.

OR

For specifying the tool completion status and it is also logged when the switch is set to true.

Accepted values for the option “--deactivate_specific_dupmeas_warnings” : true/false.

3.1.211.2 How to Solve

Check whether suppressing the duplicate measurement warnings would not impact the project.

3.1.211.3 Error Message Syntax

{{SYSTEM_MESSAGE}}

3.1.212 A2L_MERGER_DUPLICATE_MEAS_INFO

3.1.212.1 Error Description

This is logged when the --deactivate_specific_dupmeas_warnings switch is set to true, to provide a system info message for the user stating that the switch is set to true and certain duplicate measurement warnings will not be logged. This will appear in the overview sheet of the software analyzer report. The log messages which will not be logged are:

A2LMERGER−W−DUP−MEASUREMENT−UNIT−MISMATCH

A2LMERGER−W−DUP−MEASUREMENT−CONVERSION−MISMATCH

A2LMERGER−W−DUP−MEASUREMENT−DESC−MISMATCH

A2LMERGER−W−DUP−MEASUREMENT−ACCURACY−MISMATCH

Detailed description of the switch is available in the wiki page provided in the column additional Info -> link.

The same message is now logged for the message ID A2L_MERGER_SYSTEM.

3.1.212.2 How to Solve

Check whether suppressing these warnings would not impact the project.

3.1.212.3 Error Message Syntax

{{SYSTEM_MESSAGE}}

3.1.213 A2LMERGER-E-MEASUREMENT-NOT-IN-RAM

3.1.213.1 Error Description

This message is logged when the MEASUREMENT block from the internal or the main A2L file is in the ROM MEMORY_SEGMENT instead of RAM only when the switch is --disable_meas_ram_validation_for_customer_A2L is set to y.

ie. The validation of whether the MEASUREMENT block is in RAM MEMORY_SEGMENT or not for the customer A2L file elements will be skipped when this switch is set and the message is logged for each measurement block of internal/main A2L file which is not in RAM MEMORY_SEGMENT.

3.1.213.2 How to Solve

The measurement blocks of the internal/customer A2L files should be in RAM memory segment.

3.1.213.3 Error Message Syntax

Invalid MEMORY_SECTION for MEASUREMENT \"{{VirtualMeasurement Names}}\" . Address 0x {{measurement Object EcuAddress}} not found in the range of memoryType {{memoryType}}.

3.1.214 A2LMERGER-I-NEW-RECORD-LAYOUT

3.1.214.1 Error Description

This is logged to indicate to the user that a new Record Layout with FIX_NO_AXIS_PTS is generated which will be referenced in a characteristic block of certain type.

3.1.214.2 How to Solve

No activity required.

3.1.214.3 Error Message Syntax

A new Record Layout \'{{recLayout Name}}\' with FIX_NO_AXIS_PTS is generated which will be referenced in Characteristic block \'{{characteristic Name}}\' of type \'{{calParam-Category}}\'.

3.1.215 A2LMERGER-I-CHARACTERISTIC-NOT-EXIST

3.1.215.1 Error Description

Indicates to the user that the characteristic block name provided in the AffectedMapsCur-vesList does not exist in the main A2L file. Hence a new record layout with FIX_NO_AXIS_PTS will not be generated.

This are logged only when the switch --affected_maps_curves_list is set.

3.1.215.2 How to Solve

Provide only the characteristic block name that is available in the main A2L file in Affected-MapsCurvesList.

3.1.215.3 Error Message Syntax

The characteristic \'{{mapLabel Name}}\' provided in {{parameter AffectedMapsCurves List}} does not exist in A2L file {{parameter MainA2L}}. New Record Layout with FIX_NO_AXIS_PTS will not be generated.

3.1.216 A2LMERGER-E-LABEL-NOT-EXIST

3.1.216.1 Error Description

Indicates that the Memory element provided in the AffectedMapsCurvesList does not exist in the ADX file. This is logged only when the switch --affected_maps_curves_list is set.

3.1.216.2 How to Solve

Check if the label for which the error is logged is optimized at the linker stage.

Else contact ETAS support team.

3.1.216.3 Error Message Syntax

The memory element \'{{calObject Name}}\' provided in {{parameter AffectedMapsCurves List}} does not exist in ADX file {{addressContainer ADXDocument ADXfilePath}}.

3.1.217 A2LMERGER-I-ORIGINAL-ADDR-MERGING

3.1.217.1 Error Description

This message is logged when the switch "--mergeoriginaladdrifnoaddrinADX" is set to "y'. It is logged to indicate to user that the elements will be merged with original address for whichever the address is missing in ADX file.

3.1.217.2 How to Solve

No activity required.

3.1.217.3 Error Message Syntax

The switch \"-mergeoriginaladdrifnoaddrinADX\" is enabled. If the address for elements in customer or internal A2L files is not present in the input ADX file, then the elements are merged with original address from the A2L file.

3.1.218 A2LMERGER-I-ADX-FILE-NOT-EXIST

3.1.218.1 Error Description

Indicates that the ADX file is not provided in the options file. Hence new Record Layout with FIX_NO_AXIS_PTS will not be generated. This is logged only when the switch --affected_maps_curves_list is set.

3.1.218.2 How to Solve

Provide the ADX file in the options file for the new Record Layouts to be generated with FIX_NO_AXIS_PTS.

3.1.218.3 Error Message Syntax

The ADX file is not provided in the options file. New Record Layout with FIX_NO_AXIS_PTS will not be generated.

3.1.219 A2LMERGE_E_ASAP2_1_7_MISMATCH

3.1.219.1 Error Description

Indicates if main A2L file version >=1.70, then customer and internal A2L file version should be >=1.70.

3.1.219.2 How to Solve

Provide the customer and internal A2L file with ASAP version >= 1.70 if the main A2L file ASAP version >= 1.70.

3.1.219.3 Error Message Syntax

Permissible values of parameter --DISABLE_ASAP2_1_7_CHECK are \"true\" and \"false\".

3.1.220 A2LMERGE-E-MEMORY-SEGMENT-NOT-UNIQUE

3.1.220.1 Error Description

Reason: Indicates that the memory segment is not unique in the cluster and host A2L file. Duplicate entries in this case can be either in the host and a cluster A2L file or 2 cluster A2L files.

3.1.220.2 How to Solve

Do not provide duplicate memory segment entries in the host and cluster A2L files or 2 cluster A2L files.

3.1.220.3 Error Message Syntax

{{A2LBlockConstants}} \"{{objName}}\" defined in cluster A2L file {{A2LClusterDocument path}} is having duplicate entry in main A2L file or any other cluster A2L file

3.1.221 A2LMERGE-E-OVERLAPPING-MEMORY-SEGMENT

3.1.221.1 Error Description

Indicates that the memory segment is having overlapping address range in the cluster and host A2L file. In this case the overlapping address range of a memory segment can be either in a host and cluster A2L file or 2 cluster A2L files.

3.1.221.2 How to Solve

The address range of the 2 memory segments should not overlap between the host and cluster A2L file or 2 cluster A2L files.

3.1.221.3 Error Message Syntax

{{A2LBlockConstants}} \"{{objName}}\" defined in cluster A2L file {{A2LClusterDocument path}}) is having overlapping address range with the A2L memory_segment \"{{memoryS-egment Name}}\" defined in either master or any other cluster A2L files.

3.1.222 A2LMERGE-I-PREFIX-POSTFIX-FOR-CLUSTER-ELEMENTS

3.1.222.1 Error Description

Indicates that while merging cluster A2L files there are conflicts with names of elements. In this case the element names should be prefixed or postfixed with file name. the log says some elements have name conflict and they are renamed in final A2L file based on switch --clusterElementNameConflicts and if no switch is provided in opt file, by default postfix is considered.

3.1.222.2 How to Solve

No activity required.

3.1.222.3 Error Message Syntax

File name of the cluster A2L file will be prefixed/postfixed based on the input parameter provided for --clusterElementNameConflicts = prefix/postfix and by default postfix is considered.

3.1.223 A2LMERGE-W-NON-UNIQUE-CLUSTER-ELEMENT

3.1.223.1 Error Description

Indicates that while merging cluster A2L files there are conflicts with names of elements. In this case log displays the element name having name conflict and the file name where the element resides and the other file name or host main A2L file name it is having same name.

3.1.223.2 How to Solve

For resolving the name conflict set the switch --clusterElementNameConflicts to "prefix" or "postfix" and if the switch is not set then by default the file name would be postfixed with the duplicate entry in the cluster A2L file.

3.1.223.3 Error Message Syntax

Cluster element {{componentName}} in {{clusterPath}} is having same name as other element in {{otherClusterOrHostPath}}.

3.1.224 A2LMERGE-I-MISSING-MEAS-LABEL

3.1.224.1 Error Description

Indicates that the measurement label for which the optimized if-data information has to be updated in the final A2L file is missing in the A2L file.

3.1.224.2 How to Solve

Define the measurement label such that it would be available in the input A2L file for updating the optimized if-data information or remove the label information from optimizedIfData input json file.

3.1.224.3 Error Message Syntax

The measurement block \"{{A2LName}}\" in \"{{optimizedIfDataPath}}\" for which the IF-DATA information has to be updated is not available in any of the A2L files Master/Internal/Customer.

3.1.225 A2LMERGE-I-ADDR-MISSING-SYMBOLS-FILE

3.1.225.1 Error Description

Indicates that the measurement/axispts/characteristics label is missing in the symbols file to fetch the address.

3.1.225.2 How to Solve

Define the measurement/axispts/characteristics label such that it would be available in the input Symbols file.

3.1.225.3 Error Message Syntax

Address for A2L Axis_Pts/Characteristic/Measurement block \"{{A2LName }}\" is missing in Symbols file {{SYMBOL_ADDRESSPATH}}

3.1.226 A2LMERGE-W-DIFFERENT-ALIGNMENT-SIZE

3.1.226.1 Error Description

Indicates that Alignment size defined in the Main A2L file is different from the default sizes of the A2L Specification and the same will be considered for customer a2l record layouts.

3.1.226.2 How to Solve

For getting the alignment sizes for customer a2l set --enableCustomerA2LAlignment to 'y'.

3.1.226.3 Error Message Syntax

Alignment size defined in the Main A2L file {{path}} is different from the default sizes of the A2L Specification. Make sure the alignment sizes of the customer a2l {{path}} are inline with the Main A2L. Otherwise for getting the alignment sizes for customer a2l set --enableCustomerA2LAlignment to 'y'.

3.1.227 ADC_OPT001

3.1.227.1 Error Description

The link time optimized label identified by CSAL is available in the linker output. This is not expected since link time optimization means that the Linker removes unused labels from code, hence these labels will not be linked and therefore are not expected to be contained in the .elf/.o files!

So the outputs of the compiler suite are conflicting.

3.1.227.2 How to Solve

Contact ETAS support.

3.1.227.3 Error Message Syntax

Element {{element}} is link time optimized. But label is still available in the linker elf file.

3.1.228 ADC_OPT006

3.1.228.1 Error Description

Tool internal message.

3.1.228.2 How to Solve

Tool internal message.

3.1.228.3 Error Message Syntax

Processing optimized labels took {{optimizedLabelsProcessingTime}} seconds.

3.1.229 ADC_OPT004

3.1.229.1 Error Description

An IOException has occurred while parsing this *.txt file. Usually the files listed in --optimizedLabelList do not cause IOExceptions. There might be a problem with the generation of these files or with SW Build handling.

This *.txt file is ignored.

3.1.229.2 How to Solve

It should be checked whether this *.txt file and path is correct.

Please contact ETAS Support.

3.1.229.3 Error Message Syntax

Parsing of optimization information skipped for *.txt file {{textfile}} due to IOException: {{iomessage}}.

3.1.230 ADC_OPT005

3.1.230.1 Error Description

Tool internal message.

3.1.230.2 How to Solve

Tool internal message.

3.1.230.3 Error Message Syntax

No optimization list given.

3.1.231 ADC_OPT007

3.1.231.1 Error Description

Tool internal message.

3.1.231.2 How to Solve

Tool internal message.

3.1.231.3 Error Message Syntax

Now processing {{option}}

3.1.232 ADC_MAP004

3.1.232.1 Error Description

Tool internal message.

3.1.232.2 How to Solve

Tool internal message.

3.1.232.3 Error Message Syntax

Either no mapadllist given or old output is set --> merging of mapping information won't be started.

3.1.233 ADC_MAP002

3.1.233.1 Error Description

Tool internal message.

3.1.233.2 How to Solve

Tool internal message.

3.1.233.3 Error Message Syntax

Merging of mapping information successfully completed for {{i}}. mapping*.ADX file out of {{size}} files.

3.1.234 ADC_MAP003

3.1.234.1 Error Description

Tool internal message.

3.1.234.2 How to Solve

Tool internal message.

3.1.234.3 Error Message Syntax

Merging of mapping information skipped for {{i}}. mapping*.ADX file out of {{size}} files.

3.1.235 ADC_XMAP001

3.1.235.1 Error Description

Tool internal message.

3.1.235.2 How to Solve

Tool internal message.

3.1.235.3 Error Message Syntax

EXPORT-MODE: Processing mapadllist took {{exportMappingTime}} seconds.

3.1.236 ADC_MAP001

3.1.236.1 Error Description

Tool internal message.

3.1.236.2 How to Solve

Tool internal message.

3.1.236.3 Error Message Syntax

Processing mapadllist took {{mappingProcessingTime}} seconds.

3.1.237 ADC_MAP005

3.1.237.1 Error Description

Tool internal message.

3.1.237.2 How to Solve

Tool internal message.

3.1.237.3 Error Message Syntax

Started processing of provided mapping information.

3.1.238 ADC_MAP007

3.1.238.1 Error Description

An empty mapping*.ADX file has been passed to ADC. Usually, the given mapping*.ADX files are not empty. There might be a problem with mapping*.ADX generation. This empty file is ignored.

3.1.238.2 How to Solve

Check why empty mapping ADX files are provided as input.

3.1.238.3 Error Message Syntax

{{mappingADX}} is empty! Mapping information expected!

3.1.239 ADC_MAP006

3.1.239.1 Error Description

Tool internal message.

3.1.239.2 How to Solve

Tool internal message.

3.1.239.3 Error Message Syntax

Current number of Elements: {{size}}.

3.1.240 ADC_MAP008

3.1.240.1 Error Description

Tool internal message.

3.1.240.2 How to Solve

Tool internal message.

3.1.240.3 Error Message Syntax

Now parsing mapping_*.ADX file and updating Elements.

3.1.241 ADC_MAP009

3.1.241.1 Error Description

Tool internal message.

3.1.241.2 How to Solve

Tool internal message.

3.1.241.3 Error Message Syntax

Parsing finished. Number of Elements to be updated/added: {{counter}}.

3.1.242 ADC_MAP010

3.1.242.1 Error Description

Tool internal message.

3.1.242.2 How to Solve

Tool internal message.

3.1.242.3 Error Message Syntax

Updating finished. Total number of all Elements after parsing and updating: {{size}}.

3.1.243 ADC_CAX002

3.1.243.1 Error Description

Tool internal message.

3.1.243.2 How to Solve

Tool internal message.

3.1.243.3 Error Message Syntax

No custadllist given --> processing of customer adl information won't be started.

3.1.244 ADC_CAX023

3.1.244.1 Error Description

Neither .elf nor any customer ADX files contain the necessary offset information to calculate the absolute address of this sub element. The absolute address of this sub element cannot be calculated.tool internal message.

3.1.244.2 How to Solve

ADC_CAX023 Element {{missingAddressEle}} from customer.ADX does not have any address information. The absolute address cannot be calculated. This element will be ignored. Neither .elf nor any customer ADX files contain the necessary offset information to calculate the absolute address of this sub element. The absolute address of this sub element cannot be calculated. If this customer sub element is A2L relevant then:

- either provide offset information for it in customer ADX file

- or ensure that there is debug information available for it in .elf file.

Contact ETAS Support for further support.

3.1.244.3 Error Message Syntax

Element {{missingAddressEle}} from customer.ADX does not have any address information. The absolute address cannot be calculated. This element will be ignored.

3.1.245 ADC_XCAX001

3.1.245.1 Error Description

Tool internal message.

3.1.245.2 How to Solve

Tool internal message.

3.1.245.3 Error Message Syntax

EXPORT-MODE: Processing custadllist took {{exportCustomerTime}} seconds.

3.1.246 ADC_CAX001

3.1.246.1 Error Description

Tool internal message.

3.1.246.2 How to Solve

Tool internal message.

3.1.246.3 Error Message Syntax

Processing custadllist took {{custadlProcessingTime}} seconds.

3.1.247 ADC_CAX003

3.1.247.1 Error Description

Tool internal message.

3.1.247.2 How to Solve

Tool internal message.

3.1.247.3 Error Message Syntax

CustomerXMLMerger started:

3.1.248 ADC_CAX004

3.1.248.1 Error Description

Tool internal message.

3.1.248.2 How to Solve

Tool internal message.

3.1.248.3 Error Message Syntax

Now parsing customer .ADX file and updating Elements

3.1.249 ADC_CAX005

3.1.249.1 Error Description

Tool internal message.

3.1.249.2 How to Solve

Tool internal message.

3.1.249.3 Error Message Syntax

...parsing and updating for this customer .ADX file finished. Number of parsed Elements: {{counter}}.

3.1.250 ADC_CAX006

3.1.250.1 Error Description

An empty customer *.ADX file has been passed to ADC. Usually, the given customer *.ADX files are not empty. There might be a problem with customer *.ADX generation or with SWBuild handling. This empty file is ignored.

3.1.250.2 How to Solve

None.

It should be checked whether this customer *.ADX file is intended to be empty.

Please contact ETAS Support.

3.1.250.3 Error Message Syntax

{{custADXFile}} is empty. This file will be skipped!

3.1.251 ADC_MAP024

3.1.251.1 Error Description

Exception while merging information from mapping ADX element to existing elements .

3.1.251.2 How to Solve

Please contact ETAS support.

3.1.251.3 Error Message Syntax

Exception while merging information from mapping ADX element to existing elements.

3.1.252 A2L_HEADER_ERROR_001

3.1.252.1 Error Description

This error occurs if the ADX file does not exists in the specified path.

3.1.252.2 How to Solve

Make sure the ADX file is present in the specified path.

3.1.252.3 Error Message Syntax

The ADX file: '{{fileName}}' does not exists in the specified path :{{path-ToADXFile_FILE_PATH}}.

3.1.253 A2L_HEADER_ERROR_002

3.1.253.1 Error Description

This error occurs if the ADX file does not exists or the file is corrupted or the file might have not closed properly.

3.1.253.2 How to Solve

Make sure the file is present and it has closed properly.

3.1.253.3 Error Message Syntax

An IOException occured while parsing the file :{{pathToADXFile_FILE_PATH}}.

3.1.254 A2L_HEADER_ERROR_003

3.1.254.1 Error Description

This error occurs if the ADX file is not according to the address calculator tool ADX file format.

3.1.254.2 How to Solve

Check the error message and make sure that ADX file is according to the format of address calculator tool.

3.1.254.3 Error Message Syntax

A DataFormatException occured while parsing the file :{{pathToADXFile_FILE_PATH}}.

3.1.255 A2L_HEADER_ERROR_004

3.1.255.1 Error Description

Saxparser exception occurred while parsing the ADX file.

3.1.255.2 How to Solve

Check the exception message and find what is causing this error.

3.1.255.3 Error Message Syntax

Exception occurred while parsing the file {{filepath_FILE_PATH}} : {{exceptionMessage}}.

3.1.256 A2L_HEADER_ERROR_005

3.1.256.1 Error Description

This error occurs if the tool is not able to fetch the address of the label name in the supplied ADX file.

3.1.256.2 How to Solve

Check whether the label name mentioned in the template file is correct or not. If it is correct then check whether that label name is present in the input ADX file.

3.1.256.3 Error Message Syntax

{{A2LLabelNameNotFoundMessage}} in the ADX file.

3.1.257 A2L_HEADER_ERROR_006

3.1.257.1 Error Description

This error occurs if the label name is found multiple times in the supplied ADX file.

3.1.257.2 How to Solve

check whether the label name mentioned in the template file is correct or not. If it is correct then check with Address Calculator tool why it generated labels multiple times.

3.1.257.3 Error Message Syntax

{{A2LLabelNameFoundMultipleTimesMessage}} in the ADX file.

3.1.258 A2L_HEADER_ERROR_007

3.1.258.1 Error Description

This error occurs if the tool is not able to fetch the address of the label name in the supplied ADX file.

3.1.258.2 How to Solve

Check whether the label name mentioned in the template file is correct or not. If it is correct then check whether that label name is present in the input ADX file.

3.1.258.3 Error Message Syntax

Element "{{A2LLabelName}}" present in expression "{{expression}}" could not be found in the ADX file.

3.1.259 A2L_HEADER_ERROR_008

3.1.259.1 Error Description

This error occurs if the label name is found multiple times in the supplied ADX file.

3.1.259.2 How to Solve

check whether the label name mentioned in the template file is correct or not. If it is correct then check with Address Calculator tool why it generated labels multiple times.

3.1.259.3 Error Message Syntax

Element "{{A2LLabelName}}" present in expression "{{expression}}" could be found more than once as label name! in the ADX file.

3.1.260 A2L_HEADER_ERROR_009

3.1.260.1 Error Description

This error occurs if the expression contains data which is not supported.

3.1.260.2 How to Solve

check that the following data is not supported:

1) Integer numbers containing more than ten digits is not supported.

2) Octal numbers are not supported.

3) To get the result of fraction number (ex: 5/2) with correct accuracy, at least numerator or denominator should be of float type (5.0/2 or 5.0/2.0 or5/2.0).Otherwise the result will be the integer value.

4) By default the floating number is considered as double but the floating number which consists of suffix “f/F“ (like 1.33f) is not supported.

3.1.260.3 Error Message Syntax

Element "{{A2LLabelName}}" present in expression "{{expression}}" could be found more than once as label name! in the ADX file.

3.1.261 A2L_HEADER_ERROR_010

3.1.261.1 Error Description

This error occurs if the expression contains data which is not supported.

3.1.261.2 How to Solve

check that the following data is not supported:

1) Integer numbers containing more than ten digits is not supported.

2) Octal numbers are not supported.

3) To get the result of fraction number (ex: 5/2) with correct accuracy, at least numerator or denominator should be of float type (5.0/2 or 5.0/2.0 or5/2.0). Otherwise the result will be the integer value.

4) By default the floating number is considered as double but the floating number which consists of suffix “f/F“ (like 1.33f) is not supported.

3.1.261.3 Error Message Syntax

Unable to obtain the result from Jsyscond Resolver as it doesn't support the valueType "{{valueType}}".

3.1.262 A2L_HEADER_ERROR_011

3.1.262.1 Error Description

This error occurs if the expression contains data which is not supported.

3.1.262.2 How to Solve

Check that the following data is not supported:

1) Integer numbers containing more than ten digits is not supported.

2) Octal numbers are not supported.

3) To get the result of fraction number (ex: 5/2) with correct accuracy, at least numerator or denominator should be of float type (5.0/2 or 5.0/2.0 or5/2.0). Otherwise the result will be the integer value.

4) By default the floating number is considered as double but the floating number which consists of suffix “f/F“ (like 1.33f) is not supported.

3.1.262.3 Error Message Syntax

The expression "{{expression}}" is not valid. Please specify the correct data in the expression.

3.1.263 A2L_HEADER_ERROR_012

3.1.263.1 Error Description

This error occurs if the address of the expression inside the API getMapAddress("expression") does not fall into any of the data set area defined.

3.1.263.2 How to Solve

Check below

1) Check the label names in the expression are correct. So that it is returning correct address from ADX file.

2) Check data set areas which are defined are correct.

3.1.263.3 Error Message Syntax

No matching data set area is defined for the expression/element "{{expression}}". Empty address is updated in A2L file while address patching from the API getMapAddress("{{expression}}").

3.1.264 A2L_HEADER_ERROR_013

3.1.264.1 Error Description

This error occurs if the data set areas are defined correctly.

3.1.264.2 How to Solve

Each data set area should be defined with unique number.

3.1.264.3 Error Message Syntax

Wrong data set number "{{dataSetNumber}}" is used in the API {{APIName}}({{dataSetNumber}},"{{expression}}").

3.1.265 A2L_HEADER_ERROR_014

3.1.265.1 Error Description

The LTO label is defined in the A2L_Header <<DEFINE>> BLOCK.

3.1.265.2 How to Solve

LTO feature for A2L_Header.

3.1.265.3 Error Message Syntax

The LTO label "{{labelName}}" is present in A2L Header definition.

3.1.266 A2L_HEADER_ERROR_015

3.1.266.1 Error Description

This error occurs if the properties file does not exist in the specified path.

3.1.266.2 How to Solve

Provide APIs for updating dynamic properties.

3.1.266.3 Error Message Syntax

The properties file: '{{fileName}}' does not exist in the specified path :{{propertiesFilePath}}

3.1.267 A2L_HEADER_ERROR_016

3.1.267.1 Error Description

This error occurs if the property doesn't match with the xml tag that appears in properties file.

3.1.267.2 How to Solve

Provide APIs for updating dynamic properties.

3.1.267.3 Error Message Syntax

The property '{{propertyName}}' presnt in the template '{{custTempPath}}' doesn't exist in the input properties file: {{propertiesFilePath}}.

3.1.268 A2L_HEADER_ERROR_017

3.1.268.1 Error Description

This error occurs if the input properties.xml file isn't well-formed.

3.1.268.2 How to Solve

Provide APIs for updating dynamic properties.

3.1.268.3 Error Message Syntax

Schema Validation Error indication with line numbers and file Path.

3.1.269 A2L_HEADER_WARN_001

3.1.269.1 Error Description

This is warning message to inform the user if there are duplicate elements in the properties.xml file.

Activity: Provide APIs for updating dynamic properties.

3.1.269.2 How to Solve

Critical as the properties file should contain the tag <A2LHEADER-CONF>.

3.1.269.3 Error Message Syntax

The property element '<{{propertyName}}>' is a duplicate in {{propertiesFilePath}}. First occurrence of '<{{propertyName}}>' would be considered.

3.1.270 A2L_HEADER_ERROR_018

3.1.270.1 Error Description

This error occurs when the sectionName for which the section start address, section size or the section index is being fetched is not found in the ADX file.

3.1.270.2 How to Solve

Provide API's for supporting Memory segment in A2L created for vECU.

3.1.270.3 Error Message Syntax

Section Element "{{sectionName}}" could not be found in the ADX file "{{ADXFilePath}}".

3.1.271 A2L_HEADER_ERROR_019

3.1.271.1 Error Description

This error occurs when the sectionIndex for which the section start address, section size or the section name is being fetched is not found in the ADX file.

3.1.271.2 How to Solve

Provide API's for supporting Memory segment in A2L created for vECU.

3.1.271.3 Error Message Syntax

No Section element with Index "{{sectionIndex}}" could be found in ADX file "{{ADXFilePath}}".

3.1.272 A2L_HEADER_WARN_002

3.1.272.1 Error Description

This is logged when "platform_templates" or "customer_templates" option is passed to A2Lmerger tool from 2022.1_4.10.0 version.

3.1.272.2 How to Solve

Provide the customer template in ftl format using option "A2Lheadertemplate" "genericfiletemplate".

3.1.272.3 Error Message Syntax

Invalid argument {{argument}} passed.

3.1.273 A2L_HEADER_WARN_003

3.1.273.1 Error Description

This log entry indicates that the encoding of the input FTL file cannot be detected by RTA-A2L. This issue arises because some characters in the file might be encoded in two different formats (UTF-8 or ANSI).

3.1.273.2 How to Solve

Update the input file such that only one encoding would be used throughout the file.

3.1.273.3 Error Message Syntax

Unable to detect the encoding of the file '{{filepath}}'. Some of the characters might be encoded in two different formats (UTF8/ANSI). The output A2L file will be generated in UTF-8 format and might have some different characters compared to the input file.

3.1.274 A2L_HEADER_INFO_001

3.1.274.1 Error Description

This log entry provides information about the detected encoding of the Freemarker template file.

3.1.274.2 How to Solve

Since only information about the detected encoding of the freemarker template is provided, no action required.

3.1.274.3 Error Message Syntax

Encoding of the file '{{filePath}}' is detected as {{fileEncoding}}

3.1.275 ADX_OPT002

3.1.275.1 Error Description

Mapping information is provided for a link time optimized label. This mapping information will be ignored.

3.1.275.2 How to Solve

Contact ETAS Support for further support.

3.1.275.3 Error Message Syntax

Element {{element}} is link time optimized. But the label is available in the mapping ADX file {{ADXfile}}. This mapping info is ignored.

3.1.276 ADX_OPT003

3.1.276.1 Error Description

Mapping information is provided for a link time optimized label. This customer mapping information will be ignored.

3.1.276.2 How to Solve

Contact ETAS Support for further support.

3.1.276.3 Error Message Syntax

Element {{element}} is link time optimized. But the label is available in the customer ADX file {{ADXfile}}. This customer mapping info is ignored.

3.1.277 ADX_ADX001

3.1.277.1 Error Description

Tool internal message.

3.1.277.2 How to Solve

Tool internal message.

3.1.277.3 Error Message Syntax

ADX Processing took {{ADXparsingTime}} seconds. Now processing objFileList.

3.1.278 ADX_ADX002

3.1.278.1 Error Description

Tool internal message.

3.1.278.2 How to Solve

Tool internal message.

3.1.278.3 Error Message Syntax

No ADXFileList given.

3.1.279 ADX_ADX003

3.1.279.1 Error Description

Non-unique elements (i.e. labels which cannot be unambiguously identified by their label name) have to be filtered and are not put to output ADX file. Project ADX may only contain unambiguously identifiable label addresses for A2L generation purposes.

3.1.279.2 How to Solve

none.

Usually, the affected labels anyway are not meant to be put to A2L file (not applicable).

3.1.279.3 Error Message Syntax

Root Element {{nonUniqueKey}} and all its sub-Elements are not unique and therefore will not appear in the resulting ADX file!

3.1.280 ADX_CAX007

3.1.280.1 Error Description

An invalid MAP-LABEL-NAME containing a file static prefix has been detected in a customer *.ADX file. Since MAP-LABEL-NAME must specify the exact A2L label name this prefix is invalid and this MEMORY-ELEMENT from customer *.ADX file has to be ignored.

3.1.280.2 How to Solve

It should be checked why customer is generating a file static prefix to MAP-LABEL-NAME for this MEMORY-ELEMENT in customer *.ADX file. Prefix should be removed from MAP-LABEL-NAME.

3.1.280.3 Error Message Syntax

Invalid MAP-LABEL-NAME {{mapLabelName}} in {{custAdlFilePath}}! This MEMORY-ELEMENT is ignored.

3.1.281 ADX_CAX008

3.1.281.1 Error Description

ELF file contains a global label and 1 or more static labels with the same name (non-uniques). Usually, all these non-uniques would have been skipped (see ADC_ELF005). But here (SWSharing) a customer ADX file containing MAP-LABEL-NAME information for this concerned global customer label has been provided to ADC in order to keep this global customer label in address list and skip all others (statics with same name).

For general information about customer ADX file format and how to integrate them in Build environment, please refer Customer ADX files in User Guide.

3.1.281.2 How to Solve

This warning shall ensure that the Integrator verifies the following: this applicable customer label coming from customer delivered code is a global one.

3.1.281.3 Error Message Syntax

ELF file contains a global label {{labelName}} and 1 or more static labels with the same name! Verify that the global label is the one used in the A2L file!

3.1.282 ADX_CAX009

3.1.282.1 Error Description

Tool internal message.

3.1.282.2 How to Solve

Tool internal message.

3.1.282.3 Error Message Syntax

Customer Element {{labelName}} is ignored since it does not have a map label name.

3.1.283 ADX_CAX010

3.1.283.1 Error Description

Tool internal message.

3.1.283.2 How to Solve

Tool internal message.

3.1.283.3 Error Message Syntax

Multiple occurrences of MapLabelName {{mapLabelName}} from customer {{custAdlFilePath}} file! Trying to merge both Elements.

3.1.284 ADX_CAX011

3.1.284.1 Error Description

Inconsistent attribute information has been detected in ADX snippet files which does not match to the attribute information from ELF/*.o file. In case of SW Sharing that could be because the customer ADX snippet does not match the customer objects!

ELF data is taken as master.

3.1.284.2 How to Solve

It should be checked why there is an inconsistency for this ADX snippet and whether e.g. in case of SW Sharing the customer objects match the customer ADX snippets.

3.1.284.3 Error Message Syntax

{{attribute}} of Element {{Element1Name}} : {{AttributeValue1}} from ADX snippet {{ADXsnippetPath}} file differs from the existing Element {{existingElementName}} : {{Value2}}. ELF data is taken as master.

3.1.285 ADX_CAX012

3.1.285.1 Error Description

Inconsistent bit attribute information has been detected in ADX snippet files which does not match to the bit attribute information from ELF/*.o file. In case of SW Sharing that could be because the customer ADX snippet does not match the customer objects!

3.1.285.2 How to Solve

It has to be checked why there is an inconsistency for this ADX snippet and whether e.g. in case of SW Sharing the customer objects match the customer ADX snippets. Customer objects must match the customer *.ADX snippet files!

Please contact ETAS Support.

3.1.285.3 Error Message Syntax

{{attribute}} of Element {{elementName}}: {{bitPosition}}, {{NoOfBits}} from ADX snippet {{ADXsnippetPath}} file differs from the existing Element {{existingElementName}}: {{existingBitPosition}}, {{existingNoOfBits}} having the same MapLabelName!

3.1.286 ADX_CAX013

3.1.286.1 Error Description

In case of multiple occurrences of a MAP-LABEL-NAME value in customer *.ADX files ADC tries to merge the information.

Merging will only take place if the MEMORY-ELEMENTs are matching: i.e. have the same LABEL-NAME and same MAP-LABEL-NAME values and have the same array attributes (in case of arrays).

Here they are not matching and cannot be merged. This results in a violation of the rule that MAP-LABEL-NAMEs (specifying the A2L label name) must be unique throughout project!

3.1.286.2 How to Solve

It has to be checked why there are multiple MAP-LABEL-NAMEs in the customer *.ADX files. The customer *.ADX file generation has to be fixed.

3.1.286.3 Error Message Syntax

Merging of multiple Elements having the same MapLabelName has failed: Elements are not matching!! Already existing Element: {{alreadyExistingEle}}, Customer Element: {{custElement}}.

3.1.287 ADX_CAX014

3.1.287.1 Error Description

Tool internal message.

3.1.287.2 How to Solve

Tool internal message.

3.1.287.3 Error Message Syntax

Successfully merged multiple Elements having the same MapLabelName {{custElement.getMapLabelName}}.

3.1.288 ADX_CAX015

3.1.288.1 Error Description

Incomplete MEMORY-ELEMENT information has been detected in provided ADX snippet: mandatory LABEL-NAME information is missing.

This MEMORY-ELEMENT is ignored.

3.1.288.2 How to Solve

None.

It should be checked why this LABEL-NAME information is missing in the ADX snippet file. The ADX snippet file generation should be fixed.

3.1.288.3 Error Message Syntax

Insufficient MEMORY-ELEMENT content: the {{Counter}}. memory element in ADX snippet {{ADXsnippetPath}} does NOT contain mandatory labelName tag! This MEMORY-ELEMENT is ignored.

3.1.289 ADX_CAX016

3.1.289.1 Error Description

Multiple attribute tag within one MEMORY-ELEMENT has been detected in a customer *.ADX file. Each attribute is allowed to occur exactly once per MEMORY-ELEMENT.

3.1.289.2 How to Solve

It has to be checked why there are multiple attributes for this MEMORY-ELEMENT in the customer *.ADX file. The customer *.ADX files have to be fixed.

3.1.289.3 Error Message Syntax

Found multiple occurrences of tag {{tagName}} within one MEMORY-ELEMENT in given customer *.ADX file: {{custAdlFilePath}}!!

3.1.290 ADX_CAX017

3.1.290.1 Error Description

An empty attribute tag has been detected in a customer *.ADX file.

3.1.290.2 How to Solve

It has to be checked why there are empty attributes for this MEMORY-ELEMENT in customer *.ADX files. The customer *.ADX file generation has to be fixed.

3.1.290.3 Error Message Syntax

Found an empty tag {{tagName}} in given customer *.ADX file: {{custAdlFilePath}}.

3.1.291 ADX_CAX018

3.1.291.1 Error Description

ROOT-OFFSET information is expected to be provided with following format:

0xMyOffset … where 'MyOffset' gives the root offset as hexadecimal value!

3.1.291.2 How to Solve

It has to be checked why the offset information does not fulfil the format in given ADX snippet. The ADX snippet file generation or customer *.ADX file generation respectively has to be fixed.

3.1.291.3 Error Message Syntax

Found a ROOT-OFFSET content {{offset}} in given ADX snippet {{ADXsnippetFilePath}} that does NOT fulfill the defined standard format 0xhexoffset!!

3.1.292 ADX_CAX019

3.1.292.1 Error Description

There are several possible root causes:

(A) See same root cause (A) of ADC_OBJ004.

(B) If not all relevant module.o (Bosch or Customer) have been linked then the information is missing in the ELF file.

(C) If there is no Debug Information present for relevant module.o (Bosch or Customer) then information of sub elements (e.g. structure elements) are missing in ELF file.

3.1.292.2 How to Solve

(A) See same Activity (A) of ADC_OBJ004.

(B) Make sure that all relevant module.o (Bosch or Customer) are linked to Elf file.

(C) Make sure that all relevant module.o (Bosch or Customer) have been compiled with Debug Information.

3.1.292.3 Error Message Syntax

Element {{LabelName}} from customer *.ADX file: {{custAdlFilePath}} cannot be found in given ELF/*.o files!!

3.1.293 ADX_CAX020

3.1.293.1 Error Description

Same reasons as ADX_MAP019.

3.1.293.2 How to Solve

Same Activities as ADX_MAP019.

3.1.293.3 Error Message Syntax

A root element for {{LabelName}} from ADX snippet file {{ADXSnippetFilePath}} cannot be found in given ELF/*.o files!!

3.1.294 ADX_CAX021

3.1.294.1 Error Description

Inconsistent category information (element type, e.g. structure, array, ...) has been detected in customer *.ADX files which does not match to the category information from ELF/*.o file.

Customer *.ADX files and customer objects might not be matching!

3.1.294.2 How to Solve

It has to be checked why there is an inconsistency in element type for this customer *.ADX file and whether customer objects match the customer *.ADX files.

3.1.294.3 Error Message Syntax

{{attribute}} of Element {{ElementName}} : {{AttributeValue}} from customer *.ADX file differs from the existing Element {{existingElementName}} : {{Value}} having the same MapLabelName!

3.1.295 ADX_CAX022

3.1.295.1 Error Description

Tool internal message.

3.1.295.2 How to Solve

Tool internal message.

3.1.295.3 Error Message Syntax

Multiple occurrence of virtual element {{mapLabelOfVirtualEle}} from customer {{custAdlFilePath}} file! Trying to merge both Elements.

3.1.296 ADX_CAX023

3.1.296.1 Error Description

Tool internal message.

3.1.296.2 How to Solve

Tool internal message.

3.1.296.3 Error Message Syntax

A root element for {{LabelName}} from Customer ADX file {{ADXSnippetFilePath}} cannot be found in given ELF/*.o files!! So the element is ignored in the final ADX file.

3.1.297 ADX_CAX024

3.1.297.1 Error Description

Exception while merging information from customer element to existing elements.

3.1.297.2 How to Solve

Please contact ETAS Support.

3.1.297.3 Error Message Syntax

Exception while merging information from customer element to existing elements.

3.1.298 ADX_CAX025

3.1.298.1 Error Description

Tool internal message.

3.1.298.2 How to Solve

Tool internal message.

3.1.298.3 Error Message Syntax

Static Label {{Static_element_Name}} is present in elf, global mapping info {{element_Name}} available in customer ADX file, In case of AUTOSAR provide Admin Data in MCSD with source information.

3.1.299 ADX_ELF027

3.1.299.1 Error Description

This error occurs for arrays with size 0 (which is not C90/C99 compliant!!). This has to be fixed in the sources in order to prevent Compiler-dependent behavior!

3.1.299.2 How to Solve

This has to be fixed in the sources in order to prevent Compiler-dependent behavior! Contact the Module developer to remove size-0 arrays from code.

In case of generated BSW sources usually a correct configuration prevents such size-0 arrays. Contact the responsible person for the affected BSW Module for further help.

3.1.299.3 Error Message Syntax

Element {{LabelName}} found in .elf file without plausible size information 0xffffffff!

3.1.300 ADX_EXC006

3.1.300.1 Error Description

Same ADX tag element has different values in the parsed ADX input files.

3.1.300.2 How to Solve

Please contact ETAS Support.

3.1.300.3 Error Message Syntax

Error while parsing ADX/XML files: two different values of same tag {{message}} found.

3.1.301 ADX_CIGN005

3.1.301.1 Error Description

This customer label from customer *.ADX is intended to be ignored because due to Linker Optimizations it has been removed from .elf/.o and so cannot be processed.

3.1.301.2 How to Solve

None.

3.1.301.3 Error Message Syntax

{{IgnoredLabel}} from {{custADXfile}} is ignored because it has been removed from .elf/.o by Linker (Linker Optimizations).

3.1.302 ADX_MAP011

3.1.302.1 Error Description

MEMORY-ELEMENTs from ADX snippet only holding LABEL-NAME information and nothing else are ignored.

3.1.302.2 How to Solve

None.

3.1.302.3 Error Message Syntax

Memory element only having LABEL-NAME {{labelName}} information found in {{ADXsnippetPath}}! This MEMORY-ELEMENT is ignored.

3.1.303 ADX_MAP012

3.1.303.1 Error Description

An invalid MAP-LABEL-NAME containing a file static prefix has been detected in an ADX snippet. Since MAP-LABEL-NAME must specify the exact A2L label name this prefix is invalid and this MEMORY-ELEMENT from ADX snippet has to be ignored.

3.1.303.2 How to Solve

None.

It should be checked why a file static prefix is generated to MAP-LABEL-NAME for this MEMORY-ELEMENT.

3.1.303.3 Error Message Syntax

Invalid MAP-LABEL-NAME {{mapLabelName}} provided in ADX snippet {{ADXsnippetPath}}! This MEMORY-ELEMENT is ignored.

3.1.304 ADX_MAP015

3.1.304.1 Error Description

Tool internal message.

3.1.304.2 How to Solve

Tool internal message

3.1.304.3 Error Message Syntax

MapElement {{LabelName}} from {{mappingADXPath}} is ignored since it does not have a maplabelname.

3.1.305 ADX_MAP016

3.1.305.1 Error Description

Multiple attribute tags within one MEMORY-ELEMENT have been detected in each ADX snippet. Each attribute is allowed to occur exactly once per MEMORY-ELEMENT. Since it is not clear which one to take ADC must abort.

3.1.305.2 How to Solve

It must be checked why mapping ADX snippet has same attribute multiple times for this MEMORY-ELEMENT.

In case of a customer ADX snippet the customer ADX snippet generation must be fixed -> please contact the customer ADX snippet vendor and ask for a fix.

3.1.305.3 Error Message Syntax

Multiple occurrence of {{tagName}} within one MEMORY-ELEMENT in given ADX snippet: {{ADXsnippetPath}}!!

3.1.306 ADX_MAP017

3.1.306.1 Error Description

An empty attribute tag has been detected in provided ADX snippet. This attribute will be ignored.

3.1.306.2 How to Solve

It should be checked mapping/customer ADX has empty attributes for this MEMORY-ELEMENT. The ADX snippet file generation must be fixed.

In case of customer ADX snippet please contact the customer ADX snippet vendor and request a fix.

3.1.306.3 Error Message Syntax

Found an empty attribute tag {{tagName}} in given ADX snippet: {{ADXsnippetPath}}!! This attribute will be ignored!

3.1.307 ADX_MAP019

3.1.307.1 Error Description

There are several possible root causes:

(A) If this label is a file static Element (i.e. has .c file prefix before the label name in .ADX file) and this prefix contains the separator sign $, then make sure new separator sign % is used.

(B) In case this label is defined in a *.d file which is not included in the corresponding .c file then the information will be missing in the .elf file after linking.

(C) If this label is defined in a GS pavast file but has a DS CodeSyntax or vice versa: this mismatch is not supported by code generator!

(D) Please check whether following example fits your scenario: 'oilpctl_gov.d' contains static SRV_RAMPPARAM_T_S32 OilPCtl_RampParam_t; The ASCET generated file 'srv_ascetservices.h' contains the re-definition #define SRV_RAMPPARAM_T_S32 SrvX_RampParam_t

SRV_RAMPPARAM_T_S32 in pavast is defined as class implementation with sub element names Neg_C and Pos_C. SrvX_RampParam_t is defined in 'srvx_ramp.h' with a compiler switch:

```
#ifndef __ASW_NAMES__
typedef struct{
   sint32 SlopePos;
   sint32 SlopeNeg;
}SrvX_RampParam_t;
#else
/** define structure type according to ASW naming convention */
typedef struct{
   sint32 Pos_C;
   sint32 Neg_C;
}SrvX_RampParam_t;
```

In the mapping*.ADX file Neg_C & Pos_C are present. But in the linked data code (.elf file) SlopePos & SlopeNeg are present. So there is an inconsistency leading to the ADC abort! This is a known bug in auto-generated file (BC: CdGen).

3.1.307.2 How to Solve

(A) Update source tool to correct versions.

(B) Ensure that this *.d file is included in an appropriate .c file.

(C) GS labels must be specified with GS CodeSyntaxes and DS labels must be specified with DS CodeSyntaxes.

(D) This is a known bug in auto-generated ASCET file (BC: CdGen).

(E) See same Activity (A) of ADC_OBJ004.

(F) Make sure that all relevant module.o are linked to Elf file.

(G) Make sure that all relevant module.o have been compiled with Debug Information.

3.1.307.3 Error Message Syntax

Element {{labelName}} from ADX snippet: {{ADXSnippetFilePath}} cannot be found in given ELF/*.o files!!

3.1.308 ADX_MAP020

3.1.308.1 Error Description

Inconsistent attribute information for a Packed Bit has been detected in a mapping*.ADX file. It is expected that the host variable MEMORY-ELEMENT does not have bit info attributes!

3.1.308.2 How to Solve

It must be checked why mapping *.ADX files have inconsistent attribute information for this Packed Bit. The mapping*.ADX file generation must be solved.

3.1.308.3 Error Message Syntax

Packed bit with bit as host variable found: {{mapLabelName}} in file {{mappingADXFilePath}}!

3.1.309 ADX_MAP021

3.1.309.1 Error Description

Unexpected attribute information has been detected for this MEMORY-ELEMENT in given ADX snippet.

This attribute will be ignored for further processing.

3.1.309.2 How to Solve

None

3.1.309.3 Error Message Syntax

{{tagName}} information found in ADX snippet {{ADXsnippetPath}} for MEMORY-ELEMENT {{LabelName}}. This information is unexpected in ADX snippets and therefore will be ignored!

3.1.310 ADX_MAP022

3.1.310.1 Error Description

Multiple occurrences of MAP-LABEL-NAME value has been detected in given ADX snippet file. As MAP-LABEL-NAME specifies the A2L label name this attribute value must be unique throughout project!

3.1.310.2 How to Solve

It must be checked why mapping/customer ADX snippet have multiple MAP-LABEL-NAME values. Check ADX snippet generation.

In case of customer ADX snippet please contact the customer ADX snippet vendor and request a fix.

3.1.310.3 Error Message Syntax

Multiple occurrences of MapLabelName {{mapLabelName}} in file: {{ADXsnippetFilepath}} although this attribute must be unique!!

3.1.311 ADX_MAP023

3.1.311.1 Error Description

This warning indicates that there is a bug in source tool execution during mapping*.ADX file generation: the label names of Host and Packed bit elements are different!

The Host variable's label name from .elf file will be taken as master for further processing.

3.1.311.2 How to Solve

It should be checked why mapping *.ADX files have inconsistent names for Packed Bits and host variable.

3.1.311.3 Error Message Syntax

Given label name of Packed Bit element {{packedbit elem name}} differs from Host variable's label name found in .elf file {{host name}}: Host variable's label name from elf file will be taken as master.

3.1.312 ADX_MAP024

3.1.312.1 Error Description

Tool internal message.

3.1.312.2 How to Solve

Tool internal message.

3.1.312.3 Error Message Syntax

Static Label {{Static_element_Name}} is present in elf, global mapping info {{element_Name}} available in mapping ADX file, In case of AUTOSAR provide Admin Data in MCSD with source information.

3.1.313 ADX_OUT001

3.1.313.1 Error Description

Tool internal message.

3.1.313.2 How to Solve

Tool internal message.

3.1.313.3 Error Message Syntax

Now sorting Element information and writing it to file : {{outFile}}.

3.1.314 ADX_OUT004

3.1.314.1 Error Description

Tool internal message.

3.1.314.2 How to Solve

Tool internal message.

3.1.314.3 Error Message Syntax

ADX file {{outputFile}} is not changed, so it is not overwritten.

3.1.315 ADX_OUT005

3.1.315.1 Error Description

Tool internal message.

3.1.315.2 How to Solve

Tool internal message.

3.1.315.3 Error Message Syntax

For Element {{labelName}} a negative bit offset was found in the .elf file, this Element will not appear in the resulting ADX file.

3.1.316 ADX_OUT007

3.1.316.1 Error Description

If the previously generated output .ADX file is open or being used by some other process, ADC will not be able to delete the old output file and replace it with new file.

3.1.316.2 How to Solve

Manually delete the previously generated output file (project relative path is given in error message) and restart the build.

3.1.316.3 Error Message Syntax

Unable to delete the old output file {{outputFile}}. Please delete the file manually and give the build again.

3.1.317 ADX_OUT010

3.1.317.1 Error Description

This error should not occur.

Please check whether one of the following scenarios fits to your files:

(A) myCustomer_mappingInformation.ADX:

```
<MEMORY-ELEMENT>
  <LABEL-NAME>array[0].StructureElement</LABEL-NAME>
  <MAP-LABEL-NAME>array[0].StructureElement</MAP-LABEL-NAME>
</MEMORY-ELEMENT>
```

corresponding C Code:

```
typedef struct
{
```

(…)

MyTape structureElement;

(…)

} MyTypedef;

Note that the given LABEL-NAME in the customer*.ADX file has different spelling than the corresponding C code label name! This is an inconsistency which in the end will lead to ADC_OUT010.

(B) Check whether for this label there is an inconsistency between Application data-type (e.g. array-size is 4) and the implementation data-type e.g. array-size is 3):

This will lead to an array of size 3 in code (linked to ELF) but at the same time there will be AUTOSAR mapping information generated to ar_A2Lgen_mapping.ADX by A2LGen tool for 4 elements (although only 3 are existing) -> inconsistency.

Else: if this is not the case for you then root cause needs to be analyzed by ETAS support team.

3.1.317.2 How to Solve

(A) If this is the case: please trigger the correction of this customer*.ADX file so that given <LABEL-NAME> exactly matches the corresponding C code label name.

(B) Correct the corresponding size information and re-run build.

Else: Please contact ETAS support.

3.1.317.3 Error Message Syntax

For element {{labelName}} the mandatory field ABSOLUTE-ADDRESS is missing!

3.1.318 ADX_OUT011

3.1.318.1 Error Description

This error should not occur.

Given {{reason}} provides further details about the root cause.

3.1.318.2 How to Solve

If given {{reason}} does not help please contact ETAS support.

3.1.318.3 Error Message Syntax

3.1.319 ADX_OUT012

3.1.319.1 Error Description

Array element {{labelName}} holding mapping information could not be expanded due to following reason: {{reason}}!

3.1.319.2 How to Solve

Based on the reason, input data should be modified so that ADC will be able to expand array element.

3.1.319.3 Error Message Syntax

For element {{labelName}} the base address value should not be greater than the absolute address value.

3.1.320 ADX_OUT013

3.1.320.1 Error Description

Tool internal message.

3.1.320.2 How to Solve

Tool internal message.

3.1.320.3 Error Message Syntax

Found a MEMORY-ELEMENT with label name {{LabelName}} repeated in given ADX file!! So, it is removed from the output.

3.1.321 ADX_XMAP002

3.1.321.1 Error Description

Tool internal message.

3.1.321.2 How to Solve

Tool internal message.

3.1.321.3 Error Message Syntax

Element {{labelName}} from {{mappingADXPath}} file was not found in given *.o files!

3.1.322 ADX_XADX002

3.1.322.1 Error Description

Tool internal message.

3.1.322.2 How to Solve

Tool internal message.

3.1.322.3 Error Message Syntax

EXPORT-MODE: ADX Processing took {{ADXparsingTime}} seconds. Now processing objFileList.

3.1.323 ADX_VAL001

3.1.323.1 Error Description

The mentioned memory elements are violating the ADX Spec rule of Uniqueness of <MAP-LABEL-NAME>s and <LABEL-NAME>s.

--> ADX Specification rule 'C028' says,

C028 Uniqueness of <MAP-LABEL-NAME>s and <LABEL-NAME>s:

For MEMORY-ELEMENTs containing only <LABEL-NAME> and no <MAP-LABEL-NAME> a mapping of 1:1 between A2L label and C Code label is assumed!

As a result, the <LABEL-NAME>s of such 1:1 elements and the <MAP-LABEL-NAME>s of other elements must be unique throughout the address lists of a project!

This results from given mapping information which is violating above rule. Mapping Information is given to ADC as input:

- either from mapping*.ADX files provided through --mapadllist parameter

- or from customer .ADX files provided through --custadllist parameter

Since these labels cannot be distinguished there is a risk of wrong addresses in A2L for these labels. This is why ADC will abort with consequential error ADC_VAL002.

3.1.323.2 How to Solve

Either re-name the MAP-LABEL-NAME {{ele2MLN}} or re-name the LABEL-NAME {{ele1LN}}.

Therefore, find out to which module(s) the mentioned labels belong and trigger a re-naming of one of them by module owner.

Module owner has to judge which one to rename.

3.1.323.3 Error Message Syntax

Violation of ADX Specification rule 'C028' detected for following memory elements: LABEL-NAME {{ele2LN}} MAP-LABEL-NAME {{ele2MLN}} cannot be distinguished from memory element LABEL-NAME {{ele1LN}} MAP-LABEL-NAME {{ele1MLN}} because the names are not unique.

3.1.324 ADX_VAL002

3.1.324.1 Error Description

This is the consequential error of ADC_VAL001 giving the total number of ADX rule C028 violations.

Root cause see ADC_VAL001.

3.1.324.2 How to Solve

Activity see ADC_VAL001.

3.1.324.3 Error Message Syntax

Consequential error of ADC_VAL001: {{numberOfC028Violations}} memory elements are violating ADX Specification rule 'C028'! ADC will abort, see ADX Specification and Error description.

3.1.325 ADX_LOG001

3.1.325.1 Error Description

Tool internal message.

3.1.325.2 How to Solve

Tool internal message.

3.1.325.3 Error Message Syntax

Required number of place holder values for the log message ID {{id}} : {{size}}. Number of place holder values actually passed: {{length}}.

3.1.326 ADX_OUT008

3.1.326.1 Error Description

Usually .elf debug_info section contains 'Number of array elements' information for arrays. Here this information could not be found in the .elf file for this array.

Either debug information is not available for this array or the ADX snippet does not match the .elf file.

3.1.326.2 How to Solve

Ensure that this ADX snippet matches the .elf file.

If they match and if this array element is A2L relevant then:

- either provide ARRAY-NBR-ELEMENTS information for this array in the ADX snippet -> in case of SW Sharing customer shall provide this info in ADX snippet

- or ensure that there is debug information available for it in .elf file.

Contact ETAS Support for further support.

3.1.326.3 Error Message Syntax

Attribute Number of array elements is not available in .elf for array {{arrayLabelName}}. Thus this array cannot be expanded and sub element {{arraySubElement}} from customer ADX file cannot be processed.

3.1.327 ADX_CFG015

3.1.327.1 Error Description

Tool internal message.

3.1.327.2 How to Solve

Tool internal message.

3.1.327.3 Error Message Syntax

Unable to parse file specified in given list file: {{message}}.

3.1.328 ADX_ELF037

3.1.328.1 Error Description

Tool internal message.

3.1.328.2 How to Solve

Tool internal message.

3.1.328.3 Error Message Syntax

ARRAY-ELEMENT-SIZE info is missing for element '{{elementName}}', hence generated with category UNKNOWN.

3.1.329 ADX_OUT009

3.1.329.1 Error Description

There is no offset information available for this array element. The absolute address of this array element cannot be calculated.

3.1.329.2 How to Solve

"If this array element is A2L relevant then:

- either provide offset information for it in a customer.ADX file

- or ensure that there is debug information available for it in .elf file.

Contact ETAS Support for further support.

3.1.329.3 Error Message Syntax

Array element {{labelName}} does not have any address information. The absolute address of this array element cannot be calculated. This element will be ignored.

3.1.330 ADX_FMU001

3.1.330.1 Error Description

For FMU use case valid input MVAR file is required to process it and generate reduced ADX file based on mvar file.

3.1.330.2 How to Solve

Check if the mvar file path provided is valid and file exists.

3.1.330.3 Error Message Syntax

Input MVAR filepath {{filePath}} for FMU usecase is not valid.

3.1.331 ADX_FMU002

3.1.331.1 Error Description

mvar file is having element which is not found in final ADX file or mvar element's parent is not found in final ADX file in case of arrays.

3.1.331.2 How to Solve

Check mvar file elements against elements from input files to ADC module.

3.1.331.3 Error Message Syntax

The element {{element}} from input mvar file or it's parent element does not exist in final ADX file's elements list.

3.1.332 ADX_FMU003

3.1.332.1 Error Description

mvar file is having elements which are not found in final ADX file or mvar element's parent does not exist in final ADX file in case of arrays.

3.1.332.2 How to Solve

Check mvar file elements against elements from input files to ADC module.

3.1.332.3 Error Message Syntax

All the elements from mvar file or parent elements are not present in final ADX file's elements list.

3.1.333 ADX_FMU004

3.1.333.1 Error Description

For FMU use case valid output ADX file path is required to generate elements into it.

3.1.333.2 How to Solve

Check if the reduced ADX FMU file path provided is valid.

3.1.333.3 Error Message Syntax

Output reduced ADX file {{filepath}} for FMU usecase is not valid.

3.1.334 ADX_ELF038

3.1.334.1 Error Description

Tool internal message.

3.1.334.2 How to Solve

Tool internal message.

3.1.334.3 Error Message Syntax

ARRAY-ELEMENT-SIZE is zero for root element {{rootElementName}} of '{{elementName}}', hence sub elements will not be present in final ADX file.

3.1.335 RTA-A2L_SYSTEM

3.1.335.1 Error Description

This is a system level message and does not correspond to any issue.

It is just an information message.

3.1.335.2 How to Solve

None.

3.1.335.3 Error Message Syntax

{{SYSTEM_MESSAGE}}

3.1.336 RTA-A2L_DEBUG_RUNTIME

3.1.336.1 Error Description

This is an info message for the time taken by RTA-A2L tool.

3.1.336.2 How to Solve

None.

3.1.336.3 Error Message Syntax

Total time taken for {{Component name}}: {{Time ms}}ms ({{Time s}}s)

3.1.337 RTA-A2L_SYSTEM_RUNTIME

3.1.337.1 Error Description

This is an info message for the time taken by RTA-A2L tool.

3.1.337.2 How to Solve

None.

3.1.337.3 Error Message Syntax

Total time taken for {{Component name}}: {{Time ms}}ms ({{Time s}}s)

3.1.338 RTA-A2L_VERSION

3.1.338.1 Error Description

This is just an information message about the RTA-A2L version.

3.1.338.2 How to Solve

None.

3.1.338.3 Error Message Syntax

Generated by RTA-A2L Version: {{RTA-A2L_PROD_VERSION}}

4 Contact Information

Technical Support

For details of your local sales office as well as your local technical support team and product hotlines, take a look at the website: www.etas.com/hotlines

ETAS Headquarters

ETAS GmbH
Borsigstraße 24
70469 Stuttgart
Germany

Phone: +49 711 3423-0
Fax: +49 711 3423-2106
Internet: www.etas.com