HOORVIA - SUBLIMATION TIME & TEMP CHEAT SHEET

Quick Reference Cheat Sheet · US Letter Printable

Crafting & DIY

Blank	Temp F / C	Time	Pressure / Notes
Ceramic mug (11 oz, mug press)	400°F / 204°C	180 sec	Medium; tape design tightly, no gaps
Ceramic mug (flat press, wrap)	400°F / 204°C	240 sec	Medium; rotate halfway if press is uneven
Stainless tumbler (20 oz)	385°F / 196°C	120 sec (rotate)	Medium; use tumbler press or oven wrap
Polyester T-shirt (white/light)	385°F / 196°C	50-60 sec	Light-medium; lint-roll first
Polyester tote / pillowcase	385°F / 196°C	50-60 sec	Light-medium
Ceramic coaster	400°F / 204°C	240 sec	Medium; print face down on blank
Slate coaster	380°F / 193°C	360 sec	Medium; handle hot slate with gloves
Aluminium photo panel	400°F / 204°C	90 sec	Medium; peel hot with gloves
Phone case (sublimation blank)	365°F / 185°C	60 sec	Light; use case jig for alignment
Mouse pad	385°F / 196°C	60 sec	Light-medium
Keychain (MDF / acrylic blank)	385°F / 196°C	60 sec	Light; tape all edges
Glass cutting board	400°F / 204°C	300 sec	Medium; glass stays hot - gloves essential

PRO TIP: Print this sheet on US Letter or A4 and keep it at your press station, not across the room - sublimation timing is short and you will want the numbers in sight while you work. Use "Save as PDF" in the print dialog for a PDF copy, choosing Letter or A4 for your paper. Laminate it, because sublimation areas get hot and inky, and a laminated sheet can be wiped clean and will not curl from heat the way plain paper does. If you sell blanks, a second copy near your packing area helps you answer customer questions without hunting through supplier PDFs.