

HINDUSTAN PETROLEUM CORPORATION LIMITED

(A Government of India Enterprise)

QUALITY CONTROL LABORATORY

MAZGAON TERMINAL

LUBE PLANT, HAY BUNDER ROAD, MAZGAON

MUMBAI,400033

LABORATORY TEST REPORT**ENKLO 46 210 L DRUM HDPE(0235008)**

Laboratory Serial No.	FB - 340	Sample Drawn By	QC OFFICER
JDE Serial No	1250545	Date Sample Drawn	16/06/23
Batch No / Lot No	SI-23-F-476	Date Received In Lab	16/06/23
Work Order No	1061349	Date Tested	17/06/23
Tank /Kettle/Location	WHS	Particular of Sample	DRUM
Plant Code/ Name		Sampling Plan	IS 1447

Test Line Number	Test Description/ Characteristics	Units	Test Method	Specifications		Result Value
				Min	Max	
17	ZINC CONTENT	%Wt	ASTM D6443, EDTA	.026	.070	.029
1	ACIDITY TOTAL	mg KOH/g	IS1448(P2),ASTM D664, D974	-	1.50	.45
2	APPEARANCE	.	VISUAL	B&C	B&C	B&C
3	EMULSION CHAR @54°C/ 20MIN	Milliliter	IS1448(P91),ASTM D1401	40-40-0	40-37-3	40-38-2
4	POUR POINT, °C	°C	IS1448(P10), ASTM D97	-	-3	-9
5	VISCOSITY INDEX	.	IS1448(P56), ASTM D2270	90	-	99
15	DENSITY@29.5°C	g/cc	IS1448P16,ASTMD1298,D4052D7042	-	-	.8756
6	K V @ 100°C	cSt	IS1448(P25), ASTM D445, D7042	-	-	6.560
7	K V @ 40°C	cSt	IS1448(P25), ASTM D445, D7042	42.00	50.00	43.96
8	FLASH POINT,COC	°C	IS1448(P69), ASTM D92	190	-	236
9	FOAMING STABILITY SEQ1	Milliliter	IS1448(P67), ASTM D892	0	0	0
10	FOAMING STABILITY SEQ2	Milliliter	IS1448 (P67),ASTM D892	0	0	0
11	FOAMING STABILITY SEQ3	Milliliter	IS1448 (P67),ASTM D892	0	0	0
13	FOAMING TENDENY SEQ2	Milliliter	IS1448 (P67),ASTM D892	-	-	20
14	FOAMING TENDENY SEQ3	Milliliter	IS1448 (P67),ASTM D892	-	-	10
12	FOAMING TENDENY SEQ1	Milliliter	IS1448 (P67),ASTM D892	-	-	10
16	RUST TEST SYNTHETIC SEA WATER	.	IS1448 (P96), ASTM D665	P	P	P

Note:

- 1) The report refers only to the sample tested.
- 2) The test report shall not be reproduced except in full without prior written approval of the Lab Incharge.
- 3) This test report shall not be used in any advertising media or as evidence in the Court of Law without prior written consent of Laboratory.
- 4) Test results reported are valid at the time of testing
- 5) This is a system generated test report and hence does not require signature.

Reviewed and Authorized by:
DALVI P Y(30044160)