



HINDUSTAN PETROLEUM CORPORATION LIMITED
(A Government of India Enterprise)
QUALITY CONTROL LABORATORY
MAZGAON LUBE PLANT
HAY BUNDER ROAD, MAZGAON
MUMBAI - 400033, MAHARASHTRA



LABORATORY TEST REPORT

Product	0541000 (HP YANTROL 100 - BULK)	Test Report Number	4546232401365
Loc/ Customer/ Supplier	4546 (MAZGAON TML LUBES)	Sample Number	40000002687
Process/Purchase/Sales Order	20001711 4902095045 0001	Lab Sr. No	MB 2360
Source of the Sample	BLENDING KETTLE	ULR Number	TC-5177230000001365F
Tank No.	BULK (BULK DUMMY)	Date of Sampling	31.08.2023 12:03:44
Type of the Sample	COMPOSITE	Date of Receipt of Sample	29.08.2023
Number/Quantity of Sample	1*1 L	Date(s) of Sample Testing	29.08.2023 To 30.08.2023
Batch No.	M2-23H0207	Date of Issue of the Report	31.08.2023 12:07:19
Stock Represented	20.459 KL	Sample Drawn By	KUMARI SWETA
Test Required	MB		
Sampling Plan/Method	IS 1447	Seal No.	Wooden Box Seal
Reason for Testing	PRODUCTION - KETTLE		Aluminium Box Seal

S.No	Characteristics	UOM	Test Method	Specifications	Result
1	APPEARANCE	-	VISUAL	BRIGHT AND CLEAR	BRIGHT AND CLEAR
2	SULFATED ASH	%Wt	ASTM D874	MAX 0.010	0.006
3	ACIDITY, TOTAL	mgKOH/g	ASTM D974	MAX 0.15	0.08
4	ACIDITY, INORGANIC	mgKOH/g	ASTM D974	TO REPORT	0
5	DENSITY AT 29.5°C	g/cm ³	ASTM D7042	TO REPORT	0.8798
6	FLASH POINT, COC	°C	ASTM D92	MIN 170	260
7	RUST TEST AT 60°C, 24 HOURS, DW	-	ASTM D665	PASS	PASS
8	KINEMATIC VISCOSITY AT 40°C	cSt	ASTM D7042	90.00 - 100.00	97.88
9	COPPER STRIP CORROSION FOR 3 H AT 100 °C	-	ASTM D130	NOT WORSE THAN 1B	1A
10	SAPONIFICATION VALUE	mgKOH/g	ASTM D94	MAX 1.0	0.9

Remarks : The Sample meets the Specification in the above tested parameters only.

Tested By:
PAKALE SANTOSH BHIKAJI (38031160)

Reviewed and Authorised By:
PAKALE SANTOSH BHIKAJI (38031160)

Note:
1) The sample is drawn by client and results apply to the sample as received.
2) The test report shall not be reproduced except in full without prior written approval of the Lab In-charge.
3) This test report shall not be used in any advertising media or as evidence in the Court of Law without prior written consent of Laboratory.
4) Test results reported are valid for the sample tested, which was provided at the time of testing.
5) The details of sample submitted is provided by sender / customer. The authenticity / correctness of the submitted data is the responsibility of the sender/customer.
6) This is a system generated test report. Hence, it does not require signature.

