



HINDUSTAN PETROLEUM CORPORATION LIMITED
(A Government of India Enterprise)
QUALITY CONTROL LABORATORY
MAZGAON LUBE PLANT
HAY BUNDER ROAD, MAZGAON
MUMBAI - 400033, MAHARASHTRA
LABORATORY TEST REPORT



Product	0657241 (HP SPINTEK 12 - DRUM 210L (0.9 MM))	Test Report Number	4546232400538
Loc/ Customer/ Supplier	4546 (MAZGAON TML LUBES)	Sample Number	40000001324
Process/Purchase/Sales Order	10002282 4901154249 0001	Lab Sr. No	PP 384
Source of the Sample	DRUM	ULR Number	TC-5177230000000538F
Tank No.	WHS1 (Lube Warehouse 1)	Date of Sampling	02.08.2023 19:36:10
Type of the Sample	COMPOSITE	Date of Receipt of Sample	26.07.2023
Number/Quantity of Sample	1*1 L	Date(s) of Sample Testing	26.07.2023 To 27.07.2023
Batch No.	M1-23G0164	Date of Issue of the Report	02.08.2023 20:29:09
Stock Represented	87.000 EA	Sample Drawn By	QC OFFICER
Test Required	FB		
Sampling Plan/Method	IS 1447	Seal No.	Wooden Box Seal
Reason for Testing	PRODUCTION - DRUM		Aluminium Box Seal

S.No	Characteristics	UOM	Test Method	Specifications	Result
1	APPEARANCE	-	VISUAL	BRIGHT AND CLEAR	BRIGHT AND CLEAR
2	DENSITY AT 29.5°C	g/cm ³	ASTM D7042	TO REPORT	0.8538
3	RUST TEST AT 60°C, 24 HOURS, DW	-	ASTM D665	PASS	PASS
4	KINEMATIC VISCOSITY AT 40°C	cSt	ASTM D7042	9.00 - 13.00	11.54
5	VISCOSITY INDEX	-	ASTM D2270	MIN 90	97
6	ACIDITY, TOTAL	mgKOH/g	ASTM D974	MAX 0.20	0.09

Remarks : The Sample meets the Specification in the above tested parameters only.

Tested By:
WARANG CHANDRAKANT PRABHAKAR (30074520)

Reviewed and Authorised By:
WARANG CHANDRAKANT PRABHAKAR
(30074520)

Note:
1) The sample is drawn by client and results apply to the sample as received.
2) The test report shall not be reproduced except in full without prior written approval of the Lab In-charge.
3) This test report shall not be used in any advertising media or as evidence in the Court of Law without prior written consent of Laboratory.
4) Test results reported are valid for the sample tested, which was provided at the time of testing.
5) The details of sample submitted is provided by sender / customer. The authenticity / correctness of the submitted data is the responsibility of the sender/customer.
6) This is a system generated test report. Hence, it does not require signature.

