

(0,40mm) .01575"

SS4, ST4 SERIES

SS4-40-3.00-L-D-K-TR

ST4-20-1.00-L-D-P-TR

SS4-20-3.00-L-D-K-TR

ST4-40-1.00-L-D-P-TR

ULTRA FINE PITCH HEADER & SOCKET

SS4 Mates with:
ST4

ST4 Mates with:
SS4

SPECIFICATIONS

For complete specifications and recommended PCB layouts see www.samtec.com?SS4 or www.samtec.com?ST4

Insulator Material:
Black LCP

Contact Material:
Phosphor Bronze

Plating:

Au or Sn over 50μ" (1,27μm) Ni

Operating Temp Range:

-55°C to +125°C

Current Rating:

1.3A @ 80°C ambient

RoHS Compliant:

Yes

Processing:

Lead-Free Solderable:

Yes

SMT Lead Coplanarity:

(0,10mm) .004" max




SS4	POSITIONS PER ROW	LEAD STYLE	PLATING OPTION	D	K	TR
	-10, -20, -30, -40, -50	-3.00 = 3.00mm -3.50 = 3.50mm	-L = 10μ" (0,25μm) Gold on contact, Matte Tin on tail		(Required in callout) -K = (3,51mm) .138" DIA Polyimide Film Pick & Place Pad	(Required in callout) -TR = Tape & Reel

LEAD STYLE	A	B
-3.00	(2,85) .112	(3,50) .138
-3.50	(3,35) .132	(4,00) .157

4mm Stack Height	Rated @ 3dB Insertion Loss
Single-Ended Signaling	7.0 GHz / 14 Gbps
Differential Pair Signaling	4.5 GHz / 9 Gbps

Complete test data available at www.samtec.com?SS4, www.samtec.com?ST4 or contact sig@samtec.com

MATED HEIGHT



MATED HEIGHT*

ST4 LEAD STYLE	SS4 LEAD STYLE	
	-3.00	-3.50
-1.00	(4,00) .157	(4,50) .177
-1.50	(4,50) .177	(5,00) .197
-2.50	(5,50) .217	(6,00) .236

*Processing conditions will affect mated height.

ST4	POSITIONS PER ROW	LEAD STYLE	PLATING OPTION	D	P	TR
	-10, -20, -30, -40, -50	-1.00 = 1.00mm -1.50 = 1.50mm -2.50 = 2.50mm	-L = 10μ" (0,25μm) Gold on contact, Matte Tin on tail		(Required in callout) -P = Pick & Place Pad	(Required in callout) -TR = Tape & Reel

LEAD STYLE	A	B
-1.00	(1,00) .039	(3,08) .121
-1.50	(1,50) .059	(3,58) .141
-2.50	(2,50) .098	(4,58) .180

Note: Some lengths, styles and options are non-standard, non-returnable.

Due to technical progress, all designs, specifications and components are subject to change without notice.

WWW.SAMTEC.COM

SAMTEC USA • Tel: 1-800-SAMTEC-9 or 812-944-6733 SAMTEC SILICON VALLEY • Tel: 408-395-5900 SAMTEC SOUTHERN CALIFORNIA • Tel: 1-800-726-8329
 SAMTEC AMERICA LATINA COMERCIO EXTERIOR LTDA • Tel: (+55 31) 3786 3227 SAMTEC UNITED KINGDOM • Tel: 44 01236 739292 SAMTEC GERMANY • Tel: +49 (0) 89 / 89460-0
 SAMTEC FRANCE • Tel: 33 01 60 95 06 60 SAMTEC ITALY • Tel: 39 039 6890337 SAMTEC NORDIC/BALTIC • Tel: +46-84477280 SAMTEC BENELUX • Tel: 44 01236 739292
 SAMTEC ISRAEL • Tel: 972-3-7526600 SAMTEC INDIA • Tel: +91-80-3272 1612 SAMTEC ASIA PACIFIC • Tel: 65 6745-5955 SAMTEC JAPAN • Tel: 045-475-1385 SAMTEC CHINA • Tel: 86-21-6083 3766
 SAMTEC TAIWAN • Tel: 886-2-2735-6109 SAMTEC HONG KONG • Tel: 852-26904858 SAMTEC KOREA • Tel: 82-31-717-5685 SAMTEC ANZ • Tel: 613 9580 0683