

General Specifications



GENERAL DESCRIPTION

- General Purpose Dielectric for Ceramic Capacitors
- EIA Class II Dielectric
- Temperature variation of capacitance is within ±15% from -55°C to +85°C
- Well suited for decoupling and filtering applications
- Available in High Capacitance values (up to 100µF)


PART NUMBER (see page 2 for complete part number explanation)




**EIA 01005

NOTE: Contact factory for availability of Tolerance Options for Specific Part Numbers. Contact factory for non-specified capacitance values.

TYPICAL ELECTRICAL CHARACTERISTICS





Specifications and Test Methods

Parame	ter/Test	X5R Specification Limits	Measuring Conditions						
	perature Range	-55°C to +85°C	Temperature C	Cycle Chamber					
Capac Dissipation		Within specified tolerance ≤ 2.5% for ≥ 50V DC rating ≤ 12.5% for 25V, 35V DC rating ≤ 12.5% Max. for 16V DC rating and lower Contact Factory for DF by PN	Freq.: 1.0 kHz ± 10% Voltage: 1.0Vrms ± .2V For Cap > 10 μF, 0.5Vrms @ 120Hz						
Insulation	Resistance	10,000MΩ or 500MΩ - μ F, whichever is less	Charge device with rated voltage for 120 ± 5 secs @ room temp/humidity						
Dielectric	Strength	No breakdown or visual defects	Charge device with 250% of rated voltage for 1-5 seconds, w/charge and discharge current limited to 50 mA (max)						
	Appearance	No defects	Deflection						
Resistance to	Capacitance Variation	≤ ±12%	Test Time: 3	30 seconds 7 1mm/sec					
Flexure Stresses	Dissipation Factor	Meets Initial Values (As Above)							
	Insulation Resistance	≥ Initial Value x 0.3	90 1						
Solde	rability	≥ 95% of each terminal should be covered with fresh solder	Dip device in eutection for 5.0 ± 0.0						
	Appearance	No defects, <25% leaching of either end terminal							
	Capacitance Variation	≤ ±7.5%	Dip device in eutectic	solder at 260°C for 60					
Resistance to Solder Heat	Dissipation Factor	Meets Initial Values (As Above)	seconds. Store at room temperature for 24 ± 2 hours before measuring electrical properties.						
Solder Heat	Insulation Resistance	Meets Initial Values (As Above)	Tiodis Delote measum	g electrical properties.					
	Dielectric Strength	Meets Initial Values (As Above)							
	Appearance	No visual defects	Step 1: -55°C ± 2°	30 ± 3 minutes					
	Capacitance Variation	≤ ±7.5%	Step 2: Room Temp	≤ 3 minutes					
Thermal Shock	Dissipation Factor	Meets Initial Values (As Above)	Step 3: +85°C ± 2°	30 ± 3 minutes					
SHOCK	Insulation Resistance	Meets Initial Values (As Above)	Step 4: Room Temp	≤ 3 minutes					
	Dielectric Strength	Meets Initial Values (As Above)	Repeat for 5 cycles and measure after 24 ± 2 hours at room temperature						
	Appearance	No visual defects	Charge device with						
	Capacitance Variation	≤ ±12.5%	test chamber set at 85° (+48, -0). Note: Conta	ct factory for *optional					
Load Life	Dissipation Factor	≤ Initial Value x 2.0 (See Above)	specification part num < 1.5X rate						
	Insulation Resistance	≥ Initial Value x 0.3 (See Above)	Remove from test ch						
	Dielectric Strength	Meets Initial Values (As Above)	at room temperatu before m						
	Appearance	No visual defects	Store in a test chamb	or sot at 85°C + 2°C/					
	Capacitance Variation	≤ ±12.5%	85% ± 5% relative hu	midity for 1000 hours					
Load Humidity	Dissipation Factor	≤ Initial Value x 2.0 (See Above)	(+48, -0) with rate						
	Insulation Resistance	≥ Initial Value x 0.3 (See Above)	Remove from cham	e and humidity for					
	Dielectric Strength	Meets Initial Values (As Above)	24 ± 2 hours be	nore measuring.					

Capacitance Range

PREFERRED SIZES ARE SHADED

Cas	e Size	01	01*			0201					04	02						0603							0805			
Solo	dering	Reflo	w Only		Re	flow O	nly				Reflov	/Wave					Ret	flow/W	ave					Re	flow/W	ave		
Pacl	kaging	Paper/E	mbossed		P	All Pape	er				All P	aper					Α	All Pape	er					Pape	r/Emb	ossed		
(L) Length	mm	0.40	± 0.02			.60 ± 0.0			1.00 ± 0.10 (0.040 ± 0.004) 1.60 ± 0.15 (0.063 ± 0.006)										2.01 ± 0.20									
(W) Width	(in.) mm		± 0.0008) ± 0.02	_		0.024 ± 0.00			\vdash						\vdash			.81 ± 0.0				(0.079 ± 0.008) 1.25 ± 0.20						
	(in.)	(0.008	± 0.0008			.00 ± 0.0			0.50 ± 0.10 (0.020 ± 0.004)									0.01 ± 0.01				1.25 ± 0.20 (0.049 ± 0.008)						
(t) Terminal	mm (in.)		± 0.04 ± 0.0016)			.15 ± 0.0 006 ± 0.0			0.25 ± 0.15 (0.010 ± 0.006							0.35 ± 0.15 (0.014 ± 0.006)									0.50 ± 0.2 0.20 ± 0.0			
Vo	oltage:	6.3	16	4	6.3	10	16	25	4	6.3	10	16	25	50	4	6.3	10	16	25	35	50	4	6.3	10	16	25	35	50
Cap (pF)	100 101	-	В					A														H						
1-4-7	150 151		В					Α																				
	220 221		В					Α						С														
	330 331		В					Α						С														
	470 471		В					Α						С														
	680 681		В					Α						С														
	1000 102		В				A	A	<u> </u>					С														
	1500 152		В				A	A	<u> </u>					С	<u> </u>													
	2200 222 3300 332		B B			A	A	A	<u> </u>					C	<u> </u>							_						
	3300 332 4700 472		В	_		A	A	A	\vdash				С	U	\vdash						G	_						
	6800 682		В			A	A	A	<u> </u>				C		\vdash						G							
Cap (µF)	0.01 103		В			A	A	A	\vdash				С		\vdash				G	G	G	_						_
σαρ (μι)	0.015 153					А	А	А	\vdash				С		\vdash				G	G	G	_						_
	0.022 223				Α				\vdash			С	С		\vdash				G	G	G							N
	0.033 333								\vdash			С							G	G	G							N
	0.047 473	В			Α							С	С						G	G	G							N
	0.068 683	В										С							G		G							N
	0.1 104	В			Α	Α					С	С	С	С					G	G	G					N	N	N
	0.15 154																		G							N	N	
	0.22 224	В		Α	Α	Α				С	С	С						G	G							N	N	N
	0.33 334																	G	G							N		
	0.47 474			Α	Α				С	С	С	С			<u> </u>			G	J							N	Р	Р
	0.68 684	 		_	_	_	-			0	0	0	_		0	_	_	G		0	0					N	-	
	1.0 105			F	F	F	F		С	С	С	С	Е		G	G	G	G	J	G	G				N	N	Р	Р
	2.2 225			F	F	F			С	С	С				G	G	J	J	J					N	N	N	Р	Р
	3.3 335			Г	Г	Г			U	U	U				J	J	J	J	J			_	N	N N	IN	IN	Р	Р
	4.7 475								Е	Е	Е	Е			J	J	J	G				N	N	J	N	N	Р	Р
	10 106	_		\vdash					E	E	_				K	J	J	J			\vdash	P	P	P	P	P		
	22 226									E					K	K	K					P	P	P	P	P		_
	47 476																					Р	Р					
	100 107	1																				Р						
Vo	oltage:	6.3	16	4	6.3	10	16	25	4	6.3	10	16	25	50	4	6.3	10	16	25	35	50	4	6.3	10	16	25	35	50
Cas	e Size	01	01*			0201					04	02						0603				0805						

Thickn		0.013)	(0.009)	(0.022)	(0.028)	(0.016)	(0.035)	(0.037)	(0.040)	(0.050)	(0.055)	(0.060)	(0.070)	(0.090)	(0.100)	(0.110)
Max		0.33	0.22	0.56	0.71	0.40	0.90	0.94	1.02	1.27	1.40	1.52	1.78	2.29	2.54	2.79
Lette	ar	Δ	В	0	F	E	G		K	M	N	Р	\supset	Υ	V	7

PAPER and EMBOSSED available for 01005

NOTE: Contact factory for non-specified capacitance values

*EIA 01005

Capacitance Range

PREFERRED SIZES ARE SHADED

Case Size					206							1210							1812							
Soldering				Reflov	v/Wav	Э					Re	flow O	nly					Re	eflow O	nly						
Packaging			Р	aper/E	mboss	sed					Pape	r/Embo	ossed			All Embossed										
(L) Length mm (in.)					± 0.20 ± 0.008)				3.20 ± 0.20 (0.126 ± 0.008)								4.50 ± 0.30 (0.177 ± 0.012									
(W) Width mm				1.60	± 0.20				2.50 ± 0.20								3.20 ± 0.20									
(in.)					± 0.008)				(0.098 ± 0.008)								(0.126 ± 0.008									
(t) Terminal mm (in.)					± 0.25 ± 0.010)				0.50 ± 0.25 (0.020 ± 0.010)								0.61 ± 0.36 (0.024 ± 0.014)									
Voltage:	4	6.3	10	16	25	35	50	100	4	6.3	10	16	25	35	4 6.3 10 16 25 35 50											
Cap (pF) 100 101																										
150 151																										
220 221																										
330 331	<u> </u>								<u> </u>							<u> </u>										
470 471 680 681	 								\vdash							\vdash										
1000 102	\vdash								\vdash							\vdash										
1500 152	\vdash								\vdash							\vdash										
2200 222	\vdash								\vdash							\vdash										
3300 332																										
4700 472																										
6800 682																										
Cap (μF) 0.01 103																										
0.015 153	<u> </u>								<u> </u>							<u> </u>										
0.022 223	_								<u> </u>							<u> </u>										
0.033 333 0.047 473	<u> </u>								<u> </u>							<u> </u>										
0.047 473	\vdash								├							\vdash										
0.1 104	\vdash								\vdash							\vdash										
0.15 154	\vdash								\vdash							\vdash										
0.22 224																										
0.33 334																										
0.47 474					Q	Q								Χ	Χ											
0.68 684																										
1.0 105	<u> </u>				Q	Q	Q	Q	<u> </u>				Χ	Χ	Χ	<u> </u>										
1.5 155 2.2 225	<u> </u>		^	0	0	0	0	0	<u> </u>				V	7	7	<u> </u>										
2.2 225 3.3 335	<u> </u>	Q	Q	Q	Q	Q	Q	Q	<u> </u>				Χ	Z	Z	<u> </u>										
4.7 475	Χ	X	X	Χ	Χ	Χ	Χ	Χ	\vdash		Q	Q	Z	Z	Z	\vdash										
10 106	Х	X	X	X	X	X	Х		\vdash	Х	X	Z	Z	Z	Z	\vdash				Z						
22 226	Х	X	X	X	Х		- /		Z	Z	Z	Z	Z													
47 476	Х	X	X						Z	Z	Z	Z	Z													
100 107	Х	Х							Z	Z	Z	Z														
Voltage	4	6.3	10	16	25	35	50	100	4	6.3	10	16	25	35	50	4	6.3	10	16	25	35	50				
Case Size				12	06							1210							1812							

Letter	А	В	С	Е	G	J	K	М	N	Р	Q	X	Υ	Z				
Max.	0.33	0.22	0.56	0.71	0.90	0.94	1.02	1.27	1.40	1.52	1.78	2.29	2.54	2.79				
Thickness	(0.013)	(0.009)	(0.022)	(0.028)	(0.035)	(0.037)	(0.040)	(0.050)	(0.055)	(0.060)	(0.070)	(0.090)	(0.100)	(0.110)				
	PAPER								EMBOSSED									

NOTE: Contact factory for non-specified capacitance values

*EIA 01005