What is $d\sigma$?

 $d\sigma \sin \theta$ is an unnormalized probability density function. It can be integrated to obtain a cumulative distribution function $F(\theta)$. The probability of observing scattering events in the interval θ_1 to θ_2 is

$$F(\theta_2) - F(\theta_1)$$

Differentiate $F(\theta)$ to obtain normalized probability density function $f(\theta)$.

$$f(\theta) = \frac{dF(\theta)}{d\theta} \propto d\sigma \sin \theta$$

For example, the well-known cross section for Bhabha scattering is

$$\frac{d\sigma}{d\Omega} = \frac{\alpha^2 (\hbar c)^2}{4s} \left(\frac{\cos^2 \theta + 3}{\cos \theta - 1} \right)^2$$

Let $I(\theta)$ be the following integral of $d\sigma$. (The $\sin \theta$ is from $d\Omega = \sin \theta \, d\theta \, d\phi$.)

$$I(\theta) = \int \left(\frac{\cos^2 \theta + 3}{\cos \theta - 1}\right)^2 \sin \theta \, d\theta$$

The result is

$$I(\theta) = \frac{16}{\cos \theta - 1} - \frac{\cos^3 \theta}{3} - \cos^2 \theta - 9\cos \theta - 16\log(1 - \cos \theta)$$

The cumulative distribution function is

$$F(\theta) = \frac{I(\theta) - I(a)}{I(\pi) - I(a)}, \quad a \le \theta \le \pi$$

Angular support is reduced by an arbitrary angle a > 0 because I(0) is undefined.

The probability of observing scattering events in the interval θ_1 to θ_2 is

$$P(\theta_1 \le \theta \le \theta_2) = F(\theta_2) - F(\theta_1)$$

Let N be the total number of scattering events from an experiment. Then the number of scattering events in the interval θ_1 to θ_2 is predicted to be

$$N \times (F(\theta_2) - F(\theta_1))$$

The probability density function is

$$f(\theta) = \frac{dF(\theta)}{d\theta} = \frac{1}{I(\pi) - I(a)} \left(\frac{\cos^2 \theta + 3}{\cos \theta - 1}\right)^2 \sin \theta$$

Note that if we had carried through the $\alpha^2(\hbar c)^2/4s$ in $I(\theta)$, it would have canceled out in $F(\theta)$.

The raw data from scattering experiments are counts per angular bin. The raw data are processed to produce numbers that can be compared directly with $d\sigma$. For example, here is Bhabha scattering data from DESY.

$$\begin{array}{cccc} x & y \\ -0.7300 & 0.10115 \\ -0.6495 & 0.12235 \\ -0.5495 & 0.11258 \\ -0.4494 & 0.09968 \\ -0.3493 & 0.14749 \\ -0.2491 & 0.14017 \\ -0.1490 & 0.18190 \\ -0.0488 & 0.22964 \\ 0.0514 & 0.25312 \\ 0.1516 & 0.30998 \\ 0.2520 & 0.40898 \\ 0.3524 & 0.62695 \\ 0.4529 & 0.91803 \\ 0.5537 & 1.51743 \\ 0.6548 & 2.56714 \\ 0.7323 & 4.30279 \end{array}$$

Data x and y have the following relationship with the cross section formula.

$$x = \cos \theta$$
, $y = \frac{d\sigma}{d\Omega}$ in nanobarns

The Bhabha scattering cross section formula is

$$\frac{d\sigma}{d\Omega} = \frac{\alpha^2}{4s} \left(\frac{\cos^2 \theta + 3}{\cos \theta - 1} \right)^2 \times (\hbar c)^2$$

To compute predicted values \hat{y} , multiply by 10^{37} to convert square meters to nanobarns.

$$\hat{y} = \frac{\alpha^2}{4s} \left(\frac{x^2 + 3}{x - 1} \right)^2 \times (\hbar c)^2 \times 10^{37}$$

The following table shows predicted values \hat{y} for $s = (14.0 \,\text{GeV})^2$.

x	y	\hat{y}
-0.7300	0.10115	0.110296
-0.6495	0.12235	0.113816
-0.5495	0.11258	0.120101
-0.4494	0.09968	0.129075
-0.3493	0.14749	0.141592
-0.2491	0.14017	0.158934
-0.1490	0.18190	0.182976
-0.0488	0.22964	0.216737
0.0514	0.25312	0.264989
0.1516	0.30998	0.335782
0.2520	0.40898	0.443630
0.3524	0.62695	0.615528
0.4529	0.91803	0.907700
0.5537	1.51743	1.451750
0.6548	2.56714	2.609280
0.7323	4.30279	4.615090

The coefficient of determination \mathbb{R}^2 measures how well predicted values fit the data.

$$R^{2} = 1 - \frac{\sum (y - \hat{y})^{2}}{\sum (y - \bar{y})^{2}} = 0.995$$

The result indicates that 99.5% of the variance in the data is explained by $d\sigma$.