

Assignment 1: Determine the % age of extraction for different sizes of pillars as provided in the table in next slide.

Depth from surface	Centre to Centre distance between adjacent pillars (in metre) for gallery width of			
	3.0m	3.6m	4.2m	4.8m
Not exceeding 60m	12.0	15.0	18.0	19.5
Exceeding 60m not exceeding 90m	13.5	16.5	19.5	21.0
Exceeding 90m not exceeding 150m	16.5	19.5	22.5	25.0
Exceeding 150m not exceeding 240m	22.5	25.5	30.5	34.5
Exceeding 240m not exceeding 360m	28.5	34.5	39.5	45.0
Exceeding 360m	39.0	42.0	45.0	48.0

Assignment 2

- Determine the size of a B&P panel with working depth of 180m from surface and producing 200 TPD.
- Assume your own conditions as necessary