



ElementOne Release Note

For the latest compatibility with the Element Series, please refer to this website: [Compatibility with Element Series](#)

Version 1.31.2

Release date: 2026-07-15

Details

New Features

- **Virtual Portable Inspector (vPI):** Added support for vPI, a software-based alternative to Portable Inspector that enables malware scanning and asset collection without requiring a physical USB device. A vPI license is required to use this feature. (Available with vPI 1.0.1104 or later)
 - Supports vPI license management and seat usage tracking.
 - Supports adding vPI devices and moving them to another group.
 - Supports configuring the scan type for vPI devices, such as scanning all folders, default folders, or specific folders.
 - Allows users to download the vPI package from ElementOne and run it on endpoints after completing password-based authentication between vPI and ElementOne.
 - Provides the Recent vPI Deployments page to track vPI deployments and scan status.
 - Provides centralized visibility into asset information and malware scan results collected by vPI devices.
- **Automated Log Purge:** ElementOne now supports scheduled purge of Portable Inspector and Safe Port scan logs and asset data. Administrators can configure a retention period (in months) to automatically remove older data.
- **Windows Update Control:** Administrators can configure Windows Auto Update on the policy setting page, monitor update status and available or failed Windows updates, and download and install Windows updates from the Device List, as well as view the operating system version and last Windows update check time for Safe Port devices. (Supported from Safe Port 1.0.1058)
- **Proxy Support:** Administrators can configure whether Safe Port uses a Direct Connection or ElementOne Proxy connection method to meet different network requirements. (Supported from Safe Port 1.0.1058)
- **SenninOne Integration:** Added the SenninOne Integration page under Administration for configuring and monitoring the SenninOne connection used to forward logs and asset data from ElementOne. (Supported from SenninOne 3.1)

Upgrades

- Portable Inspector image version 1.0.1098
- Safe Port image version 1.0.1056
- Virtual Portable Inspector version 1.0.1104
- Vulnerability database release 1.36.1_260706_1
- Vulnerability Detection Service 1.181.2.e1
- Anti-Virus pattern version 21.177.00

MyTXOne Updates

- ElementOne OVA 1.31.2
- ElementOne VHDX 1.31.2
- ElementOne VHD 1.31.2
- ElementOne VMDK 1.31.2
- ElementOne QCOW2 1.31.2
- ElementOne ACF 1.31.2

Fixed Bugs

- Fixed issues that could cause incorrect or inconsistent unscannable reason messages in the Safe Port Scan Result page.
-

Version 1.30.0

Release date: 2026-05-28

Details

Enhancements

- Enhanced the Pattern Outdate Alert feature to improve terminology consistency and provide clearer visibility into Portable Inspector pattern update status and potential system time issues.
 - Renamed Update Status Alert to Pattern Outdate Alert across Portable Inspector and ElementOne for consistent terminology.
 - Enhanced the Portable Inspector scan result details to display the Last Pattern Check time and warning messages when pattern updates are overdue or the system time may be incorrect.
 - Added related pattern update status information to Syslog and OpenAPI for improved monitoring and troubleshooting.

Upgrades

- Portable Inspector image version 1.0.1098
- Safe Port image version 1.0.1056
- Vulnerability database release 1.34.0_260525_1
- Vulnerability Detection Service 1.181.2.e1
- Anti-Virus pattern version 20.965.00

Fixed Bugs

- Fixed an issue where Safe Port scan results displayed an inconsistent unscannable reason message for corrupted files.
-

Version 1.29.0

Release date: 2026-05-05

Details

New Features

- Added support for configuring asset collection settings for Portable Inspector in Device and Group Policy. (Supported from Portable Inspector 1.0.1098)
- Added a Collect asset info during scanning option under Scan Option.
- Enhanced Auto Start settings to allow selecting whether Portable Inspector automatically starts scanning or collecting asset information at launch, with a configurable countdown.

Upgrades

- Portable Inspector image version 1.0.1098
- Safe Port image version 1.0.1056
- Vulnerability database release 1.31.0_260426_1
- Vulnerability Detection Service 1.181.2.e1
- Anti-Virus pattern version 20.915.00

MyTXOne Updates

- ElementOne OVA 1.29.0
- ElementOne VHDX 1.29.0
- ElementOne VHD 1.29.0
- ElementOne VMDK 1.29.0
- ElementOne QCOW2 1.29.0
- ElementOne ACF 1.29.0

Fixed Bugs

- Fixed an issue where group supervisors encountered a 403 error when adding a device, which caused the device port to display incorrectly in the Add Device window.
- Fixed an issue where group supervisors could not see the Add Device button on the Portable Inspector and Safe Port tabs of the Device List.
- Fixed an issue where the OpenAPI endpoints POST /openapi/pi/v1/groups/policies/query and POST /openapi/pi/v1/devices/policies/query returned the fts_enabled field even when no Portable Inspector license with the Fab Tool Scan (FTS) feature was available on ElementOne.
- Fixed an issue where the "RESULT" column in the Malware List section displayed incorrect results in exported asset reports in CSV and PDF formats.
- Fixed an issue where users were not automatically logged out after 900 seconds of inactivity because periodic Safe Port malware scan approval status requests refreshed their login state.
- Fixed an issue on the Portable Inspector Device/Group Policy page where entering C:\ as a Specific Folder or Exclusion Folder was incorrectly saved as C:, causing the policy save to fail.

- Fixed an issue where group supervisors encountered a 403 error when adding a Safe Port device, which caused the password to display incorrectly in the Add Safe Port window.
 - Fixed an issue where group supervisors saw the device port displayed as 0 when adding a Portable Inspector or Safe Port device.
 - Fixed an issue where group viewers could edit the Safe Port Device Policy page, with the Save button incorrectly enabled.
 - Fixed an issue where users could set scan target or exclusion paths such as \a in Portable Inspector device or group policies, which are now correctly rejected.
-

Version 1.28.1

Release date: 2026-04-15

Details

New Features

- Added a new "Employee Mode" for Visitor Management on the Safe Port Policy page, allowing users to access Safe Port using a badge reader. (Supported from Safe Port 1.0.1054)
- Added a new Scan Action option "Confirm Before Action" on the Safe Port Policy page, allowing Safe Port to send detected threats and unscannable items to the Safe Port Scans page in ElementOne for administrator review and approval, where actions such as Clean, Ignore, or Approve can be selected and executed by Safe Port (Supported from Safe Port 1.0.1054)
 - Added OpenAPI support for the confirmation workflow, enabling integration with malware scan review and approval processes, including workflow status, required actions, and confirmation items.
 - Get malware scan log details with confirmation workflow status such as Waiting for Approval, Sending Selected Action, or Cleaning in Progress.
 - Submit approval decisions for a malware scan confirmation workflow, allowing administrators to select actions such as Clean, Ignore, or Approve for detected items.
 - Get confirmation items for a malware scan log, including the list of detected threats and unscannable items.

Enhancements

- Improved Windows platform support to correctly identify LTSC and LTSB versions. (Supported from Portable Inspector 1.0.1096)
- Extended the maximum file path length in logs uploaded by Portable Inspector to 512 characters to prevent upload failures to ElementOne.

Upgrades

- Portable Inspector image version 1.0.1096
- Safe Port image version 1.0.1054
- Vulnerability database release 1.30.0_260406_1
- Vulnerability Detection Service 1.181.2.e1
- Anti-Virus pattern version 20.875.00

MyTXOne Updates

- ElementOne OVA 1.28.1
- ElementOne VHDX 1.28.1
- ElementOne VHD 1.28.1
- ElementOne VMDK 1.28.1
- ElementOne QCOW2 1.28.1
- ElementOne ACF 1.28.1

Fixed Bugs

- Fixed an issue where database corruption during VDS updates could cause boot failures.
 - Fixed an issue where the Safe Port Scans log page did not support pagination and might not display all results.
 - Fixed an issue where the file system access key could be exposed in debug logs.
 - Fixed an issue where closing a pop-up notification could cancel ongoing file uploads on the Secure Distribute page.
 - Fixed an issue where the message about full asset visibility starting from version 1.27.0 on the Assets page was displayed inconsistently and is now shown only after upgrading from a version earlier than 1.27.0.
-

Version 1.27.2

Release date: 2026-02-26

Details

Upgrades

- Vulnerability database release version 1.28.0_260222_1
- Anti-Virus pattern version 20.785.00

Fixed Bugs

- Fixed an issue in the Syslog forwarding feature that caused multiple "KB" prefixes to appear in the windowsUpdates field of Vulnerability Info (cat=6).
-

Version 1.27.1

Release date: 2026-02-12

Details

Important Information

- ElementOne 1.27.0 or later requires Portable Inspector version 1.0.1094 or later for full functionality. After upgrading ElementOne, users can use ElementOne to upgrade managed Portable Inspector devices to version 1.0.1094 to ensure pattern updates and log uploads work correctly.

New Features

- Added unified device grouping in ElementOne, enabling group-based management of both Portable Inspector and Safe Port devices from a single Device List.
 - Allowed creating, renaming, removing, and ungrouping device groups, assigning both Portable Inspector and Safe Port devices to groups, and configuring device and group policies directly from the Device List.
 - Allowed editing group policies and device policies directly from the Device List page.
 - Enabled group supervisors and group viewers to view Safe Port devices and groups assigned to them with group-based access control.
 - Enabled group-based access to Safe Port scan logs, allowing administrators, group supervisors, and group viewers to view or manage scan logs for devices within their assigned groups according to role permissions.
- Added an asset-centric view in ElementOne, enabling users to track the full history of a single asset and compare its current state with a selectable baseline to understand security and configuration changes over time. (Supported from Portable Inspector 1.0.1094)
 - Allowed users to view multiple historical records of the same asset on the Assets page, instead of only the latest record.
 - Allowed users to choose how ElementOne identifies and groups records as the same asset by selecting an asset identification rule using vShell.
 - Allowed users to compare the latest asset record with a selected baseline, or automatically compared the two most recent records when no baseline is set.
 - Added a comparison view that summarizes differences between the current asset and the baseline, showing newly identified vulnerabilities, changes to asset configuration and applications, and detected threats.
 - Supported exporting the Equipment Security Inspection Report with highlighted differences when a baseline is applied.
- Added support on the Safe Port Device Policy page to enable and manage Reset Disk, Secure File Transfer, and Scan Restriction settings. (Supported from Safe Port 1.0.1046)

Enhancements

- Removed the warning banner that appeared when the ElementConnect disk was not installed.
- Enhanced path configuration by allowing UNC paths in Scan Type – Specific Folders, Exclusion Files, and Exclusion Folders, in addition to the existing local drive paths.
- Renamed the option label in the Scan Action settings on the Portable Inspector policy page from “Enable CVE detection” to “Enable exploit detection,” with the tooltip updated accordingly.

Upgrades

- Portable Inspector image version 1.0.1094
- Safe Port image version 1.0.1050
- Vulnerability database release version 1.23.0_260209_1
- Anti-Virus pattern version 20.759.00

MyTXOne Updates

- ElementOne OVA 1.27.1
- ElementOne VHDX 1.27.1
- ElementOne VHD 1.27.1
- ElementOne VMDK 1.27.1

- ElementOne QCOW2 1.27.1
- ElementOne ACF 1.27.1

Fixed Bugs

- Fixed an issue where Safe Port returned a "FAILED" status for debug log collection, but the OpenAPI incorrectly displayed the status as "Ready to download" instead of "FAILED".
 - Fixed an issue where ElementOne forwarded asset logs via syslog when the asset alias overwrite policy was updated, ensuring asset logs are forwarded only when the asset alias actually changes.
 - Fixed an issue where audit logs might be missing if the syslog receiver was unavailable during log forwarding.
 - Fixed an issue where the OpenAPI for debug log collection returned incorrect response messages and status codes when the task status was deleted or when different task states shared the same error message.
 - Fixed an issue where user accounts could not be deleted from the Account Management page.
 - Fixed an issue where the Secure Distribute service failed to start when a disk larger than 1TB was assigned, caused by incorrect handling of disk capacity values displayed in terabytes.
-

Version 1.26.0

Release date: 2025-11-28

Details

New Features

- Added an access history panel to the Secure Distribute page to track file activity such as creating, modifying, deleting, and distributing items, allowing administrators to review user actions and file changes.
- Added new OpenAPIs in this release:
 - ElementOne Audit Log API to retrieve audit records with filtering and pagination support, enabling integration with internal tools and automated audit workflows.
 - ElementOne Debug Log API to collect, track progress, download, and delete debug logs with automatic cleanup to support troubleshooting.
 - Safe Port Debug Log API to collect, track progress, download, and delete Safe Port debug logs with automatic cleanup to support troubleshooting.
 - Safe Port Connected Equipment Status API to check the connection status of equipment attached to Safe Port, such as label printers, card readers, and DVD drives, and help identify equipment that may require troubleshooting or replacement.
- Added two toggles on the Device/Group Policy page to allow administrators to display an alert or restrict Portable Inspector scanning when the anti-virus pattern is outdated beyond a configurable time period.

Fixed Bugs

- Fixed an issue where using the page_token parameter in the ElementOne API POST /openapi/pi/v1/devices/query caused a 500 Internal Server Error because the system could not correctly identify a required data field.

Version 1.25.0

Release date: 2025-10-31

Details

New Features

- Added three toggles to the Safe Port Device Policy configuration page, with their configuration results now displayed in the Device Policy tab:
 - Reset Disk – Enables or disables disk formatting, erasing, or wiping operations on removable media using Safe Port.
 - Secure File Transfer – Enables or disables scanning and transferring files from removable media to Portable Inspector Pro through Safe Port.
 - Scan Restriction – Enables or disables scan suspension when an abnormal condition occurs in Safe Port, such as an outdated pattern or disconnection from ElementOne. Both the Pattern Outdate and Disconnection options allow users to configure a time period.
- Added new OpenAPIs in this release:
 - Safe Port firmware upgrade API – Commands Safe Port devices to upgrade firmware and check their latest upgrade status.
 - Safe Port reboot API – Commands Safe Port devices to reboot and check their reboot status.

Enhancements

- Enhanced the API Management page by updating the API key column to display masked API keys instead of only the API prefix, preventing confusion about whether the prefix represents the complete key.

Upgrades

- Portable Inspector image version 1.0.1068
- Safe Port image version 1.0.1038
- Vulnerability database release version 1.22.3_251028_1
- Anti-Virus pattern version 20.549.00

Fixed Bugs

- Fixed an issue where the policy sync indicator did not update from red to green after syncing when "Device Name Controlled By" was set to "Portable Inspector."
- Fixed an issue where the OpenAPI endpoint `POST /openapi/pi/v1/devices/query` failed to return correct results when the `path` filter was applied.
- Fixed an issue where the OpenAPI endpoint `POST /openapi/pi/v1/logs/scan/query` contained incorrect enum value descriptions for `scan_status` in the OpenAPI YAML document, which caused `2` to be labeled as `Canceled` and `1` as `Complete` instead of their correct mappings.

Version 1.24.1

Release date: 2025-10-20

Details

Upgrades

- Portable Inspector image version 1.0.1068
- Safe Port image version 1.0.1038
- Vulnerability database release version 1.21.2_251014_1
- Anti-Virus pattern version 20.529.00

Fixed Bugs

- Previously, the upgrade failed due to a timeout during slow database data cleanup, also causing timeout synchronization failure.
 - Resolution: Added indexes to relevant data columns to boost cleanup speed and ensure stable upgrades.
-

Version 1.24.0

Release date: 2025-10-16

Details

New Features

- Added support for using motherboard, BIOS serial number, hostname, and MAC address set as unique asset identifiers to enhance asset identification accuracy and prevent assets with identical identifiers from being merged.

Upgrades

- Portable Inspector image version 1.0.1068
- Safe Port image version 1.0.1038
- Vulnerability database release version 1.21.2_251014_1
- Anti-Virus pattern version 20.521.00

Fixed Bugs

- Fixed an issue where the `cve_ids` filter in the OpenAPI endpoint `POST /openapi/e1/v1/assets/vulnerabilities/query` did not return results containing the specified CVE, even when all filter conditions were met.
- Fixed an issue that caused ElementOne to incorrectly return a 200 Success response when Safe Port uploaded erase logs using an invalid time range with the start time later than the end time.
- Fixed an issue where the OpenAPI endpoint `POST /openapi/sp/v1/devices/statuses/query` always returned `"is_dhcp": false` even when Safe Port did not provide any network information.
- Fixed an issue in which the OpenAPI endpoint `POST /openapi/sp/v1/devices/statuses/query` returned a 500 Internal Server Error when receiving requests without filters.
- Fixed an issue where the OpenAPI YAML definitions for `POST /openapi/sp/v1/devices/statuses/query` and `POST /openapi/sp/v1/devices/policies/query` lacked clear descriptions explaining how the `ids` field was matched, such as whether it supported exact or partial matching.

- Fixed an issue where the usage size of Portable Inspector devices was incorrectly calculated multiple times, causing the displayed usage statistics to be higher than the actual values.
-

Version 1.23.2

Release date: 2025-12-29

Important Information

- **Note Before Upgrading:** In this version, Sample Collection and Secure Distribute are automatically enabled by default. Because these features require an additional disk, a warning banner will remain visible in the ElementOne UI if the disk is not installed. The banner will disappear only after the required disk is added. This behavior will be corrected in a future version. If you want to avoid this impact, do not upgrade to this version or continue using the current version.
- In this version, the Reset Disk, Secure File Transfer, and Scan Restriction toggles on the Safe Port Device Policy page are not available. These toggles will be supported in the next version by early February.

New Features

- Added the Sample Collection feature, allowing Safe Port to upload detected malware and unscannable file samples to ElementOne, where users can download them for further forensic investigation and analysis. (Supported from Safe Port 1.0.1046)
- Added the Secure Distribute feature, allowing users to securely distribute files to Portable Inspector devices through ElementOne with malware scanning and centralized management to ensure safe and controlled file delivery. (Supported from Portable Inspector 1.0.1060)
- Added support in ElementOne to enable expanded Secure File Transfer paths through Safe Port, allowing transfers from general USB to OneDrive and from OneDrive to general USB and Portable Inspector Pro, in addition to the existing general USB to Portable Inspector Pro path.

Enhancements

- Enhanced Portable Inspector device naming to support parentheses "(" and ")".

Upgrades

- Portable Inspector image version 1.0.1070
- Safe Port image version 1.0.1046
- Vulnerability database release version 1.22.3_251223_1
- Anti-Virus pattern version 20.661.00

MyTXOne Updates

- ElementOne OVA 1.23.2
- ElementOne VHDX 1.23.2
- ElementOne VHD 1.23.2
- ElementOne VMDK 1.23.2
- ElementOne QCOW2 1.23.2
- ElementOne ACF 1.23.2

Fixed Bugs

- Fixed an issue where the Safe Port device policy always showed “All Items” as the Sample Collection scope instead of the configured option.
-

Version 1.23.1

Release date: 2025-10-30

New Features

- Added a Scan History tab on the Assets page, allowing users to view scan logs for each asset and export them as PDF reports.

Enhancements

- Enhanced the API Management page by updating the API key column to display masked API keys instead of only the API prefix, preventing confusion about whether the prefix represents the complete key.

Upgrades

- Portable Inspector image version 1.0.1068
- Safe Port image version 1.0.1038
- Vulnerability database release version 1.22.2_251027_1
- Anti-Virus pattern version 20.547.00

MyTXOne Updates

- ElementOne OVA 1.23.1
- ElementOne VHDX 1.23.1
- ElementOne VHD 1.23.1
- ElementOne VMDK 1.23.1
- ElementOne QCOW2 1.23.1
- ElementOne ACF 1.23.1

Fixed Bugs

- Fixed an issue where the policy sync indicator did not update from red to green after syncing when “Device Name Controlled By” was set to “Portable Inspector.”
- Fixed an issue where the OpenAPI YAML definitions for `POST /openapi/sp/v1/devices/statuses/query` and `POST /openapi/sp/v1/devices/policies/query` lacked clear descriptions explaining how the `ids` field was matched, such as whether it supported exact or partial matching.
- Fixed an issue where the OpenAPI endpoint `POST /openapi/sp/v1/devices/statuses/query` always returned `"is_dhcp": false` even when Safe Port did not provide any network information.
- Fixed an issue that caused ElementOne to incorrectly return a 200 Success response when Safe Port uploaded erase logs using an invalid time range with the start time later than the end time.
- Fixed an issue where the `cve_ids` filter in the OpenAPI endpoint `POST /openapi/e1/v1/assets/vulnerabilities/query` did not return results containing the specified CVE, even when all filter conditions were met.

- Fixed an issue where ElementOne failed to import a web certificate containing an unencrypted PKCS #1 or PKCS #8 key when the Passphrase field was left empty.
 - Fixed an issue where the OpenAPI endpoint `POST /openapi/pi/v1/devices/query` failed to return correct results when the `path` filter was applied.
 - Fixed an issue where the OpenAPI endpoint `POST /openapi/pi/v1/logs/scan/query` contained incorrect enum value descriptions for `scan_status` in the OpenAPI YAML document, which caused `2` to be labeled as `Canceled` and `1` as `Complete` instead of their correct mappings.
-

Version 1.23.0

Release date: 2025-09-30

Details

New Features

- Added support to automatically assign newly registered Portable Inspector devices to the corresponding groups based on their passwords.
- Added new OpenAPIs in this release:
 - ElementOne System Info API for health checks.
 - *Note:* Provides CPU, RAM, and disk usage information.
 - ElementOne Account Management API with SCIM 2.0 support and a new account creation flow.
 - *Note:*
 - The new flow allows creating a user account via API, requires the user to change the password on first login, and then permits further actions.
 - Includes a VSHELL command to save the advertise address, also applied in SAML `metadata.xml`.
 - Portable Inspector Scan Logs API for malware analytics and device usage.
 - *Note:* Provides access to scan log data, with support for filtering and pagination to analyze malware detection results and track device usage.
 - Portable Inspector Asset Logs API for asset management and vulnerability control.
 - *Note:* Provides access to asset log data, including details about assets and their detected vulnerabilities, to support tracking and remediation.
 - ElementOne API to retrieve Portable Inspector device and group policies.
 - *Note:* Provides access to Portable Inspector device and group information, including assigned policies, supervisors, and viewers, to support policy management.
 - Portable Inspector Event Logs API with pagination and filtering support.

Upgrades

- Portable Inspector image version 1.0.1068
- Safe Port image version 1.0.1038
- Vulnerability database release version 1.21.2_250928_1
- Anti-Virus pattern version 20.489.00

MyTXOne Updates

- ElementOne OVA 1.23.0

- ElementOne VHDX 1.23.0
 - ElementOne VHD 1.23.0
 - ElementOne VMDK 1.23.0
 - ElementOne QCOW2 1.23.0
 - ElementOne ACF 1.23.0
-

Version 1.22.0

Release date: 2025-08-29

Details

New Features

- Enabled users to name Portable Inspector devices managed by ElementOne through either the Scanning Tool or the ElementOne console, ensuring consistent naming across both.
- To the Portable Inspector Device List
 - Added two new buttons, Customize Table View and Refresh, allowing users to choose which columns are displayed, adjust their order, and refresh the page.
 - Added two new criteria, Firmware Version and Anti-Virus Pattern, allowing users to show or hide these columns and use them as filters in searches.
- Enabled displaying the corporate identity logo on Equipment Security Inspection Reports generated by Portable Inspector, ensuring consistent branding across both ElementOne and Portable Inspector.
- Enabled removing Safe Port devices from ElementOne.
 - Note: Audit log messages for device registration and removal were refined to clearly distinguish which Portable Inspector device or Safe Port device was registered or removed.
- Added new OpenAPIs in this release:
 - ElementOne's pattern and firmware information
 - Safe Port's erase and format logs
 - List of Safe Port devices
 - Safe Port's policy and status

Upgrades

- Portable Inspector image version 1.0.1066
- Safe Port image version 1.0.1038
- Vulnerability database release version 1.21.2_250826_1
- Anti-Virus pattern version 20.419.00

MyTXOne Updates

- ElementOne OVA 1.22.0
- ElementOne VHDX 1.22.0
- ElementOne VHD 1.22.0
- ElementOne VMDK 1.22.0
- ElementOne QCOW2 1.22.0
- ElementOne ACF 1.22.0

Fixed Bugs

- Fixed the Remediation section in the Equipment Security Inspection Report to match the UI display.
 - Fixed the initial screen on the Portable Inspector Device List page that prompts users to import device settings or register a device.
 - Adjusted the timeout mechanism for ElementOne startup and shutdown processes to prevent restart failures.
 - Fixed Dashboard issue where filters were not automatically applied on the Assets page.
 - Fixed incorrect Host ID shown in the Equipment Security Inspection Report.
-

Version 1.21.0

Release date: 2025-07-31

Details

Enhancements

- Logs - Safe Port Scans
 - Enabled display and export of scan reports for Safe Port logs when all partitions on the USB drive use unsupported formats or when the drive is entirely unallocated.
- Assets
 - Enhanced asset filtering by adding two new criteria: "Installed App" and "Installed App Version".
 - Extended vulnerability support for Windows assets to include non-OS applications.
 - Note: In the Asset Information table view under the Vulnerability tab, the "Fix Version" and "Windows Update" columns have been replaced with "Affected Version" and a detailed "Remediation" column for each vulnerability on Windows assets. The Remediation column provides comprehensive guidance beyond KB references alone.

Upgrades

- Portable Inspector image version 1.0.1054
- Safe Port image version 1.0.1038
- Vulnerability database release version 1.20.0_250729_1
- Anti-Virus pattern version 20.359.00

MyTXOne Updates

- ElementOne OVA 1.21.0
- ElementOne VHDX 1.21.0
- ElementOne VHD 1.21.0
- ElementOne VMDK 1.21.0
- ElementOne QCOW2 1.21.0
- ElementOne ACF 1.21.0

Fixed Bugs

- Fixed an incorrect removable_media_sn value returned by the OpenAPI POST /openapi/sp/v1/logs/media-check request.
- Fixed an issue where using "visitors" as a filter field in the OpenAPI POST /openapi/sp/v1/logs/wipe request caused the server to return a 500 Internal Server Error.

- Added support for uppercase UUID (the serial number of ElementOne) when entering it in the MyTXOne portal to download an offline activation file.
 - Fixed an issue where ElementOne failed to display a warning icon on the UI when the latest Anti-Virus pattern upload did not succeed.
 - Fixed an issue where an offline pattern upload failed without showing a notification if it exceeded 60 seconds. The upload now supports a longer time limit and displays a timeout notification if the upload exceeds the limit.
-

Version 1.20.0

Release date: 2025-06-30

Details

New Features

- Added removable media validation (supported from Safe Port 1.0.1038 and StellarProtect 3.2.4) allowing - verification of media integrity using file-based or time-based methods.
- Added support for exporting multiple asset reports at once.
- Added support for exporting specified scan reports for Portable Inspector and Safe Port.
 - *Note:* In the current version, exporting scan reports for Safe Port is not supported if all partitions on the USB drive use unsupported formats, or if the drive is entirely unallocated.
- Added support for data access via RESTful API:
- The API Management page is now available for setting up API keys.
- The APIs provided in this release:
- Safe Port's malware scan logs
- Safe Port's media check logs
- Safe Port's wipe logs
- Added support for offline pattern updates, license activation and license renewal.
 - *Note:* To support offline pattern updates, the pattern download method and source have been updated. By exclusively using storage.cs.txone.com, network traffic usage is reduced and data security is enhanced:
 - storage.cs.txone.com (TCP, 443) is now used for updating TXOne Anti-Virus Pattern for Element and TXOne Vulnerability Detection Service (VDS) Pattern for Element.
 - ttau.cs.txone.com (TCP, 443) is deprecated.
 - For more details, please refer to ElementOne Installation Guide for ESXi (Chapter 2.4: Allowlist).

Enhancements

- Added support for an additional hypervisor: Red Hat OpenShift Virtualization.
- Removed "Scanner (32-bit/64-bit)" from the Portable Inspector component list, as it is provided as part of the firmware.
- Replaced "Scanner Version" with "Firmware Version" across all reports and logs.
- Removed "Last Virus Pattern Update" from reports.
- Replaced "Infected" with "Detection" across all reports.

Secure updates

- High: Fixed excessive memory allocation in ParseUnverified when processing malformed JWTs containing - multiple periods (CVE-2025-30204).
- Medium: Fixed potential source code exposure via IP-based Origin headers in non-Chromium browsers (CVE-2025-30360).

Upgrades

- Portable Inspector image version 1.0.1054
- Safe Port image version 1.0.1034
- Vulnerability database release version 1.12.0_250624_1

MyTXOne Updates

- ElementOne OVA 1.20.0
- ElementOne VHDX 1.20.0
- ElementOne VHD 1.20.0
- ElementOne VMDK 1.20.0
- ElementOne QCOW2 1.20.0
- ElementOne ACF 1.20.0

Fixed Bugs

- Fixed failure to query Safe Port's scan logs from ElementOne.
-

Version 1.19.0

Release date: Not Published

Details

New Features

- Support assets deletion (including the related Scan Logs) on the Assets page.
- Support PI scan log and SP scan logs deletion on the Logs pages.

Enhancements

- Safe Port connect/disconnect event is provided via Syslog.
- Display storage media information on the Safe Port Scans page.
- Enhanced CVE entry details in Linux asset reports by including the affected application(AFFECTED APPS) information column.

Upgrades

- Portable Inspector image version 1.0.1054
- Safe Port image version 1.0.1030
- Vulnerability database release version 1.10.0_250527_1

MyTXOne Updates

- ElementOne OVA 1.19.0

- ElementOne VHDX 1.19.0
- ElementOne VHD 1.19.0
- ElementOne VMDK 1.19.0
- ElementOne ACF 1.19.0

Fixed Bugs

- Fixed an issue where SAML accounts could not use hyphens ("-") in usernames.
 - Fixed unexpected errors during license activation, renewal, or pattern update when the username contains non-ASCII characters.
 - Fixed syslog cursor not resetting when syslog forwarding is disabled or the server is changed.
-

Version 1.18.0

Release date: 2025-3-31

Details

New Features

- Renaming Asset Alias on Portable Inspector devices (Portable Inspector version 1054 and later) and syncing to ElementOne

Enhancements

- Refined the default filter on log pages
- Syslog forwarding now includes device space information collected by Safe Port (Safe Port version 1.0.1032 and later)
- Support an additional hypervisor: Nutanix

Upgrades

- Portable Inspector image version 1.0.1050
- Safe Port image version 1.0.1026
- Vulnerability database release version 1.10.0_250327_1

MyTXOne Updates

- ElementOne OVA 1.18.0
- ElementOne VHDX 1.18.0
- ElementOne VHD 1.18.0
- ElementOne VMDK 1.18.0
- ElementOne ACF 1.18.0

Fixed Bugs

- Fixed the OS identification issue in VDS
- Fixed the unexpected save confirmation popup
- Fixed the device information synchronization issue with Safe Port
- Fixed the filtering issue on the Safe Port Devices Page

- Fixed the vulnerability issue
-

Version 1.17.0

Release date: 2025-3-3

Details

New Features

- Device status collection from Safe Port devices (Safe Port version 1.0.1030 or later)
- Support for additional hypervisors
 - Azure

Upgrades

- Portable Inspector image version 1.0.1050
- Safe Port image version 1.0.1030
- Vulnerability database release version 1.9.5_250227_1

MyTXOne Updates

- ElementOne OVA 1.17.0
 - ElementOne VHDX 1.17.0
 - ElementOne VHD 1.17.0
 - ElementOne ACF 1.17.0
-

Version 1.16.0

Release date: 2025-02-10

Details

New Features

- Wipe Log collection from Safe Port devices (Safe Port version 1.0.1028 or later)
- Automatic forwarding of Wipe Log to Syslog Server

Upgrades

- Portable Inspector image version 1.0.1050
- Safe Port image version 1.0.1026
- Vulnerability database release version 1.8.8_250208_1

MyTXOne Updates

- ElementOne OVA 1.16.0
- ElementOne VHDX 1.16.0
- ElementOne ACF 1.16.0

Fixed Bugs

- Cross-Product Specification Alignment
 - Single Equipment Report Improvements for different data based on the OS type
 - Enhanced Save Confirmation Popup on Device policy
 - UI Adjustment and Optimization
-

Version 1.15.0

Release date: 2024-12-31

Details

New Features

- ElementConnect add-on (beta)
 - Sample Collection
 - Safe Port can upload detected threats and suspicious items to ElementOne for cyber forensic purposes (Safe Port version 1.0.1026 or later)

Enhancements

- Device List - Safe Port Device
 - Removable Media Validation policy is now selectable (Safe Port version 1.0.1026 or later)
- Support for additional hypervisors
 - Microsoft Hyper-V
 - VMWare workstation

Upgrades

- Portable Inspector image version 1.0.1044
- Safe Port image version 1.0.1026
- Vulnerability database release version 1.8.8_241228_1

MyTXOne Updates

- ElementOne OVA 1.15.0
- ElementOne VHDX 1.15.0
- ElementOne ACF 1.15.0

Fixed Bugs

- Corrupted policy issue caused by re-registering the Safe Port to ElementOne
 - ElementOne service not starting after rebooting the ElementOne VM
 - Fixed the vulnerability issues
 - Fixed the issue where disabling the proxy left some settings uncleared, leading to an unexpected error when the proxy is re-enabled
-

Version 1.12.3

Release date: 2024-12-17

Details

New Features

- Corporate Identity. Custom logo on:
 - Safe Port home page and scanning page (Safe Port version 1.0.1026 or later)
 - ElementOne Equipment Security Inspection Report

Upgrades

- Portable Inspector image version 1.0.1042
- Safe Port image version 1.0.1026
- Vulnerability database release version 1.8.7_241214_1

MyTXOne Updates

- ElementOne OVA 1.12.3
- ElementOne ACF 1.12.3

Fixed Bugs

- Fixed an issue where Safe Port was unable to upload unlock logs to ElementOne
 - Fixed the vulnerability issues
 - Fixed an issue where NTP was disabled after upgrading ElementOne
 - Fixed descriptions on Equipment Security Inspection Report
-

Version 1.12.2

Release date: 2024-10-30

Details

Upgrades

- Portable Inspector image version 1.0.1042
- Safe Port image version 1.0.1024
- Vulnerability database release version 1.8.1_241026_1

Fixed Bugs

- Vulnerability count mismatch between Assets Page Table View and Detail View
 - Allowlist display issue
-

Version 1.12.1

Release date: 2024-10-18

Details

New Features

- Session - Log In to ElementOne
 - Support SAML SSO Login
- User Account Management
 - Add SAML SSO profiles either individually or in batch
- Device List - Safe Port Device
 - New policy: Allowlist
 - Quick Start policy is now selectable

Enhancements

- Syslog forwarding now including detailed vulnerability information for Linux assets
- CSP (Content Security Policy) enabled on ElementOne to provide an additional layer of security

Upgrades

- Portable Inspector image version 1.0.1042
- Safe Port image version 1.0.1020
- Vulnerability database release version 1.8.1_241015_1

Fixed Bugs

- Fixed descriptions on Assets page
-

Version 1.11.1

Release date: 2024-09-25

Details

New Features

- Assets
 - New function: asset renaming
 - New filters: name/alias, OS type

Enhancements

- Group Viewer can now see the assets (on Assets page) scanned by the Portable Inspectors managed within their groups
- Equipment Security Inspection Report and syslog have been updated to include the asset alias name
- Asset Details drawer on Assets page and Equipment Security Inspection Report has been updated to now display IP and MAC addresses of all installed interfaces

Upgrades

- Portable Inspector image version 1.0.1038
 - Safe Port image version 1.0.1018
 - Vulnerability database release version 1.8.1_240924_1
-

Version 1.10.2

Release date: 2024-09-02

Details

New Features

- Added Updates page for Safe Port (version 1.0.1016 or later). Admin users can now:
 - Deploy Safe Port firmware remotely from ElementOne
 - Monitor the progress of firmware updates
- Supports the import of PKCS#8 certificates
- Group Supervisor can now see the assets (on Assets page) scanned by the Portable Inspectors managed within their groups
- Expanded asset information for Linux systems now includes:
 - Vulnerabilities and apps/packages information
 - Vulnerability detection service
 - Equipment Security Inspection Report
- Improved Equipment Security Inspection Report now includes:
 - Malware list
 - PDF and CSV output
 - Report customization
- Enhanced integration with Portable Security
 - MP log size limit increased to 500MB

Upgrades

- Portable Inspector image version 1.0.1036
- Safe Port image version 1.0.1018
- Vulnerability database release version 1.7.0_240805_1

MyTXOne Updates

- ElementOne OVA 1.10.2
- ElementOne ACF 1.10.2

Fixed Bugs

- ElementOne failed to request the latest IP address from the DHCP server after the TTL expired
- Automatic license renewal did not update the essential FTS license information
- Network connection verification during debug log collection
- Assets were incorrectly marked as unscanned when the operating system was not supported by the VDS scan
- Network configuration loading error caused by an immediate reboot following the OOBE operation

Version 1.9.2

Release date: 2024-06-07

Details

Upgrades

- Vulnerability database release version 1.5.7_240604_1

MyTXOne Updates

- ElementOne OVA 1.9.2
- ElementOne ACF 1.9.2

Fixed Bugs

- Fixed component update failed and VDS pattern update failed issues
-

Version 1.9.1

Release date: 2024-06-03

Details

New Features

- A new scan action, 'Lock Suspicious Items' for Safe Port (version 1.0.1014 and later)
 - User can select 'Lock Suspicious Items' scan action on Safe Port policy page
 - 'Locked' table view can be displayed on Safe Port Scans page
 - Suspicious File Unlock History will be forwarded to the syslog server only

Upgrades

- Portable Inspector image version 1.0.1032
- Vulnerability database release version 1.5.7_240529_1

MyTXOne Updates

- ElementOne OVA 1.9.1
- ElementOne ACF 1.9.1

Fixed Bugs

- Fixed typo on Safe Port scan logs page: visitor column
-

Version 1.8.3

Release date: 2024-04-19

Details

New Features

- Support for Safe Port (1.0.1012 and later versions)
 - Support for configuration of Safe Port policy on ElementOne
 - Safe Port can sync policies from ElementOne

- Support for modification of Safe Port device name on ElementOne
 - Safe Port can sync device name from ElementOne
- Support for displaying the firmware version and notification for incompatible Safe Port devices on ElementOne
- Support for browsing uploaded scan log on ElementOne
- Refined syslog forwarding of Safe Port scans
- Vulnerability Detection Service enhancement
 - Support for VDS pattern online update
 - Refined Single Equipment Report

Upgrades

- Portable Inspector image version 1.0.1028
- Vulnerability database release version 1.5.5_240418_1

MyTXOne Updates

- ElementOne OVA 1.8.3
- ElementOne ACF 1.8.3

Fixed Bugs

- Fixed the policy inheritance issue of importing the settings from PI MP
 - Fixed the display issue of license is about to expire or has expired
 - Fixed the display issue when a group viewer attempts to modify the lock policies
-

Version 1.7.0

Release date: 2024-01-26

Details

New Features

- Support for Safe Port (1.0.1008 and later versions)
 - A new device list page for registered Safe Port devices
 - Support for Safe Port's connection status

Upgrades

- Portable Inspector image version 1.0.1022
- Vulnerability database release date 2024-01-24

MyTXOne Updates

- ElementOne OVA 1.7.0
- ElementOne ACF 1.7.0

Fixed Bugs

- Fixed the insufficient information issue of debug log

- Fixed the vulnerability issue
-

Version 1.6.0

Release date: 2023-12-28

Details

New Features

- Audit log enhancement
 - Refined descriptions
- Assets enhancement
 - Support asset detail for Linux asset with Portable Inspector 1.0.1020 and higher version

Upgrades

- Portable Inspector image version 1.0.1020
- Vulnerability database release date 2023-12-23

MyTXOne Updates

- ElementOne OVA 1.6.0
- ElementOne ACF 1.6.0

Fixed Bugs

- Fixed the problem in ElementOne firmware upgrade
 - Fixed the message spam issue on Vshell
 - Fixed the incorrect URL on the question mark button on the sidebar menu
-

Version 1.5.0

Release date: 2023-12-04

Details

New Features

- Support for Safe Port (1.0.1006 and later versions)
 - Upload Safe Port scan log to ElementOne
 - User can perform component update after activating Safe Port license on ElementOne
 - Safe Port can perform component update using ElementOne
- Syslog Enhancement
 - New log category: Safe Port Scan Summary
 - New log category: Safe Port Infected File
 - New log category: Safe Port Unscannable File
- Firmware upgrade enhancement
 - Extension of firmware upload timeout from 5 minutes to 10 minutes

Upgrades

- Portable Inspector image version 1.0.1016
- Vulnerability database release date 2023-11-25

MyTXOne Updates

- ElementOne OVA 1.5.0
- ElementOne ACF 1.5.0

Fixed Bugs

- Fixed the problem in ElementOne license activation
 - Fixed the problem in ElementOne audit log display
-

Version 1.4.1

Release date: 2023-11-03

Details

MyTXOne Updates

- ElementOne OVA 1.4.1
- ElementOne ACF 1.4.1

Fixed Bugs

- Fixed the problem in ElementOne component update
-

Version 1.4.0

Release date: 2023-11-01

Details

New Features

- Support for Safe Port (1.0.1002 and later versions)
 - Activate Safe Port license on ElementOne
 - Register Safe Port on ElementOne
- Syslog enhancement
 - Support Splunk HEC
- Vshell enhancement
 - Set Portable Inspector (Pro) register password
- Debug log collection enhancement
 - Eliminate the unexpected error that causes the incomplete collection process

Upgrades

- Portable Inspector image to 1.0.1014

- Vulnerability database release date 2023-10-23

MyTXOne Updates

- ElementOne OVA 1.4.0
- ElementOne ACF 1.4.0
- Portable Inspector (Pro) ACF 1.0.1014

Fixed Bugs

- Fixed the missing step and hint after
 - User updates DNS setting on ElementOne
 - User updates time settings on ElementOne
 - Fixed the issue resulting in a missing DNS setting during ElementOne reboot
 - Fixed table view display issue in application info and update info
 - Fixed display issue on scan result page
 - Fixed the ElementOne version display issue after performing backup and restore on ElementOne
 - Fixed third-party license list display issue
-

Version 1.3.0

Release date: 2023-08-28

Details

New Features

- The Updates page now supports updates for both ElementOne and Portable Inspector (Pro)
Note. The system requirement for the image disk size is updated from 25G to 100G
- Also supports a custom DNS server through OOBE (out-of-box experience)
- Syslog improvement:
 - Extra fields of asset data is available: multiple network interfaces (IP & MAC pairing), number of CD-ROM, number of connected USBs
 - Improved event logging in Audit log
- ElementOne now allows Portable Inspector(Pro) device to upgrade, as 1.0.1010 from ElementOne, via AU(Active Update)
- Upgraded Vulnerability Detection Service to 1.0.1

Fixed Bugs

- Fixed the data display issue in single equipment report
 - Fixed the data display issue in scan result
 - Corrected some minor typo errors
-

Version 1.2.1

Release date: 2023-06-06

Details

Fixed Bugs

- Fix missing hostname in syslog
-

Version 1.2.0

Release date: 2023-05-31

Details

New Features

- Support syslog export
- Change Vshell credential is available

Fixed Bugs

- Fix missing information in dlog file
 - Update wordings on License page
-

Version 1.1.0

Release date: 2023-05-19

Details

New Features

- Equipment Security Inspection Report (beta)
-

Version 1.0.1

Release date: 2023-05-11

Details

New Features

- Support Portable Inspector(1.0.1004) with a Portable Inspector license

Fixed Bugs

- Registered devices cannot perform Linux scans when the TXOne License Key is activated on ElementOne
-

Version 1.0.0

Release date: 2023-05-10

Details

ElementOne GM Release

- Group-centric device management
 - Device-specific configuration settings
- Log management
 - Search by filters
- Asset management
 - Risk assessment
- User account management
- Multi-user simultaneous operation
- Device and log management with rule-based access control
- License management
- SSL-secured network transmission
- Support updating patterns to devices
- Backup and restore