

What's new in Go

April 2026

cmd/go: delete bzd support

Go modules and their version control systems:

git	30,726,669
-----	------------

hg	1,123
----	-------

fossil	1,021
--------	-------

bzd	46
-----	----

svn	1
-----	---

<https://github.com/golang/go/issues/78090>

proposal: cmd/go: only set vcs.modified=true if changes are relevant to build

```
go build # creates ./foo binary; repo now "modified"
```

```
go install # installs to $GOBIN/foo with +dirty suffix, deletes  
./foo; repo no longer "modified"
```

```
go install # installs to $GOBIN/foo again with no +dirty suffix
```

github.com/golang/go/issues/77897

crypto/mldsa: new package

“post-quantum signature algorithm”

<https://github.com/golang/go/issues/77626>

Typescript 7.0 beta - with Go

<https://devblogs.microsoft.com/typescript/announcing-typescript-7-0-beta/>

"TypeScript 7.0 is often about 10 times faster than TypeScript 6.0."

"Don't let the 'beta' label fool you – you can probably start using this in your day-to-day work immediately."

spec: type inferred composite literals

- Leave out types in literals when the compiler can infer (deduce) them
- Accepted proposal, implementation in go 1.28 at earliest

<https://github.com/golang/go/issues/12854>

spec: type inferred composite literals

```
// Without untyped composite  
literals...  
  
type FooArgs struct {  
    A, B, C int  
}  
  
func Foo(args FooArgs) { ... }  
  
Foo(FooArgs{A: 1, B: 2, C:3})
```

```
// ...or with.  
  
func Foo(args struct {  
    A, B, C int  
}) { ... }  
  
Foo({A: 1, B: 2, C: 3})
```

spec: type inferred composite literals

```
ch := make(chan struct{  
    value string  
    err    error  
})  
  
ch <- {value: "result"}
```


spec: type inferred composite literals

```
return time.Time{}, err  
return {}, err // untyped composite literal
```

```
p.Options = append(p.Options, &foopb.Foo_FrotzOptions_Option{...}  
p.Options = append(p.Options, {...}) // untyped composite literal
```

That's all folks!