

Remediation KPI Methodology

How each key performance indicator is calculated from post-remediation verification data

1. Accessibility Score — 72 / 100

The Accessibility Score is a **severity-weighted pass ratio** across all checks performed. Each check contributes to the score in proportion to its severity weight:

Severity	Weight	Impact on score
Critical	4	A Critical failure affects the score 4× more than a Low failure
High	3	3× the impact of a Low failure
Medium	2	2× the impact of a Low failure
Low	1	Baseline impact

2. PDF/UA Compliance — 85%

PDF/UA Compliance is measured against the **seven checks that map directly to the PDF/UA specification** (ISO 14289). Checks outside the specification do not affect this metric.

Check	What it verifies
DOC_PDFUA_DECLARATION	Document declares PDF/UA conformance in its metadata
DOC_IS_TAGGED	Document content is fully tagged for assistive technology
DOC_HAS_LANGUAGE	Primary document language is specified
DOC_HAS_TITLE	Document title is set and displayed
HDR-001	Heading structure requirement (PDF/UA - At least one H1 heading)
HDR-003	Heading structure requirement (PDF/UA - Heading hierarchy sequential)
HDR-005	Heading structure requirement (PDF/UA - H1-H6 have valid parent structure types)

Note: this metric intentionally includes only the checks that correspond directly to the PDF/UA specification — not the full check suite.

3. WCAG Risk

WCAG Risk reflects the **worst severity among any remaining failed checks** after remediation:

Worst remaining failure	WCAG Risk rating
Critical	High
High	Medium
Medium or Low	Low
No remaining failures	None

4. Critical Issues

The count of **Critical-severity checks that remain in a Fail or Warning state after remediation**. A value of zero indicates all critical accessibility barriers have been resolved.