PLATE LOAD TEST REP

Enter each item once. All report paragraphs, ta

Company Name	[YOUR COMPANY N
Company Address / Contacts	[Address / Tel / Emai
Report No.	PLT-0001
Date of Issue	
Project	[Project title]
Contract No.	[Contract no.]
Customer	[Customer]
Test No. 1	PL1
Test No. 2	PL2
Test Start Date	
Test End Date	
Witness / Representative 1	[Representative / org
Witness / Representative 2	[Representative / org
Witness / Representative 3	[Representative / org
Test Standard	Building Department
Founding Level Description	the specified founding
Plate Diameter (mm)	
Plate Thickness (mm)	
Reaction Deadweight (tonne)	
Load Cell Accuracy (%)	
Dial Resolution (mm/division)	
Dial Travel (mm)	
Datum Beam Span (m)	
Sand Bedding Max Thickness (mm)	
Working Pressure W (kPa)	
Maximum Load Multiplier	
Maximum Load Duration (hours)	
Acceptance Settlement (mm)	
Acceptance Period (minutes)	
Prepared / Tested By	[Name]
Checked By	[Name]
Approved By	[Name]
Approver Post	[Post]

			LOAD CELL
Test No.	**Equipment No.**	**Manufacturer**	**Model No.**
PL1	LC-001	[Manufacturer]	[Model]
PL2	LC-002	[Manufacturer]	[Model]

PL1 / Detail	**Gauge 1**	**Gauge 2**	**Gauge 3**
Equipment No.	L002-1039	L002-1046	L002-1060
Manufacturer	Mitutoyo	Mitutoyo	Mitutoyo
Model / Code No.	3058S-19	3058S-19	3058S-19
Serial No.	KRF539	LHL964	LFR423

Date	Time	Elapsed min	Temp °C

ORT - MASTER INPUT

bles and appendices update automatically.

AME]
l]
18 July 2026
18 July 2026
18 July 2026
anisation]
anisation]
anisation]
Code of Practice for Foundations: April 2017, Clause 8.2
g level formed by the customer
300
30
6.5
1
0.01
50
2.5
15
250
3
72
0.05
10

DETAILS

Serial No.	Capacity (kN)	Calibrated Range	Certificate Ref.
[Serial]	200	1-200 kN	[Cert. ref.]
[Serial]	200	1-200 kN	[Cert. ref.]

DIAL GAUGE DETAILS

Gauge 4	PL2 / Detail	Gauge 1	Gauge 2
L002-1067	**Equipment No.**	DG-005	DG-006
Mitutoyo	**Manufacturer**	[Manufacturer]	[Manufacturer]
3058S-19	**Model / Code No.**	[Model]	[Model]
LHL811	**Serial No.**	[Serial]	[Serial]

TEST READINGS

Cycle	Stage	Pressure kPa	Force kN

APPENDIX G REPORT DETAILS

Customer Address	[Customer address]
Works Order No.	[Works order no.]
Test Location / Drawing Ref.	[Location / drawing reference]
Test Depth / Reduced Level	[Level]
Registration No.	[Registration no.]
Test Unit No.	[Test unit no.]
Weather Condition	Fine
Soil Description	Fill Material
Test Method	BS 1377: Part 9 / project specification
Remarks	--

Gauge 3	Gauge 4
DG-007	DG-008
[Manufacturer]	[Manufacturer]
[Model]	[Model]
[Serial]	[Serial]

Dial 1	Dial 2	Dial 3	Dial 4	Average	Deformation mm

Elapsed min	Deformation mm	Pressure kPa	Deformation mm

CONTENTS

1. INTRODUCTION

2. GENERAL DESCRIPTION OF PLATE LOADING TEST

3. SITE PREPARATION

4. DETAILS OF TEST EQUIPMENT

5. TEST PROCEDURES FOR PLATE LOADING TEST

APPENDICES

APPENDIX A SITE LOCATION PLAN

APPENDIX B GENERAL SETTING UP LAYOUT FOR PLATE LOADING TEST

APPENDIX C SURVEY DATA (PROVIDED BY CUSTOMER)

APPENDIX D CALIBRATION RESULTS OF TEST EQUIPMENT

APPENDIX E PHOTOGRAPHIC RECORDS FOR PLATE LOADING TEST

APPENDIX F TEST LOAD CYCLES

APPENDIX G PLATE LOADING TEST RESULTS AND GRAPHICAL PLOTS

1) INTRODUCTION

This report presents the results of the plate loading test (Test No.: PL1 and PL2) for the project of [Project title] under Contract No. [Contract no.].

The plate loading tests were carried out from 18 July 2026 to 18 July 2026 under the witness of the representatives from [Representative / organisation], [Representative / organisation] and [Representative / organisation].

The main purpose of carrying out the above test at this site is to determine the relationship between the bearing stress and settlement under a series of maintained loads.

2) GENERAL DESCRIPTION OF PLATE LOADING TEST

The setting up and testing procedures of the plate loading test are generally in accordance with Building Department Code of Practice for Foundations: April 2017, Clause 8.2.

The test is carried out under a series of incremental loading sequences; the ground is allowed to settle under compression loading before a further increment is applied.

3) SITE PREPARATION

Plate loading tests were conducted at the specified founding level formed by the customer. Any debris or foreign materials on the test areas were removed and the loading plate was laid in direct planar contact with the test surface.

The surface of the test area was levelled and placed with a bedding layer of sand not exceeding 15 mm average thickness, then checked to ensure that the test surface was horizontal.

4) DETAILS OF TEST EQUIPMENT

The equipment and all necessary setting-up accessories for the plate loading test are adequate to carry out the test for determination of safe bearing capacity of ground and settlement induced.

i) Test Plate

The 300 mm diameter and 30 mm thick steel plate is used as the bearing plate in association with a steel column of appropriate size to transmit test load onto the test surface from the hydraulic jack acting against total dead weight of approximately 6.5 tonne.

ii) Force Measuring Device

The load on the plate is measured by means of a calibrated load cell, capable of reading to an accuracy of 1.0% of the maximum load.

Plate Load Test No.	Load Cell Equipment No.	Manufacturer	Model No.	Serial No.	Capacity	Calibrated Range	Certificate Ref.
PL1	LC-001	[Manufacturer]	[Model]	[Serial]	200	1-200 kN	[Cert. ref.]
PL2	LC-002	[Manufacturer]	[Model]	[Serial]	200	1-200 kN	[Cert. ref.]

iii) Plate Settlement Monitoring Device

Four dial gauges (0.01 mm per division), each capable of travelling about 50 mm in total, are arranged at four corners of the test plate and mounted on a rigid datum beam of 2.5 m span supported on the ground.

Details of Dial Gauges:

Plate Load Test No.	PL1			
Equipment No.	L002-1039	L002-1046	L002-1060	L002-1067
Manufacturer	Mitutoyo	Mitutoyo	Mitutoyo	Mitutoyo
Model / Code No.	3058S-19	3058S-19	3058S-19	3058S-19
Serial No.	KRF539	LHL964	LFR423	LHL811

Plate Load Test No.	PL2			
Equipment No.	DG-005	DG-006	DG-007	DG-008
Manufacturer	[Manufacturer]	[Manufacturer]	[Manufacturer]	[Manufacturer]
Model / Code No.	[Model]	[Model]	[Model]	[Model]
Serial No.	[Serial]	[Serial]	[Serial]	[Serial]

Additional serial numbers, calibration references and replacement equipment may be entered in the INPUT sheet or Appendix D.

5) TEST PROCEDURES FOR PLATE LOADING TEST

Test Procedures

The test load cycles are defined in Appendix F. The working pressure W is 250 kPa and the maximum test load is 3.0W (750 kPa).

For the loading cycles, each applied load at the end of each increment shall be maintained for 10 minutes or longer until the rate of settlement is less than 0.05 mm per 10 minutes.

The maximum test load shall be maintained for at least 72 hours, unless otherwise directed by the Engineer or specified in the contract documents.

Cycle /	Cycle 1	Cycle 2	Cycle 3
1	0	0	0
2	0.5W	0.5W	0.5W
3	W	W	W
4	0.5W	1.5W	1.5W
5	0	2W	2W
6		1.5W	2.5W
7		W	3W
8		0.5W	2.5W
9		0	2W
10			1.5W
11			W
12			0.5W
13			0

APPENDIX A SITE LOCATION PLAN

APPENDIX A - SITE LOCATION PLAN

[INSERT SITE LOCATION PLAN / DRAWING HERE]

APPENDIX B GENERAL SETTING UP LAYOUT FOR PLATE

LOADING TEST


APPENDIX B - GENERAL SETTING UP LA

[INSERT GENERAL SETTING-UP LAYOUT / DIAGRAM H



YOUT

IERE]





APPENDIX C SURVEY DATA (PROVIDED BY CUSTOMER)

APPENDIX C - SURVEY DATA

[INSERT CUSTOMER SURVEY DATA HERE]







APPENDIX D CALIBRATION RESULTS OF TEST EQUIPMEN

NT

APPENDIX D - CALIBRATION RESULT


[INSERT LOAD CELL, DIAL GAUGE AND TEST PLATE CALIBRATION C





TS

ERTIFICATES HERE]



APPENDIX E PHOTOGRAPHIC RECORDS FOR PLATE LOAI


DING TEST

APPENDIX E - PHOTOGRAPHIC RECOR

Photo 1 - Test location *[INSERT PHOTO]*	*Pho* *[IN*
Photo 3 - During loading	*Photo*

[INSERT PHOTO]	*[IN*

RDS




oto 2 - Test setup

ISERT PHOTO]



4 - Test completion


ISERT PHOTO]

APPENDIX F TEST LOAD CYCLES

APPENDIX F -

Cycle	Stage	% of W	Pressure (kPa)	Force at Plate (kN)
1	1	0%	0.00	0.00
1	2	50%	125.00	8.84
1	3	100%	250.00	17.67
1	4	50%	125.00	8.84
1	5	0%	0.00	0.00
2	6	0%	0.00	0.00
2	7	50%	125.00	8.84
2	8	100%	250.00	17.67
2	9	150%	375.00	26.51
2	10	200%	500.00	35.34
2	11	150%	375.00	26.51
2	12	100%	250.00	17.67
2	13	50%	125.00	8.84
2	14	0%	0.00	0.00
3	15	0%	0.00	0.00
3	16	50%	125.00	8.84
3	17	100%	250.00	17.67
3	18	150%	375.00	26.51
3	19	200%	500.00	35.34
3	20	250%	625.00	44.18
3	21	300%	750.00	53.01
3	22	250%	625.00	44.18
3	23	200%	500.00	35.34
3	24	150%	375.00	26.51
3	25	100%	250.00	17.67
3	26	50%	125.00	8.84
3	27	0%	0.00	0.00

TEST LOAD CYCLES

Holding Requirement	Final Deformation	Remarks
Confirm recovery		
Hold until settlement criterion is met		
Hold until settlement criterion is met		
Hold until settlement criterion is met		
Confirm recovery		
Confirm recovery		
Hold until settlement criterion is met		
Hold until settlement criterion is met		
Hold until settlement criterion is met		
Hold until settlement criterion is met		
Hold until settlement criterion is met		
Hold until settlement criterion is met		
Hold until settlement criterion is met		
Confirm recovery		
Confirm recovery		
Hold until settlement criterion is met		
Hold until settlement criterion is met		
Hold until settlement criterion is met		
Hold until settlement criterion is met		
Hold until settlement criterion is met		
Maintain maximum load for specified duration		
Hold until settlement criterion is met		
Hold until settlement criterion is met		
Hold until settlement criterion is met		
Hold until settlement criterion is met		
Hold until settlement criterion is met		
Confirm recovery		

APPENDIX G PLATE LOADING TEST RESULTS AND GRAPI

HICAL PLOTS

LaBTECH

[YOUR COMPANY NAME]

[Address / Tel / Email]

REPORT ON PLATE LOADING TEST

In accordance with Building Department Code of Practice for Foundations: April 2017, Clause 8.2

Report No. : PLT-0001 Date of Issue :

Sample Details as Supplied by Customer (to be confirmed by the reporting company)

Customer : [Customer] **Contract No. :**

Address : [Customer address]

Project : [Project title]

Test Location : [Location / drawing reference]

Test Depth / Reduced Level : [Level]

Test Information

Registration No. : [Registration no.] **Weather Condi**

Test Unit No. : [Test unit no.] **Allowable Worl**

Date Commenced : 18-07-2026 **Maximum Test**

Date Completed : 18-07-2026 **Nominal Plate**

Test Method : BS 1377: Part 9 / project specification

Soil Description : Fill Material

Test Results

Date	Time	Temp. (°C)	Applied Pressure (kPa)	Applied Force (kN)	Dial 1	Dial 2

Remarks : --

Tested By : [Name] **Approved Sign**

Checked By : [Name] **Post :**

This template report shall be reviewed and approved by the issuing company. Insert the company's applicable accreditation statement and docume

[Contract no.]

Works Order No. : [Works order no.]

Test No. : PL1

ition : Fine

king Pressure : 250

Load : 750

Size : 300

Dial 3	Dial 4	Average	Cumulative Deformation (mm)	Cycle / Stage

ıatory : [Name]

[Post]

nt-control footer here.

LaBTECH

[YOUR COMPANY NAME]

[Address / Tel / Email]

REPORT ON PLATE LOADING TEST

In accordance with Building Department Code of Practice for Foundations: April 2017, Clause 8.2

Report No. : PLT-0001 Date of Issue :

Test Results (cont'd)

Date	Time	Temp. (°C)	Applied Pressure (kPa)	Applied Force (kN)	Dial 1	Dial 2

Remarks : --

Tested By : [Name] **Approved Sign**

Checked By : [Name] **Post :**

This template report shall be reviewed and approved by the issuing company. Insert the company's applicable accreditation statement and docume

Dial 3	Dial 4	Average	Cumulative Deformation (mm)	Cycle / Stage

ıatory : [Name]

[Post]

LaBTECH

[YOUR COMPANY NAME]

[Address / Tel / Email]

REPORT ON PLATE LOADING TEST

In accordance with Building Department Code of Practice for Foundations: April 2017, Clause 8.2

Report No. : PLT-0001 Date of Issue :

Test Results (cont'd)

Date	Time	Temp. (°C)	Applied Pressure (kPa)	Applied Force (kN)	Dial 1	Dial 2

Remarks : --

Tested By : [Name] **Approved Sign**

Checked By : [Name] **Post :**

This template report shall be reviewed and approved by the issuing company. Insert the company's applicable accreditation statement and docume

Dial 3	Dial 4	Average	Cumulative Deformation (mm)	Cycle / Stage

ıatory : [Name]

[Post]

LaBTECH

[YOUR COMPANY NAME]

[Address / Tel / Email]

REPORT ON PLATE LOADING TEST

In accordance with Building Department Code of Practice for Foundations: April 2017, Clause 8.2

Report No. : PLT-0001 Date of Issue :

Test Results (cont'd)

Date	Time	Temp. (°C)	Applied Pressure (kPa)	Applied Force (kN)	Dial 1	Dial 2

Remarks : --

Tested By : [Name] **Approved Sign**

Checked By : [Name] **Post :**

This template report shall be reviewed and approved by the issuing company. Insert the company's applicable accreditation statement and docume

COMPANY
MARK /
ACCREDITATION

Dial 3	Dial 4	Average	Cumulative Deformation (mm)	Cycle / Stage

ıatory : [Name]

[Post]

[YOUR COMPANY NAME]


[Address / Tel / Email]


REPORT ON PLATE LOADING TEST

In accordance with Building Department Code of Practice for Foundations: April 2017, Clause 8.2

Report No. : PLT-0001 Date of Issue :

Graphical Plots of Deformation vs Time and Applied Pressure vs Final Settlement





Final Summary :

Maximum Applied Pressure : 0


Maximum Deformation : 0


Remarks : --

Tested By : [Name] **Approved Sign**

Checked By : [Name] **Post :**

This template report shall be reviewed and approved by the issuing company. Insert the company's applicable accreditation statement and docume


:lapsed (min.)


Settlement

ıatory : [Name]

[Post]

nt-control footer here.