

National Institute of Standards & Technology

Certificate of Analysis

Standard Reference Material 1577b

Bovine Liver

This Standard Reference Material (SRM) is intended primarily for use as a control material and in evaluating analytical methods for the determination of major, minor, and trace elements in animal tissue and other biological matrices.

Certified Values of Constituent Elements: The certified values for the constituent elements are given in Table 1. Certified values are based on results obtained by definitive methods of known accuracy; or alternatively, from results obtained by two or more independent analytical methods. Noncertified values are provided for information only in Table 2. Analytical methods used for the analysis of SRM 1577b, including certified and information values, are given in Table 3.

Notice and Warnings to Users

Expiration of Certification: This certification is invalid after 5 years from the date of purchase and shipment from NIST. Should any of the certified constituents change within a 5-year period purchasers will be notified by NIST.

Stability: The SRM should be kept in its original bottle and stored between 10-30 °C. It should not be exposed to intense sources of radiation. The bottle should be kept tightly closed and stored in a desiccator away from direct sunlight.

Use: A minimum sample of 250 mg of the dried material (see Instructions for Drying) should be used for any analytical determination to be related to the certified values of this Certificate.

Dissolution procedures should be designed to effect complete solution, but without losses of volatile elements, such as mercury. Dissolution for these determinations should be carried out in a closed system.

Statistical consultation was provided by S.B. Schiller of the Statistical Engineering Division.

The overall direction and coordination of the analyses leading to this certification were under the chairmanship of J.R. DeVoe, Chief of the Inorganic Analytical Research Division.

The technical and support aspects involved in the preparation, certification, and issuance of this Standard Reference Material were coordinated through the Standard Reference Materials Program by T.E. Gills.

Gaithersburg, MD 20899 August 27, 1991 William P. Reed, Chic Standard Reference Materials Program

(over)

Table I. Certified Values of Constituent Elements

Element	Content (wt. percent)
Chlorine	0.278 ± 0.006
Phosphorus	1.10 ± 0.03
Potassium	0.994 ± 0.002
Sodium	0.242 ± 0.006
Sulfur	0.785 ± 0.006

Element		Cont (ue		Element		Con (ug	tent (g)
Cadmium	0.50	±	0.03	Molybdenum	3.5		0.3
Calcium	116	*	4	Rubidium	13.7	±	LI
Copper	160	±	8	Selenium	0.73	\pm	0.06
Iron	184	土	15	Silver	0.039	±	0.007
Lead	0.129	±	0.004	Strontium	0.136	*	0.001
Magnesium	601	#	28	Zinc	127	±	16
Manganese	10.5	#	1.7				

The estimated uncertainty of a certified value is the sum of the half-width of a 95% confidence interval for the mean of results and an allowance for systematic error, except for the uncertainty associated with sulfur which is based on scientific judgment and is roughly equivalent to one percent of the certified value. The systematic error is estimated by the maximum absolute deviation between a single method mean and the grand mean. The grand mean was computed using the weighting scheme of Paule and Mandel (NBS Journal of Research 87, pp 377-385).

Table 2. Noncertified Values of Constituent Elements

(विकास्त		Conte	
Nitrogen	(19.6)		
Hanjari	Content (ug/g)	छ(बताका)	Content (uz/z)
Arsenic Aluminum Antimony Bromine Mercury	(0.05) (3) (0.003) (9.7) (0.003)	Cobalt Vanadium	(0.25) (0.123)

Instructions for Drying: Samples of this SRM must be dried before weighing according to the following procedure: Dry for 24 hours at 20 to 25 °C in a vacuum oven at a pressure not greater than 30 Pa (0.2 mm Hg).

Source and Preparation of Material:

The bovine liver for this standard was obtained in the Portland, Oregon area. The gross fat, major blood vessels, and 'skin' were removed and the liver was ground. The ground liver was then mixed, transferred to polyethylene-lined trays, and lyophilized by Oregon Freeze Dry Foods, Inc., Albany, Oregon. After hyophilization, the liver was powdered in a Tornado mill, packaged in moisture-proof bags, and then transported to the National Institute of Standards and Technology.

Table 3.

Analytical Methods Used for the Analysis of SRM 1577b.

Method.	Elements Determined
ETAAS FES ICP GFAAS DCP IC IDTIMS IDSSMS INAA RNAA POL Color Kjeldahl CVAAS FAAS	Ag, Cd, As, Co Ca, Na, Sr Ca, Cu, Fe, Mg, Mn, Zn, Sr Cu, Mn, Rb, Zn P Cl, S K, Pb, Rb, S, Sr Cd, Cu, Mo, Se, Zn Cl, Cu, Mo, Se, Zn Cl, Cu, Fe, Mn, Na, Rb, Se, Zn, Al, Br, Co, K,V, Mg, Ag Ag, As, Cd, Cu, Hg, Mo, Se, Sb Fe P N Hg Ca, Mg

ETAAS: Electrothermal atomic absorption spectrometry

FES: Flame stomic emission spectrometry

ICP: Inductively coupled plasma emission spectrometry GFAAS: Graphite furnace atomic absorption spectrometry

DCP: Direct current plasma emission spectrometry

IC: Ion chromatography

IDTIMS: Intope dilution thermal ionization mass spectrometry IDSSMS: Isotope dilution spark source mass spectrometry

INAA: Instrumental neutron activation analysis RNAA: Radiochemical neutron activation analysis

POL: Polarography Color: Spectrophotometry Kjeldahl: Titrimetry

CVAAS: Cold Vapor Atomic Absorption Spectrometry

FAAS: Flame Atomic Absorption Spectrometry

Analysts

Analytical Chemistry Division, National Institute of Standards & Technology:

1. J.V. Bailey	15. H.M. Kingston
2. I.L. Barnes	16, W.F. Koch
3. E.S. Beary	17. G.M. Lambert
4. C.G. Binndell	18, R.M. Lindstrom
5. K.A. Brietic	19. G.J. Lutz
6. T.A. Butier	20. L.A. Machian
7. E.R. Deardorff	21. E.J. Maienthal
8. M.S. Epstein	22. T.J. Murphy
9. J.W. Gramlich	23. P.J. Paulson
10. R.R. Greenberg	24, L.J. Powell
11. S. Hanamura	25. T.C. Rains
12. S.H. Harrison	26. T.A. Rush
13. E.F. Heald	27. R.L. Watters, Jr.
14. W.R. Kelly	28. R. Zeisler

Cooperating Analysts:

- 30. M. Gallorini and E. Orvini, Consiglio Nazionale delle Ricerche, Centro di Radiochimica e Analisi per Attivazione presso l'Instituto di Chimica Generale dell'Universita, Pavia, Italy.
- 31. L. Kosta, A.R. Byrne, M. Dermelj, Institute "Josef Stefan", Ljubljana, Yugoslavia.