PLAN HISTORY							
REV. NO.	DESCRIPTION	DRAWN	CHKD	APPRD			
0	제작용으로 도면 작성, 배포함-적용호선: 8020/8021.	최민수	최재영	박성범			
4							
	REV. NO.	REV. NO. DESCRIPTION	REV. NO. DESCRIPTION DRAWN	REV. NO. DESCRIPTION DRAWN CHKD			

* NOTE

보호 도장 기능기준(Performance Standard for Protective Coating)관련 모든 모서리를 "RC" 처리 할 것.

- RC GRINDING DETAIL: 1 PASS GRINDING + BURR 제거(SMOOTH GRINDING)



DAI AVY INDUSTRIES

(주)한진기공

(표지 포함 7 매)

DEP'T	SHIP NO.	SHIP TYPE
B124	8020/8021	158,000 DWT CLASS CRUDE OIL CARRIER
TEL.	SAMHO SHIP DESIGN OFFICE	PURCHASE ORDER SPECIFICATION FOR
2932	전 장 선 실 설 계 부	
APPROVE	S. B. PARK (박성범)	VERITCAL LADDER
CHECKED	BY J. Y. CHOI (최재영) >~~	
DRAWN B	y <u>M. S. CHOI (최 민 수)</u>	
1		DWG NO.
		H11C0F30596A-0
HYUNDAI SAMHO HEAVY INDUSTRIES CO., LTD. SAMHO SHIPYARD, KOREA		P.O.R NO. R10

P-

	DI	ANLLUCT		,		SHIP NO.	8020	/8021	
	PL	AN HIST	URY			DWG. NO.	H11C0F3	30596A-0	
DATE	REV. NO.		DESC	RIPTION			DRAWN	CHECKED	APPROVED
	H								
	SAM	HO	100			/Y IN	D	JSI	RI
	Р	AINTING	SPI	EC.		기공	PAINT SUPPLIER		
PAINT'G SYMBOL	PAINT ITEM OR AREA	MATERIAL	SHOP PRIME			BRAND NAME OF AND ITS COLOR		D.F.T (µ)	REMARK
UH	VERTICAL LADDE	ER STEEL	NS	Т3		EP 1760 UNY MARINE HS	GREY 113	6.00 (C.00)	
						9			
외주	ITEM	-	IN	SIDE &	OUT	SIDE	IN SIDE	OUT SIDE	6
MAKER PAINT 시공 범위	VERTICAL LADD	ER FINAL	S	HOP PR	IMER	PRIMER			8

HS41 설공 020 A4 모 (990427)G







製作仕樣書(외주구매용)

SHIP NO. 8020/8021
POR NO. H11C0F30596A-0

- 1. GAL'V 〒洲: HOT DIP GAL'V 80~120µ.(단, BOLT/NUT异는 45~65µ)
- 2. GREASE NIPPLE은 FULL GREASING하고 규정된 고무 CAP을 씌울것.
 - 3. SS400 이 아닌 재질의 BOLT/NUT는 재질을 PUNCHING 할 것.
 - 4. 도장 : 유첨 PAINTING SPEC.에 준하되 특히 DECK에 취부되는 끝단부 20 mm 까지는 INORGANIC SHOP PRIMER 15μ (IZ 182) 시공 할 것.

5. HOT DIP GALV'D : DECK에 설치되는 부위는 끝단에서 20 mm 까지는 ALKYD RESIN MP-120(KCC) COATING 하여 도금이 되지 않도록 할 것. (이래 그림 참조)






- 6. 보호도장성능기준(PSPC)관련 외부에 설치되는 모든 철의장품 모서리를 "RC" 처리 할 것.
- 7. 납품시 P.O.R SHEET와 유첨도를 첨부하여 Q.C 검사를 받을 것.
- 8. MAKER CERTIFICATE(특수재료는 MILL SHEET)를 첨부 할 것.
- 9. 무도장으로 입고되는 품목으로서 그 품목의 일부분이 도금이되어 있을 경우는 SHOP BLASTING 으로부터 도금부분이 훼손되지 않도록 보호 MASKING 하여 입고 할 것. (단, 도금표면에 다시 PAINTING하는 경우는 제외됨)
- 10. 의장품 자재 PALLET 고박용 번선 및 고박 ITEM에 대한 묶음 WIRE(철사)는 필히 부식 방지용 COATING WIRE를 사용하여 입고시킬 것.
- 11. 납품시 하기와 같은 TAG를 식별하기 쉬운 위치에 적의 부착하여 입고 할 것.
 - 1) 용접선 있는 자재는 용접선 부근 50mm 이내 PAINT MARKER 마킹 적용 (설치 후 은폐 도장작업 쉽게 하기 위함)
 - 2) 용접선 없는 자재는 자재 인식표(TAG) 또는 안티 울트라테이프에 마킹 후 부착 (자재 TAG 및 안티 울트라테이프 제거는 선실생산 1,2부에서 실시함)
 - 3) 적용대상: 강재로 제작되는 모든 철의장품
 - 4) MARKING 방법: SHIP NO., BLOCK NO., POR NO., SEQ NO., MARK(PC'S) NO.

P-3

	\ .			1.10	ST OF	VEDT	I C A I	LADI	DED.				SHIP NO	8020	0/8021
				LIC	51 OF	VENT	IOAL	LAUI	UEN				DWG. NO	H11C0	F30596A
DECK	BLOCK	MARK NO.	TYPE	DECK HEIGHT +CAMBER	L	"B"	"D"	"P"	LP1	LP2	LP3	SP1	SP2	WEIGHT (KG)	REMARK
UPP.	H11C0	AVLU01	A1	2700	2600	350	250	340						48.2	D/H OUTSIDE
UPP.	H11C0	AVLA02	A1	2700	2600	350	250	340						48.2	D/H OUTSIDE
								12	-	유첨도	면 침	조할	것.		
		9													
		22									- B				
	8									2					
													-		
		A	M	H										151	KIE
				(=		6		Ħ,	7						*
			e *												
								4							
	TOTAL	3		2	SETS/SH	HIP			×				S.	96.4	KG






SECTION 3. LADDER

			P	5
HS	NO.	716	1	47
REV. DATE				/

3. Vertical Ladder (Type-A1)

No.	Description	Size	Material	Weight	Remark
1	Side frame	65x9t F.BAR	SS400 or SS275	4.59 kg/m	Painted
2	Step	22 SQ. BAR	SS400 or SS275	3.80 kg/m	Painted
3	Lug	65x9t F.BAR	SS400 or SS275	4.59 kg/m	Painted



Note


1.Application: Around deck house

(ENB)

 \triangle

SECTION 3. LADDER
3. Vertical Ladder (Type-A1, Safety hoop, cage)


HS NO.



*Application: AVLU01, AVU02

Note

safety hoop : ≥2,500 and < 4,500



ASSD-SB-DR-047-C1

		9000				
02	Support for safety hoop	Ø19 R.Bx550L	SS400 or SS275			
01	Safety hoop	Ø19 R.Bx1960l	SS400 or SS275			*
No.	Description	Spec.	Mat'l	Q'ty	Weight(Kg)	Remark