#### NAME

PathLengthFingerprints

#### **SYNOPSIS**

use Fingerprints::PathLengthFingerprints;

use Fingerprints::PathLengthFingerprints qw(:all);

#### DESCRIPTION

PathLengthFingerprints class provides the following methods:

new, GenerateFingerprints, , GetDescription, SetAtomIdentifierType, SetAtomicInvariantsToUse, SetFunctionalClassesToUse, SetMaxLength, SetMinLength, SetNumOfBitsToSetPerPath, SetType, StringifyPathLengthFingerprints

PathLengthFingerprints is derived from Fingerprints class which in turn is derived from ObjectProperty base class that provides methods not explicitly defined in PathLengthFingerprints, Fingerprints or ObjectProperty classes using Perl's AUTOLOAD functionality. These methods are generated on-the-fly for a specified object property:

```
Set<PropertyName>(<PropertyValue>);
$PropertyValue = Get<PropertyName>();
Delete<PropertyName>();
```

The current release of MayaChemTools supports generation of AtomTypesFingerpritns corresponding to following AtomtomI dentifierTypes:

```
AtomicInvariantsAtomTypes, DREIDINGAtomTypes, EStateAtomTypes, FunctionalClassAtomTypes, MMFF94AtomTypes, SLogPAtomTypes, SYBYLAtomTypes, TPSAAtomTypes, UFFAtomTypes
```

Based on the values specified for Type, AtomtomI dentifierTypes, MinPathLength and MaxPathLength, all appropriate atom paths are generated for each atom in the molecule and collected in a list and the list is filtered to remove any structurally duplicate paths as indicated by the value of UseUniquePaths.

For molecules containing rings, atom paths starting from each atom can be traversed in four different ways:

- o Atom paths without any rings and sharing of bonds in traversed paths.
- o Atom paths containing rings and without any sharing of bonds in traversed paths
- o All possible atom paths without any rings and sharing of bonds in traversed paths
- o All possible atom paths containing rings and with sharing of bonds in traversed paths.

Atom path traversal is terminated at the last ring atom. For molecules containing no rings, first two and last two types described above are equivalent.

AllowSharedBonds and AllowRings allow generation of different types of paths to be used for fingerprints generation.

The combination of AllowSharedBonds, AllowRings, and UseBondSymbols allows generation of 8 different types of path length fingerprints:

AllowSharedBonds AllowRings UseBondSymbols

0	0 1	<ul> <li>1 - AtomPathsNoCyclesWithBondSym</li> <li>1 - AtomPathsWithCyclesWithBondS</li> </ul>	
1	0	<ul><li>1 - AllAtomPathsNoCyclesWithBond</li><li>1 - AllAtomPathsWithCyclesWithBo</li><li>[ DEFAULT ]</li></ul>	-
0	0	0 - AtomPathsNoCyclesNoBondSymbo 0 - AtomPathsWithCyclesNoBondSym	
1	0	0 - AllAtomPathsNoCyclesNoBondSy	mbols

1

1

Additionally, possible values for option --Atoml dentifierType in conjunction with corresponding specified values for AtomicI nvariantsToUse and FunctionalClassesToUse changes the nature of atom path length strings and the fingerprints.

For each atom path in the filtered atom paths list, an atom path string is created using value of AtomI dentifierType and specified values to use for a particular atom identifier type. Value of UseBondSymbols controls whether bond order symbols are used during generation of atom path string. Atom symbol corresponds to element symbol and characters used to represent bond order are: 1 - None; 2 - '='; 3 - '#'; 1.5 or aromatic - ':'; others: bond order value. By default, bond symbols are included in atom path strings. Exclusion of bond symbols in atom path strings results in fingerprints which correspond purely to atom paths without considering bonds.

UseUniquePaths controls the removal of structurally duplicate atom path strings are removed from the list.

For *PathLengthBits* value of Type, each atom path is hashed to a 32 bit unsigned integer key using TextUtil::HashCode function. Using the hash key as a seed for a random number generator, a random integer value between 0 and Size is used to set corresponding bits in the fingerprint bit-vector string. Value of NumOfBitsToSetPerPaths option controls the number of time a random number is generated to set corresponding bits.

For *PathLengthCount* value of Typen, the number of times an atom path appears is tracked and a fingerprints count-string corresponding to count of atom paths is generated.

The current release of MayaChemTools generates the following types of path length fingerprints bit-vector and vector strings:

FingerprintsBitVector; PathLengthBits: AtomicInvariantsAtomTypes: MinLength1: MaxLength8; 1024; HexadecimalString; Ascending; 48caa1315d82d91122b029 42861c9409a4208182d12015509767bd0867653604481a8b1288000056090583603078 9cedae54e26596889ab121309800900490515224208421502120a0dd9200509723ae89 00024181b86c0122821d4e4880c38620dab280824b455404009f082003d52c212b4e6d 6ea05280140069c780290c43

FingerprintsVector; PathLengthCount: AtomicInvariantsAtomTypes: MinLength 1: MaxLength8; 432; NumericalValues; IDsAndValuesPairsString; C.X1.BO1.H3 2 C.X2.BO2.H2 4 C.X2.BO3.H1 14 C.X3.BO3.H1 3 C.X3.BO4 10 F.X1.BO1 1 N.X 2.BO2.H1 1 N.X3.BO3 1 O.X1.BO1.H1 3 O.X1.BO2 2 C.X1.BO1.H3C.X3.BO3.H1 2 C.X2.BO2.H2C.X2.BO2.H2 1 C.X2.BO2.H2C.X3.BO3.H1 4 C.X2.BO2.H2C.X3.BO 4 1 C.X2.BO2.H2N.X3.BO3 1 C.X2.BO3.H1:C.X2.BO3.H1 10 C.X2.BO3.H1:C....

FingerprintsVector; PathLengthCount: DREIDINGAtomTypes: MinLength1: MaxLength8; 410; NumericalValues; IDsAndValuesPairsString; C\_2 2 C\_3 9 C\_R 22 F\_1 N\_3 1 N\_R 1 O\_2 2 O\_3 3 C\_2=O\_2 2 C\_2C\_3 1 C\_2C\_R 1 C\_2N\_3 1 C\_2O\_3 1 C\_3C\_3 7 C\_3C\_R 1 C\_3N\_R 1 C\_3O\_3 2 C\_R:C\_R 21 C\_R:N\_R 2 C\_RC\_R 2 C\_RF\_1 C\_RN\_3 1 C\_2C\_3C\_3 1 C\_2C\_R:C\_R 2 C\_2N\_3C\_R 1 C\_3C\_2=O\_2 1 C\_3C\_3C\_3 1 C\_3C\_3C\_3 5 C\_3C\_3C\_R 2 C\_3C\_3N\_R 1 C\_3C\_3O\_3 4 C\_3C\_R:C\_R ...

FingerprintsVector;PathLengthCount:EStateAtomTypes:MinLength1:MaxLength8;454;NumericalValues;IDsAndValuesPairsString;aaCH 14 aasC 8 aasN 1 d 0 2 dssC 2 sCH3 2 sF 1 sOH 3 ssCH2 4 ssNH 1 sssCH 3 aacH:aacH 10 aacH: aasC 8 aasC:aasC 3 aasC:aasN 2 aasCaasC 2 aasCdssC 1 aasCsF 1 aasCssNH 1 aasCsssCH 1 aasNssCH2 1 d0=dssC 2 dssCsOH 1 dssCssCH2 1 dssCssNH 1 sCH3sssCH 2 sOHsssCH 2 ssCH2ssCH2 1 ssCH2sssCH 4 aacH:aacH 6 a...

FingerprintsVector;PathLengthCount:FunctionalClassAtomTypes:MinLength1:MaxLength8;404;NumericalValues;IDsAndValuesPairsString;Ar 22 Ar.HBA 1 HBA 2 HBA.HBD 3 HBD 1 Hal 1 NI 1 None 10 Ar.HBA:Ar 2 Ar.HBANone 1 Ar:Ar 21 ArAr 2 ArHBD 1 ArHal 1 ArNone 2 HBA.HBDNI 1 HBA.HBDNone 2 HBA=NI

```
1 HBA=None 1 HBDNone 1 NINone 1 NoneNone 7 Ar.HBA:Ar:Ar 2 Ar.HBA:ArAr 1 Ar.HBA:ArNone 1 Ar.HBANoneNone 1 Ar:Ar.HBA:Ar 1 Ar:Ar.HBANone 2 ...
```

FingerprintsVector; PathLengthCount: MMFF94AtomTypes: MinLength1: MaxLength8; 463; NumericalValues; IDsAndValuesPairsString; C5A 2 C5B 2 C=ON 1 CB 1 8 COO 1 CR 9 F 1 N5 1 NC=O 1 O=CN 1 O=CO 1 OC=O 1 OR 2 C5A: C5B 2 C5A: N 5 2 C5ACB 1 C5ACR 1 C5B: C5B 1 C5BC=ON 1 C5BCB 1 C=ON=O=CN 1 C=ONNC=O 1 CB: CB 18 CBF 1 CBNC=O 1 COO=O=CO 1 COOCR 1 COOCC=O 1 CRCR 7 CRN5 1 CR OR 2 C5A: C5B: C5B 2 C5A: C5BC=ON 1 C5A: C5BCB 1 C5A: N5: C5A 1 C5A: N5CR . . . .

FingerprintsVector; PathLengthCount: SLogPAtomTypes: MinLength1: MaxLength 8;518; NumericalValues; IDsAndValuesPairsString; C1 5 C10 1 C11 1 C14 1 C 18 14 C20 4 C21 2 C22 1 C5 2 CS 2 F 1 N11 1 N4 1 O10 1 O2 3 O9 1 C10C1 1 C10N11 1 C11C1 2 C11C21 1 C14: C18 2 C14F 1 C18: C18 10 C18: C20 4 C18 : C22 2 C1C5 1 C1CS 4 C20: C20 1 C20: C21 1 C20: N11 1 C20C20 2 C21: C21 1 C21: N11 1 C21C5 1 C22N4 1 C5=O10 1 C5=O9 1 C5N4 1 C5O2 1 CSO2 2 C10...

FingerprintsVector; PathLengthCount: SYBYLAtomTypes: MinLength1: MaxLength 8;412; NumericalValues; IDsAndValuesPairsString; C. 2 C.3 9 C.ar 22 F 1 N.am 1 N.ar 1 O.2 1 O.3 2 O.co2 2 C.2=O.2 1 C.2=O.co2 1 C.2C.3 1 C.2C. ar 1 C.2N.am 1 C.2O.co2 1 C.3C.3 7 C.3C.ar 1 C.3N.ar 1 C.3O.3 2 C.ar: C.ar 21 C.ar: N.ar 2 C.arC.ar 2 C.arF 1 C.arN.am 1 C.2C.3C.3 1 C.2C.ar: C.ar 2 C.2N.amC.ar 1 C.3C.2=O.co2 1 C.3C.2O.co2 1 C.3C.3C.3 5 C.3C.3...

FingerprintsVector;PathLengthCount:TPSAAtomTypes:MinLength1:MaxLength8;331;NumericalValues;IDsAndValuesPairsString;N21 1 N7 1 None 34 O3 2 O 4 3 N21:None 2 N21None 1 N7None 2 None:None 21 None=O3 2 NoneNone 13 N oneO4 3 N21:None:None 2 N21:NoneNone 2 N21NoneNone 1 N7None:None 2 N7N one=O3 1 N7NoneNone 1 None:N21:None 1 None:N21None 2 None:None:None 20 None:NoneNone 12 NoneNone 1 NoneNone=O3 2 NoneNoneNone 8 NoneNon...

FingerprintsVector; PathLengthCount: UFFAtomTypes: MinLength1: MaxLength8; 410; NumericalValues; IDsAndValuesPairsString; C\_2 2 C\_3 9 C\_R 22 F\_ 1 N\_ 3 1 N\_R 1 O\_2 2 O\_3 3 C\_2=O\_2 2 C\_2C\_3 1 C\_2C\_R 1 C\_2N\_3 1 C\_2O\_3 1 C\_3C\_3 7 C\_3C\_R 1 C\_3N\_R 1 C\_3O\_3 2 C\_R: C\_R 21 C\_R: N\_R 2 C\_RC\_R 2 C\_RF\_ 1 C\_RN\_3 1 C\_2C\_3C\_3 1 C\_2C\_R: C\_R 2 C\_2N\_3C\_R 1 C\_3C\_2O\_3 1 C\_3C\_3C\_3 C\_3 C\_3C\_3C\_3 1 C\_3C\_3C\_3N\_R 1 C\_3C\_3O\_3 4 C\_3C\_R: C\_R 1 C\_3...

### **METHODS**

new

Using specified *PathLengthFingerprints* property names and values hash, new method creates a new object and returns a reference to newly created PathLengthFingerprints object. By default, the following properties are initialized:

```
Molecule = '';
Type = ''
Size = 1024
MinSize = 32
MaxSize = 2**32
NumOfBitsToSetPerPath = 1
MinLength = 1
MaxLength = 8
AllowSharedBonds = 1
AllowRings = 1
UseBondSymbols = 1
UseUniquePaths = ''
AtomIdentifierType = ''
SetAtomicInvariantsToUse = ['AS']
FunctionalClassesToUse = ['HBD', 'HBA', 'PI', 'NI', 'Ar', 'Hal']
```

# Examples:

```
'Type' => 'PathLengthBits',
                                       'AtomIdentifierType' =
                                                       'AtomicInvariantsAtomTypes');
           $PathLengthFingerprints = new PathLengthFingerprints(
                                       'Molecule' => $Molecule,
                                       'Type' => 'PathLengthBits',
                                       'Size' => 1024,
                                       'MinLength' => 1,
                                       'MaxLength' => 8,
                                       'AllowRings' => 1,
                                       'AllowSharedBonds' => 1,
                                       'UseBondSymbols' => 1,
                                       'UseUniquePaths' => 1,
                                       'AtomIdentifierType' =
                                                       'AtomicInvariantsAtomTypes',
                                       'AtomicInvariantsToUse' => ['AS']);
           $PathLengthFingerprints = new PathLengthFingerprints(
                                       'Molecule' => $Molecule,
                                       'Type' => 'PathLengthCount',
                                       'MinLength' => 1,
                                       'MaxLength' => 8,
                                       'AllowRings' => 1,
                                       'AllowSharedBonds' => 1,
                                       'UseBondSymbols' => 1,
                                       'UseUniquePaths' => 1,
                                       'AtomIdentifierType' =>
                                                      'AtomicInvariantsAtomTypes',
                                       'AtomicInvariantsToUse' => ['AS']);
           $PathLengthFingerprints = new PathLengthFingerprints(
                                      'Molecule' => $Molecule,
                                       'Type' => 'PathLengthBits',
                                       'AtomIdentifierType' =
                                                       'SLogPAtomTypes');
          $PathLengthFingerprints = new PathLengthFingerprints(
                                      'Molecule' => $Molecule,
                                       'Type' => 'PathLengthCount',
                                       'AtomIdentifierType' =
                                                      'SYBYLAtomTypes');
           $PathLengthFingerprints = new PathLengthFingerprints(
                                       'Molecule' => $Molecule,
                                       'Type' => 'PathLengthBits',
                                       'AtomIdentifierType' =
                                                       'FunctionalClassAtomTypes',
                                       'FunctionalClassesToUse' => ['HBD', 'HBA', 'Ar']);
           $PathLengthFingerprints->GenerateFingerprints();
          \verb|print "\$PathLengthFingerprints \n"|;
GetDescription
           $Description = $PathLengthFingerprints->GetDescription();
      Returns a string containing description of path length fingerprints.
GenerateFingerprints
           $PathLengthFingerprints->GenerateFingerprints();
      Generates path length fingerprints and returns PathLengthFingerprints.
SetMaxLength
           $PathLengthFingerprints->SetMaxLength($Length);
```

Sets maximum value of atom path length to be used during atom path length fingerprints generation

and returns PathLengthFingerprints

### SetAtomI dentifierType

```
$PathLengthFingerprints->SetAtomIdentifierType();
```

Sets atom *IdentifierType* to use during path length fingerprints generation and returns *PathLengthFingerprints*.

Possible values: AtomicInvariantsAtomTypes, DREIDINGAtomTypes, EStateAtomTypes, FunctionalClassAtomTypes, MMFF94AtomTypes, SLogPAtomTypes, SYBYLAtomTypes, UFFAtomTypes.

#### SetAtomicInvariantsToUse

```
$PathLengthFingerprints->SetAtomicInvariantsToUse($ValuesRef);
$PathLengthFingerprints->SetAtomicInvariantsToUse(@Values);
```

Sets atomic invariants to use during *AtomicInvariantsAtomTypes* value of *AtomIdentifierType* for path length fingerprints generation and returns *PathLengthFingerprints*.

Possible values for atomic invariants are: AS, X, BO, LBO, SB, DB, TB, H, Ar, RA, FC, MN, SM. Default value: AS.

The atomic invariants abbreviations correspond to:

```
AS = Atom symbol corresponding to element symbol
```

Atom type generated by AtomTypes::AtomicInvariantsAtomTypes class corresponds to:

```
AS.X<n>.BO<n>.LBO<n>.<SB><n>.<DB><n>.<TB><n>.H<n>.Ar.RA.FC<+n/-n>.MN<n>.SM<n>
```

Except for AS which is a required atomic invariant in atom types, all other atomic invariants are optional. Atom type specification doesn't include atomic invariants with zero or undefined values.

In addition to usage of abbreviations for specifying atomic invariants, the following descriptive words are also allowed:

```
X : NumOfNonHydrogenAtomNeighbors or NumOfHeavyAtomNeighbors
BO : SumOfBondOrdersToNonHydrogenAtoms or SumOfBondOrdersToHeavyAtoms
LBO : LargestBondOrderToNonHydrogenAtoms or LargestBondOrderToHeavyAtoms
SB : NumOfSingleBondsToNonHydrogenAtoms or NumOfSingleBondsToHeavyAtoms
DB : NumOfDoubleBondsToNonHydrogenAtoms or NumOfDoubleBondsToHeavyAtoms
TB : NumOfTripleBondsToNonHydrogenAtoms or NumOfTripleBondsToHeavyAtoms
H : NumOfImplicitAndExplicitHydrogens
Ar : Aromatic
RA : RingAtom
FC : FormalCharge
MN : MassNumber
SM : SpinMultiplicity
```

AtomTypes::AtomicInvariantsAtomTypes module is used to assign atomic invariant atom types.

#### SetFunctionalClassesToUse

```
$PathLengthFingerprints->SetFunctionalClassesToUse($ValuesRef);
$PathLengthFingerprints->SetFunctionalClassesToUse(@Values);
```

Sets functional classes invariants to use during FunctionalClassAtomTypes value of AtomIdentifierType for path length fingerprints generation and returns PathLengthFingerprints.

Possible values for atom functional classes are: Ar, CA, H, HBA, HBD, Hal, NI, PI, RA. Default value [ Ref

#### 24]: HBD,HBA,PI,NI,Ar,Hal.

The functional class abbreviations correspond to:

HBD: HydrogenBondDonor
HBA: HydrogenBondAcceptor
PI : PositivelyIonizable
NI : NegativelyIonizable

Ar : Aromatic
Hal : Halogen
H : Hydrophobic
RA : RingAtom
CA : ChainAtom

Functional class atom type specification for an atom corresponds to:

```
Ar.CA.H.HBA.HBD.Hal.NI.PI.RA or None
```

AtomTypes::FunctionalClassAtomTypes module is used to assign functional class atom types. It uses following definitions [ Ref 60-61, Ref 65-66 ]:

```
HydrogenBondDonor: NH, NH2, OH
HydrogenBondAcceptor: N[!H], O
PositivelyIonizable: +, NH2
NegativelyIonizable: -, C(=0)OH, S(=0)OH, P(=0)OH
```

#### SetMinLength

```
$PathLengthFingerprints->SetMinLength($Length);
```

Sets minimum value of atom path length to be used during atom path length fingerprints generation and returns *PathLengthFingerprints*.

#### SetMaxLength

```
$PathLengthFingerprints->SetMaxLength($Length);
```

Sets maximum value of atom path length to be used during atom path length fingerprints generation and returns *PathLengthFingerprints*.

# Set Num Of Bits To Set Per Path

```
$PathLengthFingerprints->SetNumOfBitsToSetPerPath($NumOfBits);
```

Sets number of bits to set for each path during *PathLengthBits* Type during path length fingerprints generation and returns *PathLengthFingerprints*.

### SetType

```
$PathLengthFingerprints->SetType($Type);
```

Sets type of path length fingerprints and returns PathLengthFingerprints. Possible values: PathLengthBits or PathLengthCount.

# StringifyPathLengthFingerprints

```
$String = $PathLengthFingerprints->StringifyPathLengthFingerprints();
```

Returns a string containing information about *PathLengthFingerprints* object.

### **AUTHOR**

Manish Sud <msud@san.rr.com>

## SEE ALSO

Fingerprints.pm, FingerprintsStringUtil.pm, AtomNeighborhoodsFingerprints.pm, AtomTypesFingerprints.pm, EStateIndiciesFingerprints.pm, ExtendedConnectivityFingerprints.pm, MACCSKeys.pm,

TopologicalAtomPairsFingerprints.pm, TopologicalAtomTripletsFingerprints.pm,

TopologicalAtomTorsionsFingerprints.pm, TopologicalPharmacophoreAtomPairsFingerprints.pm,

Topological Pharmacophore Atom Triplets Finger prints.pm

# COPYRIGHT

Copyright (C) 2018 Manish Sud. All rights reserved.

This file is part of MayaChemTools.

MayaChemTools is free software; you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 3 of the License, or (at your option) any later version.