FISH TERMINOLOGIES

Building Materials Thesaurus

Report Format: Hierarchical listing - alpha

Notes: Main construction material types for indexing monuments.

Date: February 2019



ABERDEEN GRANITE

UF Balmoral Granite

Rubislaw Granite

SN Medium grained, dark bluish-grey stone. Quarried mainly from the Rubislaw Quarry.

CL STONE

BT GRANITE

Adamelite

USE SHAP GRANITE

ALABASTER

SN Fine grained, w hitish, granular variety of Gypsum. Suitable for carving.

CL STONE

RT MARBLE

Alps Grey Granite

USE GNEISS

Alta Quartzite

USE SCHIST

Altazite

USE SCHIST

ALUMINIUM

UF Corrugated Aluminium

SN Lightw eight, strong metal with good corrosive resistance, normally used as an alloy.

CL METAL

NT ANODIZED ALUMINIUM

Amberley Stone

USE CHALK

Ammonite

USE FOSSIL

Ancaster Stone

USE LINCOLNSHIRE LIMESTONE

ANIMAL

SN Pertaining to or deriving from a living organism. See ANIMAL Class list for narrow terms.

CL ANIMAL

NT BONE

FOSSIL

LEATHER

SHELL

ANODIZED ALUMINIUM

SN Aluminium coated by a protective film of oxides created by electrolysis.

CL METAL

BT ALUMINIUM

Anston Stone

USE MAGNESIAN LIMESTONE

Arabescato Marble

USE CARRARA MARBLE

ARTIFICIAL SLATE

UF Asbestos Slate

SN A rectangular sheet of roofing material created by a man made process (eg. asbestos cement slate) and made to look like, and used in the same way as, natural slate.

CL MATERIAL <BY FORM>

ARTIFICIAL STONE

UF Bradstone

Empire Stone

Imitation Stone

SN Synthetically manufactured stone made from natural stone aggregate or reconstituted ceramics or clay, and made to appear natural.

Used as solid stone for masonry or for sculptural and architectural ornament.

CL MAN MADE MATERIAL

NT COADE STONE

PULHAMITE STONE

RT SCAGLIOLA STONE

ARTIFICIAL TIMBER

SN Synthetic fibres and reconstituted materials imitating, or in the form of, timber created by a man-made process. Use carefully - do not confuse with mock and sham timber work.

CL MAN MADE MATERIAL

ASBESTOS

UF Asbestos Slate

Corrugated Asbestos

SN A mineral crystal of thin, tough fibres which can be woven. Used for high temperature insulation or as reinforcement in asbestos cement building board and corrugated roofing. If used to imitate slate, use artificial slate also.

CL MAN MADE MATERIAL

Asbestos Slate

USE ARTIFICIAL SLATE ASBESTOS

Ashburton Marble

USE **DEVONIAN LIMESTONE**

MARBLE

SN Use both terms.

ASHLAR

SN A square, hew n or w orked, high class freestone w hich can be 'freely' cut and is laid in horizontal courses w ith vertical joints.

CL MATERIAL <BY FORM>

ASPHALT

SN Solid or viscous bituminous pitch of natural occurrence, or produced from petroleum mixed with sand or other aggregate filler, for use in roads or as a covering material

CL MAN MADE MATERIAL

BT BITUMEN

Auchinlea Stone

USE SANDSTONE

Australian Marble

USE MARBLE

BAKELITE

SN An early thermosetting plastic commonly used for its properties of electrical insulation.

CL MAN MADE MATERIAL

BT PLASTIC

Ballachulish Slate

USE SCOTTISH SLATE

Balmoral Granite

USE ABERDEEN GRANITE

BAMBOO

SN Tropical giant grass with hollow stem used structurally or as a covering material.

CL VEGETAL

BT WOOD

Bardiglio Marble

USE CARRARA MARBLE

BARGATE STONE

UF Burgate Stone

SN Hard, coarse grained, calcareous sandstone, coloured by iron oxide. Quarried in the Guildford and Godalming area of the South East.

CL STONE

BT SANDSTONE

Barge Quartzite

USE SCHIST

Barnack Stone

USE LINCOLNSHIRE LIMESTONE

BASALT

UF Hurdwick Stone

Killerton Stone

Volcanic Stone Volcanic Trap

SN Basic, black coloured, fine grained, igneous rock.

CL STONE

RT GREENSTONE

RHYOLITE

SERPENTINE

WHINSTONE

Base Bed

USE PORTLAND STONE

Basebed

USE PORTLAND STONE

BATH STONE

UF Box Ground

Box Rubblestone

Bradford Stone

Combe Down Stone

Corsham Stone

Hartham Park Stone

Hazlebury Stone

Monks Park Stone

St Aldhelm Stone

Stoke Ground Stone

Westwood Stone

Winsley Ground

SN Even grained, poorly fossiliferous, light

brow n/cream coloured, oolitic limestone. Quarried

in the Bath area.

CL STONE

BT OOLITIC LIMESTONE

Battscombe Stone

USE CARBONIFEROUS LIMESTONE

Baveno Granite

USE **GRANITE**

BEER STONE

SN Coarse, hard Chalkstone, light grey to w hite coloured, containing shell fragments.

CL STONE

BT CHALK

BEMBRIDGE LIMESTONE

F Bembridge Stone

Binstead Stone

Isle Of Wight Stone

Quarr Stone

SN Generic name for the hard, w hite/cream coloured, freshw ater limestone. Quarried on the Isle of Wight.

CL STONE

BT TERTIARY LIMESTONE

Bembridge Stone

USE BEMBRIDGE LIMESTONE

Berw yn Slate

USE WELSH SLATE

Bethersden Marble

USE CRETACEOUS LIMESTONE

MARBLE

SN Use both terms.

Binstead Stone

USE BEMBRIDGE LIMESTONE

Biotite Granite

USE **GRANITE**

Birchover Stone

USE GRITSTONE (SANDSTONE)

Birshover Gritstone

USE GRITSTONE (SANDSTONE)

BITUMEN

SN A semi solid mixture of complex hydrocarbons derived from coal or petroleum. Used as a w aterproof binder or protective coating.

CL MAN MADE MATERIAL

NT ASPHALT

TAR

TARMACADAM

BITUMINOUS FELT

UF Roofing Felt

SN A material made of felted fibres bonded by bitumen. Often used as a roofing material.

CL MAN MADE MATERIAL

Black Granite

USE **DIORITE**

Bladon Cotsw old Stone

USE COTSWOLD STONE

Blaxter Stone

USE SANDSTONE

Bletchingdon Marble

USE JURASSIC LIMESTONE MARBLE

SN Use both terms.

Blue Grey Slate

USE WELSH SLATE

BLUE LIAS

SN Hard w hite/grey coloured liassic limestone.

Quarried on the Devon-Dorset border.

CL STONE

BT LIAS

NT KEINTON STONE

Blue Peterhead Granite

USE PETERHEAD GRANITE

Blue Welsh Slate

USE WELSH SLATE

Bluestone

USE WEST COUNTRY SLATE

Bognor Rock

USE SUSSEX STONE

Bolsover Moor

USE MAGNESIAN LIMESTONE

Bolton Wood Stone

USE YORK STONE

Bon Accord Red Granite

USE **GRANITE**

BONE

SN Any of the pieces of hard tissue consisting largely of calcium phosphate that make up the skeleton of a vertebrate animal.

CL ANIMAL

Borrow dale Slate

USE LAKE DISTRICT SLATE

Box Ground

USE BATH STONE

Box Rubblestone

USE BATH STONE

Bradford Stone

USE BATH STONE

Bradstone

USE ARTIFICIAL STONE

Bramley Fall Stone

USE SANDSTONE

Brandon Hill Grit Rubble

USE CONGLOMERATE

BRASS

SN Easily formed metal alloy composed of copper and zinc.

CL METAL

Brathay Slate

USE LAKE DISTRICT SLATE

BRECCIA

SN Sedimentary rock consisting of angular fragments naturally cemented together. CL STONE

RT CONGLOMERATE

HERTFORDSHIRE PUDDINGSTONE

PUDDINGSTONE

Breche Rose

USE MARBLE
BREEZE BLOCK

UF Thermalite

SN Lightw eight building block traditionally made with coke breeze from gas works combined with sand and cement. Use this term generally to denote a light, modern concrete building block with man made characteristics.

CL MAN MADE MATERIAL

BT CONCRETE

RT RESIDUE

BRICK

UF Fletton Brick

Flint Lime Brick

Malm (Brick)

Ruabon Brick Staffordshire Blue Brick

Vitrified Brick

SN Standard rectangular block or tablet bonded on mortar joints in a regular arrangement or pattern for strength or decoration. Made from clay or brick earth w hich may contain varying quantities of chalk, lime or iron oxide w hich effect colour or density.

CL MATERIAL <BY FORM>

NT ENGINEERING BRICK

RT CLAY

MATHEMATICAL TILE

PEAT

BRICKEARTH

SN An unconsolidated geological deposit sometimes iused as a bonding material in stone w alls.

CL EARTH MIX

Britannia Stone

USE SANDSTONE

BRONZE

SN Hard, corrosive resistant alloy of copper and tin.

CL METAL

RT COPPER

TIN

Broughton Moor Slate

USE LAKE DISTRICT SLATE

BUNGAROOSH

UF Bungeroosh

SN Composed of a wide variety of substances and materials such as whole or broken bricks, cobblestones, flints, pebbles and sand which are set into hydraulic lime. Used most often to form external walls and is commonly found in the Brighton/Lew es region.

CL MAN MADE MATERIAL

BT CEMENT MIX

Bungeroosh

USE BUNGAROOSH

Bunter Stone

USE SANDSTONE

Burgate Stone

USE BARGATE STONE

Burlington Blue Grey

USE LAKE DISTRICT SLATE

Burlington Slate

USE LAKE DISTRICT SLATE

Bursting Stone

USE LAKE DISTRICT SLATE

Burw ell Stone

USE CLUNCH

Buttermere Slate

USE LAKE DISTRICT SLATE

CAEN STONE

SN Fine grained limestone, yellow or yellow /w hite in colour. Imported from France, mainly for ecclesiastical use.

CL STONE

BT CRETACEOUS LIMESTONE

Caerbw dy Stone

USE SANDSTONE

Caithness Flagstone

USE SANDSTONE

Calcareous Spar

USE LIMESTONE

Calverley Stone

USE SUSSEX STONE

CAMPAN MARBLE

UF Campan Melange

Campan Rose

Campan Vert

SN White coloured marble. Imported from France.

CL STONE

BT MARBLE

Campan Melange

USE CAMPAN MARBLE

Campan Rose

USE CAMPAN MARBLE

Campan Vert

USE CAMPAN MARBLE

Campden Stone

USE OOLITIC LIMESTONE

CANVAS

SN An unbleached cloth of hemp, flax or other coarse varn.

CL MATERIAL <BY FORM>

Car Stone

USE CARSTONE

CARBONIFEROUS LIMESTONE

UF Battscombe Stone Cheddar Stone Deepdale Fossil

Derbydene

Derbyshire Fossil

Dukes Red Limestone Frosterley Marble

Hadene Stone

Hoptons Wood Stone

Orton Scar Limestone

Penmon Limestone

Pennon Marble

Salterw ath

Sw aledale Fossil

SN Limestones formed during the Carboniferous period. Many are cut, polished and used as

period. Marry are cut, polistied and used as

marble.

BT LIMESTONE

T MARBLE

CI

SANDSTONE

SHALE

Cardeston Stone

USE SANDSTONE

CARRARA MARBLE

UF Arabescato Marble

Bardiglio Marble

Cipollino Marble

Pavonazzo

SN Imported Italian marble varying in colour from

green, blue, purple to white.

CL STONE

BT MARBLE

CARSTONE

UF Car Stone

Ginger Bread Stone

SN Coarse hard sandstone often coloured with iron

oxide creating its characteristic brown shades.

CL STONE

BT SANDSTONE

RT IRONSTONE

Cary Stone

USE OOLITIC LIMESTONE

CAST IRON

SN Dating from the 15th century, it is a hard alloy of iron and carbon, melted and shaped into various

moulded forms.

CL METAL

BT IRON

Casterton Stone

USE LINCOLNSHIRE LIMESTONE

Catacleuse

USE ELVAN

CEDAR

SN Durable wood from a non-native, evergreen

conifer.

CL VEGETAL

BT WOOD

CEMENT

UF Cement Render

Cement Tile

Whitby Cement

Chatw ell Stone SN Originally obtained by burning limestone to USE SANDSTONE produce quicklime. Now a fine grey pow der made from a mixture of limestone and clay used with Cheddar Stone w ater and sand to make mortar or with water, USE CARBONIFEROUS LIMESTONE sand and aggregate to make concrete. CL MAN MADE MATERIAL CHERT ΒT CEMENT MIX UF **Knapped Chert** PORTLAND CEMENT NT Lvddite RT CONCRETE A hard, silica rich rock, black or brown coloured, LIME commonly found in nodular form. MORTAR CL STONE SAND **FLINT** NT **SLURRY** WOODWOOL SLAB Chilmark Stone USE PORTLAND STONE CEMENT MIX A binder combined with various aggregates Chinley Moor Stone w hich sets and holds together into a mass w hich USE GRITSTONE (SANDSTONE) then hardens and gains strength. Chudleigh Stone CL MAN MADE MATERIAL NT **BUNGAROOSH** USE **DEVONIAN LIMESTONE CEMENT** Cipollino Marble CONCRETE **MORTAR** USE CARRARA MARBLE ROMAN CEMENT Clashach Stone **SLURRY** USE SANDSTONE Cement Render CLAY USE CEMENT Clav Tile **RENDER** A fine grained earth which becomes more plastic SN Use both terms. when water is added and can be moulded and Cement Tile dried to make bricks, tile, pottery, etc. USE CEMENT CL EARTH MIX TILE **BRICK** Use both terms. SN **CERAMIC** LIAS **CERAMIC PANTILE** Designating or pertaining to hard, brittle TILE substances produced by strong heating of clay. **CLAY LUMP** CL MAN MADE MATERIAL NT **MAJOLICA** Large, moulded, unburnt blocks of clay type soil **TERRACOTTA** laid in a similar way to brick, but bedded in lime RT CLAY and clay 'mortar'. The walls produced are TILE characteristically thinner than those of cob and pise. **CHALK** CL EARTH MIX UF Amberley Stone Clay Tile SN A soft, porous, white to light grey coloured limestone. USE CLAY CL STONE TILE вт CRETACEOUS LIMESTONE SN Use both terms. **BEER STONE CLINKER** CLUNCH SN Fused ash from furnaces used as aggregate. Channel Isle Granite CL MAN MADE MATERIAL USE **GRANITE** RESIDUE RT Charlbury Stone Clipsham Stone USE OOLITIC LIMESTONE USE LINCOLNSHIRE LIMESTONE Clob Charlw ood Stone USE CRETACEOUS LIMESTONE USE COB **MARBLE**

SN

Charnw ood Stone

Use both terms.

USE FOREST STONE (LEICESTERSHIRE)

CLUNCH

CL

Burw ell Stone

STONE

Totternhoe Stone

A hard, gritty, grey/green coloured form of chalk.

BT CHALK

COADE STONE

SN Durable artificial stone consisting of china clay, sand and finely ground stonew are cast from moulds and fired in a kiln. Commonly used for architectural ornament and facings.

CL MAN MADE MATERIAL

BT ARTIFICIAL STONE

COB

UF Clob

SN Walls composed of clay, earth, straw, lime and sand, mixed with water. Constructed without shutters in layers upon a stone or brick plinth and usually covered with protective limewash.

CL EARTH MIX

NT WICHERT

COBBLE

SN Naturally occurring glacial rock fragments (diameter 64-256mm) larger than pebble and smaller than boulder.

CL MATERIAL <BY FORM>

RT STONE

Cobble Stone

USE LAKE DISTRICT SLATE

Collyw eston Slate

USE LINCOLNSHIRE LIMESTONE

Combe Down Stone

USE BATH STONE

COMBED WHEAT REED

SN A form of thatching straw composed of stems that have been combed mechanically to remove grain and extraneous w aste material w ithout crushing the stem.

CL VEGETAL

BT STRAW

CONCRETE

UF Concrete Block

Concrete Tile

Granolithic Concrete

SN Composed of sand, stones or other aggregate and cement mixed with water which sets in a hard mass. The material is usually associated with modern building but was developed by Romans where cement was obtained from quicklime.

CL MAN MADE MATERIAL

BT CEMENT MIX

NT BREEZE BLOCK

LIGHTWEIGHT CONCRETE PRESTRESSED CONCRETE REINFORCED CONCRETE

RT CEMENT

PANTILE

SAND

TILE

Concrete Block

USE CONCRETE

Concrete Tile

USE CONCRETE

TILE

SN Use both terms.

CONGLOMERATE

UF Brandon Hill Grit Rubble

Dolomitic Conglomerate

SN Sedimentary rock consisting of rounded pebbles naturally cemented together.

CL STONE

NT PUDDINGSTONE

SEPTA RIA

RT BRECCIA

CONNEMARA MARBLE

SN One of only three 'true' British marbles, green and w hite in colour, predominantly used in large public buildings.

CL STONE

BT MARBLE

RT SERPENTINE

COPPER

SN Metal used primarily for roofing and ornamental purposes, being lighter and stronger than lead.

CL METAL

RT BRONZE

Cor Ten Steel

USE WEATHERING STEEL

Coral Rag Limestone

USE OOLITIC LIMESTONE

Coralline Crag

USE TERTIARY LIMESTONE

Corfe Stone

USE PURBECK STONE

CORK

SN Buoyant, light material obtained from the cork

tree.

CL VEGETAL

BT WOOD

Cornbrash Limestone

USE OOLITIC LIMESTONE

Cornish Granite

USE **GRANITE**

Cornish Rustic

USE WEST COUNTRY SLATE

Cornish Slate

USE WEST COUNTRY SLATE

Correnie Granite

USE **GRANITE**

Corrugated Aluminium

USE ALUMINIUM

Corrugated Asbestos

USE ASBESTOS

Corrugated Iron

USE IRON

Corsehill Stone

USE SANDSTONE

Corsham Stone

USE BATH STONE

Cosgrove Stone

USE LINCOLNSHIRE LIMESTONE

Cotsw old Slate

USE COTSWOLD STONE

COTSWOLD STONE

UF Bladon Cotsw old Stone

Cotsw old Slate Guiting Stone Stanw ay Stone

SN Sandy, light brown (cream to golden) coloured limestone, easily w orked and readily available.

CL STONE

BT OOLITIC LIMESTONE

Coxbench Sandstone

USE SANDSTONE

Craigleith Stone

USE SANDSTONE

CRETACEOUS LIMESTONE

UF Bethersden Marble Charlw ood Stone

Istrian Stone

Large Paludina Marble
Laughton Marble
Laughton Stone
Petw orth Marble

Small Paludina Marble

Sussex Marble

SN Limestone formed during the Cretaceous period.

CL STONE

BT LIMESTONE

NT CAEN STONE

CHALK

KENTISH RAGSTONE

RT SUSSEX STONE

Crosland Hill Stone

USE YORK STONE

Culm Measures Stone

USE SANDSTONE

Culm Stone

USE SANDSTONE

Cumberland Stone

USE SANDSTONE

Darley Dale Stone

USE GRITSTONE (SANDSTONE)

Darney Stone

USE SANDSTONE

DAUB

SN Application of earth based plaster to a backing of lath or w attle used in internal or external w alls. Composite mixture w hich may include clay soil, dung, straw, lime putty, sand or horsehair.

CL EARTH MIX

RT LATH LIME

PLASTER WATTLE

Davie Blocks Stone

USE SANDSTONE

Deal

USE TIMBER

DECORATIVE PLASTER

SN Ornate or patterned decoration, carved into or moulded from plaster.

CL MATERIAL <BY FORM>

CL MAN MADE MATERIAL

BT PLASTER

NT PARGETING SCAGLIOLA

SCAGLIOL

Deepdale Fossil

USE CARBONIFEROUS LIMESTONE

Delabole Slate

USE WEST COUNTRY SLATE

Delph Stone

USE SANDSTONE

Derbydene

USE CARBONIFEROUS LIMESTONE

Derbyshire Fossil

USE CARBONIFEROUS LIMESTONE

Derbyshire Grit Stone

USE GRITSTONE (SANDSTONE)

Derbyshire Stone

USE SANDSTONE

Devon Granite

USE **GRANITE**

Devon Marble

USE LIMESTONE MARBLE

SN Use both terms.

Devon Slate

USE WEST COUNTRY SLATE

DEVONIAN LIMESTONE

UF Ashburton Marble

Chudleigh Stone

Plymouth Limestone

Plymouth Stone

Torquay Limestone

Torquay Marble

SN Limestone formed during the Devonian period, and found predominantly between the Exe and Tamar rivers in Devon. Varying in colour from black/grey to pink/w hite it w as often polished to imitate, and be used as, marble.

CL STONE

BT LIMESTONE

Diamanzite

USE **QUARTZITE**

DIORITE

UF Black Granite

SN Coarse grained, dark coloured, igneous rock.

CL STONE

Doddington Stone

USE SANDSTONE

DOLERITE

SN Medium grained, intrusive, black or dark green coloured, igneous rock.

CL STONE

RT GREENSTONE

RHYOLITE

WHINSTONE

DOLOMITE

UF Dolomitic Conglomerate

SN Soft, often w hite, but may be transparent.

Dolomite can be found on its own, but may also occur as a replacement mineral found in some rocks, particularly limestone, formed after action by magnesium-rich fluids.

CL MINERAL

RT MAGNESIAN LIMESTONE

Dolomitic Conglomerate

USE CONGLOMERATE
DOLOMITE

SN Use both terms

DOUBLE ROMAN TILE

SN A large rectangle roof tile w ith an upstand on one side, a roll in the centre and another roll on the other side, w hich fits over the upstand of the adjacent tile. The name does not denote a relationship w ith the Roman period.

CL MATERIAL <BY FORM>

BT TILE

Doulting Stone

USE OOLITIC LIMESTONE

Drew steignston Stone

USE **GRANITE**

Dukes Red Limestone

USE CARBONIFEROUS LIMESTONE

Dundee Marble

USE **GRANITE**

MARBLE

SN Use both terms.

Dundry Stone

USE **OOLITIC LIMESTONE**

Dunhouse Stone

USE SANDSTONE

Dunleary Stone

USE **GRANITE**

Dunston Stone

USE SANDSTONE

EARTH

 Combination of organic and inorganic material cohered to form a hard solid w all or covering.
 Use for structures created by the excavation and piling up of earth, such as ice houses. Earth may be used in combination with other materials.

CL EARTH MIX

PEAT

TURF

EARTH MIX

RT

SN Unbaked clays and/or soil material often mixed with, or performing the function of an aggregate or binder. See EARTH MIX Class List for narrow terms.

CL EARTH MIX

NT BRICKEARTH

CLAY

CLAY LUMP

COB

DAUB

EARTH

MARL

MUD

PISE

SAND

Efte Foil

USE ETHYLTETRAFLUOROETHYLENE FOIL

Elland Edge Flagrock

USE YORK STONE

Elland Edge Stone

USE YORK STONE

FI M

SN Deciduous w ood from the native elm tree, commonly used for framing or cladding of lesser timber framed structures due to its poorer w eathering qualities as compared to oak.

CL VEGETAL

BT WOOD

Elterw ater Slate

USE LAKE DISTRICT SLATE

ELVAN

UF Catacleuse

Grow an

Pentew an Stone

Trerice Porphry

Trerice Stone

SN Miner's term for fine grained, often light grey/faw n coloured porphyritic rocks. Commonly found in Devon and Cornw all.

CL STONE

BT PORPHYRY

RT GRANITE

Ematita Granite

USE GNEISS

Empire Stone

USE ARTIFICIAL STONE

ENCAUSTIC TILE

SN Glazed and decorated, patterned earthenw are tile combining different coloured clays which are inlaid and burnt in. Mainly used for flooring and external decoration.

CL MATERIAL <BY FORM>

BT TILE

ENGINEERING BRICK

- SN A dense, high strength, low absorption brick of uniform size, employed predominantly in industrial structures such as railway viaducts.
- CL MATERIAL <BY FORM>
- BT BRICK

ETHYLTETRAFLUOROETHYLENE FOIL

- UF Efte Foil
- SN Extremely thin foil made out of ethyltetraflouroethylene, a modified copolymer which is extruded into a thin film and which is related to Teflon. It has a very high level of light transmission in visible and ultra violet range. Used instead of glass.
- CL MAN MADE MATERIAL

Fabric

USE TEXTILE

FAIENCE

- UF Marmo
- SN Solid masonry slabs (tiles) of terracotta w hich are usually used as a cladding by bedding in concrete. Faience also refers to decorative glazed units.
- CL MAN MADE MATERIAL
- BT TERRACOTTA
- RT TILE

FELDSPAR

- SN Hard, often coloured, can be transparent. Found on its own as crystals and veins but also as a major constituent of all three geological rock types.
- CL MINERAL

FELT

- SN Fabric of fibrous materials consolidated by heat and mechanical action so that the fibres are matted together.
- CL TEXTILE

FIBREBOARD

- UF Hardboard
 - Medium Board

Medium Density Fibreboard

- SN A sheet formed from w ood w hich has been separated into its fibrous elements and reconstituted under pressure. The natural fibres produce resins w hich act as adhesive, but often additional adhesives are used.
- CL MAN MADE MATERIAL
- BT PANEL BOARD
- RT WOOD

FIBREGLASS

- SN Any material consisting of glass filaments woven into textiles, paper or board.
- CL MAN MADE MATERIAL

FIRESTONE

- SN Soft sandstone stained by iron oxide often used in the Surrey area.
- CL STONE
- BT SANDSTONE
- RT IRONSTONE

Fletton Brick

USE BRICK

FLINT

- UF Knapped Flint
- SN Hard, durable, dark grey stone, the purest native form of silica, w hich can either be used decoratively or as a main material. Predominantly found in East Anglia and the South East.
- CL STONE
- BT CHERT

Flint Lime Brick

USE BRICK

FLUORITE

- UF Fluorspar
- SN Soft mineral, colour varying from black/purple to yellow/green. Commonly found as a mineral vein.
- CL MINERAL

Fluorspar

USE FLUORITE

Forest Marble

USE JURASSIC LIMESTONE

MARBLE

SN Use both terms.

Forest Of Dean Stone

USE SANDSTONE

Forest Stone (Gloucestershire)

USE SANDSTONE

FOREST STONE (LEICESTERSHIRE)

- UF Charnwood Stone
 - Sw ithland Slate
- SN Collective name for a series of rocks (granite, syenite, porphry and slate) found in the Charnw ood Forest of Leicestershire. Index with specific stone type where given.
- CL STONE
- RT PORPHYRY

SCOTTISH SLATE

SLATE

SYENITE

FOSSIL

- UF Ammonite
- SN The remains of living organisms preserved in stone over a long time period. This may be the internal or external moulds of, usually, the hard parts of an organism (shells, bones, etc.).

Stonemason's term for any easily worked

- CL ANIMAL
- RT MINERAL

STONE

Foxs Wood Rubble

USE SANDSTONE

Freebed

USE LINCOLNSHIRE LIMESTONE

FREESTONE

- UF Hard York Freestone Langton Freestone
 - Yorkshire Freestone

sedimentary rock. Index with specific stone type w here given.

CL STONE

Frosterley Marble

USE CARBONIFEROUS LIMESTONE MARBLE

Use both terms.

Gaisby Stone

USE STONE

Galvanised Iron

USE GALVANIZED IRON

Galvanised Steel

USE GALVANIZED STEEL

GALVANIZED IRON

UF Galvanised Iron

SN Iron coated in zinc, giving good protection against w eathering.

CL **METAL**

IRON BT

GALVANIZED STEEL

Galvanised Steel

SN Steel coated in zinc, giving good protection against w eathering.

CL **METAL**

BT STEEL

Gatton Stone

USE REIGATE STONE

Ginger Bread Stone

USE CARSTONE

GLASS

SN Transparent, hard substance made by fusing soda-silica w hich solidifies from a molten state.

CL MAN MADE MATERIAL

NT SOLAR CONTROL GLASS

GNEISS

UF Alps Grey Granite

Ematita Granite

Madreperla

Verde Ematita

Coarse grained, metamorphic rock in which the colour is dependent upon the predominant mineral.

CL STONE

RT **GRANITE**

Godstone Stone

USE REIGATE STONE

GOLD

A precious metal characterised by its yellow colour and resistance to tarnishing.

CL **METAL**

GORSE

A spiny evergreen shrub of the pea family which can be utilized as a roof covering in areas of its predominance, eg. heathland.

CL **VEGETAL**

PLANT ВТ

RT THATCH

GRANITE

UF Baveno Granite

Biotite Granite

Bon Accord Red Granite

Channel Isle Granite

Cornish Granite

Correnie Granite

Devon Granite

Drew steignston Stone

Dundee Marble

Dunleary Stone

Granolithic Concrete

Graphic Granite

Grey Royal Granite

Hornblende Granite

Imperial Mahogany

Isle Of Man Granite

Kemnay Granite

Muscovite Granite New ham Stone

Pink Granite

Raddon Stone

Rose Sw ede Granite

Ross Of Mull Granite

Scotch Granite

Scottish Granite

Virgo Granite

A hard, coarse grained, durable igneous rock.

Can be used decoratively or as a main material.

Found throughout the country.

CL STONE

ABERDEEN GRANITE

MOORSTONE

MOUNTSORREL GRANITE

PETERHEAD GRANITE

SHAP GRANITE

ELVAN

GNEISS GREENSTONE

PORPHYRY

Granolithic Concrete

USF CONCRETE

GRANITE

Use both terms.

Graphic Granite

USE **GRANITE**

GRASS

SN Ground-covering herbage, some varieties of w hich can be used, especially when dried and in large quantities, as a construction material.

CL **VEGETAL**

RT **PLANT**

GRAVEL

Grains of rock fragment larger than coarse sand and finer than pebbles (diameter 2-4mm).

CL MATERIAL <BY FORM>

RT SAND

STONE

Green Brae Stone

USE SANDSTONE

Green Ventnor Stone

USE MALMSTONE

Greenmoor Stone

USE YORK STONE

Greensand Stone

USE SANDSTONE

Greenslate

USE LAKE DISTRICT SLATE

GREENSTONE

SN Geologist's term for any dark coloured, slightly metamorphosed igneous rock. Index with specific stone type where given.

CL STONE RT BASALT DOLERITE GRANITE

Grey Royal Granite

USE **GRANITE**

Greyw eathers

USE SARSEN STONE

Grinshill Stone

USE SANDSTONE

GRITSTONE (LIMESTONE)

SN Specific English quarryman's term for any limestone abundant in shell fragments. Use this term w ith care. When only Gritstone is mentioned, unless otherw ise specified, assume it to be Gritstone (Sandstone), since this is the most common usage.

CL STONE

BT JURASSIC LIMESTONE

GRITSTONE (SANDSTONE)

UF Birchover Stone

Birshover Gritstone

Chinley Moor Stone

Darley Dale Stone

Derbyshire Grit Stone

Hall Dale Stone

Matlock Stone

Millstone Grit

Revidae Grit

Stancliffe Stone

Watts Cliff Stone Wattscliffe Stone

Whatstandw ell Stone

SN Carboniferous sandstone varying in grain size from coarse to fine and in colour from w hite, yellow, pink to brow n. When only Gritstone is mentioned, unless otherw ise specified, assume it to be Gritstone (Sandstone), as this is the more common usage.

CL STONE

BT SANDSTONE

Grow an

USE ELVAN

Guiting Stone

USE COTSWOLD STONE

Hadene Stone

USE CARBONIFEROUS LIMESTONE

Hailes Stone

USE SANDSTONE

Hall Dale Stone

USE GRITSTONE (SANDSTONE)

HAM HILL STONE

UF Ham Stone

SN Shelly, gold/brown, coloured liassic limestone containing large quantities of crystalline calcite.

CL STONE BT LIAS

Ham Stone

USE HAM HILL STONE

Hard Rock

USE YORK STONE

Hard York

USE YORK STONE

Hard York Freestone

USE FREESTONE
YORK STONE
SN Use both terms.

Hardboard

USE FIBREBOARD

Hardw hite

USE LINCOLNSHIRE LIMESTONE

Hartham Park Stone

USE BATH STONE

Hatherleigh Stone

USE SANDSTONE

Hazlebury Stone

USE BATH STONE

Headington Stone

USE OOLITIC LIMESTONE

HEATHER

SN A dwarf shrub of the heath family used as an alternative to straw as a roof covering in moorland regions. Cut w hile in bloom and laid w ith the roots carefully entwined. The covering turns a characteristic black colour w ith age.

CL VEGETAL BT PLANT

RT THATCH

Heathstone

USE SARSEN STONE

Heavitree Stone

USE SANDSTONE

HERTFORDSHIRE PUDDINGSTONE

SN A conglomerate rock comprising well rounded flint pebbles in a very hard matrix of fine pale coloured sand, bound together by hard natural silica cement. The pebbles are usually coloured ochre or red and have black rims.

CL STONE

BT PUDDINGSTONE

RT BRECCIA

HIGH TENSILE STEEL

SN A strong alloy of steel.

CL METAL

BT STEEL

Hollington Stone

USE SANDSTONE

Hoptons Wood Stone

USE CARBONIFEROUS LIMESTONE

HORNBLENDE

SN Medium hard, green/black coloured. Found in many igneous and metamorphic rocks.

CL MINERAL

Hornblende Granite

USE **GRANITE**

HORNTON STONE

SN Compact grained, brow n/yellow/green/grey blue, coloured liassic limestone.

CL STONE

BT LIAS

Horsham Slab

USE HORSHAM STONE

HORSHAM STONE

UF Horsham Slab

SN Hard, fissile sandstone w hich w eathers to a dark brown colour. Mainly used as a stone roofing material (stone slate) throughout Sussex and Surrey.

CL STONE

BT SUSSEX STONE

Hovingham Stone

USE JURASSIC LIMESTONE

Huddlestone Stone

USE MAGNESIAN LIMESTONE

Hurdwick Stone

USE BASALT

Imitation Stone

USE ARTIFICIAL STONE

Imperial Mahogany

USE **GRANITE**

Industrial Waste

USE RESIDUE

IONA MARBLE

SN One of only three 'true' British marbles, pale green and w hite in colour.

CL STONE

BT MARBLE

IRON

UF Corrugated Iron

SN A malleable, ductile ferromagnetic metal widely used for structural and decorative purposes.

CL METAL

NT CAST IRON

GALVANIZED IRON WROUGHT IRON

IRONSTONE

UF Northamptonshire Stone

SN Collective name for any stone that has become impregnated with iron oxide. Index with specific stone type where given.

CL STONE

RT CARSTONE

FIRESTONE

LIAS

MALMSTONE

MARLSTONE

OOLITIC LIMESTONE

SANDSTONE

Isle Of Man Granite

USE **GRANITE**

Isle Of Wight Stone

USE BEMBRIDGE LIMESTONE

Istrian Stone

USE CRETACEOUS LIMESTONE

MARBLE

TERTIARY LIMESTONE

N Use all terms.

Italian Quartzite

USE SCHIST

Jaune Lamartine

USE MARBLE

JURASSIC LIMESTONE

UF Bletchingdon Marble

Forest Marble

Hovingham Stone

Pink Verona Marble

Verde Fraye

Verona Marble

Walling Stone

Yeovil Marble

SN Limestone formed during the Jurassic period. Provides many widely used building stones.

CL STONE

BT LIMESTONE

NT GRITSTONE (LIMESTONE)

LIAS

OOLITIC LIMESTONE

KEINTON STONE

SN Hard, w hite/grey coloured liassic limestone. Quarried near Somerton in Somerset.

CL STONE

BT BLUE LIAS

Kemnay Granite

USE **GRANITE**

Kentish Rag

USE KENTISH RAGSTONE

KENTISH RAGSTONE

UF Kentish Rag

Tonbridge Stone

SN Sandy, rough blue to green/grey coloured

limestone. Quarried in Kent and widely used throughout the South East.

CL STONE

BT CRETACEOUS LIMESTONE

Kerridge Stone

USE SANDSTONE

Ketton Stone

USE LINCOLNSHIRE LIMESTONE

Keuper Stone

USE SANDSTONE

KILLAS

SN Cornish miner's term for slates formed during the Carboniferous and Devonian periods.

CL STONE

BT SLATE

Killerton Stone

USE BASALT

Kirkstone Green

USE LAKE DISTRICT SLATE

Knapped Chert

USE CHERT

Knapped Flint

USE FLINT

Ladycross Stone

USE SANDSTONE

LAKE DISTRICT SLATE

UF Borrow dale Slate

Brathay Slate

Broughton Moor Slate

Burlington Blue Grey

Burlington Slate

Bursting Stone

Buttermere Slate

Cobble Stone

Elterw ater Slate

Greenslate

Kirkstone Green

Lakeland Green

Moss Rigg Slate

Skiddaw Slate

Spoutcrag

Westmoorland Green

Westmoorland Slate

SN Collective term for the Burlington (Silurian period) and Borrow dale (Ordovician period) groups of slates from the Lake District and parts of Cumbria, Lancashire. Hard, fine grained metamorphic rock, varying in colour from green/olive to black/blue black.

CL STONE

BT SLATE

RT SHALE

Lakeland Green

USE LAKE DISTRICT SLATE

Lane Head Stone

USE SANDSTONE

Langton Freestone

USE FREESTONE
PURBECK STONE

SN Use both terms.

Large Paludina Marble

USE CRETACEOUS LIMESTONE

MARBLE

SN Use both terms.

LATH

SN Narrow strips of w ood w hich can form the groundw ork for slates, panels or plaster w ork.

CL MATERIAL <BY FORM>

BT TIMBER

RT DAUB

PLASTER

Laughton Marble

USE CRETACEOUS LIMESTONE

MARBLE

SN Use both terms.

Laughton Stone

USE CRETACEOUS LIMESTONE

Lazonby Red Sandstone

USE SANDSTONE

LEAD

SN Metal used primarily for roof coverings and window fittings. It is easy to work, can be worked cold and does not rust which makes it suitable for holding or repelling water.

CL METAL

NT SHEET LEAD

LEATHER

SN Animal skin that has been hardened or treated by a tanning process.

CL ANIMAL

LIAS

UF Stow ev Stone

SN Collective term for the building limestones formed during the Low er Jurassic period.

CL STONE

BT JURASSIC LIMESTONE

NT BLUE LIAS

HAM HILL STONE

HORNTON STONE

MARLSTONE

RT CLAY

IRONSTONE

SANDSTONE

LIGHTWEIGHT CONCRETE

SN A concrete w hich is either aerated or made from lightw eight aggregate.

CL MAN MADE MATERIAL

BT CONCRETE

LIME

UF Lime Mortar

SN Calcium Oxide obtained by heating limestone in a kiln. Used as a constituent of modern mortar, or as slaked (non-hydraulic) lime in lime putty, daub, limew ash and traditional lime plaster, mortar and renders. CL MAN MADE MATERIAL

BT RESIDUE

RT CEMENT

DAUB

MORTAR

PLASTER

ROMAN CEMENT

Lime Mortar

USE LIME

MORTAR

SN Use both terms.

LIMESTONE

UF Calcareous Spar

Devon Marble

Membury Stone

Moolham Stone

Todber Stone

SN Sedimentary rock consisting mainly of calcium carbonate. Varying in grain size, colour and hardness, quarried and used throughout the

country.

NT CARBONIFEROUS LIMESTONE

CRETACEOUS LIMESTONE

DEVONIAN LIMESTONE

JURASSIC LIMESTONE

MAGNESIAN LIMESTONE

TERTIARY LIMESTONE

TUFACEOUS LIMESTONE

RT MALMSTONE

MARBLE

REIGATE STONE

SHALE

LINCOLNSHIRE LIMESTONE

UF Ancaster Stone

Barnack Stone

Casterton Stone

Clipsham Stone

Collyw eston Slate

Cosgrove Stone

Freebed

Hardw hite

Ketton Stone

Stamford Stone

Weatherbed

Weldon Stone

SN Generic term for the oolitic limestones quarried in Northamptonshire, Lincolnshire and Rutland.

Varying in grain size from medium to coarse, and

colour from cream to pale brow n.

CL STONE

BT OOLITIC LIMESTONE

Locharbriggs Stone

USE SANDSTONE

LONG STRAW

SN Composed of loose uncombed lengths of harvested w heat w hich are formed into bundles for laying. Distinctive appearance w ith both ears and butts visible on the surface traditionally using hazel spars w hich hold the straw in place.

CL VEGETAL

BT STRAW

RT THATCH

Longford Rustic Slate

USE SLATE

Low er Greensand

USE SANDSTONE

Lyddite

USE CHERT

Madreperla

USE GNEISS

MAGNESIAN LIMESTONE

UF Anston Stone

Bolsover Moor

Huddlestone Stone

Mansfield Woodhouse Stone

Roche Abbey Stone

Steetly Stone

Tadcaster Stone

SN Permian limestones w hich have had their chemical composition naturally altered w ith the calcium content being replaced by magnesium. Fine grained and varying from yellow /brow n to cream in colour, although they weather to a dark grey.

CL STONE

BT LIMESTONE

RT DOLOMITE

MAJOLICA

SN Fine earthenw are with raised patterns of coloured decoration in the form of an enamel or coloured opaque glaze. Use for decorative wall facings.

CL MAN MADE MATERIAL

BT CERAMIC

Malm (Brick)

USE BRICK

Malm (Stone)

USE MALMSTONE

MALMSTONE

UF Green Ventnor Stone

Malm (Stone)

SN A soft, grey to w hite coloured, sandstone formed during the Cretaceous period, w hose sand grains are cemented together w ith lime.

CL STONE

BT SANDSTONE

RT IRONSTONE

LIMESTONE

MAN MADE MATERIAL

SN A material or combination of materials manufactured by human effort, or fashioned into shape by man or a man made industrial process (excluding metal). See MAN MADE MATERIAL Class List for narrow terms.

L MAN MADE MATERIAL

NT ARTIFICIAL STONE

ARTIFICIAL TIMBER

ASBESTOS

BITUMEN

BITUMINOUS FELT

CEMENT MIX

CERAMIC

MARI ETHYLTETRAFLUOROETHYLENE FOIL **FIBREGLASS** SN A mixed earthy substance consisting principally **GLASS** of clay mixed with calcium carbonate and sand in PANEL BOARD very variable proportions. **PAPER** CL EARTH MIX **PLASTIC** MARLSTONE RENDER UF Uppingham Stone RESIDUE Fine grained, iron rich, liassic limestone, found in RUBBER Dorset, Somerset, Oxfordshire, Mansfield Stone Northamptonshire, Leicestershire and Rutland. USE SANDSTONE CL STONE ВТ LIAS Mansfield Woodhouse Stone **IRONSTONE** USE MAGNESIAN LIMESTONE **SEPTARIA MARBLE** Marmo UF Ashburton Marble USE FAIENCE Australian Marble MATERIAL <BY FORM> Bethersden Marble Bletchingdon Marble SN A raw material determined by its form or a Breche Rose finished product material characterised by its end Charlw ood Stone shape or form. See MATERIAL <BY FORM> Class Devon Marble List for narrow terms. Dundee Marble MATERIAL <BY FORM> Forest Marble ARTIFICIAL SLATE Frosterley Marble ASHLAR Istrian Stone **BRICK** Jaune Lamartine CANVAS Large Paludina Marble COBBLE Laughton Marble **DECORATIVE PLASTER** Parian Marble **GRAVEL** Pennon Marble **PEBBLE** Pentelic Marble **RUBBLE** Petw orth Marble **TESSERA** Pink Verona Marble THATCH Purbeck Marble TILE Sicilian Marble **TIMBER** Skyros Marble MATHEMATICAL TILE Small Paludina Marble Tile nailed externally to a wall and usually laid in Sussex Marble mortar designed to present a brick-like Teesdale Marble appearance. Tinos CL MATERIAL <BY FORM> Torquay Marble Travertine ВТ TILE RT **BRICK** Verde Antico Verde Frave Matlock Stone Verona Marble USE GRITSTONE (SANDSTONE) Yeovil Marble Collective name for, in a true geological sense, a Medium Board metamorphosed limestone, eg. Carrara marble, USE FIBREBOARD and, in the British sense any decorative stone that will take a polish, eg. Purbeck marble. In the Medium Density Fibreboard latter's case index with specific stone type USE FIBREBOARD w here given. Membury Stone CL STONE CAMPAN MARBLE USE LIMESTONE CARRARA MARBLE Merstham Stone CONNEMARA MARBLE IONA MARBLE USE REIGATE STONE SKYE MARBLE METAL **ALABASTER** Class of elements and alloys that are CARBONIFEROUS LIMESTONE characteristically lustrous, ductile, fusible and LIMESTONE malleable. These are extracted from ore minerals **POLY PHANT**

PURBECK STONE

SCAGLIOLA

originally existing in nature and processed before

becoming a recognisable metal. See METAL Class

List for narrow terms

Moss Rigg Slate CL **METAL** USE LAKE DISTRICT SLATE **ALUMINIUM BRASS** Moulton Stone **BRONZE** USE SANDSTONE **COPPER GOLD** Mount Sorrel Granite **IRON** USE MOUNTSORREL GRANITE **LEAD** SILVER **MOUNTSORREL GRANITE** STEEL Mount Sorrel Granite TIN Mountsorrel Stone ZINC Very hard, rough medium/coarse grained, pink to PLYMETAL grey coloured granite. Usually found and guarried in Leicestershire. Metamorphic Stone CL STONE USE STONE **GRANITE** Midhurst Stone Mountsorrel Stone USE SUSSEX STONE USE MOUNTSORREL GRANITE Mill Hill Slate MUD USE WEST COUNTRY SLATE SN Wet soil, sand or other earthy matter combined Millstone Grit with ballast and bonded with straw or other binding material. Walls are built in the absence of USE GRITSTONE (SANDSTONE) shuttering by the simple process of pitching in MINERAL layers. SN Natural inorganic substance possessing a CL EARTH MIX definite chemical composition in a crystalline form. Mudstone See MINERAL Class Listnfor narrow terms. USE SHALE CL MINERAL DOLOMITE Muscovite Granite **FELDSPAR** USE GRANITE **FLUORITE HORNBLENDE** New ham Stone **QUARTZ** USE **GRANITE** RT **FOSSIL** Northamptonshire Stone Monks Park Stone USE IRONSTONE USE BATH STONE OAK Moolham Stone SN A native hardwood of the Beech family with hard USE LIMESTONE and durable characteristics which traditionally MOORSTONE made it appropriate for structural work. CL **VEGETAL** Stonemason's name for granite found lying upon WOOD BT the moorland surface, as opposed to having been quarried, in the West Country and the Lake Oolite District. Used, as found, since prehistoric times, USE OOLITIC LIMESTONE in later years was often dressed and shaped. CL STONE **OOLITIC LIMESTONE** ВТ **GRANITE** Campden Stone RT SARSEN STONE Cary Stone Charlbury Stone **MORTAR** Coral Rag Limestone UF Lime Mortar Cornbrash Limestone SN A mixture of lime or more recently cement with **Doulting Stone** sand and water used for bonding stones or **Dundry Stone** bricks. Headington Stone CL MAN MADE MATERIAL Oolite CEMENT MIX Oxford Stone CEMENT Painswick Stone LIME Stonesfield Slate SAND Taynton Stone Wheatley Stone Mosaic Limestone formed during the Jurassic period. USE TESSERA Composed of ooliths, literally small rock particles

with the appearance of fish roe.

CL STONE

BT JURASSIC LIMESTONE

NT BATH STONE

COTSWOLD STONE

LINCOLNSHIRE LIMESTONE

PORTLAND STONE

RT IRONSTONE

Orton Scar Limestone

USE CARBONIFEROUS LIMESTONE

Otta Slate

USE SCHIST

Oxford Stone

USE **OOLITIC LIMESTONE**

Painswick Stone

USE OOLITIC LIMESTONE

PAINTED PLASTER

UF Painted Wall Plaster

SN Plaster which has been painted either for decorative purposes or to protect it.

CL MAN MADE MATERIAL

BT PLASTER

Painted Wall Plaster

USE PAINTED PLASTER

PANEL BOARD

SN Large board used for covering the internal surfaces of a building, ie. floors, w alls and ceilings. Some forms can be used as external cladding.

CL MAN MADE MATERIAL

NT FIBREBOARD

PLYMETAL

PLYWOOD

WOODWOOL SLAB

PANTILE

SN Curved, interlocking roof tile of S-shaped section usually made of clay or concrete.

CL MATERIAL <BY FORM>

BT TILE

RT CLAY

CONCRETE

PAPER

SN Thin flexible sheets made from the pulp of w ood or other fibrous matter.

CL MAN MADE MATERIAL

RT WOOD

PARGETING

UF Pargetting

SN External decorative plasterw ork often incised or modelled with ornamental patterns. Usually applied to timber-framed houses, especially during 16th and 17th centuries.

CL MAN MADE MATERIAL

BT DECORATIVE PLASTER

CL MATERIAL <BY FORM>

BT DECORATIVE PLASTER

Pargetting

USE PARGETING

Parian Marble

USE MARBLE

Pavonazzo

USE CARRARA MARBLE

PEAT

UF Peat Brick

SN Part-decomposed vegetable matter formed under w aterlogged conditions into a firm, brown deposit resembling soil. Used as a brick for infilling in timber framed w alls.

CL VEGETAL RT BRICK EARTH

Peat Brick

USE PEAT

PEBBLE

SN Rock fragment (diameter 4-64mm) larger than gravel and smaller than cobble, combined with other material e.g. flint, for decorative effect.

CL MATERIAL <BY FORM>

RT PEBBLEDASH

STONE

PEBBLEDASH

SN A render with small washed stones added as aggregate. Popular in the early 20th century.

CL MAN MADE MATERIAL

BT RENDER

RT PEBBLE

Pencaemaur Stone

USE SANDSTONE

Penmon Limestone

USE CARBONIFEROUS LIMESTONE

PENNANT STONE

SN Hard, fine grained, blue/grey coloured sandstone. Quarried in South Wales and the Bristol area and commonly used, throughout the country, as a stone roofing material (stone slate).

CL STONE

BT SANDSTONE

Pennon Marble

USE CARBONIFEROUS LIMESTONE
MARBLE

SN Use both terms.

Penrhyn Slate

USE WELSH SLATE

Penrith Red Sandstone

USE SANDSTONE

Penshaw Sandstone

USE SANDSTONE

Pentelic Marble

USE MARBLE

Pentew an Stone

USE ELVAN

Permian Sandstone

USE SANDSTONE

PETERHEAD GRANITE

- UF Blue Peterhead Granite
- SN Coarse grained, dark coloured granite, quarried in the Peterhead and Cairngall areas of Scotland, but used throughout the North.
- CL STONE
- BT GRANITE

Petw orth Marble

USE CRETACEOUS LIMESTONE

MARBLE

SN Use both terms.

Pillaguri Slate

USE SCHIST

PINE

- SN Wood of a coniferous tree native to Scotland and Scandinavia
- CL VEGETAL
- BT WOOD

Pink Granite

USE **GRANITE**

Pink Verona Marble

USE JURASSIC LIMESTONE

MARBLE

SN Use both terms.

PISE

- UF Pise De Terre
- SN Rammed earth or clay of a low moisture content used to make floors or walls, or found between shuttering.
- CL EARTH MIX

Pise De Terre

USE PISE

PLANT

- SN Any tree, shrub or herb of cellulose form, normally subsisting in soil and producing its food through photosynthesis.
- CL VEGETAL

NT GORSE

GRASS

HEATHER

RFFD

SEAWEED

STRAW

PLASTER

- SN Lime plaster, consisting of lime and sand, is the oldest type of render. Applied externally to walls or onto laths for infill panels and usually limew ashed.
- CL MAN MADE MATERIAL
- BT RENDER
- NT DECORATIVE PLASTER

PAINTED PLASTER

RT DAUB

LATH

LIME

PLASTIC

SN Any of large class of polymers based on synthetic resins or modified natural polymers

- w hich may be moulded, extruded or cast w hile soft or liquid, w hich then set rigidly or slightly elastic in form.
- CL MAN MADE MATERIAL

NT BAKELITE

POLYCARBONATE POLYVINYL CHLORIDE

RT RUBBER

Plymax

USE PLYMETAL

PLYMETAL

- UF Plymax
- SN Structural board comprising a core of thin layers of w ood bonded together, w hich is faced on one or both sides w ith a sheet of metal, usually galvanised steel or aluminium. Mainly used for external w all cladding.
- CL MAN MADE MATERIAL
- BT PANEL BOARD
- RT METAL WOOD

Plymouth Limestone

USE **DEVONIAN LIMESTONE**

Plymouth Stone

USE **DEVONIAN LIMESTONE**

PLYWOOD

- SN Thin layers of w ood, bonded together to form a structural board. The grain of the adjacent layers lie across one another to give structural strength. Produced since mid 19th century for use in interior joinery, since 1930's for exterior use.
- CL MAN MADE MATERIAL
- BT PANEL BOARD
- RT WOOD

POLYCARBONATE

- SN Very tough transparent sheeting often used for security glazing.
- CL MAN MADE MATERIAL
- BT PLASTIC

POLYPHANT

- SN Compact, grey/green/brow n/w hite-speckled coloured igneous rock, peculiar to Cornw all. It is easy to carve and readily takes a polish, hence its similarity to British marbles.
- CL STONE
- RT MARBLE SERPENTINE

POLYVINYL CHLORIDE

- SN A type of thermoplastic polymer w hich is versatile and cheap, often referred to as PVC. This includes plasticized PVC and unplasticized PVC (uPVC).
- CL MAN MADE MATERIAL
- BT PLASTIC

PORPHYRY

- SN Traditional term for any fine to medium grained igneous rock, containing large crystal fragments.
- CL STONE
- NT ELVAN
- RT FOREST STONE (LEICESTERSHIRE)

GRANITE

PORTLAND CEMENT

- SN A form of cement originally named since it w as said to be like Portland Stone in appearance.
- CL MAN MADE MATERIAL
- BT CEMENT

Portland Roach

USE PORTLAND STONE

PORTLAND STONE

UF Base Bed

Rasehed

Chilmark Stone

Portland Roach

Ridgew ay Stone

Roach Stone

Tisbury Stone

Whit Bed

Whitbed

SN Fine to coarse grained, cream to green/grey coloured oolitic limestone. Quarried since Roman times, it is one of Britain's best building stones, hence its use throughout the country.

CL STONE

BT OOLITIC LIMESTONE

NT PURBECK STONE

PRESTRESSED CONCRETE

- SN Concrete, containing bars or wires, which is compressed to greatly increase its strength.
- CL MAN MADE MATERIAL
- BT CONCRETE

Prudham Stone

USE SANDSTONE

PUDDINGSTONE

- SN Conglomerate consisting of rounded flint pebbles held together in a natural silica and sand cement.
- CL STONE
- BT CONGLOMERATE
- NT HERTFORDSHIRE PUDDINGSTONE
- RT BRECCIA

Pulborough Stone

USE SUSSEX STONE

PULHAMITE STONE

- SN A patented manmade rock invented by James Pulham and Son of Broxbourne. Pulhamite w as used to join natural rocks together or crafted to simulate natural stone features. It is an artificial form of sandstone.
- CL MAN MADE MATERIAL
- BT ARTIFICIAL STONE

Purbeck Marble

USE MARBLE

PURBECK STONE

SN Use both terms.

Purbeck Portland

USE PURBECK STONE

PURBECK STONE

UF Corfe Stone Langton Freestone Purbeck Marble Purbeck Portland Sw anage Stone

SN Collective name for the oolitic limestone quarried in the Isle of Purbeck region, geologically classified into two main groups. Firstly, a fine grained w hitish variety, Purbeck Portland, secondly a fossil-rich cream/gold to grey variety, Sw anage Stone etc

CL STONE

BT PORTLAND STONE

RT MARBLE

Quarr Stone

USE BEMBRIDGE LIMESTONE

QUARTZ

SN Hard, transparent, often coloured mineral. Can be found on its own as crystals and veins but also as a major constituent of rocks such as granite. Often used decoratively.

CL MINERAL

RT QUARTZITE

QUARTZITE

UF Diamanzite

Safari Quartzite

SN Medium grained, hard, w hite/grey coloured stone consisting of quartz and often silica, produced by the metamorphosis of sandstone.

CL STONE

RT QUARTZ

Raddon Stone

USE **GRANITE**

Rag

USE RAGSTONE

Rag Slate

USE SLATE

RAGSTONE

UF Ra

SN Stonemason's term for any coarse/hard stone that is not easily worked. Index with specific stone type where given. Not to be confused with Kentish Ragstone.

CL STONE

Rainhill Stone

USE SANDSTONE

Rainow Stone

USE SANDSTONE

Rassau Stone

USE SANDSTONE

Red Wilderness Stone

USE SANDSTONE

REED

UF Water Reed

SN The tall, straight stalks or stems formed by plants found in the w etland areas, particularly The Fens. Used as a roofing material, the reed is laid w ith the ends forming the exposed covering surface.

CL VEGETAL

BT PLANT RT THATCH

REIGATE STONE

UF Gatton Stone Godstone Stone

Merstham Stone

SN Soft, medium grained, green/grey coloured, highly calcareous, cretaceous sandstone. Mined (more frequently than quarried) since pre-Norman times from the Reigate area of Surrey.

CL STONE

BT SANDSTONE

RT LIMESTONE

REINFORCED CONCRETE

SN Aggregate, cement and mortar combined with structural elements of iron or steel mesh or rod reinforcement to form stonelike masses for load bearing, structural building work.

CL MAN MADE MATERIAL

BT CONCRETE

RT STEEL

Rembrandt Stone

USE SCHIST

RENDER

UF Cement Render

Tyrolean

SN A general term for the w eatherproof coat on the external w alls of a building.

CL MAN MADE MATERIAL

NT PEBBLEDASH

PLASTER

ROUGHCAST

STUCCO

RESIDUE

UF Industrial Waste

SN By-product or w aste, resulting from an industrial process.

CL MAN MADE MATERIAL

NT CLINKER

LIME

SLAG

RT BREEZE BLOCK

Revidge Grit

USE GRITSTONE (SANDSTONE)

RHYOLITE

SN Fine grained, acidic, light-grey/w hite/ brow n/redcoloured igneous rock.

CL STONE

RT BASALT

DOLERITE

SERPENTINE

SYENITE

Ridgew ay Stone

USE PORTLAND STONE

Ringby Stone

USE SANDSTONE

Riven Slate

USE SLATE

Roach Stone

USE PORTLAND STONE

Roche Abbey Stone

USE MAGNESIAN LIMESTONE

ROMAN CEMENT

SN Technically a quick setting hydraulic cement or lime, but term has been adapted to denote cement made from burning lumps of marl found in London clay, a technique adopted for C19th building w ork. Name not intended to denote a relationship w ith Roman period

CL MAN MADE MATERIAL

BT CEMENT MIX

RT LIME

SEPTA RIA

ROMAN TILE

UF Single Roman Tile

SN Single lap regular shaped roof covering w hich can have one or more w ater channels. Typically made of clay or concrete. The name does not denote a relationship w ith the Roman period.

CL MATERIAL <BY FORM>

BT TILE

Roofing Felt

USE BITUMINOUS FELT

Rose Brae Stone

USE SANDSTONE

Rose Sw ede Granite

USE **GRANITE**

Ross Of Mull Granite

USE **GRANITE**

ROUGHCAST

SN A render including an aggregate of gravel or stone chipping thrown rather than trow elled onto an external wall.

CL MAN MADE MATERIAL

BT RENDER

Ruabon Brick

USE BRICK

TERRACOTTA

SN Use both terms.

RUBBER

SN Flexible, synthetic, polymeric organic material formed by chemical synthesis usually in imitation of a natural substance. It can be moulded to shape, extruded or formed into a sheet from solid or foam material.

CL MAN MADE MATERIAL

RT PLASTIC

RUBBLE

SN Rough, unhew n, undressed building stones with irregular faces, generally not laid in regular courses. Index with type of stone if specified.

CL MATERIAL <BY FORM>

RT STONE

Rubislaw Granite

USE ABERDEEN GRANITE

Safari Quartzite

USE QUARTZITE

Salcombe Stone

USE SANDSTONE

Salterw ath

USE CARBONIFEROUS LIMESTONE

SAND

SN Granular material consisting of small eroded fragments of rock or mineral grains, finer than gravel used as an ingredient in mortar and other traditional building materials.

CL EARTH MIX
RT CEMENT
CONCRETE
GRAVEL
MORTAR

SANDSTONE

UF Auchinlea Stone

Blaxter Stone
Bramley Fall Stone
Britannia Stone
Bunter Stone
Caerbw dy Stone
Caithness Flagstone
Cardeston Stone
Chatw ell Stone
Clashach Stone

Corsehill Stone
Coxbench Sandstone
Craigleith Stone

Culm Measures Stone

Culm Stone
Cumberland Stone
Darney Stone
Davie Blocks Stone
Delph Stone
Derbyshire Stone

Derbyshire Stone Doddington Stone Dunhouse Stone Dunston Stone

Forest Of Dean Stone

Forest Stone (Gloucestershire)

Foxs Wood Rubble
Green Brae Stone
Greensand Stone
Grinshill Stone
Hailes Stone
Hatherleigh Stone
Heavitree Stone
Hollington Stone
Kerridge Stone
Keuper Stone
Ladycross Stone
Lane Head Stone
Lazonby Red Sandsto

Lazonby Red Sandstone
Locharbriggs Stone
Low er Greensand
Mansfield Stone
Moulton Stone
Pencaemaur Stone
Penrith Red Sandstone
Penshaw Sandstone
Permian Sandstone
Prudham Stone

Rainhill Stone
Rainow Stone
Rassau Stone
Red Wilderness Stone

Ringby Stone
Rose Brae Stone
Salcombe Stone
Soudley Stone
Spinkw ell Stone
Springw ell Stone
Spynie Stone
St Bees Stone
St Boniface Stone
Stainton Stone
Sw indon Stone

Tixall Stone

Thorverton Stone

Waterholes Sandstone

Wellfield Stone Whitby Stone Windy Hill Stone Woolton Stone Yorkshire Delph

SN Geologically sandstone consists of particles of quartz naturally cemented together by either silica, calcium or iron. It is this geological composition that accounts for the varying colours and grain sizes found in the many building

sandstones. CL STONE

NT BARGATE STONE

CARSTONE

FIRESTONE

GRITSTONE (SANDSTONE)

MALMSTONE PENNANT STONE REIGATE STONE SARSEN STONE SUSSEX STONE YORK STONE

RT CARBONIFEROUS LIMESTONE

IRONSTONE LIAS SHALE

Sanfront Stone

USE SCHIST

SARSEN STONE

JF Greyw eathers

Heathstone

SN Extremely hard, fine grained, grey to brown silica rich sandstone. It is often found on the surface of the South Downs and has been used, as found, since prehistoric times.

CL STONE BT SANDSTONE RT MOORSTONE

SCAGLIOLA

UF Stucco Lustro

SN Composite substance of plaster formed by gypsum, sand and lime and coloured with pigments, fixed under heat and highly polished.

Used to imitate marble and popular in the 17th and 18th centuries for architectural features.

CL MAN MADE MATERIAL

BT DECORATIVE PLASTER

CL MATERIAL <BY FORM>

ВТ DECORATIVE PLASTER

RT ARTIFICIAL STONE

MARBLE

SCHIST

UF Alta Quartzite

Altazite

Barge Quartzite

Italian Quartzite

Otta Slate

Pillaguri Slate

Rembrandt Stone

Sanfront Stone

Medium to coarse grained metamorphic rock, colour being determined by its dominant mineral. Often used for floor and wall cladding.

CL STONE

Scotch Granite

USE **GRANITE**

Scotch Slate

USE SCOTTISH SLATE

Scottish Granite

USE **GRANITE**

SCOTTISH SLATE

Ballachulish Slate

Scotch Slate

SN Collective term for the Scottish Slates including the Aberdeen/Baniff and Ballachulish/Easdale groups. Fine grained, varying in colour from brown to dark grey/blue. Geologically different from Lake District, Welsh and West Country groups of slate.

CL STONE

RT SLATE

RT FOREST STONE (LEICESTERSHIRE)

SEAWEED

Multicellular marine alga, which grows on the SN seashore, in salt marshes, in brackish water or submerged in the ocean.

CL VEGETAL

ВТ **PLANT**

SEPTARIA

Conglomerate consisting of nodules of calcium rich clay (marl). Used as a building stone from Roman times and as a key ingredient in Parker's Roman Cement, between 1796 and circa 1850.

CL STONE

ВТ CONGLOMERATE

MARLSTONE

ROMAN CEMENT

SERPENTINE

Serpentinite

Tinos

Verde Antico

Medium to coarse grained, green to dark red/black coloured igneous rock, mainly found on The Lizard, South West Cornw all. Due to its fragmentary structure, Serpentine is mainly used for decorative and ornamental purposes.

STONE CL

BASALT RT

CONNEMARA MARBLE

POLY PHANT RHYOLITE SYENITE

Serpentinite

USE SERPENTINE

SHALE

UF Mudstone

Soft, very fine grained, dark coloured, sedimentary rock which splits easily.

CARBONIFEROUS LIMESTONE

LAKE DISTRICT SLATE

LIMESTONE

SANDSTONE

SILTSTONE

SLATE

WELSH SLATE

WEST COUNTRY SLATE

SHAP GRANITE

Adamelite

Hard, coarse grained, grey to red/brow n coloured granite. Used predominantly for tombstones becasuse of its ability to take a polish, but it is also in demand for underwater construction.

Cl STONE

ВТ **GRANITE**

SHEET LEAD

SN Lead which has been rolled into a sheet and often used as a roof covering.

CL **METAL**

BT **LEAD**

SHELL

Hard, protective covering made largely of calcium salts secreted by soft bodied invertebrate animals.

ANIMAL CL

SHINGLE

SN Wooden roof tile (traditionally oak) which is riven or saw n from good quality timber to a regular size and used as a roof and/or wall covering. Index with type of wood if known.

CL MATERIAL <BY FORM>

RT TIMBER

TII F

RT TILE

TIMBER

Sicilian Marble

USE MARBLE

SILTSTONE

Fine grained, yellow/buff to grey/black coloured sedimentary rock.

CL STONE

RT SHALE

SILVER

A precious metal of lustrous white colour with great malleability and ductility.

CL METAL Single Roman Tile

USE ROMANTILE

Skiddaw Slate

USE LAKE DISTRICT SLATE

SKYE MARBLE

SN One of only three 'true' British marbles, w hite in colour, predominantly used for sculptures and statues.

CL STONE

BT MARBLE

Skyros Marble

USE MARBLE

SLAG

SN Waste material or dross separated from metals during smelting or refining.

CL MAN MADE MATERIAL

BT RESIDUE

SLATE

UF Longford Rustic Slate

Rag Slate Riven Slate Sw ithland Slate

SN Collective term for a hard, fine grained, dark coloured metamorphic rock, which splits easily; hence its common use as a roofing and flooring material, and a functional description for any rectangular, sheet, roofing material.

CL STONE

NT KILLAS

LAKE DISTRICT SLATE SCOTTISH SLATE WELSH SLATE

WEST COUNTRY SLATE

RT FOREST STONE (LEICESTERSHIRE) SHALE

SLURRY

SN Cement/w ater mix often used as covering. Use this for entries including slurrying and slurried.

CL MAN MADE MATERIAL

BT CEMENT MIX RT CEMENT

Small Paludina Marble

USE CRETACEOUS LIMESTONE
MARBLE

SN Use both terms.

SOLAR CONTROL GLASS

SN Glass to control or reduce the effects of the sun, includes both reflective and absorpative types of glass.

CL MAN MADE MATERIAL

BT GLASS

Soudley Stone

USE SANDSTONE

SPANISH TILE

SN Single lap roof covering made of clay. Half cylinder in profile although one end is slightly wider than the other. A Spanish tile roof covering comprises under-tiles and over-tiles, the two have the same shape, but the under-tile is slightly

larger.

CL MATERIAL <BY FORM>

BT TILE

Spinkw ell Stone

USE SANDSTONE

Spoutcrag

USE LAKE DISTRICT SLATE

Springw ell Stone

USE SANDSTONE

Spynie Stone

USE SANDSTONE

St Aldhelm Stone

USE BATH STONE

St Bees Stone

USE SANDSTONE

St Boniface Stone

USE SANDSTONE

Staffordshire Blue Brick

USE BRICK

Stainless Steel

USE STEEL

Stainton Stone

USE **SANDSTONE**

Stamford Stone

USE LINCOLNSHIRE LIMESTONE

Stancliffe Stone

USE GRITSTONE (SANDSTONE)

Stanway Stone

USE COTSWOLD STONE

STEEL

UF Stainless Steel

SN An alloy of iron and carbon, its strength makes it suitable for load bearing purposes. It is primarily used in structural steelw ork and concrete reinforcement.

CL METAL

NT GALVANIZED STEEL
HIGH TENSILE STEEL
WEATHERING STEEL
RT REINFORCED CONCRETE

Steetly Stone

USE MAGNESIAN LIMESTONE

Stoke Ground Stone

USE BATH STONE

STONE

UF Gaisby Stone Metamorphic Stone

SN Rock of definite form and size, usually artificially shaped. See STONE CLass List for narrow terms.

CL STONE

NT ALABASTER BASALT BRECCIA CHERT

CONGLOMERATE

DIORITE

DOLERITE

FOREST STONE (LEICESTERSHIRE) FREESTONE

GNEISS GRANITE GREENSTONE

IRONSTONE LIMESTONE

MARBLE

POLYPHANT PORPHYRY

QUARTZITE

RAGSTONE

RHYOLITE

SANDSTONE

SCHIST

SERPENTINE

SHALE

SILTSTONE

SLATE

SYENITE

TUFF

WHINSTONE

RT ARTIFICIAL STONE

COBBLE FOSSIL GRAVEL PEBBLE RUBBLE

Stonesfield Slate

USE OOLITIC LIMESTONE

Stow ey Stone

USE LIAS

STRAW

SN Roofing material consisting of stems or stalks of w heat, rye, oats or barley separated from grain and laid flat in 'yealms' w hich form an overlapping surface w hich sheds w ater.

CL VEGETAL

BT PLANT

NT COMBED WHEAT REED

LONG STRAW

RT THATCH

STUCCO

SN Smooth rendering applied to the exterior of buildings which may be incised to suggest coursed masonry. Made of lime and sand or brick dust, and more recently, cement.

CL MAN MADE MATERIAL

BT RENDER

Stucco Lustro

USE SCAGLIOLA

Sussex Marble

USE CRETACEOUS LIMESTONE
MARBLE

SN Use both terms.

SUSSEX STONE

JF Bognor Rock
Calverley Stone
Midhurst Stone
Pulborough Stone
Tunbridge Wells Stone

SN Fine grained, buff, brown to green coloured Cretaceous sandstone. Quarried at various locations in Sussex. Not to be confused with Sussex marble which is a cretaceous limestone.

CL STONE

BT SANDSTONE

NT HORSHAM STONE

WEALDEN STONE

RT CRETACEOUS LIMESTONE

Sw aledale Fossil

USE CARBONIFEROUS LIMESTONE

Sw anage Stone

USE PURBECK STONE

Sw edish Green Granite

USE SYENITE

Sw indon Stone

USE SANDSTONE

Sw ithland Slate

USE FOREST STONE (LEICESTERSHIRE) SLATE

SN Use both terms.

SYENITE

UF Sw edish Green Granite

SN Hard, coarse grained, green to pink coloured igneous rock. Commonly used as a polished cladding.

CL STONE

RT FOREST STONE (LEICESTERSHIRE)

RHYOLITE SERPENTINE

Tadcaster Stone

USE MAGNESIAN LIMESTONE

TAR

SN Thick, viscid liquid, obtained by the distillation of w ood, coal or other organic substances, chemically a mixture of hydrocarbons w ith resins.

CL MAN MADE MATERIAL

BT BITUMEN

TARMACADAM

SN Road or paving material combining crushed stone, rolled and mixed with bitumen type mixer.

CL MAN MADE MATERIAL

BT BITUMEN

Taynton Stone

USE OOLITIC LIMESTONE

Teesdale Marble

USE MARBLE

TERRACOTTA

UF Ruabon Brick

SN Hard, unglazed, brown, versatile earthenware

w hich can be used as a tile or moulded into statuary. Used in a structural or semi-structural context as a moulded hollow block.

CL MAN MADE MATERIAL

BT CERAMIC

NT FAIENCE

RT TILE

TERTIARY LIMESTONE

UF Coralline Crag Istrian Stone

SN Hard, fossil rich, w hite to deep red coloured limestone, laid down during the Tertiary period.

Used since Roman times because of its good durability and w eathering properties.

CL STONE

BT LIMESTONE

NT BEMBRIDGE LIMESTONE

TESSERA

UF Mosaic

SN Squared block of glass, tile, stone or marble used in mosaic.

CL MATERIAL <BY FORM>

TEXTILE

UF Fabric

SN A w oven or bonded fabric or cloth. See TEXTILE Class List for narrow terms.

CL TEXTILE

NT FELT

THATCH

SN Traditional roof covering consisting of materials such as reed, straw or heather layered and fastened together onto roof to form a run off to prevent water penetration.

CL MATERIAL <BY FORM>

RT GORSE

HEATHER

LONG STRAW

REED

STRAW

Thermalite

USE BREEZE BLOCK

Thorverton Stone

USE SANDSTONE

TILE

UF Cement Tile
Clay Tile
Concrete Tile

SN Tablet of a uniform shape. Used as finishing or covering materials which fit together in a regular format.

CL MATERIAL <BY FORM>

NT DOUBLE ROMAN TILE

ENCAUSTIC TILE

MATHEMATICAL TILE

PANTILE

ROMAN TILE

SHINGLE

SPANISH TILE

TRIPLE ROMAN TILE

RT CERAMIC

CLAY

CONCRETE FAIENCE SHINGLE

TERRA COTTA

TIMBER

UF Deal

SN Wood, cut and seasoned so forming or capable of forming any part of a structure. May be treated with preservative before use.

CL MATERIAL <BY FORM>

NT LATH

SHINGLE

WATTLE

WEATHERBOARD

RT SHINGLE WOOD

TIN

SN Malleable metal used for roofing and for alloys such as bronze.

CL METAL

RT BRONZE

Tinos

USE MARBLE

SERPENTINE

SN Use both terms.

Tintagel Stone

USE WEST COUNTRY SLATE

Tisbury Stone

USE PORTLAND STONE

Tixall Stone

USE SANDSTONE

Todber Stone

USE LIMESTONE

Tonbridge Stone

USE KENTISH RAGSTONE

Torquay Limestone

USE **DEVONIAN LIMESTONE**

Torquay Marble

USE DEVONIAN LIMESTONE MARBLE

SN Use both terms.

Totternhoe Stone

USE CLUNCH

Travertine

USE MARBLE

TUFACEOUS LIMESTONE

SN Use both terms.

Trebarw ith Rustic Slate

USE WEST COUNTRY SLATE

Trecarne Rustic Slate

USE WEST COUNTRY SLATE

Tredinnick Rustic Slate

USE WEST COUNTRY SLATE

Trerice Porphry

USE ELVAN

Trerice Stone

USE ELVAN

TRIPLE ROMAN TILE

SN A large rectangle roof tile in the form of an upstand on one side follow ed by three rolls, the last of w hich fits over the upstand of the adjacent tile. The name does not denote a relationship with the Roman period.

CL MATERIAL <BY FORM>

BT TILE

Tufa

USE TUFACEOUS LIMESTONE

TUFACEOUS LIMESTONE

UF Travertine

Tufa

SN Very light, depositional limestone formed by the precipitation of calcium carbonate rich w ater (Tufa). The more dense and compact form, Travertine, is formed in a similar way.

CL STONE

BT LIMESTONE

TUFF

SN A light porous cellular rock, consisting of consolidated volcanic ash ejected from vents during a volcanic eruption.

CL STONE

Tunbridge Wells Stone

USE SUSSEX STONE

TURF

SN Layer of grass with earth and matted roots cut from the ground and used for earth buildings and as a covering material.

CL VEGETAL

RT EARTH

Tyrolean

USE RENDER

Uppingham Stone

USE MARLSTONE

VEGETAL

SN Pertaining to or deriving from a botanical living organism. See VEGETAL Class List for narrow terms.

CL VEGETAL

NT PEAT

PLANT

TURF

WOOD

Verde Antico

USE MARBLE

SERPENTINE

SN Use both terms.

Verde Ematita

USE GNEISS

Verde Fraye

USE JURASSIC LIMESTONE

MARBLE

SN Use both terms.

Verona Marble

USE JURASSIC LIMESTONE

MARBLE

SN Use both terms.

Virgo Granite

USE **GRANITE**

Vitrified Brick

USE BRICK

Volcanic Stone

USE BASALT

Volcanic Trap

USE BASALT

Walling Stone

USE JURASSIC LIMESTONE

Water Reed

USE REED

Waterholes Sandstone

USE SANDSTONE

WATTLE

SN Wooden rods or stakes w hich can be interlaced with twigs or branches to make w alls or fences, or more commonly, to form the basis of panels in traditional timber framed buildings w hich are then covered with daub.

CL MATERIAL <BY FORM>

BT TIMBER

RT DAUB

Watts Cliff Stone

USE GRITSTONE (SANDSTONE)

Wattscliffe Stone

USE GRITSTONE (SANDSTONE)

Weald Stone

USE WEALDEN STONE

WEALDEN STONE

UF Weald Stone

SN Fine grained, brow n/yellow to dark grey coloured cretaceous sandstone. It is a particularly good freestone and w as often used for ashlar finishes.

CL STONE

BT SUSSEX STONE

Weatherbed

USE LINCOLNSHIRE LIMESTONE

WEATHERBOARD

SN Length of timber boarding (usually elm, now pine) fixed horizontally or vertically to the exterior of a structure w hich may be 'tongue and grooved' or 'feathered' to provide external protection.

CL MATERIAL <BY FORM>

BT TIMBER

RT WOOD

WEATHERING STEEL

UF Cor Ten Steel

STEEL

SN An alloy of steel.

CL METAL

Weldon Stone

ВТ

USE LINCOLNSHIRE LIMESTONE

Wellfield Stone

USE SANDSTONE

WELSH SLATE

UF Berw yn Slate

Blue Grey Slate

Blue Welsh Slate

Penrhyn Slate

SN Collective term for the North and South Wales groups of slate. Hard, fine grained, metamorphic rock, with varying dark shades.

CL STONE

BT SLATE

RT SHALE

WEST COUNTRY SLATE

UF Bluestone

Cornish Rustic

Cornish Slate

Delabole Slate

Devon Slate

Mill Hill Slate

Tintagel Stone

Trebarw ith Rustic Slate

Trecarne Rustic Slate

Tredinnick Rustic Slate

SN Collective term for the slates from Devon and Cornw all. Hard, fine grained metamorphic rock. Varying in colour from dark grey/green to blueish/grey. West Country Slate is geologically different from both Lake District and Welsh Slate.

CL STONE

BT SLATE

RT SHALE

Westmoorland Green

USE LAKE DISTRICT SLATE

Westmoorland Slate

USE LAKE DISTRICT SLATE

Westwood Stone

USE BATH STONE

Whatstandw ell Stone

USE GRITSTONE (SANDSTONE)

Wheatley Stone

USE OOLITIC LIMESTONE

WHINSTONE

SN Northern quarryman's name for any fine grained, dark grey/black to green coloured igneous rock. Index w ith specific stone type w here given.

CL STONE

RT BASALT

DOLERITE

Whit Bed

USE PORTLAND STONE

Whithed

USE PORTLAND STONE

Whitby Cement

USE CEMENT

Whitby Stone

USE SANDSTONE

WICHERT

SN Cob type construction typical to Buckinghamshire using a local clay with a high chalk content to produce walls of notable inherent stability.

CL EARTH MIX

BT COB

Windy Hill Stone

USE SANDSTONE

Winsley Ground

USE BATH STONE

WOOD

SN Hard, compact, unprocessed, fibrous cellulose substance. The roots, trunks and branches of trees and shrubs consist of this tissue.

CL VEGETAL

NT BAMBOO

CEDAR

CORK

ELM OAK

PINE

RT FIBREBOARD

PAPER

PLYMETAL

PLYWOOD

TIMBER

WEATHERBOARD

WOODWOOL SLAB

Woodkirk Stone

USE YORK STONE

WOODWOOL SLAB

SN A sheet or board made from a mixture of thin strips of w ood and cement w hich are bound together through compression w ithin a mould. Woodw ool slabs are used for roof or w all cladding, providing fire resistance, and heat and sound insulation.

CL MAN MADE MATERIAL

BT PANEL BOARD

RT CEMENT WOOD

Woolton Stone

USE SANDSTONE

WROUGHT IRON

SN The oldest form of iron, it is a tough, pure form of iron that can be fashioned into decorative items or shapes by hammering, squeezing or rolling.

CL METAL

BT IRON

Yeovil Marble

USE JURASSIC LIMESTONE

MARBLE

SN Use both terms.

YORK STONE

UF Bolton Wood Stone

Crosland Hill Stone

Elland Edge Flagrock

Elland Edge Stone

Greenmoor Stone

Hard Rock

Hard York

Hard York Freestone

Woodkirk Stone

Yorkshire Flagstone

Yorkshire Stone

SN Generic name for the fine grained, brown coloured carboniferous sandstone, quarried in the Leeds, Bradford and Halifax area.

CL STONE

BT SANDSTONE

Yorkshire Delph

USE **SANDSTONE**

Yorkshire Flagstone

USE YORK STONE

Yorkshire Freestone

USE FREESTONE

Yorkshire Stone

USE YORK STONE

ZINC

SN A hard and lustrous metallic element, used for roofing, galvanising iron and a component of alloys such as brass.

CL METAL