Strata deformation above a longwall coal mine

CSIRO

November 13, 2017

Contents

1	Intr	oduction	4
2	The 2.1 2.2 2.3	model setup Geometry Material properties Boundary conditions 2.3.1 Roof: free 2.3.2 Prescribed roof displacements 2.3.3 Constrained roof	6 7 7 7 8
3	3.1 3.2 3.3 3.4 3.5	1	9 9 11 11 12
4	4.1 4.2 4.3 4.4 4.5 4.6	Introduction	14 15 15 15 15
5	Cap 5.1 5.2 5.3 5.4 5.5	Introduction	20 20 20 20 22 22
6	-	ped Mohr-Coulomb plasticity combined with weak-plane plasticity with scribed roof displacements	24
7		ped Mohr-Coulomb plasticity combined with weak-plane plasticity with strained roof boundary conditions	26

1 Introduction

In an underground longwall coal mine, coal is mined in "panels", as shown in Figure 1.1. These panels are typically 3–4 m in height, 150–400 m in width and 1000–4000 m long. Coal is extracted from one end, moving towards the other end. As mining progresses, a void is created behind the mining machinery where the coal used to be. The rock material above this void — the "overburden" – is not strong enough to support itself, so it collapses downwards. The resulting partial void and collapsed material is called the "goaf" (or "gob").




Figure 1.1: Pictorial representation of a single panel in longwall mining. The dimensions and process are described in the text. Figure sourced from citizensagainst-longwallmining.org who obtained it from the Energy Information Administration.

There are many geotechnical aspects that are of interest in this process, but this Example concentrates on the following.

The vertical displacement of the ground surface due to the longwall mining. This
is called the "subsidence". This obviously has effects on buildings and other manmade structures like roads, but it can also change surface water pathways, affect
vegetation, and cause surface-water ponding, which all have effects on the local
ecology.

- 2. The vertical deformation within the overburden.
- 3. The patterns of fracture in the overburden. Together with Item 2, this can have effects on operational aspects of longwall mining, such as the load patterns on the "chocks" that support the roof of the goaf next to the mining machinery. It also strongly effects the flow of fluids in the porous rocks that make up the overburden. If the fracturing and deformation is extensive then fluids can easily move through the rock. This can result in mines flooding with water, or causing excessive drawdown of groundwater aquifers which can effect other users of groundwater (such as irrigators for farming) or can effect the rates of groundwater baseflow to surrounding river systems which may effect local and not-so-local ecosystems. The deformation and fracture of the overburden can also lead to aquifer mixing, where an aquifer consisting of "dirty" water (with high salinity, for example) pollutes a nearby aquifer of clean water. The deformation and fracture can also lead to large releases of methane gas from overlying (and underlying) coal seams. This methane can then flow through the highly permeable fractured rock system to the atmosphere, resulting in large greenhouse gas emissions. Or it can flow to the mine workings which is extremely hazardous in terms of mine fires and explosions.

This Example does not seek to build a realistic model of a specific mine. Instead, it explains how the TensorMechanics module can be used to build such a model, by exploring a very simplified and contrived 2D toy model. Of particular interest are the input parameters used and how they effect the results.

2 The model setup

2.1 Geometry

A 2D model representing a transverse section of overburden above a longwall panel is primarily studied in this Example. It is shown in Figure 2.1. The longwall panel is $300\,\mathrm{m}$ wide and the height of extraction is $3\,\mathrm{m}$. The transverse section describes only half (150 m) of the panel and it assumed that the situation is symmetric about the panel's mid line. The panel is $400\,\mathrm{m}$ deep ($0 \le z \le 400$). The model measures $450\,\mathrm{m}$ in the y direction ($0 \le y \le 450$). The model is actually $1\,\mathrm{m}$ in the x direction but this is unimportant in the subsequent analysis.




Figure 2.1: A graphic of the 2D model used in this Example. All dimensions are in metres. The geometry is described in the text.

2.2 Material properties

The overburden is assumed homogeneous (but anisotropic). Boundary conditions are described below. The overburden's density is $2500 \,\mathrm{kg.m^{-3}}$.

A number of different elasto-plastic models are used in the chapters below, and their moduli are specified in those chapters.

2.3 Boundary conditions

All models use the following boundary conditions: roller on y_{\min} and y_{\max} ; no rotation around the x axis on y_{\min} ; stress-free on the model's top; fixed displacement on z_{\min} where there is no excavation.

There are a number of different boundary conditions that may be appropriate to use for the roof of the excavation.

2.3.1 Roof: free

The roof of the excavation is stress-free. Therefore, the overburden is free to move vertically under the action of gravity. This simulates the case where there is no "floor" of the excavation.

2.3.2 Prescribed roof displacements

The free roof typically produces impossibly high displacements because the floor of the excavation constrains $u_z^{\rm max} \geq -3\,\mathrm{m}$. In fact, the floor strata "heave" — they move slightly upwards — so usually the maximum downwards displacement might be between 2.5 m and 2.9 m in the case at hand.

A sophisticated approach for modelling the roof would be to use MOOSE's Constrain system, but I have found that MOOSE's constraints exhibit poor convergence in the case at hand. An alternative option is to prescribed displacements of the roof. In this Example, the prescribed boundary condition takes one of two forms:

$$u_z = \begin{cases} u_z^{\text{max}} \max \left(\min \left(\left(\frac{t}{t_{\text{end}}} (y_{\text{max}} - y_{\text{min}}) + y_{\text{min}} - y \right) / d_{\text{closure}}, 1 \right), 0 \right) & \text{or} \\ u_z^{\text{max}} \frac{t}{t_{\text{end}}} \max \left(\min \left((y_{\text{max}} - y) / d_{\text{closure}}, 1 \right), 0 \right) & \text{or} \\ \end{cases}$$
(2.1)

The following parameters are chosen: $u_z^{\text{max}} = -3 \,\text{m}$, $y_{\text{min}} = 0$, $y_{\text{max}} = 150 \,\text{m}$ and $d_{\text{closure}} = 15 \,\text{m}$. These two forms correspond physically to the following.

1. "Sideways excavation", where the coal is excavated from y_{\min} to y_{\max} during the time $0 \le t \le t_{\max}$. At time t, the excavation has reached $y_t = y_{\min} + t(y_{\max} - y_{\min})/t_{\text{end}}$. For y less than this amount, the roof is allowed to displace a maximum of u_{\max}^z . For y greater than this amount, the roof has zero displacement. There is a small region between $y_t - d_{\text{closure}}$ and y_t where the roof displacement is between zero and u_z^{\max} , but for $y < y_t - d_{\text{closure}}$, $u = u_z^{\max}$.

2. "Downwards excavation". The roof is gradually lowered. At t=0 the displacement is zero, while at $t=t_{\rm end}$ the displacement is equal to $u_z^{\rm max}$ for most of the roof. There is a small region between $y_{\rm max}$ and $y_{\rm max}-d_{\rm closure}$ where the displacement varies between zero and $u_z^{\rm max}$.

A quasi-static solution is sought at each timestep, and no dynamics is used, so "time" has no real physical meaning, except that it allows the roof to be gradually lowered.

2.3.3 Constrained roof

Although MOOSE's full-blown Constraint system produces only very slow convergence, TensorMechanics offers a "StickyBC" boundary condition that may be used in the case at hand. This boundary condition is: if $u_z^{\rm old} < -3.0\,\mathrm{m}$ then fix u_z forever more in the simulation. This does not allow for floor heave, otherwise the condition might be $-2.5\,\mathrm{m}$, for instance. This type of boundary condition may only be used in simulations with multiple excavation steps, since for just one step $u^{\rm old}=0$ and the "constrained roof" boundary condition becomes irrelevant.

In conjuction with this boundary condition, a time-varying Young's modulus is used for the coal:

$$E = E_{\text{full}} \max \left(\min \left(\left(\frac{t}{t_{\text{end}}} (y_{\text{max}} - y_{\text{min}}) + y_{\text{min}} - y \right) / d_{\text{closure}}, 1 \right), 10^{-9} \right) . \tag{2.2}$$

This simulates a "sideways" excavation, and enables the roof to collapse under the overburden's weight. The material with young's modulus $E_{\text{full}} \times 10^{-9}$ may be considered to be mined and irrelevant to this Example.

3 Elastic simulations with a free roof

The simulation results quoted in this section are derived using the MOOSE input file cosserat_elastic.i.

3.1 Motivation

Setting the strata's yield strengths very high means that the deformation is purely elastic. Of course this is unphysical, but it is interesting from a theoretical viewpoint. An example deformation is shown in Figure 3.1.

The roof boundary condition is chosen to be "free" (Section 2.3.1) to simplify the analysis. This models half of an excavation that is 300 m wide.

3.2 Beam theory

The beam deformation may be compared with simple beam theory by thinking of the overburden as a beam of thickness $T = 400 \,\mathrm{m}$ and length $L = 300 \,\mathrm{m}$, clamped at its ends and subject to its own self load. The maximum deflection of such a beam is

$$u_z^{\text{max}} = \frac{\rho T W g L^4}{384 E I} \ . \tag{3.1}$$

Here $\rho=2500\,\mathrm{kg.m^{-3}}$ is the beam's density, $W=10\,\mathrm{m}$ is its width, $g=10\,\mathrm{m.s^{-2}}$ is gravitational acceleration, $E=8\,\mathrm{GPa}$ is the Young's modulus of the beam, I its momenta of intertia:

$$I = \int_{-T/2}^{T/2} dz \int_{-W/2}^{W/2} dx z^2 = (2W/3)(T/2)^3.$$
 (3.2)

Substituting this into the formula for maximum deflection yield

$$u_z^{\text{max}} = \frac{\rho g L^4}{32ET^2} \approx 800/T^2 ,$$
 (3.3)

(measured in units of m). This formula will never give the precise displacement since various assumptions (such as the pinned end conditions, and neglecting all but the lowest-order terms) have been made in its development.




Figure 3.1: Deformation of the overburden when using Cosserat elasticity with $T_{\rm Cosserat}=1\,{\rm m}$ and $k_{\rm shear}=1\,{\rm GPa.m^{-1}}$. The bottom figures show "subsidence", which is vertical displacement on the top surface of the model; and "extensometer" which is vertical displacement along a vertical line that runs down the left-hand-side of the mode.

3.3 Comparison with beam theory — non-Cosserat case

Before exploring the effects of introducing Cosserat mechanics, it is useful to quantify the accuracy of Eqn (3.3) for various T, using standard (non-Cosserat) elasticity (and modifying the model described in Chapter 2 to have an overburden of thickness T instead of just $T = 400 \,\mathrm{m}$). To do this, the input file cosserat_elastic.i is used, but the layer thickness, and Cosserat moduli are set very large. The mesh used is different in each case, but is set dense enough so that mesh dependencies are small.

${ m T}$	Eqn (3.3)	MOOSE (non-Cosserat)	N
400	0.005	0.19	1000
100	0.08	0.33	1000
40	0.5	0.89	4000
10	8	8.7	20000

Table 3.1: Comparison of the approximate analytic deflection of Eqn (3.3) with MOOSE's non-Cosserat result. MOOSE's deflection is measured at the roof of the coal seam (z=0). The last column, N, indicates the number of elements in the mesh before reasonable mesh-independence is obtained (N=1000 was the minimum number tried).

The results are tabulated in Table 3.1. Evidently, Eqn (3.3) under-predicts the displacement for large T. This is due to the extra freedom allowed by the model compared with the pinned ends used by the theoretical development, as well as higher-order terms that are obviously present in such a thick beam. Moreover, the MOOSE displacement is always a function of z (the vertical direction) as is obvious from Figure 3.1.

3.4 Comparison with beam theory — Cosserat case

In many locations where coal seams are present, the overburden is highly stratified: it consists of layers of rock that have been deposited over time. Conceptually the rock looks like a "layer cake" of fairly uniform layers of rock separated by thin and weak horizontal "joints". Therefore, modelling the rock mass as an isotropic body is not very accurate. A better approach is to model it as a layered material, and this is accomplished by MOOSE's layered Cosserat elasticity.

Layered Cosserat elasticity allows simulation of a layered material without having to mesh each individual layer. Setting the Cosserat joint normal stiffness large and the joint shear stiffness small models a layered material in which the layers behave independently. This is described fully in the documentation for the Cosserat test suite in MOOSE. Similar results to Table 3.1 may therefore be obtained by keeping $T=400\,\mathrm{m}$, but varying the Cosserat-layer thickness.

The results are shown in Table 3.2. It is clear that:

1. less elements are needed to obtain reasonable convergence (N=1000 was the

smallest number of elements used in each set of simulations) but this is offset by the increased number of degrees-of-freedom (1 in this case, and 2 in the general 3D case);

2. the deformation in the Cosserat case is larger than the standard case (because there is more freedom)

$T_{\rm Cosserat}$	Eqn (3.3)	MOOSE (Cosserat)	N
400	0.005	0.31	1000
100	0.08	0.67	1000
40	0.5	1.85	4000
10	8	14.1	9000

Table 3.2: Comparison of the approximate analytic deflection of Eqn (3.3) using $T = T_{\text{Cosserat}}$ with MOOSE's layered Cosserat result with different Cosserat-layer thicknesses, T_{Cosserat} . This may be compared with Table 3.1.

3.5 The deformation in the Cosserat case with a variety of Cosserat parameters

In reality, the Cosserat joints do not have zero shear stiffness. Table 3.3 quantifies the maximum vertical displacement for a variety of physically-realistic joint shear stiffnesses and Cosserat layer thicknesses.

Comparing Tables 3.1, 3.2 and 3.3, it is clear that:

- 1. for large Cosserat joint stiffness (compared with $E = 8 \,\mathrm{GPa}$) the deflection is identical to the non-Cosserat case (as is expected);
- 2. for small Cosserat joint stiffness, the deflection approaches the limit of independent layers enumerated in Table 3.2;
- 3. for some intermediate values, the result is only a function of $T_{\text{Cosserat}}h_{\text{shear}}$ (as is expected from Cosserat theory).

$T_{\rm Cosserat}$	$k_{\rm shear}~({\rm GPa.m^{-1}})$	u_z^{max}	N
1	0.01	27	15000
1	0.1	3.4	4000
1	1	0.57	1000
1	10	0.23	1000
1	100	0.19	1000
10	0.01	2.9	4000
10	0.1	0.57	1000
10	1	0.23	1000
10	10	0.19	1000
10	100	0.19	1000

Table 3.3: Maximum deflection as a function of Cosserat layer thickness, $T_{\rm Cosserat}$ and Cosserat joint shear stiffness $k_{\rm shear}$. N indicates the number of elements needed before reasonable mesh-independence is attained (N=1000 was the minimum number tried).

4 Weak-plane plasticity

4.1 Introduction

In this chapter, the overburden is modelled using weak-plane plasticity in conjunction with Cosserat mechanics. The MOOSE input file used to generate the following results is ${\tt cosserat_wp_only.i.}$ The weak plane normal is assumed to be vertical (in the z direction. The parameters used are list in Table 4.1.

Young's modulus	$8\mathrm{GPa}$
Poisson's ratio	0.25
Cosserat layer thickness	1 m
Cosserat joint shear stiffness	$1\mathrm{GPa.m^{-1}}$
Cosserat joint normal stiffness	large
Weak-plane cohesion	$0.1\mathrm{MPa}$
Weak-plane friction angle	$20\deg$
Weak-plane dilation angle	$10\deg$
Weak-plane tensile strength	$0.1\mathrm{MPa}$
Weak-plane compressive strength	100 MPa (softening)

Table 4.1: Parameters used in the model with weak-plane plasticity. Softening for the compressive strength is used in some simulations — see text.

The mesh is kept fixed (at N=1000) in the following simulations, in contrast to Chapter 3. This is rather standard practice in finite-element simulations of underground material. Usually the mesh is chosen to be fine enough so that the resolution is adequate in the region of interest, and then the mesh is fixed. This is motivated by practicalities: it is usually computationally impractical to perform many simulations with gradually finer mesh to determine the continuum limit; and the input parameters (Young's modulus, strengths, etc) are so poorly constrained by observation¹ that such a study is rather pointless anyway. The approach that is usually taken is to fix the mesh and vary the input parameters so the results (subsidence, etc) match observation.

¹For instance, hydraulic permeabilities are usually only constrained to within a couple of orders of magnitude, and mechanical properties to within a factor of 5.

4.2 A free roof

The elastic parameters in Table 4.1 match those used to generate Figure 3.1. Adding the weak-plane plasticity produces dramatically higher deformations, as shown in Figure 4.1.

4.3 A single excavation step with prescribed roof displacements

For a single timestep, both "sideways" and "downwards" excavation produce the same result. This is shown in Figure 4.2.

4.4 Multiple excavation steps with prescribed roof displacements

The results are markedly different when using multiple steps and prescribed roof displacements. Figure 4.3 shows the displacement when using 10 steps. In the "sideways" excavation, only the bottom row of elements is actually deforming! They have very large plastic shear and tensile strain. This is not physically realistic. However, in the "downwards" excavation, there is very little dilation of the elements in the near roof, which is also probably not realistic. This is because no substantial shear failure is activated by this type of boundary condition.

4.5 Softening the compressive strength with prescribed roof displacements

Consider now an alternate plastic model with a softening weak-plane compressive strength. At zero (or negative) plastic tensile strain it is large (100 MPa), but a plastic tensile strain equal to unity it has softened all the way down to 1 MPa. Physically this corresponds to a rock then when pulled apart in tension (such as the roof being pulled downwards) it can then not withstand much compressive load, until it is recompacted somewhat. The results are shown in Figure 4.4.

4.6 Computational expense

The number of residual computations for each of the simulations mentioned above is presented in Table 4.2




Figure 4.1: Deformation and plastic strain in the weak-plane model with no constraint on the vertical deformation of the overburden. Top: vertical displacement. Middle: shear and tensile plastic strain. Bottom: subsidence and extensomenter displacement.




Figure 4.2: Deformation and plastic strain in the weak-plane model with $u_z^{\rm max}=3\,{\rm m}$. The excavation is performed in one step. Top: vertical displacement. Middle: shear and tensile plastic strain. Bottom: subsidence and extensomenter displacement.




Figure 4.3: Deformation the weak-plane model when using either the "sideways" or "downwards" movement of the excavation roof.

Simulation	N
Unconstrained roof	209
One-step excavation	350
10-steps "sideways"	64
10-steps "downwards"	999
10-steps "sideways" with softening	501

Table 4.2: The number of residual calculations, N, for the weak-plane simulations




Figure 4.4: Deformation and plastic strain in the weak-plane model with $u_z^{\rm max}=3\,{\rm m}$. The excavation is performed in 10 steps using the "sideways" scheme. The compressive strength softens from 100 MPa to 1 MPa. Top: vertical displacement. Middle: shear and tensile plastic strain. Bottom: subsidence and extensomenter displacement.

5 Capped Mohr-Coulomb plasticity with prescribed roof displacements

5.1 Introduction

In this chapter, the overburden is modelled using Mohr-Coulomb plasticity in conjunction with Cosserat mechanics. The MOOSE input file used to generate the following results is cosserat_mc_only.i. The parameters used are list in Table 5.1.

Young's modulus	8 GPa
Poisson's ratio	0.25
Cosserat layer thickness	1 m
Cosserat joint shear stiffness	$1\mathrm{GPa.m^{-1}}$
Cosserat joint normal stiffness	large
Mohr-Coulomb cohesion	$3 \mathrm{MPa}$
Mohr-Coulomb friction angle	$37 \deg$
Mohr-Coulomb dilation angle	$8 \deg$
Mohr-Coulomb tensile strength	1 MPa
Mohr-Coulomb compressive strength	100 MPa (softening)

Table 5.1: Parameters used in the model with Mohr-Coulomb plasticity. Softening for the compressive strength is used in some simulations — see text.

As discussed in detail in Chapter 4, the mesh is kept fixed (at N=1000) in the following simulations. The prescribed-displacement boundary conditions specified in Section 2.3.2 are used.

5.2 A single step with prescribed roof displacements

For a single timestep, both "sideways" and "downwards" excavation produce the same result. This is shown in Figure 5.1.

5.3 Multiple excavation steps with prescribed roof displacements

However, the results are markedly different when using multiple steps. Figure 5.2 shows the displacement when using 10 steps. In the "sideways" excavation, only the bottom




Figure 5.1: Deformation and plastic strain in the Mohr-Coulomb model with $u_z^{\rm max}=3\,{\rm m}.$ The excavation is performed in one step. Top: vertical displacement. Middle: shear and tensile plastic strain. Bottom: subsidence and extensomenter displacement.

row of elements is actually deforming! They have very large plastic shear and tensile strain. This is not physically realistic. The "downwards" excavation is very similar to the single-step version.




Figure 5.2: Deformation the Mohr-Coulombmodel when using either the "sideways" or "downwards" movement of the excavation roof.

5.4 Softening the compressive strength with prescribed roof displacements

In the weak-plane case, substantially different results were obtained when softening the compressive strength. In the Mohr-Coulomb case, the difference is not as marked. Consider the alternate plastic model where at zero (or negative) plastic tensile strain the compressive strength is large (100 MPa), but at plastic tensile strain equal to unity it has softened all the way down to 1 MPa. Physically this corresponds to a rock then when pulled apart in tension (such as the roof being pulled downwards) it can then not withstand much compressive load, until it is recompacted somewhat. The results are shown in Figure 5.3.

5.5 Computational expense

The number of residual computations for each of the simulations mentioned above is presented in Table 5.2




Figure 5.3: Deformation in the Mohr-Coulomb model with $u_z^{\rm max}=3\,{\rm m}$. The excavation is performed in 10 steps using the "sideways" scheme. The compressive strength softens from 100 MPa to 1 MPa.

Simulation	N
One-step excavation	352
10-steps "sideways"	110
10-steps "downwards"	3799
10-steps "sideways" with softening	412


Table 5.2: The number of residual calculations, N, for the Mohr-Coulomb simulations

6 Capped Mohr-Coulomb plasticity combined with weak-plane plasticity with prescribed roof displacements

In sedementary rock systems it is common to employ Mohr-Coulomb plasticity to model the solid-rock response, combined with weak-plane plasticity to model the weak bedding planes. The MOOSE input file used to generate the following results is cosserat_mc_wp.i The parameters used are listed in Tables 4.1 and 5.1. In this chapter, the plastic models are cycled, which is common in geomechanical software packages¹.

Using the prescribed-displacement boundary conditions specified in Section 2.3.2, and a single step results in Figure 6.1. The results are encouragingly quite realistic compared with previous chapters.

¹For example, Itasca Consulting Group, Inc (2012) FLAC3D - Fast Lagrangian Analysis of Continua in Three-Dimensions, Ver. 5.0. Minneapolis: Itasca. And, Itasca Consulting Group, Inc. (2011) FLAC - Fast Lagrangian Analysis of Continua, Ver. 7.0. Minneapolis: Itasca.






Figure 6.1: Deformation and plastic strain in the combined Mohr-Coulomb-weak-plane model with $u_z^{\rm max}=3\,{\rm m}$. The excavation is performed in one step. Top: vertical displacement. Next: Mohr-Coulomb shear and tensile plastic strain. Next: Weak-plane shear and tensile plastic strain. Bottom: subsidence and extensomenter displacement.

7 Capped Mohr-Coulomb plasticity combined with weak-plane plasticity with constrained roof boundary conditions

The exposition thus far has concentrated on two categories of roof boundary condition: (1) where the roof is completely free to displace without any consideration of the existance of any floor material to prevent its displacement (for example, Figure 4.1); (2) where the roof is pulled downwards at a fixed displacement rate (for example, Figure 4.2. Both of these boundary conditions are physically incorrect. The former yields very large displacements, while the latter typically pulls the roof too severely, causing large plastic strains to accumulate in the immediately roof.

In this section, the more realistic boundary condition employing "sticky" boundary conditions is used (see the definition in Section 2.3.3). The parameters used are listed in Tables 4.1 and 5.1. The plastic models are cycled. 100 excavation steps are used to produce Figure 7.1. The MOOSE input file is named cosserat_mc_wp_sticky.i The results are what is expected physically for the moduli used.




Figure 7.1: Deformation and plastic strain in the combined Mohr-Coulomb-weak-plane model with $u_z^{\rm max}=3\,\mathrm{m}$ enforced by a StickyBC. Top: vertical displacement. Next: Mohr-Coulomb shear and tensile plastic strain. Next: Weak-plane shear and tensile plastic strain. Bottom: subsidence and extensomenter displacement.

8 A longitudinal model

So far this Example has used a transverse model, but in this section a longitudinal model is studied. It is illustrated in Figure 8.1. 1500 m of coal excavation is simulated, with an excavation height of 3 m and depth 400 m. The longitudinal direction is meshed with 15 m elements. The displacements are fixed to zero in the transverse direction (plane strain).




Figure 8.1: A graphic of the 2D longitudinal model used in Section 8. All dimensions are in metres. The geometry is described in the text.

Capped Mohr-Coulomb plus weak-plane plasticity is used (Tables 4.1 and 5.1). The plastic models are cycled. 100 time steps are used, which means that 1 element is excavated every time step. "Sticky" roof boundary conditions are used (Section 2.3.3).

The MOOSE input file is named cosserat_mc_wp_sticky_longitudinal.i

This model is interesting because cyclic behaviour is evident in the results (Figure 8.2). The roof holds up for some time, then collapses all-of-a-sudden. Coal excavation then continues while the roof holds up, and then it suddenly collapses. This occurs in real coal mines. In this model (mesh and material properties) the period is around 90 m.




Figure 8.2: Deformation and plastic strain in the combined Mohr-Coulomb-weak-plane longitudinal model with $u_z^{\rm max}=3\,\mathrm{m}$ enforced by a StickyBC. Top to bottom: vertical displacement, Mohr-Coulomb shear plastic strain, Mohr-Coulomb tensile plastic strain; weak-plane shear plastic strain; weak-plane tensile plastic strain.