Forward Baggage Compartment – General data

1. General

The forward baggage compartment is installed on forward surface of the fuselage nose structure.

2. Description

The forward baggage compartment is constructed using the outer plies of carbon prepreg, a 5/16" phenolic honeycomb core, and two inner plies of carbon prepreg. In order to provide electromagnetic shielding for electric and magnetic fields associated with lightning and high powered radio frequency transmitters, an expanded copper foil is applied as an outer layer to the carbon nose baggage compartment and door. The baggage compartment is attached to the fuselage at FS 44.00 via a circumferential aluminum strap, riveted to the baggage compartment and fuselage structure. This joint is the principal path of lightning energy transfer between the baggage compartment and the fuselage.

3. Adjustment/Test

A. Forward Baggage Compartment Joint Bonding Test

1) Measure the resistance between one of the forward baggage compartment diverter strip bonding strap attachment rivets and the airframe using a milliohm meter, resistance to be less than 10 milliohms.

2) Probe measurements to be taken on one of the diverter strip bonding strap attachment rivets and an airframe side rivet. Refer to Figure 1.

B. Forward Baggage Compartment Joint Bonding Adjustment/Rework

1) Remove the forward baggage door hinge-to-airframe bonding strap and clean as required in accordance with 20-75-00, Electrical Bonding and Grounding of Aircraft Structures – General Data to achieve bonding requirement.

4. Removal and Installation


A. Removal of Forward Baggage Compartment

1) Remove circumferential joint fasteners and remove the forward baggage compartment from the forward fuselage.

B. Installation of Forward Baggage Compartment

1) Set forward baggage compartment in position and install fasteners.

2) Verify electrical bonding of the forward baggage compartment to airframe is maintained. Refer to Para 3.A.



Forward Baggage Compartment Joint – Electrical Bonding Check Locations
Figure 1