

Test no.	Normal stress		Shear stress	Static / Cyclic stress ratio		Experimental method	Drain condition	Sample size	Fines content	Dry density	Density index	Void ratio	Number of load cycles	Liquefaction behavior
	σ' (kPa)	/ Confining pressure		τ/σ / CSR (t/o or q/2 σ)										
			τ (kPa)			Ring shear / Triaxial	Undrain / Drain	Mixture (D_{50}) (mm)	FC (%)	ρ_s (g/cm ³)	I_d	e	N_L	C (Yes) / D-C (No)
UT-1	200.00	0	0	0	0	Ring shear	Undrain	0.16	0.0	1.23	-0.04	1.14		C
UT-2	200.00	0	0	0	0	Ring shear	Undrain	0.16	0.0	1.23	-0.04	1.14		C
UT-3	200.00	0	0	0	0	Ring shear	Undrain	0.16	0.0	1.24	0	1.12		C
UT-4	200.00	0	0	0	0	Ring shear	Undrain	0.16	0.0	1.27	0.11	1.07		D-C
UT-5	200.00	0	0	0	0	Ring shear	Undrain	0.16	0.0	1.3	0.21	1.02		D-C
UT-6	200.00	0	0	0	0	Ring shear	Undrain	0.16	0.0	1.3	0.21	1.02		D-C
UT-7	200.00	0	0	0	0	Ring shear	Undrain	0.16	0.0	1.32	0.28	0.99		D-C
UT-8	200.00	0	0	0	0	Ring shear	Undrain	0.16	0.0	1.35	0.38	0.95		D-C
UT-9	200.00	0	0	0	0	Ring shear	Undrain	0.15	10.0	1.28	0.12	1.05		C
UT-10	200.00	0	0	0	0	Ring shear	Undrain	0.15	10.0	1.29	0.15	1.04		C
UT-11	200.00	0	0	0	0	Ring shear	Undrain	0.15	10.0	1.3	0.18	1.02		C
UT-12	200.00	0	0	0	0	Ring shear	Undrain	0.15	10.0	1.35	0.32	0.95		D-C
UT-13	200.00	0	0	0	0	Ring shear	Undrain	0.15	10.0	1.4	0.45	0.88		D-C
UT-14	200.00	0	0	0	0	Ring shear	Undrain	0.14	20.0	1.34	0.26	0.96		C
UT-15	200.00	0	0	0	0	Ring shear	Undrain	0.14	20.0	1.35	0.28	0.95		C
UT-16	200.00	0	0	0	0	Ring shear	Undrain	0.14	20.0	1.36	0.31	0.93		C
UT-17	200.00	0	0	0	0	Ring shear	Undrain	0.14	20.0	1.39	0.38	0.89		D-C
UT-18	200.00	0	0	0	0	Ring shear	Undrain	0.14	20.0	1.45	0.5	0.81		D-C
UT-19	200.00	0	0	0	0	Ring shear	Undrain	0.13	30.0	1.4	0.34	0.88		C
UT-20	200.00	0	0	0	0	Ring shear	Undrain	0.13	30.0	1.41	0.36	0.87		C
UT-21	200.00	0	0	0	0	Ring shear	Undrain	0.13	30.0	1.42	0.38	0.85		C
UT-22	200.00	0	0	0	0	Ring shear	Undrain	0.13	30.0	1.45	0.44	0.81		D-C
UT-23	200.00	0	0	0	0	Ring shear	Undrain	0.13	30.0	1.49	0.52	0.77		D-C
UT-24	200.00	0	0	0	0	Ring shear	Undrain	0.12	40.0	1.45	0.45	0.81		C
UT-25	200.00	0	0	0	0	Ring shear	Undrain	0.12	40.0	1.46	0.47	0.8		C
UT-26	200.00	0	0	0	0	Ring shear	Undrain	0.12	40.0	1.47	0.49	0.79		C
UT-27	200.00	0	0	0	0	Ring shear	Undrain	0.12	40.0	1.48	0.51	0.78		C
UT-28	200.00	0	0	0	0	Ring shear	Undrain	0.12	40.0	1.49	0.53	0.77		C
UT-29	200.00	0	0	0	0	Ring shear	Undrain	0.12	40.0	1.53	0.6	0.72		D-C
DT-1	181.00	0	0	0	0	Ring shear	Undrain	0.041	0.0	0.739	0.7314			
UT-2	179.00	0	0	0	0	Ring shear	Undrain	0.041	0.0	0.781	0.94208			D-C
UT-3	189.00	0	0	0	0	Ring shear	Undrain	0.041	0.0	0.549	1.11374			
UT-4	183.00	0	0	0	0	Ring shear	Undrain	0.041	0.0	0.666	1.02716			
UT-5	184.00	0	0	0	0	Ring shear	Undrain	0.041	0.0	0.717	0.98942			
UT-6	185.00	0	0	0	0	Ring shear	Undrain	0.041	0.0	0.698	1.00348			
UT-7	437.00	0	0	0	0	Ring shear	Undrain	0.041	0.0	0.701	1.00126			D-C
UT-8	436.00	0	0	0	0	Ring shear	Undrain	0.041	0.0	0.767	0.95242			
UT-9	437.00	0	0	0	0	Ring shear	Undrain	0.041	0.0	0.607	1.07082			
DT-10	187.00	0	0	0	0	Ring shear	Drain	0.041	0.0	0.769	0.95094			No
DT-11	180.00	0	0	0	0	Ring shear	Drain	0.041	0.0	0.773	0.94798			No
UT-12	192.00	0	0	0	0	Ring shear	Undrain	0.041	0.0	0.701	1.00126			
UT-13	189.00	0	0	0	0	Ring shear	Undrain	0.041	0.0	0.75	0.965			
UT-1	250.00	0	0	0	0	Ring shear	Undrain	0.253	12.0	0.295	0.784			C
UT-2	200.00	0	0	0	0	Ring shear	Undrain	0.253	12.0	0.295	0.784			C
UT-3	196.00	0	0	0	0	Ring shear	Undrain	0.253	12.0	0.295	0.784			C
DT-4	196.00	0	0	0	0	Ring shear	Drain	0.253	12.0	0.302	0.781			No
UT-5	105.00	0	0	0	0	Ring shear	Undrain	0.253	12.0	0.395	0.738			D-C
UT-6	196.00	0	0	0	0	Ring shear	Undrain	0.253	12.0	0.432	0.721			D-C
UT-7	235.00	0	0	0	0	Ring shear	Undrain	0.253	12.0	0.441	0.717			D-C
UT-8	203.00	0	0	0	0	Ring shear	Undrain	0.253	12.0	0.443	0.716			D-C
UT-9	366.00	0	0	0	0	Ring shear	Undrain	0.253	12.0	0.443	0.716			D-C
UT-10	290.00	0	0	0	0	Ring shear	Undrain	0.253	12.0	0.444	0.716			D-C
UT-11	196.00	0	0	0	0	Ring shear	Undrain	0.253	12.0	0.451	0.713			D-C
UT-12	196.00	0	0	0	0	Ring shear	Undrain	0.253	12.0	0.471	0.703			D-C
UT-13	196.00	0	0	0	0	Ring shear	Undrain	0.253	12.0	0.485	0.697			D-C
UT-14	196.00	0	0	0	0	Ring shear	Undrain	0.253	12.0	0.505	0.688			D-C
UT-15	200.00	0	0	0	0	Ring shear	Undrain	0.253	12.0	0.532	0.675			D-C
UT-16	198.00	0	0	0	0	Ring shear	Undrain	0.253	12.0	0.553	0.666			D-C
UT-17	196.00	0	0	0	0	Ring shear	Undrain	0.253	12.0	0.571	0.657			D-C
UT-18	200.00	0	0	0	0	Ring shear	Undrain	0.253	12.0	0.573	0.656			D-C
UT-19	198.00	0	0	0	0	Ring shear	Undrain	0.253	12.0	0.641	0.625			D-C
UT-20	196.00	0	0	0	0	Ring shear	Undrain	0.253	12.0	0.665	0.614			D-C
UT-21	196.00	0	0	0	0	Ring shear	Undrain	0.253	12.0	0.702	0.597			D-C
UT-22	200.00	0	0	0	0	Ring shear	Undrain	0.253	12.0	0.721	0.588			D-C
UT-23	196.00	0	0	0	0	Ring shear	Undrain	0.253	12.0	0.582	0.652			D-C
UT-24	262.00	0	0	0	0	Ring shear	Undrain	0.113	33.0	0.291	0.949			C
UT-25	202.00	0	0	0	0	Ring shear	Undrain	0.113	33.0	0.292	0.948			C
UT-26	290.00	0	0	0	0	Ring shear	Undrain	0.113	33.0	0.315	0.936			C
UT-27	196.00	0	0	0	0	Ring shear	Undrain	0.113	33.0	0.443	0.870			D-C
UT-28	280.00	0	0	0	0	Ring shear	Undrain	0.113	33.0	0.443	0.870			D-C
UT-29	374.00	0	0	0	0	Ring shear	Undrain	0.113	33.0	0.441	0.871			D-C
UT-30	196.00	0	0	0	0	Ring shear	Undrain	0.113	33.0	0.462	0.860			D-C
UT-31	196.00	0	0	0	0	Ring shear	Undrain	0.113	33.0	0.533	0.823			D-C
UT-32	290.00	0	0	0	0	Ring shear	Undrain	0.113	33.0	0.535	0.822			D-C
UT-33	196.00	0	0	0	0	Ring shear	Undrain	0.113	33.0	0.565	0.806			D-C
UT-34	196.00	0	0	0	0	Ring shear	Undrain	0.113	33.0	0.57	0.804			D-C
UT-35	196.00	0	0	0	0	Ring shear	Undrain	0.113	33.0	0.602	0.787			D-C
UT-36	196.00	0	0	0	0	Ring shear	Undrain	0.113	33.0	0.622	0.777			D-C
UT-37	196.00	0	0	0	0	Ring shear	Undrain	0.113	33.0	0.664	0.755			D-C
UT-38	290.00	0	0	0	0	Ring shear	Undrain	0.113	33.0	0.665	0.754			D-C
UT-39	197.00	0	0	0	0	Ring shear	Undrain	0.113	33.0	0.681	0.746			D-C
UT-40	196.00	0	0	0	0	Ring shear	Undrain	0.113	33.0	0.743	0.714			D-C
UT-41	290.00	0	0	0	0	Ring shear	Undrain	0.113	33.0	0.772	0.699			D-C
UT-42	257.00	0	0	0	0	Ring shear	Undrain	0.088	37.0	0.294	0.981			C
UT-43	220.00	0	0	0	0	Ring shear	Undrain	0.088	37.0	0.295	0.981			C
UT-44	305.00	0	0	0	0	Ring shear	Undrain	0.088	37.0	0.295	0.981			C
DT-45	200.00	0	0	0	0	Ring shear	Drain	0.088	37.0	0.322	0.966			No
UT-46	201.00	0	0	0	0	Ring shear	Undrain	0.088	37.0	0.331	0.961			C
UT-47	196.00	0	0	0	0	Ring shear	Undrain	0.088	37.0	0.421	0.913			D-C
UT-48	375.00	0	0	0	0	Ring shear	Undrain	0.088	37.0	0.441	0.902			D-C
UT-49	280.00	0	0	0	0	Ring shear	Undrain	0.088	37.0	0.441	0.902			D-C
UT-50	196.00	0	0	0	0	Ring shear	Undrain	0.088	37.0	0.442	0.901			D-C
UT-51	360.00	0	0	0	0	Ring shear	Undrain	0.088	37.0	0.443	0.901			D-C
UT-52	196.00	0	0	0	0	Ring shear	Undrain	0.088	37.0	0.482	0.880			D-C
UT-53	196.00	0	0	0	0	Ring shear	Undrain	0.088	37.0	0.505	0.867			D-C
UT-54	196.00	0	0	0	0	Ring shear	Undrain	0.088	37.0	0.523	0.858			D-C
UT-55	196.00	0	0	0	0	Ring shear	Undrain	0.088	37.0	0.533	0.852			D-C
UT-56	196.00	0	0	0	0	Ring shear	Undrain	0.088	37.0	0.425	0.911			D-C
UT-57	290.00	0	0	0	0	Ring shear	Undrain	0.088	37.0	0.552	0.842			D-C
UT-58	196.00	0	0	0	0	Ring shear	Undrain	0.088	37.0	0.562	0.837			D-C
UT-59	196.00	0	0	0	0	Ring shear	Undrain	0.088	37.0	0.6	0.816			D-C
UT-60	196.00	0	0	0	0	Ring shear	Undrain	0.088	37.0	0.621	0.805			D-C

UT-13	196.00	0	0	Ring shear	Undrain	1.2	0.0	1.683871	1.215686275	0.55	D-C
UT-14	108.00	0	0	Ring shear	Undrain	1.2	0.0	1.4662921	0.764705882	0.78	C
UT-15	107.00	0	0	Ring shear	Undrain	1.2	0.0	1.4745763	0.784313725	0.77	C
UT-16	104.00	0	0	Ring shear	Undrain	1.2	0.0	1.4745763	0.784313725	0.77	C
UT-17	103.00	0	0	Ring shear	Undrain	1.2	0.0	1.4829545	0.803921569	0.76	C
UT-18	104.00	0	0	Ring shear	Undrain	1.2	0.0	1.4662921	0.764705882	0.78	C
UT-19	105.00	0	0	Ring shear	Undrain	1.2	0.0	1.4745763	0.784313725	0.77	D-C
UT-20	108.00	0	0	Ring shear	Undrain	1.2	0.0	1.5	0.843137255	0.74	C
UT-21	106.00	0	0	Ring shear	Undrain	1.2	0.0	1.4914286	0.823529412	0.75	C
UT-22	107.00	0	0	Ring shear	Undrain	1.2	0.0	1.5	0.843137255	0.74	C
UT-23	108.00	0	0	Ring shear	Undrain	1.2	0.0	1.4914286	0.823529412	0.75	C
UT-24	195.00	0	0	Ring shear	Undrain	1.2	0.0	1.5	0.843137255	0.74	C
UT-25	194.00	0	0	Ring shear	Undrain	1.2	0.0	1.5	0.843137255	0.74	C
UT-26	194.00	0	0	Ring shear	Undrain	1.2	0.0	1.5	0.843137255	0.74	C
UT-27	195.00	0	0	Ring shear	Undrain	1.2	0.0	1.4914286	0.823529412	0.75	C
UT-28	202.00	0	0	Ring shear	Undrain	1.2	0.0	1.5086705	0.862745098	0.73	D-C
DT-29	462.00	0	0	Ring shear	Drain	1.2	0.0	1.5443787	0.941176471	0.69	No
DT-30	463.00	0	0	Ring shear	Drain	1.2	0.0	1.5535714	0.960784314	0.68	No
DT-31	463.00	0	0	Ring shear	Drain	1.2	0.0	1.5535714	0.960784314	0.68	No
DT-32	460.00	0	0	Ring shear	Drain	1.2	0.0	1.5443787	0.941176471	0.69	No
DT-33	55.00	0	0	Ring shear	Drain	1.2	0.0	1.4581006	0.745098039	0.79	No
DT-34	193.00	0	0	Ring shear	Drain	1.2	0.0	1.5	0.843137255	0.74	No
UT-35	285.00	0	0	Ring shear	Undrain	1.2	0.0	1.5263158	0.901960784	0.71	C
UT-36	195.00	0	0	Ring shear	Undrain	1.2	0.0	1.5263158	0.901960784	0.71	D-C
UT-37	103.00	0	0	Ring shear	Undrain	1.2	0.0	1.5263158	0.901960784	0.71	C
UT-38	152.00	0	0	Ring shear	Undrain	1.2	0.0	1.5	0.843137255	0.74	C
UT-39	628.00	0	0	Ring shear	Undrain	1.2	0.0	1.5535714	0.960784314	0.68	D-C
DT-40	54.00	0	0	Ring shear	Ddrain	1.2	0.0	1.4829545	0.803921569	0.76	No
UT-41	55.00	0	0	Ring shear	Undrain	1.2	0.0	1.4914286	0.823529412	0.75	C
DT-42	54.00	0	0	Ring shear	Ddrain	1.2	0.0	1.4914286	0.823529412	0.75	No
DT-43	460.00	0	0	Ring shear	Ddrain	1.2	0.0	1.5535714	0.960784314	0.68	No
DT-44	103.00	0	0	Ring shear	Ddrain	0.048	0.0	1.240566	0.666666667	1.12	No
DT-45	193.00	0	0	Ring shear	Ddrain	0.048	0.0	1.252381	0.691358025	1.1	No
DT-46	280.00	0	0	Ring shear	Ddrain	0.048	0.0	1.2829268	0.75308642	1.05	No
DT-47	367.00	0	0	Ring shear	Ddrain	0.048	0.0	1.3084577	0.802469136	1.01	No
DT-48	472.00	0	0	Ring shear	Ddrain	0.048	0.0	1.3418367	0.864197531	0.96	No
UT-49	103.00	0	0	Ring shear	Undrain	0.048	0.0	1.240566	0.666666667	1.12	D-C
UT-50	193.00	0	0	Ring shear	Undrain	0.048	0.0	1.2583732	0.703703704	1.09	D-C
UT-51	281.00	0	0	Ring shear	Undrain	0.048	0.0	1.2892157	0.765432099	1.04	D-C
UT-52	370.00	0	0	Ring shear	Undrain	0.048	0.0	1.315	0.814814815	1	D-C
UT-53	371.00	0	0	Ring shear	Undrain	0.048	0.0	1.3350254	0.851851852	0.97	C
UT-54	197.00	0	0	Ring shear	Undrain	0.048	0.0	1.252381	0.691358025	1.1	C
UT-55	198.00	0	0	Ring shear	Undrain	0.048	0.0	1.2644231	0.716049383	1.08	D-C
UT-56	197.00	0	0	Ring shear	Undrain	0.048	0.0	1.2705314	0.728395062	1.07	D-C
UT-57	197.00	0	0	Ring shear	Undrain	0.048	0.0	1.3019802	0.790123457	1.02	D-C
UT-58	197.00	0	0	Ring shear	Undrain	0.048	0.0	1.3282828	0.839506173	0.98	D-C
UT-59	198.00	0	0	Ring shear	Undrain	0.048	0.0	1.3626943	0.901234568	0.93	D-C
UT-60	197.00	0	0	Ring shear	Undrain	0.048	0.0	1.3915344	0.950617284	0.89	D-C
UT-61	197.00	0	0	Ring shear	Undrain	0.048	0.0	1.4139785	0.987654321	0.86	D-C
DT-62	471.00	0	0	Ring shear	Ddrain	0.048	0.0	1.3350254	0.851851852	0.97	No
DT-63	472.00	0	0	Ring shear	Ddrain	0.048	0.0	1.3350254	0.851851852	0.97	No
DT-64	473.00	0	0	Ring shear	Ddrain	0.048	0.0	1.3350254	0.851851852	0.97	No
DT-65	472.00	0	0	Ring shear	Ddrain	0.048	0.0	1.3418367	0.864197531	0.96	No
DT-66	50.00	0	0	Ring shear	Ddrain	0.048	0.0	1.2347418	0.654320988	1.13	No
DT-67	198.00	0	0	Ring shear	Ddrain	0.048	0.0	1.2583732	0.703703704	1.09	No
DT-68	50.00	0	0	Ring shear	Ddrain	0.048	0.0	1.2347418	0.654320988	1.13	No
UT-69	49.00	0	0	Ring shear	Undrain	0.048	0.0	1.240566	0.666666667	1.12	C
DT-70	50.00	0	0	Ring shear	Ddrain	0.048	0.0	1.240566	0.666666667	1.12	No
DT-71	473.00	0	0	Ring shear	Ddrain	0.048	0.0	1.3418367	0.864197531	0.96	No
UT-72	197.00	0	0	Ring shear	Undrain	1.3	0.0	0	0	0.75	C
UT-73	197.00	0	0	Ring shear	Undrain	1.3	0.0	0	0	0.62	D-C
UT-74	197.00	0	0	Ring shear	Undrain	1.3	0.0	0	0	0.54	D-C
DT-75	100.00	0	0	Ring shear	Ddrain	2.8	0.0	0	0	0.65	No
DT-76	198.00	0	0	Ring shear	Ddrain	2.8	0.0	0	0	0.64	No
DT-77	295.00	0	0	Ring shear	Ddrain	2.8	0.0	0	0	0.63	No
DT-78	489.00	0	0	Ring shear	Ddrain	2.8	0.0	0	0	0.62	No
UT-79	98.00	0	0	Ring shear	Undrain	2.8	0.0	0	0	0.64	D-C
UT-80	197.00	0	0	Ring shear	Undrain	2.8	0.0	0	0	0.63	D-C
UT-81	294.00	0	0	Ring shear	Undrain	2.8	0.0	0	0	0.63	D-C
UT-82	476.00	0	0	Ring shear	Undrain	2.8	0.0	0	0	0.61	D-C
DT-83	50.00	0	0	Ring shear	Ddrain	1.2	0.0	1.4662921	0.764705882	0.78	No
DT-84	199.00	0	0	Ring shear	Ddrain	1.2	0.0	1.4745763	0.784313725	0.77	No
DT-85	448.00	0	0	Ring shear	Ddrain	1.2	0.0	1.5443787	0.941176471	0.69	No
UT-86	50.00	0	0	Ring shear	Undrain	1.2	0.0	1.4662921	0.764705882	0.78	C
UT-87	196.00	0	0	Ring shear	Undrain	1.2	0.0	1.4829545	0.803921569	0.76	C
UT-88	445.00	0	0	Ring shear	Undrain	1.2	0.0	1.5352941	0.921568627	0.7	D-C
UT-89	196.00	0	0	Ring shear	Undrain	1.2	0.0	1.5086705	0.862745098	0.73	C
UT-90	195.00	0	0	Ring shear	Undrain	1.2	0.0	1.5628743	0.980392157	0.67	D-C
UT-91	196.00	0	0	Ring shear	Undrain	1.2	0.0	1.621118	1.098039216	0.61	D-C
UT-92	196.00	0	0	Ring shear	Undrain	1.2	0.0	1.63125	1.117647059	0.6	D-C
UT-93	196.00	0	0	Ring shear	Undrain	1.2	0.0	1.6518987	1.156862745	0.58	D-C
UT-94	197.00	0	0	Ring shear	Undrain	1.2	0.0	1.6624204	1.176470588	0.57	D-C
UT-95	196.00	0	0	Ring shear	Undrain	1.2	0.0	1.683871	1.215686275	0.55	D-C
UT-96	196.00	0	0	Ring shear	Undrain	1.2	0.0	1.7171053	1.274509804	0.52	D-C
DT-97	50.00	0	0	Ring shear	Ddrain	0.048	0.0	1.240566	0.666666667	1.12	No
DT-98	197.00	0	0	Ring shear	Ddrain	0.048	0.0	1.252381	0.691358025	1.1	No
DT-99	448.00	0	0	Ring shear	Ddrain	0.048	0.0	1.3282828	0.839506173	0.98	No
UT-100	49.00	0	0	Ring shear	Undrain	0.048	0.0	1.2347418	0.654320988	1.13	D-C
UT-101	198.00	0	0	Ring shear	Undrain	0.048	0.0	1.2464455	0.679012346	1.11	D-C
UT-102	445.00	0	0	Ring shear	Undrain	0.048	0.0	1.315	0.814814815	1	D-C
UT-103	198.00	0	0	Ring shear	Undrain	0.048	0.0	1.2705314	0.728395062	1.07	D-C
UT-104	198.00	0	0	Ring shear	Undrain	0.048	0.0	1.2829268	0.75308642	1.05	D-C
UT-105	198.00	0	0	Ring shear	Undrain	0.048	0.0	1.3084577	0.802469136	1.01	D-C
UT-106	197.00	0	0	Ring shear	Undrain	0.048	0.0	1.315	0.814814815	1	D-C
UT-107	198.00	0	0	Ring shear	Undrain	0.048	0.0	1.3418367	0.864197531	0.96	D-C
UT-108	197.00	0	0	Ring shear	Undrain	0.048	0.0	1.3697917	0.913580247	0.92	D-C
UT-109	197.00	0	0	Ring shear	Undrain	0.048	0.0	1.3842105	0.938271605	0.9	D-C
UT-110	199.00	0	0	Ring shear	Undrain	0.048	0.0	1.3989362	0.962962963	0.88	D-C
UT-111	197.00	0	0	Ring shear	Undrain	0.048	0.0	1.4139785	0.987654321	0.86	D-C
UT-112	198.00	0	0	Ring shear	Undrain	1.3	0.0	0	0	0.76	D-C
UT-113	198.00	0	0	Ring shear	Undrain	1.3	0.0	0	0	0.61	D-C
UT-114	198.00	0	0	Ring shear	Undrain	1.3	0.0	0	0	0.59	D-C
UT-115	198.00	0	0	Ring shear	Undrain	1.3	0.0	0	0	0.54	D-C
DT-116	50.00	0	0	Ring shear	Ddrain	2.8	0.0	0	0	0.66	No
DT-117	197.00	0	0	Ring shear	Ddrain	2.8	0.0	0	0	0.63	No
DT-118	446.00	0	0	Ring shear	Ddrain	2.8	0.0	0	0	0.6	No
UT-119	49.00	0	0	Ring shear	Undrain	2.8	0.0	0	0	0.66	D-C
UT-120	198.00	0	0	Ring shear	Undrain	2.8	0.0	0	0	0.64	D-C
UT-121	446.00	0	0	Ring shear	Undrain	2.8	0.0	0	0	0.62	D-C
DT-122	196.00	0	0	Ring shear	Ddrain	0.17	0.0	0	0	0.89	No
DT-123	196.00	0	0	Ring shear	Ddrain	0.17	0.0	0	0	0.72	No
DT-124	196.00	0	0	Ring shear	Ddrain	0.17	0.0	0	0	0.65	No
DT-125	99.00	0	0	Ring shear	Ddrain	0.17	0.0	0	0	0.89	No
DT-126	197.00	0	0	Ring shear	Ddrain	0.17	0.0	0	0	0.91	No
DT-127	100.00	0	0	Ring shear	Ddrain	0.17	0.0	0	0	0.74	No
DT-128											

UT-23	196.00	105.6	0.53877551	Ring shear	Undrain	0.05	0.0	0.717	1.08	C	
UT-24	196.00	86.5	0.441326531	Ring shear	Undrain	0.05	0.0	0.717	1.08	C	
UT-25	196.00	80.3	0.409693878	Ring shear	Undrain	0.05	0.0	0.753	1.05	C	
UT-26	196.00	71.8	0.365326531	Ring shear	Undrain	0.05	0.0	0.691	1.1	C	
UT-27	196.00	100.6	0.513265306	Ring shear	Undrain	0.05	0.0	0.727	1.07	C	
UT-28	196.00	109.4	0.558163265	Ring shear	Undrain	0.05	0.0	0.694	1.1	C	
UT-29	196.00	26.4	0.134693878	Ring shear	Undrain	0.05	0.0	0.684	1.1	C	
UT-30	196.00	0	0	Ring shear	Undrain	0.047	10.0	0.526	1.1	C	
UT-31	196.00	0	0	Ring shear	Undrain	0.047	10.0	0.705	0.96	D-C	
UT-32	196.00	0	0	Ring shear	Undrain	0.047	10.0	0.526	1.1	C	
UT-33	196.00	0	0	Ring shear	Undrain	0.047	10.0	0.628	1.02	C	
UT-34	196.00	0	0	Ring shear	Undrain	0.047	10.0	0.821	0.87	D-C	
UT-35	196.00	0	0	Ring shear	Undrain	0.047	10.0	0.654	1	D-C	
UT-36	196.00	0	0	Ring shear	Undrain	0.047	10.0	0.551	1.08	C	
UT-37	196.00	0	0	Ring shear	Undrain	0.047	10.0	0.487	1.13	C	
UT-38	196.00	0	0	Ring shear	Undrain	0.047	10.0	0.487	1.13	C	
UT-39	196.00	0	0	Ring shear	Undrain	0.043	20.0	0.562	1.06	C	
UT-40	196.00	0	0	Ring shear	Undrain	0.043	20.0	0.696	0.97	C	
UT-41	196.00	0	0	Ring shear	Undrain	0.043	20.0	0.734	0.94	D-C	
UT-42	196.00	0	0	Ring shear	Undrain	0.043	20.0	0.797	0.89	D-C	
UT-43	196.00	0	0	Ring shear	Undrain	0.043	20.0	0.633	1.02	C	
UT-44	196.00	0	0	Ring shear	Undrain	0.04	30.0	0.807	0.89	C	
UT-45	196.00	0	0	Ring shear	Undrain	0.04	30.0	0.843	0.86	C	
UT-46	196.00	0	0	Ring shear	Undrain	0.04	30.0	0.819	0.88	C	
UT-47	196.00	0	0	Ring shear	Undrain	0.04	30.0	0.699	0.98	C	
UT-48	196.00	0	0	Ring shear	Undrain	0.04	30.0	0.675	1	C	
UT-49	196.00	0	0	Ring shear	Undrain	0.032	50.0	0.876	0.85	C	
UT-50	196.00	0	0	Ring shear	Undrain	0.032	50.0	0.876	0.85	C	
UT-51	196.00	0	0	Ring shear	Undrain	0.032	50.0	0.899	0.83	C	
UT-52	196.00	0	0	Ring shear	Undrain	0.032	50.0	0.831	0.89	C	
UT-53	196.00	0	0	Ring shear	Undrain	0.032	50.0	0.888	0.84	C	
UT-54	196.00	0	0	Ring shear	Undrain	0.032	50.0	0.91	0.82	C	
UT-55	196.00	0	0	Ring shear	Undrain	0.025	70.0	0.969	0.76	C	
UT-56	196.00	0	0	Ring shear	Undrain	0.025	70.0	0.948	0.78	C	
UT-57	196.00	0	0	Ring shear	Undrain	0.025	70.0	0.906	0.82	C	
UT-58	196.00	0	0	Ring shear	Undrain	0.025	70.0	0.969	0.76	C	
UT-59	196.00	0	0	Ring shear	Undrain	0.025	70.0	0.99	0.74	C	
DT-60	196.00	0	0	Ring shear	Drain	0.047	10.0	0.526	1.1	No	
DT-61	196.00	0	0	Ring shear	Drain	0.047	10.0	0.59	1.05	No	
DT-62	196.00	0	0	Ring shear	Drain	0.047	10.0	0.846	0.85	No	
DT-63	196.00	0	0	Ring shear	Drain	0.047	10.0	0.462	1.15	No	
DT-64	196.00	0	0	Ring shear	Drain	0.047	10.0	0.462	1.15	No	
DT-65	196.00	0	0	Ring shear	Drain	0.047	10.0	0.513	1.11	No	
DT-66	196.00	0	0	Ring shear	Drain	0.047	10.0	0.821	0.87	No	
DT-67	196.00	0	0	Ring shear	Drain	0.047	10.0	0.815	1.03	No	
DT-68	196.00	0	0	Ring shear	Drain	0.04	30.0	0.699	0.98	No	
DT-69	196.00	0	0	Ring shear	Drain	0.04	30.0	0.711	0.97	No	
DT-70	196.00	0	0	Ring shear	Drain	0.04	30.0	0.711	0.97	No	
DT-71	196.00	0	0	Ring shear	Drain	0.04	30.0	0.904	0.81	No	
DT-72	196.00	0	0	Ring shear	Drain	0.04	30.0	0.639	1.03	No	
DT-73	196.00	0	0	Ring shear	Drain	0.04	30.0	0.651	1.02	No	
DT-74	196.00	0	0	Ring shear	Drain	0.04	30.0	0.831	0.87	No	
DT-75	196.00	0	0	Ring shear	Drain	0.032	50.0	0.809	0.91	No	
DT-76	196.00	0	0	Ring shear	Drain	0.032	50.0	0.843	0.88	No	
DT-77	196.00	0	0	Ring shear	Drain	0.032	50.0	0.899	0.83	No	
DT-78	196.00	0	0	Ring shear	Drain	0.032	50.0	0.809	0.91	No	
DT-79	196.00	0	0	Ring shear	Drain	0.032	50.0	0.809	0.91	No	
DT-80	196.00	0	0	Ring shear	Drain	0.032	50.0	0.831	0.89	No	
UT-1	200.00	0	0	Ring shear	Undrain	0.8	0.0	1.63125	1.117647059	0.6	D-C
UT-2	200.00	0	0	Ring shear	Undrain	0.8	0.0	1.5628743	0.980392157	0.67	D-C
UT-3	200.00	0	0	Ring shear	Undrain	0.8	0.0	1.5535714	0.960784314	0.68	D-C
UT-4	200.00	0	0	Ring shear	Undrain	0.8	0.0	1.5443787	0.941176471	0.69	C
UT-5	200.00	0	0	Triaxial	Undrain	0.8	0.0	1.6111111	1.078431373	0.62	D-C
UT-6	200.00	0	0	Triaxial	Undrain	0.8	0.0	1.621118	1.098039216	0.61	D-C
UT-7	200.00	0	0	Triaxial	Undrain	0.8	0.0	1.601227	1.058823529	0.63	D-C
DT-1	196.00	0	0	Ring shear	Drain	0.18	0.0	0.40	0.84	No	
DT-2	196.00	0	0	Ring shear	Drain	0.16	0.0	0.61	0.94	No	
DT-3	196.00	0	0	Ring shear	Drain	0.8	0.0	0.87	0.73	No	
DT-4	196.00	0	0	Ring shear	Drain	0.8	0.0	1.01	0.66	No	
UT-4	196.00	0	0	Ring shear	Undrain	0.16	0.0	0.46	0.82	D-C	
UT-5	196.00	0	0	Ring shear	Undrain	0.16	0.0	0.64	0.92	D-C	
UT-6	196.00	0	0	Ring shear	Undrain	0.8	0.0	0.94	0.69	C	
UT-7	196.00	0	0	Ring shear	Undrain	0.8	0.0	0.98	0.67	D-C	
UT-1	250.00	0	0	Ring shear	Undrain	0.022	0.0	0.772		C	
UT-2	250.00	0	0	Ring shear	Undrain	0.022	0.0	0.757		C	
UT-3	250.00	0	0	Ring shear	Undrain	0.022	0.0	0.753		C	
UT-4	250.00	0	0	Ring shear	Undrain	0.022	0.0	0.75		C	
UT-5	250.00	0	0	Ring shear	Undrain	0.022	0.0	0.747		C	
UT-6	250.00	0	0	Ring shear	Undrain	0.022	0.0	0.744		C	
UT-7	250.00	0	0	Ring shear	Undrain	0.022	0.0	0.733		C	
UT-8	250.00	0	0	Ring shear	Undrain	0.022	0.0	0.727		C	
UT-9	250.00	0	0	Ring shear	Undrain	0.022	0.0	0.705		C	
UT-10	250.00	0	0	Ring shear	Undrain	0.022	0.0	0.681		C	
UT-11	250.00	0	0	Ring shear	Undrain	0.022	0.0	0.675		C	
UT-1	198.00	0	0	Ring shear	Undrain	0.18	0.0	1.86	0.45	No	
UT-2	197.00	0	0	Ring shear	Undrain	0.18	0.0	1.91	0.41	D-C	
UT-3	198.00	0	0	Ring shear	Undrain	0.18	0.0	1.96	0.38	D-C	
UT-4	291.00	0	0	Ring shear	Undrain	0.18	0.0	1.87	0.44	C	
UT-5	100.00	0	0	Ring shear	Undrain	0.18	0.0	1.84	0.46	C	
DT-1	22.00	0	0	Ring shear	Drain	3	0.0	0.67		D-C	
DT-2	200.00	0	0	Ring shear	Drain	3	0.0	0.62		D-C	
DT-3	200.00	0	0	Ring shear	Drain	3	0.0	0.61		D-C	
UT-1	75.00	18	0.24	Ring shear	Undrain	0.144	0.0	1.3		C	
UT-2	75.00	18	0.24	Ring shear	Undrain	0.144	0.0	1.28		C	
UT-3	75.00	18	0.24	Ring shear	Undrain	0.144	0.0	1.26		C	
UT-1	100.00	0	0	Ring shear	Undrain	0.008	0.0	1.36	0.992647	C	
UT-2	200.00	0	0	Ring shear	Undrain	0.008	0.0	1.44	0.881944	C	
UT-3	300.00	0	0	Ring shear	Undrain	0.008	0.0	1.48	0.831081	C	
UT-4	400.00	0	0	Ring shear	Undrain	0.008	0.0	1.51	0.794702	C	
UT-1	375.00	0	0	Ring shear	Undrain	0.5	0.0			D-C	
UT-2	1030.00	0	0	Ring shear	Undrain	0.5	0.0			D-C	
UT-3	1970.00	0	0	Ring shear	Undrain	0.5	0.0			C	
UT-4	2800.00	0	0	Ring shear	Undrain	0.5	0.0			C	
UT-5	1970.00	0	0	Ring shear	Undrain	0.9	0.0			C	
UT-1	50.00	0	0	Triaxial	Undrain	0.34	0.0	1.3383838	0	0.98	
UT-2	100.00	0	0	Triaxial	Undrain	0.34	0.0	1.3451777	0	0.97	C
UT-3	200.00	0	0	Triaxial	Undrain	0.34	0.0	1.3451777	0	0.97	
UT-4	50.00	0	0	Triaxial	Undrain	0.34	0.0	1.3659794	0.2	0.94	
UT-5	100.00	0	0	Triaxial	Undrain	0.34	0.0	1.3659794	0.2	0.94	D-C
UT-6	200.00	0	0	Triaxial	Undrain	0.34	0.0	1.373057	0.2	0.93	
UT-7	50.00	0	0	Triaxial	Undrain	0.34	0.0	1.3874346	0.3	0.91	
UT-8	100.00	0	0	Triaxial	Undrain	0.34	0.0	1.3947368	0.3	0.9	D-C
UT-9	200.00	0	0	Triaxial	Undrain	0.34	0.0	1.3947368	0.3	0.9	
UT-10	50.00	0	0	Triaxial	Undrain	0.34	0.0	1.4402174	0.5	0.84	
UT-11	100.00	0	0	Triaxial	Undrain	0.34	0.0	1.4402174	0.5	0.84	D
UT-12	200.00	0	0	Triaxial	Undrain	0.34	0.0	1.4402174	0.5	0.84	
UT-13	50.00	0	0	Triaxial	Undrain	0.34	0.0	1.5229885	0.8	0.74	D
UT-14	100.00	0	0	Triaxial	Undrain	0.34	0.0	1.5229885	0.8	0.74	D
UT-15	200.00	0	0	Triaxial	Undrain	0.34	0.0	1.5229885	0.8	0.74	D
UT-16	50.00	0	0	Triaxial	Undrain	0.338	5.0	1.3947368	0.3	0.9	
UT-17	100.00	0	0	Triaxial	Undrain	0.338	5.0	1.4095745	0.3	0.88	D-C
UT-18	200.00	0	0	Triaxial	Undrain	0.338	5.0	1.4171123	0.3	0.87	
UT-19	50.00	0	0	Triaxial	Undrain	0.338	5.0	1.4600551	0.5	0.815	
UT-20	100.00	0	0	Triaxial	Undrain	0.338	5.0	1.468144	0.5	0.805	D
UT-21	200.00	0	0	Triaxial	Undrain	0.338	5.0	1.4722222	0.5	0.8	
UT-22	50.00	0	0	Triaxial	Undrain	0.338	5.0	1.577381	0.8	0.68	
UT-23	100.00	0	0	Triaxial	Undrain	0.338	5.0	1.5820896	0.8	0.675	
UT-24	200.00	0	0	Triaxial	Undrain	0.338	5.0	1.5820896	0.8	0.675	D
UT-25	50.00	0	0	Triaxial	Undrain	0.326	10.0	1.4085745	0.3	0.86	C
UT-26	100.00	0	0	Triaxial	Undrain						

UT-38	100.00	0	0	Triaxial	Undrain	0.303	20.0	1.6257669	0.5	0.63	D-C	
UT-39	200.00	0	0	Triaxial	Undrain	0.303	20.0	1.6060606	0.5	0.65	D-C	
UT-40	50.00	0	0	Triaxial	Undrain	0.303	20.0	1.65625	0.8	0.6		
UT-41	100.00	0	0	Triaxial	Undrain	0.303	20.0	1.6772152	0.8	0.58		
UT-42	200.00	0	0	Triaxial	Undrain	0.303	20.0	1.6772152	0.8	0.58	D-C	
UT-1	100.00			Torsional shear	Undrain	0.27	0.0		0.42	0.738	D-C	
UT-2	100.00			Torsional shear	Undrain	0.27	0.0		0.45	0.728	D-C	
UT-3	100.00			Torsional shear	Undrain	0.27	0.0		0.48	0.719	D-C	
UT-4	100.00			Torsional shear	Undrain	0.27	0.0		0.44	0.73	D-C	
UT-5	100.00			Torsional shear	Undrain		15.0		0.56	0.64	D-C	
UT-6	100.00			Torsional shear	Undrain		15.0		0.57	0.636	D-C	
UT-7	100.00			Torsional shear	Undrain		15.0		0.56	0.641		
UT-8	100.00			Torsional shear	Undrain		15.0		0.56	0.635	C	
UT-9	100.00			Torsional shear	Undrain		15.0		0.6	0.621	D-C	
UT-10	100.00			Torsional shear	Undrain		15.0		0.6	0.623	C	
UT-11	100.00			Torsional shear	Undrain		15.0		0.59	0.626	C	
UT-12	100.00			Torsional shear	Undrain		15.0		0.6	0.614	C	
UT-13	100.00			Torsional shear	Undrain		30.0		0.73	0.521	C	
UT-14	100.00			Torsional shear	Undrain		30.0		0.72	0.527	C	
UT-15	100.00			Torsional shear	Undrain		30.0		0.73	0.521	C	
UT-16	100.00			Torsional shear	Undrain		30.0		0.74	0.515	C	
UT-17	200.00			Torsional shear	Undrain		0.0		0.48	0.719	D-C	
UT-18	200.00			Torsional shear	Undrain		0.0		0.51	0.707	D-C	
UT-19	200.00			Torsional shear	Undrain		0.0		0.47	0.721	D-C	
UT-20	200.00			Torsional shear	Undrain		0.0		0.48	0.717	D-C	
UT-21	200.00			Torsional shear	Undrain		15.0		0.58	0.629	C	
UT-22	200.00			Torsional shear	Undrain		15.0		0.58	0.628	C	
UT-23	200.00			Torsional shear	Undrain		15.0		0.59	0.627	C	
UT-24	200.00			Torsional shear	Undrain		15.0		0.59	0.624	C	
UT-25	200.00			Torsional shear	Undrain		30.0		0.76	0.506	C	
UT-26	200.00			Torsional shear	Undrain		30.0		0.77	0.5	C	
UT-27	200.00			Torsional shear	Undrain		30.0		0.77	0.498	C	
UT-28	200.00			Torsional shear	Undrain		30.0		0.75	0.509	C	
UT-29	200.00			Torsional shear	Undrain		70.0		0.78	0.517	D-C	
UT-30	200.00			Torsional shear	Undrain		70.0		0.78	0.519	C	
UT-1	96.00	0	0	Simulation	Undrain	0.279	0.0		0.867		C	
UT-2	96.00	0	0	Simulation	Undrain	0.279	0.0		0.597		D-C	
UT-3	96.00	0	0	Simulation	Undrain	0.279	0.0		0.838		D-C	
UT-4	96.00	0	0	Simulation	Undrain	0.279	0.0		0.667		D-C	
UT-5	96.00	0	0	Simulation	Undrain	0.279	0.0		0.726		D-C	
UT-6	96.00	0	0	Simulation	Undrain	0.279	0.0		0.852		C	
UT-7	96.00	0	0	Simulation	Undrain	0.279	0.0		0.796		D-C	
UT-8	96.00	0	0	Simulation	Undrain	0.279	0.0		0.675		D-C	
UT-9	333.00	0	0	Simulation	Undrain	0.279	0.0		0.547		D-C	
UT-10	96.00	0	0	Simulation	Undrain	0.279	0.0		0.726		D-C	
UT-11	96.00	0	0	Simulation	Undrain	0.279	0.0		0.875		C	
UT-12	96.00	0	0	Simulation	Undrain	0.279	0.0		0.796		D-C	
UT-13	500.00	0	0	Simulation	Undrain	0.279	0.0		0.746		D-C	
UT-14	500.00	0	0	Simulation	Undrain	0.279	0.0		0.42		D-C	
UT-15	500.00	0	0	Simulation	Undrain	0.279	0.0		0.722		D-C	
UT-16	96.00	0	0	Simulation	Undrain	0.279	0.0		0.597		D-C	
UT-17	96.00	0	0	Simulation	Undrain	0.279	0.0		0.599		D-C	
UT-18	96.00	0	0	Simulation	Undrain	0.279	0.0		0.874		C	
UT-19	100.00	0	0	Simulation	Undrain	0.279	0.0		0.599		D-C	
UT-20	76.00	0	0	Simulation	Undrain	0.279	0.0		0.853		C	
UT-21	100.00	0	0	Simulation	Undrain	0.279	0.0		0.859		D-C	
UT-22	94.00	0	0	Simulation	Undrain	0.279	5.0		0.626		D-C	
UT-23	94.00	0	0	Simulation	Undrain	0.279	5.0		0.765		D-C	
UT-24	94.00	0	0	Simulation	Undrain	0.279	5.0		0.567		D-C	
UT-25	94.00	0	0	Simulation	Undrain	0.279	5.0		0.812		D-C	
UT-26	94.00	0	0	Simulation	Undrain	0.279	5.0		0.817		C	
UT-27	350.00	0	0	Simulation	Undrain	0.279	5.0		0.732		D-C	
UT-28	500.00	0	0	Simulation	Undrain	0.279	5.0		0.655		D-C	
UT-29	100.00	0	0	Simulation	Undrain	0.279	5.0		0.685		D-C	
UT-30	94.00	0	0	Simulation	Undrain	0.279	10.0		0.545		D-C	
UT-31	94.00	0	0	Simulation	Undrain	0.279	10.0		0.546		D-C	
UT-32	94.00	0	0	Simulation	Undrain	0.279	10.0		0.711		D-C	
UT-33	94.00	0	0	Simulation	Undrain	0.279	10.0		0.549		D-C	
UT-34	94.00	0	0	Simulation	Undrain	0.279	10.0		0.677		D-C	
UT-35	94.00	0	0	Simulation	Undrain	0.279	10.0		0.746		C	
UT-36	330.00	0	0	Simulation	Undrain	0.279	10.0		0.665		D-C	
UT-37	330.00	0	0	Simulation	Undrain	0.279	10.0		0.51		D-C	
UT-38	500.00	0	0	Simulation	Undrain	0.279	10.0		0.602		D-C	
UT-39	500.00	0	0	Simulation	Undrain	0.279	10.0		0.486		D-C	
UT-40	340.00	0	0	Simulation	Undrain	0.279	20.0		0.399		D-C	
UT-41	96.00	0	0	Simulation	Undrain	0.279	20.0		0.62		C	
UT-42	100.00	0	0	Simulation	Undrain	0.279	20.0		0.635		C	
UT-43	350.00	0	0	Simulation	Undrain	0.279	20.0		0.55		C	
UT-44	100.00	0	0	Simulation	Undrain	0.279	20.0		0.428		D-C	
DT-1	200.00	0	0	Triaxial	Drain	1.086	0.0	1.040892193	0.621		D-C	
DT-2	200.00	0	0	Triaxial	Drain		10.0	1.073800738	0.583		D-C	
DT-3	200.00	0	0	Triaxial	Drain		20.0	1.030534351	0.558		D-C	
DT-4	200.00	0	0	Triaxial	Drain		30.0	1.034615385	0.531		D-C	
DT-5	200.00	0	0	Triaxial	Drain		50.0	1.015748031	0.544		D-C	
DT-6	200.00	0	0	Triaxial	Drain		70.0	0.956521739	0.631		D-C	
DT-7	200.00	0	0	Triaxial	Drain		100.0	0.993355482	0.7		D-C	
DT-8	200.00	0	0	Triaxial	Drain		10.0	1.034749035	0.562		D-C	
DT-9	200.00	0	0	Triaxial	Drain		20.0	1.039823009	0.499		D-C	
DT-10	200.00	0	0	Triaxial	Drain		30.0	1.141509434	0.461		D-C	
DT-11	200.00	0	0	Triaxial	Drain		50.0	0.950892857	0.512		D-C	
DT-12	200.00	0	0	Triaxial	Drain		70.0	0.988721805	0.595		D-C	
DT-13	200.00	0	0	Triaxial	Drain		100.0	1.094936709	0.756		D-C	
DT-14	200.00	0	0	Triaxial	Drain		10.0	1.02016129	0.542		D-C	
DT-15	200.00	0	0	Triaxial	Drain		20.0	1.074889968	0.435		D-C	
DT-16	200.00	0	0	Triaxial	Drain		30.0	1.070247934	0.376		D-C	
DT-17	200.00	0	0	Triaxial	Drain		50.0	0.962162162	0.47		D-C	
DT-18	200.00	0	0	Triaxial	Drain		70.0	0.944915254	0.598		D-C	
DT-19	200.00	0	0	Triaxial	Drain		100.0	0.981818182	0.784		D-C	
DT-20	200.00	0	0	Triaxial	Drain		10.0	1.065693431	0.505		D-C	
DT-21	200.00	0	0	Triaxial	Drain		20.0	1.015936255	0.404		D-C	
DT-22	200.00	0	0	Triaxial	Drain		30.0	0.983870968	0.339		D-C	
DT-23	200.00	0	0	Triaxial	Drain		50.0	0.962162162	0.422		D-C	
DT-24	200.00	0	0	Triaxial	Drain		70.0	0.976853977	0.523		D-C	
DT-25	200.00	0	0	Triaxial	Drain		100.0	0.955497382	0.734		D-C	
UT-1	100.00	0	0	Triaxial	Undrain	0.148	0.0		0.802		D-C	
UT-2	0	0	0	Triaxial	Undrain	0.148	0.0		0.750		D-C	
UT-3	0	0	0	Triaxial	Undrain		10.0		0.715			
UT-4	0	0	0	Triaxial	Undrain		10.0		0.758			
UT-5	0	0	0	Triaxial	Undrain		10.0		0.790		C	
UT-6	0	0	0	Triaxial	Undrain		20.0		0.620			
UT-7	0	0	0	Triaxial	Undrain		20.0		0.680			
UT-8	0	0	0	Triaxial	Undrain		20.0		0.700			
UT-9	0	0	0	Triaxial	Undrain		20.0		0.742		C	
UT-10	0	0	0	Triaxial	Undrain		30.0		0.581			
UT-11	0	0	0	Triaxial	Undrain		30.0		0.630			
UT-12	0	0	0	Triaxial	Undrain		30.0		0.65		C	
UT-13	0	0	0	Triaxial	Undrain		10.0		0.733		D-C	
UT-14	0	0	0	Triaxial	Undrain		10.0		0.761			
UT-15	0	0	0	Triaxial	Undrain		10.0		0.781			
UT-16	0	0	0	Triaxial	Undrain		20.0		0.632			
UT-17	0	0	0	Triaxial	Undrain		20.0		0.670			
UT-18	0	0	0	Triaxial	Undrain		20.0		0.708		C	
UT-19	0	0	0	Triaxial	Undrain		30.0		0.570			
UT-20	0	0	0	Triaxial	Undrain		20.0		0.631			
UT-21	0	0	0	Triaxial	Undrain		30.0		0.661			
UT-22	0	0	0	Triaxial	Undrain		10.0		0.754		D-C	
UT-23	0	0	0	Triaxial	Undrain		10.0		0.821			
UT-24	0	0	0	Triaxial	Undrain		10.0		0.815			
UT-25	0	0	0	Triaxial	Undrain		10.0		0.846			
UT-26	0	0	0									

UT-6	500.00	0	0	Triaxial	Undrain	0.56	0.0	0.551428571	0.737	D-C	
UT-7	500.00	0	0	Triaxial	Undrain	0.56	0.0	0.365714286	0.802	D-C	
UT-8	500.00	0	0	Triaxial	Undrain	0.56	0.0	0.362857143	0.803	D-C	
UT-9	500.00	0	0	Triaxial	Undrain	0.56	0.0	0.162857143	0.873	D-C	
UT-10	100.00	0	0	Triaxial	Undrain	0.55	10.0	0.641176471	0.592	D-C	
UT-11	100.00	0	0	Triaxial	Undrain	0.55	10.0	0.461764706	0.653	D-C	
UT-12	100.00	0	0	Triaxial	Undrain	0.55	10.0	0.432352941	0.663	D-C	
UT-13	100.00	0	0	Triaxial	Undrain	0.55	10.0	0.291176471	0.711	D-C	
UT-14	100.00	0	0	Triaxial	Undrain	0.55	10.0	0.188235294	0.746	D-C	
UT-15	100.00	0	0	Triaxial	Undrain	0.55	10.0	0.023529412	0.802	D-C	
UT-16	300.00	0	0	Triaxial	Undrain	0.55	10.0	0.347058824	0.692	D-C	
UT-17	300.00	0	0	Triaxial	Undrain	0.55	10.0	0.294117647	0.71	D-C	
UT-18	300.00	0	0	Triaxial	Undrain	0.55	10.0	0.252941176	0.724	D-C	
UT-19	300.00	0	0	Triaxial	Undrain	0.55	10.0	0.152941176	0.758	D-C	
UT-20	500.00	0	0	Triaxial	Undrain	0.55	10.0	0.517647059	0.634	D-C	
UT-21	500.00	0	0	Triaxial	Undrain	0.55	10.0	0.391176471	0.677	D-C	
UT-22	500.00	0	0	Triaxial	Undrain	0.55	10.0	0.267647059	0.719	D-C	
UT-23	500.00	0	0	Triaxial	Undrain	0.55	10.0	0.247058824	0.726	D-C	
UT-24	100.00	0	0	Triaxial	Undrain	0.52	20.0	0.621428571	0.529	D-C	
UT-25	100.00	0	0	Triaxial	Undrain	0.52	20.0	0.454761905	0.599	D-C	
UT-26	100.00	0	0	Triaxial	Undrain	0.52	20.0	0.285714286	0.67	D-C	
UT-27	500.00	0	0	Triaxial	Undrain	0.52	20.0	0.69047619	0.5	D-C	
UT-28	500.00	0	0	Triaxial	Undrain	0.52	20.0	0.578571429	0.547	D-C	
UT-29	500.00	0	0	Triaxial	Undrain	0.52	20.0	0.452380952	0.6	C	
UT-30	500.00	0	0	Triaxial	Undrain	0.52	20.0	0.4	0.622	C	
UT-31	500.00	0	0	Triaxial	Undrain	0.52	20.0	0.39047619	0.626	C	
UT-32	100.00	0	0	Triaxial	Undrain	0.49	30.0	0.63255814	0.528	C	
UT-33	100.00	0	0	Triaxial	Undrain	0.49	30.0	0.379069767	0.637	C	
UT-34	100.00	0	0	Triaxial	Undrain	0.49	30.0	0.304651163	0.669	C	
UT-35	500.00	0	0	Triaxial	Undrain	0.49	30.0	0.88372093	0.42	C	
UT-36	500.00	0	0	Triaxial	Undrain	0.49	30.0	0.73483721	0.484	C	
UT-37	500.00	0	0	Triaxial	Undrain	0.49	30.0	0.66045116	0.516	C	
UT-38	500.00	0	0	Triaxial	Undrain	0.49	30.0	0.855813953	0.432	C	
UT-39	100.00	0	0	Triaxial	Undrain	0.45	40.0	0.506382979	0.712	D-C	
UT-40	100.00	0	0	Triaxial	Undrain	0.45	40.0	0.423404255	0.751	D-C	
UT-41	500.00	0	0	Triaxial	Undrain	0.45	40.0	0.655319149	0.642	D-C	
UT-1	50.00	0	0	Triaxial	Undrain	0.197	0.0	1.6501511	0.173431734	0.655	D-C
UT-2	100.00	0	0	Triaxial	Undrain	0.197	0.0	1.6501511	0.173431734	0.655	D-C
UT-3	150.00	0	0	Triaxial	Undrain	0.197	0.0	1.6501511	0.173431734	0.655	D-C
UT-4	50.00	0	0	Triaxial	Undrain	0.18	10.0	1.6557971	0.196923077	0.656	C
UT-5	100.00	0	0	Triaxial	Undrain	0.18	10.0	1.6567976	0.2	0.655	C
UT-6	150.00	0	0	Triaxial	Undrain	0.18	10.0	1.6567976	0.2	0.655	C
UT-7	50.00	0	0	Triaxial	Undrain	0.159	20.0	1.6588589	0.320512621	0.665	C
UT-8	100.00	0	0	Triaxial	Undrain	0.159	20.0	1.6568686	0.315384615	0.667	C
UT-9	150.00	0	0	Triaxial	Undrain	0.159	20.0	1.6578631	0.73483721	0.666	C
UT-10	50.00	0	0	Triaxial	Undrain	0.139	30.0	1.6770708	0.400479516	0.666	D-C
UT-11	100.00	0	0	Triaxial	Undrain	0.139	30.0	1.6760648	0.398081535	0.667	D-C
UT-12	150.00	0	0	Triaxial	Undrain	0.139	30.0	1.6790865	0.405275779	0.664	D-C
UT-13	50.00	0	0	Triaxial	Undrain	0.1	40.0	1.691247	0.514412417	0.668	C
UT-14	100.00	0	0	Triaxial	Undrain	0.1	40.0	1.6932773	0.518847007	0.666	C
UT-15	150.00	0	0	Triaxial	Undrain	0.1	40.0	1.691247	0.514412417	0.668	C
UT-16	50.00	0	0	Triaxial	Undrain	0.197	0.0	1.7562701	0.542435424	0.555	D-C
UT-17	100.00	0	0	Triaxial	Undrain	0.197	0.0	1.7562701	0.542435424	0.555	D-C
UT-18	150.00	0	0	Triaxial	Undrain	0.197	0.0	1.7562701	0.542435424	0.555	D-C
UT-19	50.00	0	0	Triaxial	Undrain	0.18	10.0	1.7599487	0.498461538	0.558	D-C
UT-20	100.00	0	0	Triaxial	Undrain	0.18	10.0	1.761079	0.501538462	0.557	D-C
UT-21	150.00	0	0	Triaxial	Undrain	0.18	10.0	1.7599487	0.498461538	0.558	D-C
UT-22	50.00	0	0	Triaxial	Undrain	0.159	20.0	1.7637292	0.574358974	0.566	D-C
UT-23	100.00	0	0	Triaxial	Undrain	0.159	20.0	1.7637292	0.574358974	0.566	C
UT-24	150.00	0	0	Triaxial	Undrain	0.159	20.0	1.7637292	0.574358974	0.566	C
UT-25	50.00	0	0	Triaxial	Undrain	0.139	30.0	1.787588	0.647482014	0.563	D-C
UT-26	100.00	0	0	Triaxial	Undrain	0.139	30.0	1.787588	0.647482014	0.563	D-C
UT-27	150.00	0	0	Triaxial	Undrain	0.139	30.0	1.7887324	0.649880096	0.562	D-C
UT-28	50.00	0	0	Triaxial	Undrain	0.1	40.0	1.8048624	0.747228381	0.563	D-C
UT-29	100.00	0	0	Triaxial	Undrain	0.1	40.0	1.8060179	0.749445676	0.562	D-C
UT-30	150.00	0	0	Triaxial	Undrain	0.1	40.0	1.8071749	0.751652971	0.561	D-C
UT-1	50.00	0	0	Triaxial	Undrain	6.151	0.0	0.35			
UT-2	100.00	0	0	Triaxial	Undrain	6.151	0.0	0.35			
UT-3	150.00	0	0	Triaxial	Undrain	6.151	0.0	0.35		D-C	
UT-4	50.00	0	0	Triaxial	Undrain	5.816	10.0	0.35		D-C	
UT-5	100.00	0	0	Triaxial	Undrain	5.816	10.0	0.35		D-C	
UT-6	150.00	0	0	Triaxial	Undrain	5.816	10.0	0.35		D-C	
UT-7	50.00	0	0	Triaxial	Undrain	5.414	20.0	0.35			
UT-8	100.00	0	0	Triaxial	Undrain	5.414	20.0	0.35			
UT-9	150.00	0	0	Triaxial	Undrain	5.414	20.0	0.35		D-C	
UT-10	50.00	0	0	Triaxial	Undrain	4.974	30.0	0.35			
UT-11	100.00	0	0	Triaxial	Undrain	4.974	30.0	0.35			
UT-12	150.00	0	0	Triaxial	Undrain	4.974	30.0	0.35		D-C	
UT-13	50.00	0	0	Triaxial	Undrain	1.385	40.0	0.35			
UT-14	100.00	0	0	Triaxial	Undrain	1.385	40.0	0.35			
UT-15	150.00	0	0	Triaxial	Undrain	1.385	40.0	0.35		C	
UT-16	50.00	0	0	Triaxial	Undrain	0.671	45.0	0.35			
UT-17	100.00	0	0	Triaxial	Undrain	0.671	45.0	0.35			
UT-18	150.00	0	0	Triaxial	Undrain	0.671	45.0	0.35		C	
UT-19	50.00	0	0	Triaxial	Undrain	5.908	0.0	0.35			
UT-20	100.00	0	0	Triaxial	Undrain	5.908	0.0	0.35			
UT-21	150.00	0	0	Triaxial	Undrain	5.908	0.0	0.35		D-C	
UT-22	50.00	0	0	Triaxial	Undrain	5.4999	10.0	0.35			
UT-23	100.00	0	0	Triaxial	Undrain	5.4999	10.0	0.35			
UT-24	150.00	0	0	Triaxial	Undrain	5.4999	10.0	0.35		D-C	
UT-25	50.00	0	0	Triaxial	Undrain	5.2	20.0	0.35		D-C	
UT-26	100.00	0	0	Triaxial	Undrain	5.2	20.0	0.35		D-C	
UT-27	150.00	0	0	Triaxial	Undrain	5.2	20.0	0.35		D-C	
UT-28	50.00	0	0	Triaxial	Undrain	1.819	30.0	0.35			
UT-29	100.00	0	0	Triaxial	Undrain	1.819	30.0	0.35			
UT-30	150.00	0	0	Triaxial	Undrain	1.819	30.0	0.35		C	
UT-31	50.00	0	0	Triaxial	Undrain	0.832	40.0	0.35			
UT-32	100.00	0	0	Triaxial	Undrain	0.832	40.0	0.35			
UT-33	150.00	0	0	Triaxial	Undrain	0.832	40.0	0.35		C	
UT-34	50.00	0	0	Triaxial	Undrain	0.478	45.0	0.35			
UT-35	100.00	0	0	Triaxial	Undrain	0.478	45.0	0.35			
UT-36	150.00	0	0	Triaxial	Undrain	0.478	45.0	0.35		C	
UT-37	50.00	0	0	Triaxial	Undrain	5.438	0.0	0.35			
UT-38	100.00	0	0	Triaxial	Undrain	5.438	0.0	0.35			
UT-39	150.00	0	0	Triaxial	Undrain	5.438	0.0	0.35		D-C	
UT-40	50.00	0	0	Triaxial	Undrain	4.913	10.0	0.35			
UT-41	100.00	0	0	Triaxial	Undrain	4.913	10.0	0.35			
UT-42	150.00	0	0	Triaxial	Undrain	4.913	10.0	0.35		D-C	
UT-43	50.00	0	0	Triaxial	Undrain	1.829	20.0	0.35			
UT-44	100.00	0	0	Triaxial	Undrain	1.829	20.0	0.35			
UT-45	150.00	0	0	Triaxial	Undrain	1.829	20.0	0.35		D-C	
UT-46	50.00	0	0	Triaxial	Undrain	1.192	30.0	0.35			
UT-47	100.00	0	0	Triaxial	Undrain	1.192	30.0	0.35			
UT-48	150.00	0	0	Triaxial	Undrain	1.192	30.0	0.35		C	
UT-49	50.00	0	0	Triaxial	Undrain	0.881	35.0	0.35		C	
UT-50	100.00	0	0	Triaxial	Undrain	0.881	35.0	0.35		C	
UT-51	150.00	0	0	Triaxial	Undrain	0.881	35.0	0.35		C	
UT-52	50.00	0	0	Triaxial	Undrain	0.607	40.0	0.35			
UT-53	100.00	0	0	Triaxial	Undrain	0.607	40.0	0.35			
UT-54	150.00	0	0	Triaxial	Undrain	0.607	40.0	0.35		C	
UT-1	25.00	0	0	Triaxial	Undrain	0.18	0.0	0.22	0.812	C	
UT-2	25.00	0	0	Triaxial	Undrain		10.0	0.2	0.79	C	
UT-3	25.00	0	0	Triaxial	Undrain		20.0	0.26	0.77	C	
UT-4	25.00	0	0	Triaxial	Undrain						

UT-23	25.00	0	0	Triaxial	Undrain	50.0	0.58	0.723	C	
UT-24	25.00	0	0	Triaxial	Undrain	50.0	0.63	0.707	D-C	
UT-25	25.00	0	0	Triaxial	Undrain	50.0	0.85	0.894	D-C	
UT-26	25.00	0	0	Triaxial	Undrain	100.0	0.59	0.925	C	
UT-27	25.00	0	0	Triaxial	Undrain	100.0	0.6	0.921	C	
UT-28	25.00	0	0	Triaxial	Undrain	100.0	0.65	0.9	D-C	
UT-1	25.00	0	0	Triaxial	Undrain	6.0	0.12	0.83	C	
UT-2	75.00	0	0	Triaxial	Undrain	6.0	0.12	0.825	C	
UT-3	100.00	0	0	Triaxial	Undrain	6.0	0.12	0.821	C	
UT-4	125.00	0	0	Triaxial	Undrain	6.0	0.12	0.819	C	
UT-5	150.00	0	0	Triaxial	Undrain	6.0	0.12	0.815	D-C	
UT-6	300.00	0	0	Triaxial	Undrain	6.0	0.12	0.809	D-C	
UT-7	500.00	0	0	Triaxial	Undrain	6.0	0.12	0.804	D-C	
UT-8	25.00	0	0	Triaxial	Undrain	0.2	0	0.83	C	
UT-9	50.00	0	0	Triaxial	Undrain	0.2	0	0.821	C	
UT-10	100.00	0	0	Triaxial	Undrain	0.2	0	0.817	D-C	
UT-11	200.00	0	0	Triaxial	Undrain	0.2	0	0.806	D-C	
UT-12	500.00	0	0	Triaxial	Undrain	0.2	0	0.792	D-C	
UT-13	25.00	0	0	Triaxial	Undrain	0.2	0	10	D-C	
UT-14	25.00	0	0	Triaxial	Undrain	6.0	0.22	0.798	C	
UT-15	50.00	0	0	Triaxial	Undrain	6.0	0.22	0.795	D-C	
UT-16	100.00	0	0	Triaxial	Undrain	6.0	0.22	0.792	D-C	
UT-17	300.00	0	0	Triaxial	Undrain	6.0	0.22	0.778	D-C	
UT-18	500.00	0	0	Triaxial	Undrain	6.0	0.22	0.775	D-C	
UT-19	25.00	0	0	Triaxial	Undrain	6.0	0.31	0.768	D-C	
UT-20	100.00	0	0	Triaxial	Undrain	6.0	0.31	0.765	D-C	
UT-21	300.00	0	0	Triaxial	Undrain	6.0	0.31	0.75	D-C	
UT-22	500.00	0	0	Triaxial	Undrain	6.0	0.31	0.745	D-C	
UT-1	25.00	0	0	Triaxial	Undrain	7.0	0.3	0.779	C	
UT-2	50.00	0	0	Triaxial	Undrain	7.0	0.3	0.779	D-C	
UT-3	100.00	0	0	Triaxial	Undrain	7.0	0.3	0.779	D-C	
UT-4	200.00	0	0	Triaxial	Undrain	7.0	0.3	0.779	D-C	
UT-5	500.00	0	0	Triaxial	Undrain	7.0	0.3	0.779	D-C	
UT-6	1000.00	0	0	Triaxial	Undrain	7.0	0.3	0.779	D-C	
UT-7	1500.00	0	0	Triaxial	Undrain	7.0	0.3	0.779	D-C	
UT-8	2000.00	0	0	Triaxial	Undrain	7.0	0.3	0.779	D-C	
UT-9	4000.00	0	0	Triaxial	Undrain	7.0	0.3	0.779	D-C	
UT-10	6000.00	0	0	Triaxial	Undrain	7.0	0.3	0.779	D-C	
UT-11	200.00	0	0	Triaxial	Undrain	20.0	0.35	0.736	D-C	
UT-12	200.00	0	0	Triaxial	Undrain	20.0	0.35	0.736	D-C	
UT-13	200.00	0	0	Triaxial	Undrain	20.0	0.35	0.736	D-C	
UT-14	200.00	0	0	Triaxial	Undrain	20.0	0.35	0.736	D-C	
UT-15	200.00	0	0	Triaxial	Undrain	20.0	0.35	0.736	D-C	
UT-1	100.00	0	0	Triaxial	Undrain	0.249	0.0	0.23	0.893	D-C
UT-2	100.00	0	0	Triaxial	Undrain	0.249	2.0	0.33	0.854	D-C
UT-3	100.00	0	0	Triaxial	Undrain	0.249	0.0	0.34	0.849	D-C
UT-4	100.00	0	0	Triaxial	Undrain	0.249	2.0	0.53	0.78	D-C
UT-5	100.00	0	0	Triaxial	Undrain	0.249	2.0	0.67	0.725	D-C
UT-6	100.00	0	0	Triaxial	Undrain	0.249	2.0	0.21	0.9	D-C
UT-7	100.00	0	0	Triaxial	Undrain	0.212	12.0	0.26	0.88	D-C
UT-8	100.00	0	0	Triaxial	Undrain	0.212	12.0	0.39	0.795	D-C
UT-9	100.00	0	0	Triaxial	Undrain	0.212	12.0	0.49	0.724	D-C
UT-10	100.00	0	0	Triaxial	Undrain	0.212	12.0	0.82	0.634	D-C
UT-11	100.00	0	0	Triaxial	Undrain	0.212	12.0	0.78	0.521	D-C
UT-12	100.00	0	0	Triaxial	Undrain	0.212	12.0	0.74	0.551	D-C
UT-13	100.00	0	0	Triaxial	Undrain	0.175	27.0	0.61	0.612	C
UT-14	100.00	0	0	Triaxial	Undrain	0.175	27.0	0.63	0.593	C
UT-15	100.00	0	0	Triaxial	Undrain	0.175	27.0	0.64	0.589	C
UT-16	100.00	0	0	Triaxial	Undrain	0.175	27.0	0.69	0.544	D-C
UT-17	100.00	0	0	Triaxial	Undrain	0.175	27.0	0.79	0.442	D-C
UT-18	100.00	0	0	Triaxial	Undrain	0.175	27.0	0.8	0.437	D-C
UT-19	100.00	0	0	Triaxial	Undrain	0.175	27.0	0.82	0.42	D-C
UT-20	100.00	0	0	Triaxial	Undrain	0.175	27.0	0.65	0.574	D-C
UT-21	100.00	0	0	Triaxial	Undrain	0.212	12.0	0.33	0.808	C
UT-22	100.00	0	0	Triaxial	Undrain	0.212	12.0	0.39	0.777	D-C
UT-23	100.00	0	0	Triaxial	Undrain	0.212	12.0	0.67	0.615	D-C
UT-24	100.00	0	0	Triaxial	Undrain	0.212	12.0	0.77	0.555	D-C
UT-25	100.00	0	0	Triaxial	Undrain	0.212	12.0	0.83	0.523	D-C
UT-26	100.00	0	0	Triaxial	Undrain	0.212	12.0	0.9	0.484	D-C
UT-27	400.00	0	0	Triaxial	Undrain	0.249	0.0	0.41	0.825	D-C
UT-28	400.00	0	0	Triaxial	Undrain	0.249	0.0	0.69	0.718	D-C
UT-29	400.00	0	0	Triaxial	Undrain	0.175	27.0	0.67	0.557	D-C
UT-30	400.00	0	0	Triaxial	Undrain	0.175	27.0	0.73	0.498	D-C
UT-31	400.00	0	0	Triaxial	Undrain	0.175	27.0	0.76	0.472	D-C
UT-32	400.00	0	0	Triaxial	Undrain	0.175	27.0	0.8	0.434	D-C
UT-1	25.00	0	0	Triaxial	Undrain	40.0	0.09375	0.84	C	
UT-2	50.00	0	0	Triaxial	Undrain	40.0	0.09375	0.84	C	
UT-3	100.00	0	0	Triaxial	Undrain	40.0	0.09375	0.84	C	
UT-4	200.00	0	0	Triaxial	Undrain	40.0	0.09375	0.84	D-C	
UT-5	350.00	0	0	Triaxial	Undrain	40.0	0.09375	0.84	D-C	
UT-6	500.00	0	0	Triaxial	Undrain	40.0	0.09375	0.84	D-C	
UT-7	25.00	0	0	Triaxial	Undrain	20.0	0.4	0.735	C	
UT-8	25.00	0	0	Triaxial	Undrain	20.0	0.44	0.721	D-C	
UT-1	150.00	0	0	Triaxial	Undrain	0.3	0.0	0	0.916	C
UT-2	150.00	0	0	Triaxial	Undrain	0.3	0.0	0.135770235	0.864	C
UT-3	150.00	0	0	Triaxial	Undrain	0.3	0.0	0.07310705	0.888	C
UT-4	150.00	0	0	Triaxial	Undrain	0.3	0.0	-0.1462141	0.972	C
UT-5	150.00	0	0	Triaxial	Undrain	0.3	0.0	0.863	C	
UT-6	150.00	0	0	Triaxial	Undrain	10.0	0.8	0.815	C	
UT-7	150.00	0	0	Triaxial	Undrain	10.0	0.8	0.763	C	
UT-8	150.00	0	0	Triaxial	Undrain	10.0	0.8	0.735	C	
UT-1	100.00	0	0	Triaxial	Undrain	0.250	0.0	1.052083333	0.598	D-C
UT-2	100.00	0	0	Triaxial	Undrain	0.250	0.0	1.020833333	0.604	D-C
UT-3	100.00	0	0	Triaxial	Undrain	0.240	7.0	0.596	D-C	
UT-4	100.00	0	0	Triaxial	Undrain	0.230	15.0	0.51552795	0.584	D-C
UT-5	100.00	0	0	Triaxial	Undrain	0.230	15.0	0.48136646	0.595	D-C
UT-6	100.00	0	0	Triaxial	Undrain	0.230	25.0	0.725552813	0.46	C
UT-7	100.00	0	0	Triaxial	Undrain	0.180	40.0	0.871621622	0.425	C
UT-8	100.00	0	0	Triaxial	Undrain	0.030	60.0	0.890074707	0.516	D-C
UT-9	100.00	0	0	Triaxial	Undrain	0.010	100.0	0.902919212	0.77	D-C
UT-10	100.00	0	0	Triaxial	Undrain	0.250	0.0	0.703125	0.665	D-C
UT-11	100.00	0	0	Triaxial	Undrain	0.250	0.0	0.651041667	0.675	D-C
UT-12	100.00	0	0	Triaxial	Undrain	0.240	7.0	0.558	D-C	
UT-13	100.00	0	0	Triaxial	Undrain	0.230	15.0	1.01552795	0.423	D-C
UT-14	100.00	0	0	Triaxial	Undrain	0.230	15.0	1.00621118	0.426	D-C
UT-15	100.00	0	0	Triaxial	Undrain	0.250	0.0	0	0.8	C
UT-16	100.00	0	0	Triaxial	Undrain	0.250	0.0	-0.02083333	0.804	C
UT-17	100.00	0	0	Triaxial	Undrain	0.240	7.0	0.672	D-C	
UT-18	100.00	0	0	Triaxial	Undrain	0.230	15.0	0.683229814	0.53	D
UT-19	100.00	0	0	Triaxial	Undrain	0.240	7.0	0.723	C	
UT-20	100.00	0	0	Triaxial	Undrain	0.240	7.0	0.735	C	
UT-21	100.00	0	0	Triaxial	Undrain	0.230	15.0	0.51552795	0.584	D-C
UT-22	100.00	0	0	Triaxial	Undrain	0.230	15.0	0.48136646	0.595	C
UT-23	100.00	0	0	Triaxial	Undrain	0.180	40.0	0.941891892	0.373	D-C
UT-24	100.00	0	0	Triaxial	Undrain	0.030	60.0	0.890074707	0.54	C
UT-25	100.00	0	0	Triaxial	Undrain	0.010	100.0	0.82892057	0.879	C
UT-1	350.00	0	0	Triaxial	Undrain	0.39	0.0	-0.1	0.83	C
UT-2	350.00	0	0	Triaxial	Undrain	0.36	10.0	0.8	0.42	D-C
UT-3	350.00	0	0	Triaxial	Undrain	0.32	20.0	1.08	0.16	D-C
UT-4	350.00	0	0	Triaxial	Undrain	0.3	30.0	0.963636364	0.22	D-C
UT-5	350.00	0	0	Triaxial	Undrain	0.27	40.0	0.48	0.56	D-C
UT-6	350.00	0	0	Triaxial	Undrain	0.39	0.0	-0.1	0.83	C
UT-7	350.00	0	0	Triaxial	Undrain	0.36	10.0	0.24	0.78	D-C
UT-8	350.00	0	0	Triaxial	Undrain	0.32	20.0	0.814285714	0.67	D-C
UT-9	350.00	0	0	Triaxial	Undrain	0.3	30.0	0.826086957	0.74	D-C
UT-10	350.00	0	0	Triaxial	Undrain	0.27	40.0	1.027272727	0.77	D-C
UT-1	215.00	0	0	Triaxial	Undrain	0.780	0.0	0.721	D-C	
UT-2	215.00	0	0	Triaxial	Undrain	0.780	0.0	0.682	D-C	
UT-3	215.00	0	0	Triaxial	Undrain	0.780	0.0	0.625	D-C	
UT-4	215.00	0	0	Triaxial	Undrain	0.600	9.0	0.535	D-C	
UT-5	215.00	0	0	Triaxial	Undrain	0.600	9.0	0.5	D-C	
UT-6	215.00	0	0	Triaxial	Undrain	0.600	9.0	0.444	D-C	
UT-7	215.00	0	0	Triaxial	Undrain	0.600	9.0	0.59	D-C	
UT-8	215.00	0	0	Triaxial	Undrain	0.600	9.0	0.532	D-C	
UT-9	215.00	0	0	Triaxial	Undrain	0.600	9.0	0.485	D-C	
UT-10	215.00	0	0	Triaxial	Undrain	0.780	0.0	0.702	D-C	
UT-11	215.00	0	0	Triaxial	Undrain	0.780	0.0	0.643	D-C	

UT-17	215.00	0	0	Triaxial	Undrain	0.600	9.0	0.53	D-C
UT-18	215.00	0	0	Triaxial	Undrain	0.600	9.0	0.48	D-C
UT-1	503.00	0	0	Triaxial	Undrain	0.39	0.0	0.243333333	C
UT-2	506.00	0	0	Triaxial	Undrain	0.39	0.0	0.186666667	D-C
UT-3	495.00	0	0	Triaxial	Undrain	0.39	0.0	0.326666667	C
UT-4	447.00	0	0	Triaxial	Undrain	0.39	0.0	0.28	C
UT-5	545.00	0	0	Triaxial	Undrain	0.39	0.0	0.29	C
UT-6	282.00	0	0	Triaxial	Undrain	0.39	0.0	0.286666667	D-C
UT-7	603.00	0	0	Triaxial	Undrain	0.39	0.0	0.22	C
UT-8	653.00	0	0	Triaxial	Undrain	0.39	0.0	0.446666667	D-C
UT-9	397.00	0	0	Triaxial	Undrain	0.39	0.0	0.553333333	D-C
UT-10	653.00	0	0	Triaxial	Undrain	0.39	0.0	0.263333333	C
UT-11	646.00	0	0	Triaxial	Undrain	0.39	0.0	0.23	C
UT-12	284.00	0	0	Triaxial	Undrain	0.39	0.0	0.183333333	C
UT-13	649.00	0	0	Triaxial	Undrain	0.39	0.0	0.243333333	C
UT-14	648.00	0	0	Triaxial	Undrain	0.39	0.0	0.44	D-C
UT-15	644.00	0	0	Triaxial	Undrain	0.39	0.0	0.42	D-C
UT-16	647.00	0	0	Triaxial	Undrain	0.39	0.0	0.426666667	D-C
UT-17	301.00	0	0	Triaxial	Undrain	0.39	0.0	0.426666667	D-C
UT-18	496.00	0	0	Triaxial	Undrain	0.39	0.0	0.496666667	D-C
UT-19	301.00	0	0	Triaxial	Undrain	0.39	0.0	0.45	D-C
UT-20	652.00	0	0	Triaxial	Undrain	0.39	0.0	0.496666667	D-C
UT-21	148.00	0	0	Triaxial	Undrain	0.39	0.0	0.376666667	D-C
UT-22	651.00	0	0	Triaxial	Undrain	0.39	0.0	0.653333333	D-C
UT-23	345.00	0	0	Triaxial	Undrain	0.39	0.0	0.456666667	D-C
UT-24	197.00	0	0	Triaxial	Undrain	0.39	0.0	0.476666667	D-C
UT-25	645.00	0	0	Triaxial	Undrain	0.38	5.0	-0.07142857	C
UT-26	644.00	0	0	Triaxial	Undrain	0.38	5.0	0.103571429	C
UT-27	286.00	0	0	Triaxial	Undrain	0.38	5.0	0.192857143	D-C
UT-28	645.00	0	0	Triaxial	Undrain	0.38	5.0	0.382142857	D-C
UT-29	649.00	0	0	Triaxial	Undrain	0.38	5.0	0.260714286	D-C
UT-30	386.00	0	0	Triaxial	Undrain	0.38	5.0	0.264285714	D-C
UT-31	342.00	0	0	Triaxial	Undrain	0.38	5.0	0.178571429	D-C
UT-32	646.00	0	0	Triaxial	Undrain	0.38	5.0	0.146428571	D-C
UT-33	650.00	0	0	Triaxial	Undrain	0.38	5.0	0.178571429	D-C
UT-34	647.00	0	0	Triaxial	Undrain	0.38	5.0	0.217857143	D-C
UT-35	641.00	0	0	Triaxial	Undrain	0.38	5.0	0.25	D-C
UT-36	645.00	0	0	Triaxial	Undrain	0.38	5.0	0.246428571	D-C
UT-37	647.00	0	0	Triaxial	Undrain	0.38	5.0	0.185714286	D-C
UT-38	599.00	0	0	Triaxial	Undrain	0.38	5.0	0.496428571	D-C
UT-39	548.00	0	0	Triaxial	Undrain	0.38	5.0	0.182142857	D-C
UT-40	294.00	0	0	Triaxial	Undrain	0.38	5.0	0.210714286	D-C
UT-41	349.00	0	0	Triaxial	Undrain	0.38	5.0	0.428571429	D-C
UT-42	643.00	0	0	Triaxial	Undrain	0.36	10.0	0.096551724	C
UT-43	542.00	0	0	Triaxial	Undrain	0.36	10.0	0.172413793	C
UT-44	649.00	0	0	Triaxial	Undrain	0.36	10.0	0.375862089	D-C
UT-45	650.00	0	0	Triaxial	Undrain	0.36	10.0	0.50896552	D-C
UT-46	303.00	0	0	Triaxial	Undrain	0.36	10.0	0.272413793	D-C
UT-47	540.00	0	0	Triaxial	Undrain	0.36	10.0	0.213793103	D-C
UT-48	533.00	0	0	Triaxial	Undrain	0.36	10.0	0.3	D-C
UT-49	530.00	0	0	Triaxial	Undrain	0.36	10.0	0.237931034	D-C
UT-50	648.00	0	0	Triaxial	Undrain	0.36	10.0	0.303448276	D-C
UT-51	502.00	0	0	Triaxial	Undrain	0.35	15.0	0.15483871	D-C
UT-52	595.00	0	0	Triaxial	Undrain	0.35	15.0	0.238709677	C
UT-53	646.00	0	0	Triaxial	Undrain	0.35	15.0	0.480645161	D-C
UT-54	333.00	0	0	Triaxial	Undrain	0.35	15.0	0.34516129	D-C
UT-55	342.00	0	0	Triaxial	Undrain	0.35	15.0	0.458064516	D-C
UT-56	344.00	0	0	Triaxial	Undrain	0.35	15.0	0.364516129	D-C
UT-57	643.00	0	0	Triaxial	Undrain	0.35	15.0	0.390322581	D-C
UT-58	550.00	0	0	Triaxial	Undrain	0.35	15.0	0.470967742	D-C
UT-59	649.00	0	0	Triaxial	Undrain	0.35	5.0	0.432258065	D-C
UT-1	100.00	0	0	Triaxial	Undrain	0.3	0.0	0.41	D-C
UT-2	50.00	0	0	Triaxial	Undrain		15.0	0.47	D-C
UT-3	100.00	0	0	Triaxial	Undrain		35.0	0.74	C
UT-1	100.00	0	0	Triaxial	Undrain	0.3	0.0	0.810	D-C
UT-2	100.00	0	0	Triaxial	Undrain	0.3	0.0	0.892	D-C
UT-3	350.00	0	0	Triaxial	Undrain	0.3	0.0	0.864	D-C
UT-4	350.00	0	0	Triaxial	Undrain	0.3	0.0	0.851	D-C
UT-5	350.00	0	0	Triaxial	Undrain	0.3	0.0	0.743	D-C
UT-6	600.00	0	0	Triaxial	Undrain	0.3	0.0	0.85	D-C
UT-7	600.00	0	0	Triaxial	Undrain	0.3	0.0	0.852	D-C
UT-8	600.00	0	0	Triaxial	Undrain	0.3	0.0	0.735	D-C
UT-9	850.00	0	0	Triaxial	Undrain	0.3	0.0	0.886	D-C
UT-10	850.00	0	0	Triaxial	Undrain	0.3	0.0	0.848	D-C
UT-11	350.00	0	0	Triaxial	Undrain		5.0	0.81	C
UT-12	600.00	0	0	Triaxial	Undrain		5.0	0.821	C
UT-13	600.00	0	0	Triaxial	Undrain		5.0	0.78	D-C
UT-14	850.00	0	0	Triaxial	Undrain		5.0	0.77	D-C
UT-15	100.00	0	0	Triaxial	Undrain		15.0	0.617	D-C
UT-16	350.00	0	0	Triaxial	Undrain		15.0	0.658	C
UT-17	600.00	0	0	Triaxial	Undrain		15.0	0.655	C
UT-18	600.00	0	0	Triaxial	Undrain		15.0	0.623	D-C
UT-19	600.00	0	0	Triaxial	Undrain		15.0	0.628	D-C
UT-20	600.00	0	0	Triaxial	Undrain		15.0	0.535	D-C
UT-21	600.00	0	0	Triaxial	Undrain		15.0	0.588	D-C
UT-22	850.00	0	0	Triaxial	Undrain		15.0	0.647	C
UT-23	1100.00	0	0	Triaxial	Undrain		15.0	0.645	D-C
UT-24	1300.00	0	0	Triaxial	Undrain		15.0	0.589	D-C
UT-25	350.00	0	0	Triaxial	Undrain		20.0	0.588	D-C
UT-26	600.00	0	0	Triaxial	Undrain		20.0	0.573	D-C
UT-27	850.00	0	0	Triaxial	Undrain		20.0	0.576	D-C
UT-28	1100.00	0	0	Triaxial	Undrain		20.0	0.56	D-C
UT-29	350.00	0	0	Triaxial	Undrain		30.0	0.511	C
UT-30	600.00	0	0	Triaxial	Undrain		30.0	0.485	D-C
UT-31	850.00	0	0	Triaxial	Undrain		30.0	0.46	C
UT-32	1100.00	0	0	Triaxial	Undrain		30.0	0.455	D-C
UT-1	30.00	0	0	Triaxial	Undrain	0.142	0.0	0.31	0.83
UT-2	30.00	0	0	Triaxial	Undrain		5.0	0.26	0.85
UT-3	30.00	0	0	Triaxial	Undrain		20.0	0.32	0.82
UT-4	30.00	0	0	Triaxial	Undrain	0.142	0.0	0.31	0.83
UT-5	30.00	0	0	Triaxial	Undrain		5.0	0.26	0.81
UT-6	30.00	0	0	Triaxial	Undrain		20.0	0.58	0.69
UT-7	30.00	0	0	Triaxial	Undrain	0.142	0.0	0.83	0.31
UT-8	30.00	0	0	Triaxial	Undrain		5.0	0.74	0.34
UT-9	30.00	0	0	Triaxial	Undrain		20.0	0.67	0.41
UT-1	500.00	0	0	Triaxial	Undrain	0.216	0.0	0.942	C
UT-2	500.00	0	0	Triaxial	Undrain	0.216	0.0	0.911	C
UT-3	500.00	0	0	Triaxial	Undrain	0.216	0.0	0.904	D-C
UT-4	500.00	0	0	Triaxial	Undrain	0.216	0.0	0.894	D-C
UT-5	500.00	0	0	Triaxial	Undrain	0.216	0.0	0.883	D-C
UT-6	500.00	0	0	Triaxial	Undrain	0.216	0.0	0.875	D-C
UT-7	500.00	0	0	Triaxial	Undrain	0.216	0.0	0.867	D-C
UT-8	500.00	0	0	Triaxial	Undrain	0.216	0.0	0.856	D-C
UT-9	100.00	0	0	Triaxial	Undrain	0.216	0.0	0.971	C
UT-10	100.00	0	0	Triaxial	Undrain	0.216	0.0	0.952	D-C
UT-11	100.00	0	0	Triaxial	Undrain	0.216	0.0	0.935	D-C
UT-12	100.00	0	0	Triaxial	Undrain	0.216	0.0	0.93	D-C
UT-13	100.00	0	0	Triaxial	Undrain	0.216	0.0	0.916	D-C
UT-14	100.00	0	0	Triaxial	Undrain	0.216	0.0	0.898	D-C
UT-15	100.00	0	0	Triaxial	Undrain	0.216	0.0	0.873	D-C
UT-16	100.00	0	0	Triaxial	Undrain	0.216	0.0	0.866	D-C
UT-17	100.00	0	0	Triaxial	Undrain	0.216	0.0	0.861	C
UT-18	500.00	0	0	Triaxial	Undrain		5.0	0.939	C
UT-19	500.00	0	0	Triaxial	Undrain		5.0	0.914	C
UT-20	500.00	0	0	Triaxial	Undrain		5.0	0.89	D-C
UT-21	500.00	0	0	Triaxial	Undrain		5.0	0.879	D-C
UT-22	500.00	0	0	Triaxial	Undrain		5.0	0.862	D-C
UT-23	500.00	0	0	Triaxial	Undrain		5.0	0.848	D-C
UT-24	100.00	0	0	Triaxial	Undrain		5.0	0.941	C
UT-25	100.00	0	0	Triaxial	Undrain		5.0	0.935	C
UT-26	100.00	0	0	Triaxial	Undrain		5.0	0.916	D-C
UT-27	100.00	0	0	Triaxial	Undrain		5.0	0.897	D-C
UT-28	100.00	0	0	Triaxial	Undrain		5.0	0.863	D-C
UT-29	100.00	0	0	Triaxial	Undrain		5.0	0.86	D-C
UT-30	500.00	0	0	Triaxial	Undrain		10.0	0.878	C
UT-31	500.00	0	0	Triaxial	Undrain		10.0	0.844	C
UT-32	500.00	0	0	Triaxial	Undrain		10.0	0.827	D-C
UT-33	500.00	0	0	Triaxial	Undrain		10.0	0.81	D-C
UT-34	500.00	0	0	Triaxial	Undrain		10.0	0.774	D-C
UT-35	100.00	0	0	Triaxial	Undrain		10.0	0.916	C
UT-36	100.00	0	0	Triaxial	Undrain		10.0	0.897	C
UT-37	100.00	0	0	Triaxial	Undrain		10.0	0.879	D-C

C
C
D-C
D-C

UT-39	100.00	0	0	Triaxial	Undrain	10.0	0.867	D-C			
UT-39	500.00	0	0	Triaxial	Undrain	15.0	0.9	C			
UT-40	500.00	0	0	Triaxial	Undrain	15.0	0.842	C			
UT-41	500.00	0	0	Triaxial	Undrain	15.0	0.81	D-C			
UT-42	500.00	0	0	Triaxial	Undrain	15.0	0.775	D-C			
UT-43	100.00	0	0	Triaxial	Undrain	15.0	0.867	C			
UT-44	500.00	0	0	Triaxial	Undrain	5.0	0.918	C			
UT-45	500.00	0	0	Triaxial	Undrain	5.0	0.868	D-C			
UT-46	500.00	0	0	Triaxial	Undrain	5.0	0.848	D-C			
UT-47	100.00	0	0	Triaxial	Undrain	5.0	0.934	C			
UT-48	100.00	0	0	Triaxial	Undrain	5.0	0.898	D-C			
UT-49	100.00	0	0	Triaxial	Undrain	5.0	0.86	D-C			
UT-50	500.00	0	0	Triaxial	Undrain	10.0	0.914	C			
UT-51	500.00	0	0	Triaxial	Undrain	10.0	0.866	C			
UT-52	500.00	0	0	Triaxial	Undrain	10.0	0.844	D-C			
UT-53	500.00	0	0	Triaxial	Undrain	10.0	0.812	D-C			
UT-54	100.00	0	0	Triaxial	Undrain	10.0	0.935	C			
UT-55	100.00	0	0	Triaxial	Undrain	10.0	0.898	D-C			
UT-56	100.00	0	0	Triaxial	Undrain	10.0	0.861	D-C			
UT-57	500.00	0	0.397	Triaxial	Undrain	0.0	0.824	C			
UT-58	500.00	0	0.397	Triaxial	Undrain	0.0	0.816	D-C			
UT-59	500.00	0	0.397	Triaxial	Undrain	0.0	0.803	D-C			
UT-60	500.00	0	0.397	Triaxial	Undrain	0.0	0.794	D-C			
UT-61	500.00	0	0.397	Triaxial	Undrain	0.0	0.782				
UT-62	500.00	0	0.397	Triaxial	Undrain	0.0	0.763				
UT-63	100.00	0	0.397	Triaxial	Undrain	0.0	0.871	C			
UT-64	100.00	0	0.397	Triaxial	Undrain	0.0	0.85	C			
UT-65	100.00	0	0.397	Triaxial	Undrain	0.0	0.84	C			
UT-66	100.00	0	0.397	Triaxial	Undrain	0.0	0.808	D-C			
UT-67	100.00	0	0.397	Triaxial	Undrain	0.0	0.783	D-C			
UT-68	500.00	0	0	Triaxial	Undrain	5.0	0.818	C			
UT-69	500.00	0	0	Triaxial	Undrain	5.0	0.79	C			
UT-70	500.00	0	0	Triaxial	Undrain	5.0	0.778	D-C			
UT-71	500.00	0	0	Triaxial	Undrain	5.0	0.762	D-C			
UT-72	500.00	0	0	Triaxial	Undrain	5.0	0.737	D-C			
UT-73	500.00	0	0	Triaxial	Undrain	5.0	0.701				
UT-74	100.00	0	0	Triaxial	Undrain	5.0	0.806	C			
UT-75	100.00	0	0	Triaxial	Undrain	5.0	0.781	D-C			
UT-76	500.00	0	0	Triaxial	Undrain	10.0	0.758	C			
UT-77	500.00	0	0	Triaxial	Undrain	10.0	0.731	C			
UT-78	500.00	0	0	Triaxial	Undrain	10.0	0.699	D-C			
UT-79	500.00	0	0	Triaxial	Undrain	10.0	0.68	D-C			
UT-80	100.00	0	0	Triaxial	Undrain	10.0	0.78	C			
UT-81	100.00	0	0	Triaxial	Undrain	10.0	0.805	C			
UT-82	500.00	0	0	Triaxial	Undrain	5.0	0.761	C			
UT-83	500.00	0	0	Triaxial	Undrain	5.0	0.746	D-C			
UT-84	500.00	0	0	Triaxial	Undrain	5.0	0.726	D-C			
UT-85	500.00	0	0	Triaxial	Undrain	5.0	0.734	D-C			
UT-86	100.00	0	0	Triaxial	Undrain	5.0	0.809	C			
UT-87	100.00	0	0	Triaxial	Undrain	5.0	0.775	D-C			
UT-88	100.00	0	0	Triaxial	Undrain	5.0	0.759	D-C			
UT-1	500.00	0	0	Triaxial	Undrain	0.216	0.867	D-C			
UT-2	500.00	0	0	Triaxial	Undrain	5.0	0.862	D-C			
UT-3	500.00	0	0	Triaxial	Undrain	15.0	0.87	C			
UT-4	500.00	0	0.216	Triaxial	Undrain	0.0	0.95	C			
UT-5	500.00	0	0	Triaxial	Undrain	5.0	0.848	D-C			
UT-6	500.00	0	0.216	Triaxial	Undrain	0.0	0.904	D-C			
UT-7	500.00	0	0.397	Triaxial	Undrain	0.0	0.824	C			
UT-8	500.00	0	0	Triaxial	Undrain	5.0	0.737	D-C			
UT-9	500.00	0	0	Triaxial	Undrain	5.0	0.731	D-C			
UT-10	500.00	0	0	Triaxial	Undrain	5.0	0.729	D-C			
UT-11	500.00	0	0.8771	Triaxial	Undrain	0.0	0.775	D-C			
UT-1	30.00	0	0.572	Triaxial	Undrain	0.0	0.176	0.72	D-C		
UT-2	30.00	0	0	Triaxial	Undrain	5.0	0.206	0.67	D-C		
UT-3	30.00	0	0	Triaxial	Undrain	15.0	0.392	0.62	C		
UT-4	30.00	0	0	Triaxial	Undrain	25.0	0.279	0.69	C		
UT-5	30.00	0	0	Triaxial	Undrain	5.0	0.209	0.53	D-C		
UT-6	30.00	0	0	Triaxial	Undrain	15.0	0.305	0.45	C		
UT-7	30.00	0	0	Triaxial	Undrain	25.0	0.383	0.43	C		
UT-8	30.00	0	0	Triaxial	Undrain	5.0	0.249	0.63	D-C		
UT-9	30.00	0	0	Triaxial	Undrain	15.0	0.275	0.59	C		
UT-10	30.00	0	0	Triaxial	Undrain	25.0	0.25	0.63	C		
UT-11	30.00	0	0	Triaxial	Undrain	0.26	0.235	0.8	D-C		
UT-12	30.00	0	0	Triaxial	Undrain	5.0	0.248	0.81	D-C		
UT-13	30.00	0	0	Triaxial	Undrain	15.0	0.255	0.84	C		
UT-14	30.00	0	0	Triaxial	Undrain	25.0	0.263	0.86	C		
UT-15	30.00	0	0	Triaxial	Undrain	5.0	0.207	0.8	D-C		
UT-16	30.00	0	0	Triaxial	Undrain	15.0	0.2	0.78	C		
UT-17	30.00	0	0	Triaxial	Undrain	25.0	0.308	0.83	C		
UT-18	30.00	0	0	Triaxial	Undrain	5.0	0.245	0.78	D-C		
UT-19	30.00	0	0	Triaxial	Undrain	15.0	0.22	0.79	C		
UT-20	30.00	0	0	Triaxial	Undrain	25.0	0.273	0.8	C		
UT-21	30.00	0	0.1761	Triaxial	Undrain	0.0	0.195	0.9	D-C		
UT-22	30.00	0	0	Triaxial	Undrain	5.0	0.242	0.9	D-C		
UT-23	30.00	0	0	Triaxial	Undrain	15.0	0.282	0.91	C		
UT-24	30.00	0	0	Triaxial	Undrain	25.0	0.29	0.92	C		
UT-25	30.00	0	0	Triaxial	Undrain	5.0	0.244	0.9	D-C		
UT-26	30.00	0	0	Triaxial	Undrain	15.0	0.211	0.9	D-C		
UT-27	30.00	0	0	Triaxial	Undrain	25.0	0.266	0.91	C		
UT-28	30.00	0	0	Triaxial	Undrain	5.0	0.234	0.89	D-C		
UT-29	30.00	0	0	Triaxial	Undrain	15.0	0.237	0.9	C		
UT-30	30.00	0	0	Triaxial	Undrain	25.0	0.286	0.9	C		
UT-1	100.00	0	0	Triaxial	Undrain	0.375	0.0	0.540	D-C		
UT-2	100.00	0	0	Triaxial	Undrain	0.368	5.0	0.540	D-C		
UT-3	100.00	0	0	Triaxial	Undrain	0.340	10.0	0.540	D-C		
UT-4	100.00	0	0	Triaxial	Undrain	0.326	15.0	0.540	D-C		
UT-5	100.00	0	0	Triaxial	Undrain	0.293	20.0	0.540	C		
UT-6	100.00	0	0	Triaxial	Undrain	0.264	25.0	0.540	D-C		
UT-7	100.00	0	0	Triaxial	Undrain	0.234	30.0	0.540	D-C		
MCU01	150.00	0	0	Triaxial	Undrain	0.46	0.0	-0.032	1.234	C	
MCU02	150.00	0	0	Triaxial	Undrain	0.46	0.0	0.041	1.203	C	
MCU03	150.00	0	0	Triaxial	Undrain	0.46	0.0	0.05	1.199	C	
MCU04	150.00	0	0	Triaxial	Undrain	0.46	0.0	0.128	1.167	D-C	
MCU05	75.00	0	0	Triaxial	Undrain	0.46	0.0	0.216	1.13	D-C	
MCU06	100.00	0	0	Triaxial	Undrain	0.46	0.0	0.186	1.143	D-C	
MCU07	200.00	0	0	Triaxial	Undrain	0.46	0.0	0.179	1.145	D-C	
MCU08	300.00	0	0	Triaxial	Undrain	0.46	0.0	0.217	1.129	D-C	
MCU09	75.00	0	0	Triaxial	Undrain	0.46	0.0	0.337	1.079	D-C	
MCU10	100.00	0	0	Triaxial	Undrain	0.46	0.0	0.268	1.108	D-C	
MCU11	100.00	0	0	Triaxial	Undrain	0.46	0.0	0.432	1.039	D-C	
MCU12	100.00	0	0	Triaxial	Undrain	0.46	0.0	0.405	1.051	D-C	
MCU13	150.00	0	0	Triaxial	Undrain	0.46	0.0	0.354	1.072	D-C	
MCU14	200.00	0	0	Triaxial	Undrain	0.46	0.0	0.422	1.044	D-C	
MCU15	300.00	0	0	Triaxial	Undrain	0.46	0.0	0.534	0.997	D-C	
MCU16	300.00	0	0	Triaxial	Undrain	0.46	0.0	0.469	1.024	D-C	
MCU17	100.00	0	0	Triaxial	Undrain	0.46	0.0	0.583	0.976	D-C	
UT-11	100.00	0	0	Direct Simple Shear	Undrain	0.18	0.0	0.405	0.75869	-	D-C
UT-12	100.00	0	0	Direct Simple Shear	Undrain	0.18	0.0	0.441	0.747818	-	D-C
UT-13	100.00	0	0	Direct Simple Shear	Undrain	0.18	0.0	0.427	0.752046	-	D-C
UT-14	100.00	0	0	Direct Simple Shear	Undrain	0.18	0.0	0.439	0.748422	-	D-C
UT-15	100.00	0	0	Direct Simple Shear	Undrain	0.18	0.0	0.464	0.740872	-	D-C
UT-80	100.00	0	0	Direct Simple Shear	Undrain	0.51	0.0	0.442	0.52255	-	D-C
UT-81	100.00	0	0	Direct Simple Shear	Undrain	0.51	0.0	0.409	0.529975	-	D-C
UT-82	100.00	0	0	Direct Simple Shear	Undrain	0.51	0.0	0.446	0.52165	-	D-C
UT-83	100.00	0									

DT-4	100.00	-	Triaxial	Drain	0.065	70.0	0.654667257	2.28	
DT-7	50.00		Triaxial	Drain	0.065	70.0	0.787610619	2.13	
UT-8	100.00	0.24	Triaxial	Undrain	0.07	56.0	0.711864407	2.15	
DT-12	200.00	-	Triaxial	Drain	0.07	56.0	0.53389305	2.36	
DT-13	150.00	-	Triaxial	Drain	0.07	56.0	0.584745763	2.3	
DT-43	40.00	-	Triaxial	Drain	0.36	0.0	0.533333333	0.74	
DT-45	100.00	-	Triaxial	Drain	0.36	0.0	-0.3	0.99	
DT-47	150.00	-	Triaxial	Drain	0.36	0.0	-1.03333333	1.21	
CD-1	100.00	0	Triaxial	Drain	0.420	0.0	0.09	0.675	No
CU-2	100.00	0	Triaxial	Undrain	0.420	0.0	0.16	0.664	C
CU-3	100.00	0	Triaxial	Undrain	0.420	0.0	0.24	0.65	C
CU-4	100.00	0	Triaxial	Undrain	0.420	0.0	0.79	0.559	D-C
CU-5	200.00	0	Triaxial	Undrain	0.420	0.0	0.16	0.664	C
CU-6	200.00	0	Triaxial	Undrain	0.420	0.0	0.5	0.607	D-C
CU-7	200.00	0	Triaxial	Undrain	0.420	0.0	0.7	0.575	D-C
CU-8	250.00	0	Triaxial	Undrain	0.420	0.0	0.16	0.664	D-C
CD-9	100.00	0	Triaxial	Drain	0.31	10.0	0.09	0.675	No
CU-10	100.00	0	Triaxial	Undrain	0.31	10.0	0.19	0.65	C
CU-11	100.00	0	Triaxial	Undrain	0.31	10.0	0.51	0.575	C
CU-12	100.00	0	Triaxial	Undrain	0.31	10.0	0.89	0.483	D-C
CU-13	150.00	0	Triaxial	Undrain	0.31	10.0	0.72	0.525	
CU-14	200.00	0	Triaxial	Undrain	0.31	10.0	0.51	0.575	D-C
CU-15	200.00	0	Triaxial	Undrain	0.31	10.0	0.72	0.525	C
CU-16	250.00	0	Triaxial	Undrain	0.31	10.0	0.51	0.575	C
CD-17	100.00	0	Triaxial	Drain	0.25	20.0	0.21	0.675	No
CU-18	100.00	0	Triaxial	Undrain	0.25	20.0	0.28	0.65	C
CU-19	100.00	0	Triaxial	Undrain	0.25	20.0	0.81	0.472	D-C
CU-20	100.00	0	Triaxial	Undrain	0.25	20.0	0.71	0.505	D-C
CU-21	100.00	0	Triaxial	Undrain	0.25	20.0	0.91	0.44	D-C
CU-22	200.00	0	Triaxial	Undrain	0.25	20.0	0.5	0.575	C
CU-23	200.00	0	Triaxial	Undrain	0.25	20.0	0.65	0.525	C
CU-24	250.00	0	Triaxial	Undrain	0.25	20.0	0.5	0.575	C
CU-1	300.00	0	Triaxial	Undrain	0.365	0.0	0.76	0.739	D-C
CU-2	300.00	0	Triaxial	Undrain	0.365	0.0	0.53	0.839	D-C
CU-3	500.00	0	Triaxial	Undrain	0.365	0.0	0.8	0.744	D-C
CU-4	50.00	0	Triaxial	Undrain	0.365	0.0	0.86	0.719	D-C
CU-5	100.00	0	Triaxial	Undrain	0.365	0.0	0.86	0.719	D-C
CU-6	300.00	0	Triaxial	Undrain	0.365	0.0	0.87	0.715	D-C
CU-7	500.00	0	Triaxial	Undrain	0.365	0.0	0.87	0.713	D-C
CU-8	300.00	0	Triaxial	Undrain	0.365	0.0	0.38	0.874	D-C
CU-9	50.00	0	Triaxial	Undrain	0.365	0.0	0.24	0.937	D-C
CU-10	100.00	0	Triaxial	Undrain	0.365	0.0	0.47	0.855	D-C
CU-11	120.00	0	Triaxial	Undrain	0.365	0.0	0.38	0.89	D-C
CU-12	120.00	0	Triaxial	Undrain	0.365	0.0	0.29	0.92	D-C
CU-13	300.00	0	Triaxial	Undrain	0.365	0.0	0.57	0.821	D-C
CU-14	300.00	0	Triaxial	Undrain	0.365	0.0	0.26	0.93	C
CU-15	500.00	0	Triaxial	Undrain	0.365	0.0	0.47	0.855	D-C
CD-16	50.00	0	Triaxial	Drain	0.365	0.0	1	0.672	D-C
CD-17	100.00	0	Triaxial	Drain	0.365	0.0	1	0.672	D-C
CD-18	150.00	0	Triaxial	Drain	0.365	0.0	1	0.673	D-C
CD-19	200.00	0	Triaxial	Drain	0.365	0.0	1	0.672	D-C
CD-20	200.00	0	Triaxial	Drain	0.365	0.0	0.66	0.787	D-C
CD-21	500.00	0	Triaxial	Drain	0.365	0.0	0.94	0.691	D-C
CD-22	500.00	0	Triaxial	Drain	0.365	0.0	1	0.705	D-C
CD-23	300.00	0	Triaxial	Undrain	0.32	10.0	0.87	0.559	D-C
CU-24	120.00	0	Triaxial	Undrain	0.32	10.0	0.81	0.585	D-C
CU-25	300.00	0	Triaxial	Undrain	0.32	10.0	0.38	0.796	
CU-26	120.00	0	Triaxial	Undrain	0.32	10.0	0.37	0.801	C
CU-27	300.00	0	Triaxial	Undrain	0.32	10.0	0.55	0.711	C
CU-28	300.00	0	Triaxial	Undrain	0.298	20.0	0.86	0.448	D-C
CU-29	120.00	0	Triaxial	Undrain	0.298	20.0	0.7	0.529	D-C
CU-30	281.00	0	Triaxial	Undrain	0.298	20.0	0.3	0.74	C
CU-31	300.00	0	Triaxial	Undrain	0.298	20.0	0.4	0.69	C
CU-32	120.00	0	Triaxial	Undrain	0.298	20.0	0.3	0.74	C
CD-33	50.00	0	Triaxial	Drain	0.298	20.0	0.43	0.671	C
CU-34	120.00	0	Triaxial	Undrain	0.28	30.0	0.53	0.569	D-C
CU-35	300.00	0	Triaxial	Undrain	0.28	30.0	0.7	0.48	D-C
CU-36	300.00	0	Triaxial	Undrain	0.28	30.0	0.47	0.601	C
CU-37	300.00	0	Triaxial	Undrain	0.28	30.0	0.83	0.414	D-C
CU-38	120.00	0	Triaxial	Undrain	0.28	30.0	0.46	0.61	C
CU-39	300.00	0	Triaxial	Undrain	0.28	30.0	0.4	0.636	C
CU-40	300.00	0	Triaxial	Undrain	0.28	30.0	0.79	0.436	C
CD-41	300.00	0	Triaxial	Drain	0.28	30.0	0.63	0.521	D-C
CD-42	50.00	0	Triaxial	Drain	0.28	30.0	0.36	0.661	D-C
CU-43	120.00	0	Triaxial	Undrain	0.265	40.0	0.63	0.548	C
CU-44	120.00	0	Triaxial	Undrain	0.265	40.0	0.51	0.61	C
CU-45	120.00	0	Triaxial	Undrain	0.265	40.0	0.71	0.507	C
CU-46	300.00	0	Triaxial	Undrain	0.265	40.0	0.75	0.479	C
CU-47	300.00	0	Triaxial	Undrain	0.265	40.0	0.9	0.401	C
CU-48	120.00	0	Triaxial	Undrain	0.265	40.0	0.55	0.638	C
CD-49	120.00	0	Triaxial	Drain	0.265	40.0	0.61	0.566	D-C
CD-50	300.00	0	Triaxial	Drain	0.265	40.0	0.87	0.434	D-C
CU-51	300.00	0	Triaxial	Undrain	0.135	50.0	0.59	0.618	C
CU-52	300.00	0	Triaxial	Undrain	0.135	50.0	0.73	0.533	C
CU-53	300.00	0	Triaxial	Undrain	0.135	50.0	0.47	0.685	C
CU-54	300.00	0	Triaxial	Undrain	0.135	50.0	0.89	0.444	C
CU-55	300.00	0	Triaxial	Undrain	0.135	50.0	0.61	0.605	C
CU-56	120.00	0	Triaxial	Undrain	0.135	50.0	0.22	0.834	C
CD-57	100.00	0	Triaxial	Drain	0.135	50.0	0.56	0.635	D-C
CU-58	300.00	0	Triaxial	Undrain	0.0264	100.0	0.86	0.644	C
CU-59	120.00	0	Triaxial	Undrain	0.0264	100.0	0.7	0.838	C
CU-60	120.00	0	Triaxial	Undrain	0.0264	100.0	0.64	0.91	C
CU-61	300.00	0	Triaxial	Undrain	0.0264	100.0	0.95	0.532	C
CU-62	50.00	0	Triaxial	Undrain	0.215	0.0	0.33	0.804	C
CU-63	100.00	0	Triaxial	Undrain	0.215	0.0	0.7	0.643	D-C
CU-64	100.00	0	Triaxial	Undrain	0.215	0.0	0.33	0.804	C
CU-65	300.00	0	Triaxial	Undrain	0.215	0.0	0.32	0.807	C
CU-66	500.00	0	Triaxial	Undrain	0.215	0.0	0.54	0.71	D-C
CU-67	500.00	0	Triaxial	Undrain	0.215	0.0	0.37	0.785	C
CU-68	500.00	0	Triaxial	Undrain	0.215	0.0	0.47	0.743	C
CD-69	100.00	0	Triaxial	Drain	0.215	0.0	0.36	0.792	D-C
CU-70	300.00	0	Triaxial	Undrain	0.215	0.0	0.87	0.567	D-C
CU-71	300.00	0	Triaxial	Undrain	0.215	0.0	0.31	0.814	C
CU-72	50.00	0	Triaxial	Undrain	0.26	0.0	0.37	0.736	C
CU-73	100.00	0	Triaxial	Undrain	0.26	0.0	0.37	0.736	C
CU-74	300.00	0	Triaxial	Undrain	0.26	0.0	0.37	0.739	C
CU-75	500.00	0	Triaxial	Undrain	0.26	0.0	0.44	0.705	C
CD-76	50.00	0	Triaxial	Drain	0.26	0.0	0.64	0.618	D-C
CD-77	100.00	0	Triaxial	Drain	0.26	0.0	0.37	0.736	D-C
CU-78	50.00	0	Triaxial	Undrain	0.26	0.0	0.69	0.598	D-C
CU-79	300.00	0	Triaxial	Undrain	0.26	0.0	0.86	0.523	D-C
CU-80	300.00	0	Triaxial	Undrain	0.26	0.0	0.34	0.752	C
CU-81	300.00	0	Triaxial	Undrain	0.26	0.0	0.28	0.775	C
CU-82	50.00	0	Triaxial	Undrain	0.26	0.0	0.26	0.786	C
CU-83	150.00	0	Triaxial	Undrain	0.26	0.0	0.29	0.772	C
CU-1	324	0.408950617	Triaxial	Drain	0.53	0	0.46991404	0.759	D-C
CU-2	281	0.320284698	Triaxial	Drain	0.53	0	0.429799427	0.773	D-C
CU-3	539	0.470315399	Triaxial	Drain	0.53	0	0.381088825	0.79	D-C
CU-4	870	0.497701149	Triaxial	Drain	0.53	0	0.553008596	0.73	D-C
CU-5	485	0.446391753	Triaxial	Drain	0.53	0	0.358166189	0.798	D-C
CU-6	800	0	Triaxial	Drain	0.53	0	0.810888252	0.64	D-C
CU-7	738	0.469512195	Triaxial	Drain	0.53	0	0.64469914	0.698	D-C
CU-8	299	0.005016722	Triaxial	Drain	0.53	0	0.478510029	0.756	D-C
CU-9	124	0.004032258	Triaxial	Drain	0.53	0	0.363898948	0.796	D-C
CU-10	120	0.029166667	Triaxial	Drain	0.53	0	0.467048711	0.76	D-C
CU-11	676	0.531065089	Triaxial	Drain	0.53	0	0.676217765	0.687	D-C
CU-12	200	0	Triaxial	Drain	0.53	0	0.206303725	0.851	D-C
CU-13	200	0	Triaxial	Drain	0.53	0	0.406876791	0.781	D-C
CU-14	308	0	Triaxial	Undrain	0.53	0	0.160458453	0.867	D-C
CU-15	302	0	Triaxial	Undrain	0.53	0	0.131805158	0.877	C
CU-16	279	0	Triaxial	Undrain	0.53	0	0.071633238	0.898	D-C
CU-17	504	0	Triaxial	Undrain	0.53	0	0.209169054	0.85	D-C
CU-18	800	0	Triaxial	Undrain	0.53	0	0.323782235	0.81	D-C
CU-19	400	0	Triaxial	Undrain	0.53	0	0.263610315	0.831	D-C
CU-20	500	0	Triaxial	Undrain	0.53	0	0.275071633	0.827	D-C
CU-21	600	0	Triaxial	Undrain	0.53	0	0.277936963	0.826	D-C
CU-22	700	0	Triaxial	Undrain	0.53	0	0.318051576	0.812	D-C
CU-23	800	0	Triaxial	Undrain	0.53	0	0.329512894	0.808	D-C
CU-24	477	0.428721174	Triaxial	Undrain	0.53	0	0.306590258	0.816	D-C
CU-25	495	0.387878788	Triaxial	Undrain	0.53	0	0.226361032	0.844	D-C
CU-26									

CU-28	479	0.423799582	Triaxial	Undrain	0.53	0	0.232091691	0.842	D-C
CU-29	585	0.404273504	Triaxial	Undrain	0.53	0	0.23495702	0.841	D-C
CU-30	669	0.427503737	Triaxial	Undrain	0.53	0	0.290802292	0.825	D-C
CU-31	770	0.418181818	Triaxial	Undrain	0.53	0	0.277836963	0.826	D-C
CU-32	489	0.400817996	Triaxial	Undrain	0.53	0	0.318051576	0.812	D-C
CU-33	489	0.399795501	Triaxial	Undrain	0.53	0	0.315186246	0.813	D-C
CU-36	101.7	0	Simple shear	Undrain	0.26	0	0.48	0.8	D-C
CU-37	99.8	0	Simple shear	Undrain	0.26	0	0.71	0.71	D-C
CU-38	100.9	0	Simple shear	Undrain	0.26	0	0.57	0.76	D-C
CU-39	100.1	0	Simple shear	Undrain	0.26	0	0.5	0.79	D-C
CU-40	100.3	0	Simple shear	Undrain	0.26	0	0.4	0.83	D-C
CU-41	100.4	0	Simple shear	Undrain	0.122	0	0.74	0.82	D-C
CU-42	100.7	0	Simple shear	Undrain	0.122	0	0.54	0.92	D-C
CU-43	99.8	0	Simple shear	Undrain	0.122	0	0.63	0.87	D-C
CU-73	102.2	0	Simple shear	Undrain	0.102	30	0.73	0.8	D-C
CU-74	100	0	Simple shear	Undrain	0.102	30	0.64	0.86	D-C
CU-75	100.8	0	Simple shear	Undrain	0.102	30	0.65	0.85	C
CU-76	100.9	0	Simple shear	Undrain	0.071	53	0.71	0.79	D-C
CU-77	100.2	0	Simple shear	Undrain	0.071	53	0.57	0.88	D-C
CU-78	100.1	0	Simple shear	Undrain	0.071	53	0.56	0.88	C
CU-79	101.5	0	Simple shear	Undrain	0.026	100	0.84	0.83	D-C
CU-80	101.3	0	Simple shear	Undrain	0.026	100	0.61	1	C
CU-81	100.3	0	Simple shear	Undrain	0.026	100	0.66	0.96	D-C
CU-1	100	0	Triaxial	Undrain	0.21	0	0.1	0.9	C
CU-2	100	0	Triaxial	Undrain	0.21	0	0.1	0.9	C
CU-3	100	0	Triaxial	Undrain	0.21	0	0.5	0.74	D-C
CU-4	100	0	Triaxial	Undrain	0.21	0	0.5	0.74	D-C
CU-5	100	0	Triaxial	Undrain	0.24	1	0.1	0.9	C
CU-6	100	0	Triaxial	Undrain	0.24	1	0.1	0.9	C
CU-7	100	0	Triaxial	Undrain	0.22	3	0.1	0.9	C
CU-8	100	0	Triaxial	Undrain	0.225	5	0.1	0.9	C
CU-9	100	0	Triaxial	Undrain	0.24	1	0.5	0.74	D-C
CU-10	100	0	Triaxial	Undrain	0.22	3	0.5	0.74	D-C
CU-11	100	0	Triaxial	Undrain	0.225	5	0.5	0.74	C
CU-12	400	0	Triaxial	Undrain	0.24	1	0.1	0.9	C
CU-13	400	0	Triaxial	Undrain	0.22	3	0.1	0.9	C
CU-14	400	0	Triaxial	Undrain	0.225	5	0.1	0.9	C
CU-15	400	0	Triaxial	Undrain	0.24	1	0.5	0.74	C
CU-16	400	0	Triaxial	Undrain	0.22	3	0.5	0.74	C
CU-17	400	0	Triaxial	Undrain	0.225	5	0.5	0.74	C
CU-18	100	0	Triaxial	Undrain	0.22	1	0.1	0.9	D-C
CU-19	100	0	Triaxial	Undrain	0.23	3	0.1	0.9	D-C
CU-20	100	0	Triaxial	Undrain	0.223	5	0.1	0.9	D-C
CU-21	100	0	Triaxial	Undrain	0.22	1	0.5	0.74	D-C
CU-22	100	0	Triaxial	Undrain	0.23	3	0.5	0.74	D-C
CU-23	100	0	Triaxial	Undrain	0.223	5	0.5	0.74	D-C
CU-24	400	0	Triaxial	Undrain	0.22	1	0.1	0.9	D-C
CU-25	400	0	Triaxial	Undrain	0.23	3	0.1	0.9	D-C
CU-26	400	0	Triaxial	Undrain	0.223	5	0.1	0.9	D-C
CU-27	400	0	Triaxial	Undrain	0.22	1	0.5	0.74	D-C
CU-28	400	0	Triaxial	Undrain	0.23	3	0.5	0.74	D-C
CU-29	400	0	Triaxial	Undrain	0.223	5	0.5	0.74	D-C