

# M 213, Platinum Temperature Sensor according to DIN EN 60751

Temperature range -70 °C to +500 °C, short-term up to +550 °C

M series PRTDs are designed for large volume applications where long-term stability, interchangeability and accuracy over a large temperature range are vital. The products are typically used in white goods, HVAC, energy management, medical and industrial equipment. In principle, the products can also be used in automotive applications; in this case Heraeus will check upon the request of the customer, whether additional requirements can be met (e.g. IMDS, PPAP).

Nominal Resistance R₀	Tolerance	Order Number	Packaging
100 Ohm at 0 °C	F 0.1 (Class 1/3 B) F 0.15 (Class A) F 0.3 (Class B)	32 207 692 32 207 691 32 207 690	Plastic bag
1000 Ohm at 0 °C	F 0.3 (Class B)	32 207 695	Plastic bag

The measuring point for the nominal resistance is defined at 8 mm from the end of the sensor body.



Tolerance class F 0.3 (B): -70 °C to +500 °C Tolerance class F 0.15 (A): -50 °C to +300 °C Tolerance class F 0.1 (1/3 B): 0 °C to +150 °C Continuous operation (temporary use to +550 °C possible)

#### Temperature coefficient

TCR = 3850 ppm/K

# Response time

t0.5 = 0.04 sWater current (v=0.4m/s): t0.9 = 0.12 sAir stream (v=2m/s): t0.5 = 2.2 st0.9 = 7.0 s

# Measuring current

 $100 \Omega$ : 0.3 to 1.0 mA  $1000~\Omega$ : 0.1 to 0.3 mA (self-heating has to be considered)

# Long-term stability

 $R_0\text{-Drift}$  0.04 % after 1000 hours at 500 °C

#### Self-heating

0.6 K/mW at 0 °C

# Insulation resistance


> 100 MO at 20 °C  $> 2 M\Omega$  at 500 °C

# Vibration resistance



measurement values (including, but not limited to, response time, long-term stability, vibration and shock resistance, insulation resistance and self-heating) are average values that have been obtained under laboratory conditions in tests of large numbers of the product. Product results or measurements achieved by customer or any other person in any production, test, or other environment may vary depending on the specific conditions of use. The customer is solely responsible to determine whether the product is suited for the customer's intended use; in this respect Heraeus cannot assume any liability. The sale of any products by Heraeus is exclusively subject to the General Terms of Sale and Delivery of Heraeus in their current version at the time of purchase, which is available under www.heraeus.com/gtc or may be furnished upon request. This data sheet is subject to changes without prior notice. Heraeus Nexensos GmbH, Reinhard-Heraeus-Ring 23, 63801 Kleinostheim, Germany

Web: www.heraeus-nexensos.com















Name of document: 20002220912 Part 001 Version 02

Status: 11/2019



# M 213, Platinum Temperature Sensor according to DIN EN 60751

Temperature range -70 °C to +500 °C, short-term up to +550 °C

#### Shock resistance

At least 100 g acceleration with 8 ms half sine wave, depends on installation

#### Leads

Pt clad Ni-wire

# Lead lengths (LL)

 $10 \text{ mm} \pm 1 \text{ mm}$ 

#### Connection technology

Suitable for welding, brazing and crimping

#### Tensile strength of leads

 $\geq$  7 N

# **Packaging**

Alternative packaging forms on request.

# Storage life

Min. 12 months (in original packaging)

#### Note

Other tolerances, values of resistance and wire lengths are available on request.

# California Proposition 65



# WARNING:

This product can expose you to chemicals including nickel and cobalt, which are known to the State of California to cause cancer. For more information go to <a href="https://www.p65warnings.ca.gov">www.p65warnings.ca.gov</a>.















The information provided in this data sheet describes certain technical characteristics of the product, but shall not be qualified or construed as quality guarantee (Beschaffenheitsgarantie) in the meaning of sections 443 and 444 German Civil Code. The information provided in this data sheet regarding measurement values (including, but not limited to, response time, long-term stability, vibration and shock resistance, insulation resistance and self-heating) are average values that have been obtained under laboratory conditions in tests of large numbers of the product. Product results or measurements achieved by customer or any other person in any production, test, or other environment may vary depending on the specific conditions of use. The customer is solely responsible to determine whether the product is suited for the customer's intended use; in this respect Heraeus cannot assume any liability. The sale of any products by Heraeus is exclusively subject to the General Terms of Sale and Delivery of Heraeus in their current version at the time of purchase, which is available under www.heraeus.com/gtc or may be furnished upon request. This data sheet is subject to changes without prior notice. Heraeus Nexensos GmbH, Reinhard-Heraeus-Ring 23, 63801 Kleinostheim, Germany Web: www.heraeus-nexensos.com

Name of document: 20002220912 Part 001 Version 02

Status: 11/2019