



METAZOID ENTERPRISE is a joint venture company established in 2010 to manufacture and market Reactive dyes and textile auxiliary chemicals for any kind of yarn & fabric and for any stage of textile fabric and garment wet processes. Our company has enjoyed a steady growth since it was established, and expanded its product & market range through technical expertise. Over the years, our high-quality production, reliable service, honest and sincere business conduct, and warm relations of long years with clients have earned us the respect of the textile industry, and thus a considerable market share in domestic market. **METAZOID ENTERPRISE** is ready to enter new projects, new markets and new ventures having in her hand the necessary product experience, market knowledge, company credibility and resources. Our Mission is to become one of the leading manufacturers of dyes and specialty chemicals in the field of Textiles and success through innovation and research-driven growth

OUR MANAGEMENT

METAZOID ENTERPRISE established in 2010 under the efficient management of Mr. Farhan - Chairman, knowledge and expertise which has helped to flourish as a preferred supplier in the market.

OUR FACILITY

METAZOID ENTERPRISE (Dyes and Chemical) manufacturing plant has its own production, warehouse, state-of-the-art laboratories, and office space. The manufacturing plants of each facility are ISO 9001:2008 certified.

R&D LABORATORY

Technology and Innovation are at the heart of **METAZOID ENTERPRISE** which is why we stay on the cutting edge of research and development for our customers. By emphasizing research and development, offers its customers not just products, but innovative solutions and outstanding technical service for improved processes and product performance. We provide 'in-house' evaluation and testing procedures for the all the major textile processes from Preparation through dyeing to Finishing. **METAZOID ENTERPRISE** believes that achieving the continuous development in business is only possible if the advanced technology is used and followed. Therefore considerable amount of turnover is spent for new technology developments. Our R&D group is a dynamic group of experienced chemists and there are dedicated chemists to take care of production. Our well equipped application laboratory provides product support, competition analysis, market support and trouble shooting.

CERTIFICATES

Determined to provide excellence to its customers **METAZOID ENTERPRISE** always seeks to improve its ability and professionalism. As a means for improvement, the company aims to obtain all the necessary certificates in manufacturing, management and marketing. In 2013 certified its quality management system by ISO 9001: 2008 and makes sure that the company as a whole applies the system thoroughly. Company also acquired OEKO-Tex® Certificate for its critical products. Responding to its customer's requests and the market's requirements; **METAZOID ENTERPRISE** is now in the process to obtain Global Organic Textile Standards (GOTS) certification its products.

(Reactive Dyes) are hetero bifunctional dyes. These dyes contain atleast one vinylsulfone and one monochlorotriazine reactive group and mainly recommended for exhaust dyeing. These dyes can also be used in pad-batch (silicate method) and printing applications. Dyes can be used in combination with vinylsulfone dyes (VS Dyes) for producing mixture shades.

C.I No.	Shade on w.o.f. Solubility (g/l) at 50°C	Light Fastness				Washing Fastness				Respiration				Chlorinated Water ISO 105-E03 (20 ppm)	
		ISO 105-B02		AATCC 16-E (20AFU)		ISO 105-C02		AATCC 61 2A		ISO 105-C02		AATCC 61 2A			
		(1/6)	(1/1)	(1/6)	(1/1)	(C/H)	(C/O)	(C/H)	(C/O)	(C/H)	(C/O)	(C/H)	(C/O)		
Yellow 4G	Y 160A	2%	>100	4-5	5	4-5	4-5	5	5-6	5	5-6	5	5-6	5	
Yellow ML	Y 145A	2%	>125	4-5	5	4-5	5	4-5	4	4-5	4	4-5	4	4	
Yellow CNH	MIX	2%	>125	4-5	5	4-5	5	4-5	4	4-5	4	4-5	4	4	
Orange 2RL	O 122A	2%	>80	4-5	5	4-5	4-5	5	5-6	5	5-6	5	5-6	5	
Red BS	MIX	2%	>125	4-5	5	4-5	5	4-5	4	4-5	4	4-5	4	4	
Red Wine DS	MIX	2%	>125	4	4-5	4-5	5	4-5	4	4-5	4	4-5	4	4	
Red 6BL	R 195A	2%	>80	4-5	5	4-5	4-5	5	5-6	5	5-6	5	5-6	3-4	
Red CNH	MIX	2%	>80	4-5	5	4-5	4-5	5	5-6	5	5-6	5	5-6	3-4	
N.Blue BF	B 122A	2%	>125	4	4-5	4-5	5	4-5	4	4-5	4	4-5	4	4	
Blue 2GL	B 194A	2%	>125	4	4-5	4-5	5	4-5	4	4-5	4	4-5	4	4	
Blue 2RL	B 248A	2%	>100	3-4	4	4	3-4	4	3-4	4	3-4	4	3-4	3-4	
Blue PG	B 121A	2%	>100	3-4	4	4	3-4	4	3-4	4	3-4	4	3-4	3-4	
Brill Yellow 4GR	MIX	0.5%	>100	4-5	5	4-5	4-5	5	5-6	5	5-6	5	5-6	4	
Brill Red GDS	MIX	0.5%	>100	4-5	5-6	4-5	4-5	5	5-6	5	5-6	5	5-6	4	
Brill Blue RF	B 19A	0.5%	>100	4-5	5-6	4-5	4-5	5	5-6	5	5-6	5	5-6	4	
Black 2B	MIX	4%	>100	3-4	4	4	3-4	4	3-4	4	3-4	4	3-4	3-4	
Black GN	MIX	4%	>100	3-4	4	4	3-4	4	3-4	4	3-4	4	3-4	3-4	
Black DS	MIX	4%	>100	3-4	4	4	3-4	4	3-4	4	3-4	4	3-4	3-4	
Black ER	MIX	4%	>100	3-4	4	4	3-4	4	3-4	4	3-4	4	3-4	3-4	

(ReactiveDyes)

	C.I No.	Shade on w.o.f.	Solubility (g/l) at 50°C	Light Fastness		Washing Fastness		Respiration		Chlorinated Water ISO 105-E03 (20 ppm)					
				ISO 105-B02		AATCC 16-E (20AFU)		ISO 105-C02							
				(1/6)		(1/1)		(1/1)							
				(1/6)	(1/1)	(1/6)	(1/1)	(C/H)	(C/O)	(C/H)					
Yellow PX4G	Y 18A	Y	2%	>100	4-5	5	4-5	4-5	5	5-6	5	5-6	5	5-6	4
Yellow P3R	O 12A	O	2%	>125	4-5	5	4-5	5	4-5	4	4-5	4	4-5	4	4
Yellow P6GS	Y 95A	Y	2%	>125	4-5	5	4-5	5	4-5	4	4-5	4	4-5	4	4
Orange PX2R	O 13A	O	2%	>80	4-5	5	4-5	4-5	5	5-6	5	5-6	5	5-6	4
Red PBS	R 24A	R	2%	>125	4-5	5	4-5	5	4-5	4	4-5	4	4-5	4	4
Red PX2B	R 45A	R	2%	>125	4	4-5	4-5	5	4-5	4	4-5	4	4-5	4	4
Red P8B	R 31A	R	2%	>80	4-5	5	4-5	4-5	5	5-6	5	5-6	5	5-6	3-4
Red PCH	MIX	MIX	2%	>80	4-5	5	4-5	4-5	5	5-6	5	5-6	5	5-6	3-4
Blue PXR	B 49A	B	2%	>125	4	4-5	4-5	5	4-5	4	4-5	4	4-5	4	4
Blue PGL	MIX	MIX	2%	>125	4	4-5	4-5	5	4-5	4	4-5	4	4-5	4	4
Blue PH5	B 13A	B	2%	>100	3-4	4	4	3-4	4	3-4	4	3-4	4	3-4	3-4
Blue PGR	B 25A	B	2%	>100	3-4	4	4	3-4	4	3-4	4	3-4	4	3-4	3-4
Brill Yellow PGR	MIX	MIX	0.5%	>100	4-5	5	4-5	4-5	5	5-6	5	5-6	5	5-6	4
Brill Red P2G	MIX	MIX	0.5%	>100	4-5	5-6	4-5	4-5	5	5-6	5	5-6	5	5-6	4
Brill Blue PRFX	MIX	MIX	0.5%	>100	4-5	5-6	4-5	4-5	5	5-6	5	5-6	5	5-6	4
Navy Bule P2B	MIX	MIX	4%	>100	3-4	4	4	3-4	4	3-4	4	3-4	4	3-4	3-4
Black PRN	MIX	MIX	4%	>100	3-4	4	4	3-4	4	3-4	4	3-4	4	3-4	3-4
Black ED	MIX	MIX	4%	>100	3-4	4	4	3-4	4	3-4	4	3-4	4	3-4	3-4
Black PGR	MIX	MIX	4%	>100	3-4	4	4	3-4	4	3-4	4	3-4	4	3-4	3-4

(ReactiveDyes)

	C.I No.	Shade on w.o.f.	Solubility (g/l) at 50°C	Light Fastness		Washing Fastness		Respiration		Chlorinated Water ISO 105-E03 (20 ppm)			
				ISO 105-B02		AATCC 16-E (20AFU)		ISO 105-C02					
				(1/6)		(1/1)		(1/6)					
				(1/6)	(1/1)	(1/6)	(1/1)	(C/H)	(C/O)	(C/H)			
Yellow ME4GL	Y 160A	Y	2%	>100	4-5	5	4-5	4-5	5	5-6	5	5-6	4
Yellow MEL	Y 145A	Y	2%	>125	4-5	5	4-5	5	4-5	4	4-5	4	4
Yellow CND	MIX	MIX	2%	>125	4-5	5	4-5	5	4-5	4	4-5	4	4
Orange RL	O 122A	O	2%	>80	4-5	5	4-5	4-5	5	5-6	5	5-6	4
Red BS	MIX	MIX	2%	>125	4-5	5	4-5	5	4-5	4	4-5	4	4
Red ME4BL	R 195A	R	2%	>125	4	4-5	4-5	5	4-5	4	4-5	4	4
Red 6BN	R 195A	R	2%	>80	4-5	5	4-5	4-5	5	5-6	5	5-6	3-4
Red CNH	MIX	MIX	2%	>80	4-5	5	4-5	4-5	5	5-6	5	5-6	3-4
N. Blue MEBF	B 222A	B	2%	>125	4	4-5	4-5	5	4-5	4	4-5	4	4
Blue 2GL	B 194A	B	2%	>125	4	4-5	4-5	5	4-5	4	4-5	4	4
Blue 2RL	B 248A	B	2%	>100	3-4	4	4	3-4	4	3-4	4	3-4	3-4
Turq.Blue PG	B 21A	B	2%	>100	3-4	4	4	3-4	4	3-4	4	3-4	3-4
Brill Yellow 4GR	MIX	MIX	0.5%	>100	4-5	5	4-5	4-5	5	5-6	5	5-6	4
Brill Red 2G	MIX	MIX	0.5%	>100	4-5	5-6	4-5	4-5	5	5-6	5	5-6	4
Brill Blue CGN	B 19A	B	0.5%	>100	4-5	5-6	4-5	4-5	5	5-6	5	5-6	4
Black N	MIX	MIX	4%	>100	3-4	4	4	3-4	4	3-4	4	3-4	3-4
Black WNN	MIX	MIX	4%	>100	3-4	4	4	3-4	4	3-4	4	3-4	3-4
Black DN	MIX	MIX	4%	>100	3-4	4	4	3-4	4	3-4	4	3-4	3-4
Black DE	MIX	MIX	4%	>100	3-4	4	4	3-4	4	3-4	4	3-4	3-4

(ReactiveDyes)

	C.I No.	Shade on w.o.f.	Solubility (g/l) at 50°C	Light Fastness		Washing Fastness		Respiration		Chlorinated Water ISO 105-E03 (20 ppm)	
				ISO 105-B02		AATCC 16-E (20AFU)		ISO 105-C02			
				(1/6)		(1/1)		(1/6)			
				(1/6)	(1/1)	(1/6)	(1/1)	(C/H)	(C/O)	(C/H)	
Yellow PX4G	Y 18A	2%	>100	4-5	5	4-5	4-5	5	5-6	5	5-6
Yellow P3R	O 12A	2%	>125	4-5	5	4-5	5	4-5	4	4-5	4
Yellow P6GS	Y 95A	2%	>125	4-5	5	4-5	5	4-5	4	4-5	4
Orange PX2R	O 13A	2%	>80	4-5	5	4-5	4-5	5	5-6	5	5-6
Red PBS	R 24A	2%	>125	4-5	5	4-5	5	4-5	4	4-5	4
Red PX2B	R 45A	2%	>125	4	4-5	4-5	5	4-5	4	4-5	4
Red P8B	R 31A	2%	>80	4-5	5	4-5	4-5	5	5-6	5	5-6
Red PCH	MIX	2%	>80	4-5	5	4-5	4-5	5	5-6	5	5-6
Blue PXR	B 49A	2%	>125	4	4-5	4-5	5	4-5	4	4-5	4
Blue PGL	MIX	2%	>125	4	4-5	4-5	5	4-5	4	5-4	4-5
Blue PH5	B 13A	2%	>100	3-4	4	4	3-4	4	3-4	4	3-4
Blue PGR	B 25A	2%	>100	3-4	4	4	3-4	4	3-4	4	3-4
Brill Yellow PGR	MIX	0.5%	>100	4-5	5	4-5	4-5	5	5-6	5	5-6
Brill Red P2G	MIX	0.5%	>100	4-5	5-6	4-5	4-5	5	5-6	5	5-6
Brill Blue PRFX	MIX	0.5%	>100	4-5	5-6	4-5	4-5	5	5-6	5	5-6
Navy Bule P2B	MIX	4%	>100	3-4	4	4	3-4	4	3-4	4	3-4
Black PRN	MIX	4%	>100	3-4	4	4	3-4	4	3-4	4	3-4
Black ED	MIX	4%	>100	3-4	4	4	3-4	4	3-4	4	3-4
Black PGR	MIX	4%	>100	3-4	4	4	3-4	4	3-4	4	3-4

(Reactive Dyes) are hetero bifunctional dyes. These dyes contain atleast one vinylsulfone and one monochlorotriazine reactive group and mainly recommended for exhaust dyeing. These dyes can also be used in pad-batch (silicate method) and printing applications. Dyes can be used in combination with vinylsulfone dyes (VS Dyes) for producing mixture shades.

(ReactiveDyes)

	C.I No.	Shade on w.o.f.	Solubility (g/l) at 50°C	Light Fastness		Washing Fastness		Respiration		Chlorinated Water ISO 105-E03 (20 ppm)	
				ISO 105-B02		AATCC 16-E (20AFU)		ISO 105-C02			
				(1/6)		(1/1)		(1/6)			
				(1/6)	(1/1)	(1/6)	(1/1)	(C/H)	(C/O)	(C/H)	
Yellow MGL	Y 160A	2%	>100	4-5	5	4-5	4-5	5	5-6	5	5-6
Yellow MERL	Y 145A	2%	>125	4-5	5	4-5	5	4-5	4	4-5	4
Yellow CN	MIX	2%	>125	4-5	5	4-5	5	4-5	4	4-5	4
Orange ME2R	O 122A	2%	>80	4-5	5	4-5	4-5	5	5-6	5	5-6
Red 3BN	R 195A	2%	>125	4-5	5	4-5	5	4-5	4	4-5	4
Red ME4BL	R 195A	2%	>125	4	4-5	4-5	5	4-5	4	4-5	4
Red 6BN	R 195A	2%	>80	4-5	5	4-5	4-5	5	5-6	5	5-6
Red CN	MIX	2%	>80	4-5	5	4-5	4-5	5	5-6	5	5-6
Blue BRF	B 221A	2%	>125	4	4-5	4-5	5	4-5	4	4-5	4
Blue BR	MIX	2%	>125	4	4-5	4-5	5	4-5	4	4-5	4
N.Blue ME2RL	B 248A	2%	>100	3-4	4	4	3-4	4	3-4	4	3-4
Blue PG	B 21A	2%	>100	3-4	4	4	3-4	4	3-4	4	3-4
Brill Yellow 4GR	MIX	0.5%	>100	4-5	5	4-5	4-5	5	5-6	5	5-6
Brill Red 2GD	B 223A	0.5%	>100	4-5	5-6	4-5	4-5	5	5-6	5	5-6
Brill Blue CGN	B 21A	0.5%	>100	4-5	5-6	4-5	4-5	5	5-6	5	5-6
Black DSB	MIX	4%	>100	3-4	4	4	3-4	4	3-4	4	3-4
Black GDN	MIX	4%	>100	3-4	4	4	3-4	4	3-4	4	3-4
Black ED	MIX	4%	>100	3-4	4	4	3-4	4	3-4	4	3-4
Black ER	MIX	4%	>100	3-4	4	4	3-4	4	3-4	4	3-4

(Reactive Dyes) are hetero bifunctional dyes. These dyes contain atleast one vinylsulfone and one monochlorotriazine reactive group and mainly recommended for exhaust dyeing. These dyes can also be used in pad-batch (silicate method) and printing applications. Dyes can be used in combination with vinylsulfone dyes (VS Dyes) for producing mixture shades.



METAZOID ENTERPRISE (003336492-K)

B-12-03, CASA SUBANG CONDOMINIUM, SUBANG
LIGHT INDUSTRIAL PARK, SUBANG, 47600
SUBANG JAYA, SELANGOR, MALAYSIA

A stylized graphic element featuring a rainbow arching across the top. Below the rainbow, there are several vibrant, colorful paint splatters in shades of yellow, blue, green, and red, resembling ink droplets or fireworks. The background behind the text is a large, abstract shape composed of many small, overlapping geometric squares in a gradient from yellow to green.

METAZOID ENTERPRISE (003336492-K)