

Core Web Vitals Report

Generated on 16.06.2026, 11:05:10

Test name: homePage-sample **URL:** <https://example.com/> **Environment:** dev **Device preset:** desktop **Interaction action:** flipBothCheckboxes

Results

Metric	Value	Google result	Threshold	Status
LCP	2200 ms	GOOD	<= 2500 ms	PASS
CLS	0.040	GOOD	<= 0.1	PASS
INP	190 ms	GOOD	<= 200 ms	PASS
FCP	1700 ms	GOOD	not set	NOT ASSERTED
TTFB	640 ms	GOOD	<= 800 ms	PASS

Gray "NOT ASSERTED" means the metric was measured, but no custom threshold was configured so it does not affect pass/fail.

Metric descriptions

Metric	Full name	Unit	Google status bands
LCP	Largest Contentful Paint	ms	Good: <= 2500 ms; Needs improvement: < 4000 ms; Poor: >= 4000 ms
CLS	Cumulative Layout Shift	score	Good: <= 0.10; Needs improvement: < 0.25; Poor: >= 0.25
INP	Interaction to Next Paint	ms	Good: <= 200 ms; Needs improvement: < 500 ms; Poor: >= 500 ms
FCP	First Contentful Paint	ms	Good: <= 1800 ms; Needs improvement: < 3000 ms; Poor: >= 3000 ms
TTFB	Time to First Byte	ms	Good: <= 800 ms; Needs improvement: < 1800 ms; Poor: >= 1800 ms