

Core Web Vitals Summary

Generated on 16.06.2026, 11:12:10

Environment: dev

Results

Page	Device	LCP	CLS	INP	FCP	TTFB
homePage Action: flipBothCheckboxes	desktop	2100 ms Google: GOOD Custom: PASS	0.060 Google: GOOD Custom: PASS	185 ms Google: GOOD Custom: PASS	1950 ms Google: NEEDS IMPROVEMENT Custom: NOT ASSERTED	620 ms Google: GOOD Custom: PASS
checkoutPage Action: centerClick	mobile	4350 ms Google: POOR Custom: FAIL	0.110 Google: NEEDS IMPROVEMENT Custom: PASS	340 ms Google: NEEDS IMPROVEMENT Custom: PASS	2600 ms Google: NEEDS IMPROVEMENT Custom: NOT ASSERTED	1020 ms Google: NEEDS IMPROVEMENT Custom: NOT ASSERTED

Gray "Custom: NOT ASSERTED" means the metric was measured, but no custom threshold was configured so it does not affect pass/fail.

X Some web vitals checks failed

Metric descriptions

Metric	Full name	Unit	Google status bands
LCP	Largest Contentful Paint	ms	Good: <= 2500 ms; Needs improvement: < 4000 ms; Poor: >= 4000 ms
CLS	Cumulative Layout Shift	score	Good: <= 0.10; Needs improvement: < 0.25; Poor: >= 0.25
INP	Interaction to Next Paint	ms	Good: <= 200 ms; Needs improvement: < 500 ms; Poor: >= 500 ms
FCP	First Contentful Paint	ms	Good: <= 1800 ms; Needs improvement: < 3000 ms; Poor: >= 3000 ms
TTFB	Time to First Byte	ms	Good: <= 800 ms; Needs improvement: < 1800 ms; Poor: >= 1800 ms