ChromIQ

Measurement Report - Verification of Profile - Demo-Report-Matrix-verify

Created: 2026-08-10 23:19:50

Report Scope

The following profile verification runs are included:

- Demo-Report-Matrix-verify, Instrument: X-Rite ColorMunki · 12 verification runs

No. of Measurements:
12

Date range:
2026-05-01 – 2026-08-10

Warning — mixed instruments. Every run in a report should come from the same instrument and the same printer; the report cannot tell printers apart. These runs use a different instrument from the majority (X-Rite ColorMunki):

- Demo-Report-Matrix-verify @ 2026-08-10T10:00:00 — uses X-Rite i1Pro3

Warning — missing cube colours. These runs are missing one or more of the eight cube corners, so their cube-corner figures are less meaningful:

- Demo-Report-Matrix-verify @ 2026-08-01T10:00:00 — missing White, Red, Green, Blue, Cyan, Magenta, Yellow
- Demo-Report-Matrix-verify @ 2026-08-08T10:00:00 — missing White, Red, Green, Blue, Cyan, Magenta, Yellow
- Demo-Report-Matrix-verify @ 2026-08-09T10:00:00 — missing White, Red, Green, Blue, Cyan, Magenta, Yellow

Warning — these verifications were not all printed the same way. A sheet printed through the profile measures the profile; a sheet printed raw measures the printer. The trend changes meaning at the point where the method changed:

- Demo-Report-Matrix-verify @ 2026-05-01T10:00:00 — printed raw — no profile
- Demo-Report-Matrix-verify @ 2026-06-01T10:00:00 — printed raw — no profile
- Demo-Report-Matrix-verify @ 2026-06-15T10:00:00 — printed through the profile
- Demo-Report-Matrix-verify @ 2026-07-01T10:00:00 — printed through the profile
- Demo-Report-Matrix-verify @ 2026-07-10T10:00:00 — printed in another app with colour management
- Demo-Report-Matrix-verify @ 2026-07-20T10:00:00 — method not recorded (made before ChromIQ recorded it, or printed outside ChromIQ)
- Demo-Report-Matrix-verify @ 2026-08-01T10:00:00 — printed raw — no profile
- Demo-Report-Matrix-verify @ 2026-08-08T10:00:00 — printed raw — no profile
- Demo-Report-Matrix-verify @ 2026-08-09T10:00:00 — method not recorded (made before ChromIQ recorded it, or printed outside ChromIQ)
- Demo-Report-Matrix-verify @ 2026-08-10T09:00:00 — printed in another app with colour management
- Demo-Report-Matrix-verify @ 2026-08-10T10:00:00 — printed raw — no profile
- Demo-Report-Matrix-verify @ 2026-08-10T11:00:00 — printed through the profile

How to read this report

This report compares what your instrument measured against the chart's design colours (the reference values the chart was built from). Every number is a colour difference (ΔE00): 0 is a perfect match, 1–2 is barely visible, and 10 or more is clearly different.

- Colour accuracy — the ΔE00 across the patches, split so you can see the bulk of the chart (all patches and the best 95%) apart from the few hardest patches (the worst 5%). Each metric is judged against your Pass thresholds.
- Paper white & darkest black — the brightest and deepest patches (L*), a quick health check of your paper and maximum ink.
- Cube corners — paper white, composite black and the six primary and secondary inks. These say as much about your inks as about the instrument.

What the numbers mean depends on how the chart was printed:

- A profiling chart is printed WITHOUT colour management (the raw print you measure to build a profile). It is not expected to match the design closely, so the ΔE can look large — that's normal. Here it is the CHANGE between dated reports that matters, not a single value.
- A verification chart is printed THROUGH your finished profile — ChromIQ converts the sheet itself and prints it with the printer's colour management off. It SHOULD match the design closely, so low ΔE and passes mean the profile is still accurate; rising numbers over time tell you when it's worth re-profiling. (Printed raw instead, the same sheet is a printer drift check — the report says which way each sheet was printed.)

Some of a chart's design colours can be brighter or more saturated than this printer and paper can physically produce — no profile can print them, however good it is. Where the report can tell (it asks the run's profile), it splits the colour-accuracy figures into two groups: “Within the profile's gamut” — the colours that were genuinely printable, the fair measure of accuracy — and “Beyond it” — the unreachable ones, whose distance describes the limit of the gamut, not a mistake of the profile. Every patch stays counted and visible; the Pass/Fail verdict judges the within-gamut figures.

Because the design reference never changes, comparing dated reports of the same chart on the same printer is a clean, reliable signal of drift — ageing inks, a wandering printer, or an instrument going off. Save a report after each measurement to build that history. Screen and print colours here are approximate; the numbers come from your measurement file and are exact.

Report Results

The following results are extracted from the detailed Colour accuracy data shown below for each measurement run. Where a sheet's colours are split into within / beyond the profile's gamut, Pass and Fail judge the within-gamut figures — colours the profile could never print are not counted against it.

Metric	2026-05-01	2026-06-01	2026-06-15	2026-07-01	2026-07-10	2026-07-20
Average ΔE, all patches	Fail	Fail	Fail	Fail	Fail	Fail
Average ΔE, lowest 95%	Fail	Fail	Fail	Fail	Fail	Fail
Average ΔE, highest 5%	Fail	Fail	Fail	Fail	Fail	Fail
Maximum ΔE, all patches	Fail	Fail	Fail	Fail	Fail	Fail
Maximum ΔE, lowest 95%	Fail	Fail	Fail	Fail	Fail	Fail

Metric	2026-08-01	2026-08-08	2026-08-09	2026-08-10	2026-08-10	2026-08-10
Average ΔE, all patches	Fail	Fail	Fail	Fail	Fail	Fail
Average ΔE, lowest 95%	Fail	Fail	Fail	Fail	Fail	Fail
Average ΔE, highest 5%	Fail	Fail	Fail	Fail	Fail	Fail
Maximum ΔE, all patches	Fail	Fail	Fail	Fail	Fail	Fail
Maximum ΔE, lowest 95%	Fail	Fail	Fail	Fail	Fail	Fail

Trend over time (this printer)

A rising average or shifting white/black/colour over time points to ageing inks, printer drift, or instrument drift.

Colour accuracy (ΔE00)



Paper white (L*)



Darkest black (L*)



Cube corners (ΔE00 per ink)



Overview of Measurement Metrics

Metric	2026-05-01	2026-06-01	2026-06-15	2026-07-01	2026-07-10	2026-07-20
Within the profile's gamut						
Patches	97	97	97	97	97	97
Average ΔE, all patches	6.04	6.29	2.51	6.09	2.75	6.09
Average ΔE, lowest 95%	5.64	5.89	2.29	5.69	2.52	5.69
Average ΔE, highest 5%	13.38	13.62	6.65	13.45	6.82	13.46
Maximum ΔE, all patches	13.82	14.03	7.26	13.83	7.62	13.88
Maximum ΔE, lowest 95%	11.59	12.58	6.14	11.90	6.13	11.91
Beyond the profile's gamut						
Patches	8	8	8	8	8	8
Average ΔE, all patches	3.42	3.63	2.18	3.50	2.27	3.49
Average ΔE, lowest 95%	3.22	3.43	2.09	3.30	2.17	3.30
Average ΔE, highest 5%	4.83	5.04	2.77	4.95	2.95	4.83
Maximum ΔE, all patches	4.83	5.04	2.77	4.95	2.95	4.83
Maximum ΔE, lowest 95%	4.35	4.83	2.67	4.43	2.77	4.49
All patches together						
Average ΔE, all patches	5.84	6.09	2.49	5.89	2.71	5.90
Average ΔE, lowest 95%	5.46	5.71	2.28	5.52	2.50	5.52
Average ΔE, highest 5%	13.38	13.62	6.65	13.45	6.82	13.46
Maximum ΔE, all patches	13.82	14.03	7.26	13.83	7.62	13.88
Maximum ΔE, lowest 95%	11.59	12.58	6.14	11.90	6.13	11.91
Spread (std. dev.)	2.75	2.81	1.69	2.81	1.70	2.77
Paper white L*	100.0	100.0	100.0	100.0	100.0	100.0
Black L*	0.0	0.1	0.0	0.0	0.0	0.0
White ΔE00	13.77	13.82	0.26	13.77	0.35	13.79
Black ΔE00	6.23	6.65	6.14	6.14	6.14	6.35
Red ΔE00	1.82	1.82	1.84	1.96	1.84	1.82
Green ΔE00	3.27	3.25	1.61	3.33	1.61	3.26
Blue ΔE00	3.00	2.99	6.08	2.89	6.08	3.00
Cyan ΔE00	9.10	9.63	0.80	9.19	1.00	9.28
Magenta ΔE00	5.32	5.47	1.11	5.29	1.10	5.37
Yellow ΔE00	4.83	4.83	2.77	4.95	2.77	4.83

Metric	2026-08-01	2026-08-08	2026-08-09	2026-08-10	2026-08-10	2026-08-10
Within the profile's gamut						
Patches	106	106	106	97	97	97
Average ΔE, all patches	7.63	7.96	7.68	2.68	6.07	2.51
Average ΔE, lowest 95%	7.06	7.39	7.11	2.46	5.67	2.29
Average ΔE, highest 5%	19.11	19.46	19.17	6.74	13.43	6.65
Maximum ΔE, all patches	19.87	20.37	19.99	7.51	13.86	7.26
Maximum ΔE, lowest 95%	14.32	14.77	14.38	6.13	11.80	6.14
Beyond the profile's gamut						
Patches	2	2	2	8	8	8
Average ΔE, all patches	3.98	3.87	3.96	2.25	3.46	2.18
Average ΔE, lowest 95%	3.26	3.38	3.27	2.16	3.27	2.09
Average ΔE, highest 5%	4.70	4.37	4.64	2.85	4.83	2.77
Maximum ΔE, all patches	4.70	4.37	4.64	2.85	4.83	2.77
Maximum ΔE, lowest 95%	3.26	3.38	3.27	2.77	4.40	2.67
All patches together						
Average ΔE, all patches	7.56	7.89	7.61	2.65	5.87	2.49
Average ΔE, lowest 95%	7.00	7.33	7.05	2.44	5.50	2.28
Average ΔE, highest 5%	19.11	19.46	19.17	6.74	13.43	6.65
Maximum ΔE, all patches	19.87	20.37	19.99	7.51	13.86	7.26
Maximum ΔE, lowest 95%	14.32	14.77	14.38	6.13	11.80	6.14
Spread (std. dev.)	3.81	4.03	3.84	1.69	2.76	1.69
Paper white L*	99.8	99.5	99.8	100.0	100.0	100.0
Black L*	0.0	0.0	0.0	0.0	0.0	0.0
White ΔE00	13.78	14.03	13.82	0.33	13.78	0.26
Black ΔE00	5.35	5.35	5.35	6.14	6.31	6.14
Red ΔE00	1.99	2.27	2.04	1.84	1.82	1.84
Green ΔE00	3.26	3.38	3.27	1.61	3.27	1.61
Blue ΔE00	2.91	2.90	2.91	6.08	3.00	6.08
Cyan ΔE00	8.60	7.86	8.48	0.94	9.22	0.80
Magenta ΔE00	5.26	5.38	5.28	1.10	5.35	1.11
Yellow ΔE00	4.70	4.37	4.64	2.77	4.83	2.77

Detailed data per measurement run

Measurement run — 2026-05-01T10:00:00 — 105 patches

Profile name: Demo-Report-Matrix-verify

How this verification was produced

What this measured	whether this printer has changed — no profile took part, so this is a drift check, not a profile check
Printed	raw — no profile applied
Colour management at the printer	off — ChromIQ printed the sheet itself
Readings belong to this chart	verified — every patch holds the colour the chart asked for
How the colours were judged	as measured (absolute) — every difference counts, the paper's own tone included
Reference for the ΔE figures	the chart's design colours

Colour accuracy (ΔE00 vs the chart's design)

Metric	Within gamut	Beyond it	All patches	Threshold	Result
Average ΔE, all patches	**6.04**	3.42	5.84	2.00	**Fail**
Average ΔE, lowest 95%	**5.64**	3.22	5.46	2.00	**Fail**
Average ΔE, highest 5%	**13.38**	4.83	13.38	2.00	**Fail**
Maximum ΔE, all patches	**13.82**	4.83	13.82	3.00	**Fail**
Maximum ΔE, lowest 95%	**11.59**	4.35	11.59	3.00	**Fail**
Spread (std. dev.)	**2.75**	1.09	2.75	—	—

97 of this sheet's colours lie within what the profile (Demo-Report-Matrix.icc) can print, 8 beyond it. The Result judges the within-gamut figures: a colour beyond the gamut was never printable, so its distance describes the gamut's limit, not a mistake of the profile — those patches are still shown, in their own column, and their stability over time is a drift signal.

Paper white & darkest black

White (4) — L* 100.0
Black (7) — L* 0.0

Cube corners (the eight ink extremes)

Corner	Expected	Measured	ΔE00
White (1)			**13.77**
Black (5)			**6.23**
Red (11)			**1.82**
Green (13)			**3.27**
Blue (10)			**3.00**
Cyan (12)			**9.10**
Magenta (14)			**5.32**
Yellow (9)			**4.83**

Worst patches

Patch	Expected	Measured	ΔE00	Patch	Expected	Measured	ΔE00
2			**13.82**	96			**10.08**
3			**13.79**	24			**10.02**
1			**13.77**	62			**9.55**
4			**13.76**	45			**9.26**
85			**11.75**	12			**9.10**
47			**11.59**	81			**9.07**
73			**11.30**	59			**8.86**
100			**10.76**	33			**8.74**

Measurement run — 2026-06-01T10:00:00 — 105 patches

Profile name: Demo-Report-Matrix-verify

How this verification was produced

What this measured	whether this printer has changed — no profile took part, so this is a drift check, not a profile check
Printed	raw — no profile applied
Colour management at the printer	off — ChromIQ printed the sheet itself
Readings belong to this chart	verified — every patch holds the colour the chart asked for
How the colours were judged	as measured (absolute) — every difference counts, the paper's own tone included
Reference for the ΔE figures	the chart's design colours

Colour accuracy (ΔE00 vs the chart's design)

Metric	Within gamut	Beyond it	All patches	Threshold	Result
Average ΔE, all patches	**6.29**	3.63	6.09	2.00	**Fail**
Average ΔE, lowest 95%	**5.89**	3.43	5.71	2.00	**Fail**
Average ΔE, highest 5%	**13.62**	5.04	13.62	2.00	**Fail**
Maximum ΔE, all patches	**14.03**	5.04	14.03	3.00	**Fail**
Maximum ΔE, lowest 95%	**12.58**	4.83	12.58	3.00	**Fail**
Spread (std. dev.)	**2.82**	1.11	2.81	—	—

97 of this sheet's colours lie within what the profile (Demo-Report-Matrix.icc) can print, 8 beyond it. The Result judges the within-gamut figures: a colour beyond the gamut was never printable, so its distance describes the gamut's limit, not a mistake of the profile — those patches are still shown, in their own column, and their stability over time is a drift signal.

Paper white & darkest black

White (4) — L* 100.0
Black (7) — L* 0.1

Cube corners (the eight ink extremes)

Corner	Expected	Measured	ΔE00
White (1)			**13.82**
Black (5)			**6.65**
Red (11)			**1.82**
Green (13)			**3.25**
Blue (10)			**2.99**
Cyan (12)			**9.63**
Magenta (14)			**5.47**
Yellow (9)			**4.83**

Worst patches

Patch	Expected	Measured	ΔE00	Patch	Expected	Measured	ΔE00
2			**14.03**	24			**11.09**
3			**13.90**	62			**9.94**
1			**13.82**	81			**9.68**
4			**13.76**	12			**9.63**
85			**12.59**	91			**9.51**
47			**12.58**	59			**9.48**
73			**11.63**	96			**9.46**
100			**11.40**	75			**8.87**

Measurement run — 2026-06-15T10:00:00 — 105 patches

Profile name: Demo-Report-Matrix-verify

How this verification was produced

What this measured	how accurate this profile is — the sheet was the profile's own prediction, made real
Printed	through this run's profile · relative colorimetric
Colour management at the printer	off — ChromIQ printed the sheet itself
Profile	Demo-Report-Matrix.icc · 2026-05-01
Readings belong to this chart	verified — every patch holds the colour the chart asked for
How the colours were judged	relative to this sheet's own paper white — the print mapped white to the paper, so the paper itself is not counted against the profile
Reference for the ΔE figures	the chart's design colours

Colour accuracy (ΔE00 vs the chart's design)

Metric	Within gamut	Beyond it	All patches	Threshold	Result
Average ΔE, all patches	**2.51**	2.18	2.49	2.00	**Fail**
Average ΔE, lowest 95%	**2.29**	2.09	2.28	2.00	**Fail**
Average ΔE, highest 5%	**6.65**	2.77	6.65	2.00	**Fail**
Maximum ΔE, all patches	**7.26**	2.77	7.26	3.00	**Fail**
Maximum ΔE, lowest 95%	**6.14**	2.67	6.14	3.00	**Fail**
Spread (std. dev.)	**1.75**	0.48	1.69	—	—

97 of this sheet's colours lie within what the profile (Demo-Report-Matrix.icc) can print, 8 beyond it. The Result judges the within-gamut figures: a colour beyond the gamut was never printable, so its distance describes the gamut's limit, not a mistake of the profile — those patches are still shown, in their own column, and their stability over time is a drift signal.

Paper white & darkest black

White (4) — L* 100.0
Black (7) — L* 0.0

Cube corners (the eight ink extremes)

Corner	Expected	Measured	ΔE00
White (1)			**0.26**
Black (5)			**6.14**
Red (11)			**1.84**
Green (13)			**1.61**
Blue (10)			**6.08**
Cyan (12)			**0.80**
Magenta (14)			**1.11**
Yellow (9)			**2.77**

Worst patches

Patch	Expected	Measured	ΔE00	Patch	Expected	Measured	ΔE00
15			**7.26**	49			**6.03**
55			**7.19**	39			**5.39**
17			**6.51**	57			**5.35**
5			**6.14**	104			**5.10**
6			**6.14**	103			**4.89**
7			**6.14**	31			**4.45**
8			**6.13**	56			**4.33**
10			**6.08**	61			**4.23**

Measurement run — 2026-07-01T10:00:00 — 105 patches

Profile name: Demo-Report-Matrix-verify

How this verification was produced

What this measured	how accurate this profile is — the sheet was the profile's own prediction, made real
Printed	through this run's profile · absolute colorimetric
Colour management at the printer	off — ChromIQ printed the sheet itself
Profile	Demo-Report-Matrix.icc · 2026-05-01
Readings belong to this chart	verified — every patch holds the colour the chart asked for
How the colours were judged	as measured (absolute) — every difference counts, the paper's own tone included
Reference for the ΔE figures	the chart's design colours

Colour accuracy (ΔE00 vs the chart's design)

Metric	Within gamut	Beyond it	All patches	Threshold	Result
Average ΔE, all patches	**6.09**	3.50	5.89	2.00	**Fail**
Average ΔE, lowest 95%	**5.69**	3.30	5.52	2.00	**Fail**
Average ΔE, highest 5%	**13.45**	4.95	13.45	2.00	**Fail**
Maximum ΔE, all patches	**13.83**	4.95	13.83	3.00	**Fail**
Maximum ΔE, lowest 95%	**11.90**	4.43	11.90	3.00	**Fail**
Spread (std. dev.)	**2.83**	1.02	2.81	—	—

97 of this sheet's colours lie within what the profile (Demo-Report-Matrix.icc) can print, 8 beyond it. The Result judges the within-gamut figures: a colour beyond the gamut was never printable, so its distance describes the gamut's limit, not a mistake of the profile — those patches are still shown, in their own column, and their stability over time is a drift signal.

Paper white & darkest black

White (4) — L* 100.0
Black (7) — L* 0.0

Cube corners (the eight ink extremes)

Corner	Expected	Measured	ΔE00
White (1)			**13.77**
Black (5)			**6.14**
Red (11)			**1.96**
Green (13)			**3.33**
Blue (10)			**2.89**
Cyan (12)			**9.19**
Magenta (14)			**5.29**
Yellow (9)			**4.95**

Worst patches

Patch	Expected	Measured	ΔE00	Patch	Expected	Measured	ΔE00
2			**13.83**	96			**10.51**
3			**13.80**	24			**10.16**
1			**13.77**	62			**9.70**
4			**13.75**	45			**9.53**
47			**12.08**	81			**9.51**
85			**11.90**	12			**9.19**
73			**11.37**	59			**8.99**
100			**10.87**	91			**8.96**

Measurement run — 2026-07-10T10:00:00 — 105 patches

Profile name: Demo-Report-Matrix-verify

How this verification was produced

What this measured	your whole everyday printing chain — the application's colour engine, this profile and the printer together
Printed	in another application with colour management (your answer when the sheet was measured)
Readings belong to this chart	verified — every patch holds the colour the chart asked for
How the colours were judged	relative to this sheet's own paper white — the print mapped white to the paper, so the paper itself is not counted against the profile
Reference for the ΔE figures	the chart's design colours

Colour accuracy (ΔE00 vs the chart's design)

Metric	Within gamut	Beyond it	All patches	Threshold	Result
Average ΔE, all patches	**2.75**	2.27	2.71	2.00	**Fail**
Average ΔE, lowest 95%	**2.52**	2.17	2.50	2.00	**Fail**
Average ΔE, highest 5%	**6.82**	2.95	6.82	2.00	**Fail**
Maximum ΔE, all patches	**7.62**	2.95	7.62	3.00	**Fail**
Maximum ΔE, lowest 95%	**6.13**	2.77	6.13	3.00	**Fail**
Spread (std. dev.)	**1.75**	0.59	1.70	—	—

97 of this sheet's colours lie within what the profile (Demo-Report-Matrix.icc) can print, 8 beyond it. The Result judges the within-gamut figures: a colour beyond the gamut was never printable, so its distance describes the gamut's limit, not a mistake of the profile — those patches are still shown, in their own column, and their stability over time is a drift signal.

Paper white & darkest black

White (4) — L* 100.0
Black (7) — L* 0.0

Cube corners (the eight ink extremes)

Corner	Expected	Measured	ΔE00
White (1)			**0.35**
Black (5)			**6.14**
Red (11)			**1.84**
Green (13)			**1.61**
Blue (10)			**6.08**
Cyan (12)			**1.00**
Magenta (14)			**1.10**
Yellow (9)			**2.77**

Worst patches

Patch	Expected	Measured	ΔE00	Patch	Expected	Measured	ΔE00
55			**7.61**	10			**6.08**
15			**7.43**	49			**6.07**
17			**6.50**	39			**5.70**
57			**6.42**	104			**5.45**
5			**6.14**	103			**4.99**
6			**6.13**	84			**4.92**
7			**6.13**	44			**4.74**
8			**6.11**	61			**4.70**

Measurement run — 2026-07-20T10:00:00 — 105 patches

Profile name: Demo-Report-Matrix-verify

How this verification was produced

Printed	not recorded — this sheet was printed before ChromIQ recorded the method, or outside ChromIQ. Sheets ChromIQ printed before it kept this record always went out raw.
Readings belong to this chart	verified — every patch holds the colour the chart asked for
Reference for the ΔE figures	the chart's design colours

Colour accuracy (ΔE00 vs the chart's design)

Metric	Within gamut	Beyond it	All patches	Threshold	Result
Average ΔE, all patches	**6.09**	3.49	5.90	2.00	**Fail**
Average ΔE, lowest 95%	**5.69**	3.30	5.52	2.00	**Fail**
Average ΔE, highest 5%	**13.46**	4.83	13.46	2.00	**Fail**
Maximum ΔE, all patches	**13.88**	4.83	13.88	3.00	**Fail**
Maximum ΔE, lowest 95%	**11.91**	4.49	11.91	3.00	**Fail**
Spread (std. dev.)	**2.77**	1.08	2.77	—	—

97 of this sheet's colours lie within what the profile (Demo-Report-Matrix.icc) can print, 8 beyond it. The Result judges the within-gamut figures: a colour beyond the gamut was never printable, so its distance describes the gamut's limit, not a mistake of the profile — those patches are still shown, in their own column, and their stability over time is a drift signal.

Paper white & darkest black

White (4) — L* 100.0
Black (7) — L* 0.0

Cube corners (the eight ink extremes)

Corner	Expected	Measured	ΔE00
White (1)			**13.79**
Black (5)			**6.35**
Red (11)			**1.82**
Green (13)			**3.26**
Blue (10)			**3.00**
Cyan (12)			**9.28**
Magenta (14)			**5.37**
Yellow (9)			**4.83**

Worst patches

Patch	Expected	Measured	ΔE00	Patch	Expected	Measured	ΔE00
2			**13.88**	24			**10.37**
3			**13.83**	96			**9.87**
1			**13.79**	62			**9.67**
4			**13.76**	81			**9.28**
85			**12.03**	12			**9.28**
47			**11.91**	59			**9.05**
73			**11.41**	45			**8.96**
100			**10.94**	91			**8.75**

Measurement run — 2026-08-01T10:00:00 — 108 patches

Profile name: Demo-Report-Matrix-verify

How this verification was produced

What this measured	whether this printer has changed — no profile took part, so this is a drift check, not a profile check
Printed	raw — no profile applied
Colour management at the printer	off — ChromIQ printed the sheet itself
Readings belong to this chart	verified — every patch holds the colour the chart asked for
How the colours were judged	as measured (absolute) — every difference counts, the paper's own tone included
Reference for the ΔE figures	the chart's design colours

Colour accuracy (ΔE00 vs the chart's design)

Metric	Within gamut	Beyond it	All patches	Threshold	Result
Average ΔE, all patches	**7.63**	3.98	7.56	2.00	**Fail**
Average ΔE, lowest 95%	**7.06**	3.26	7.00	2.00	**Fail**
Average ΔE, highest 5%	**19.11**	4.70	19.11	2.00	**Fail**
Maximum ΔE, all patches	**19.87**	4.70	19.87	3.00	**Fail**
Maximum ΔE, lowest 95%	**14.32**	3.26	14.32	3.00	**Fail**
Spread (std. dev.)	**3.81**	1.02	3.81	—	—

106 of this sheet's colours lie within what the profile (Demo-Report-Matrix.icc) can print, 2 beyond it. The Result judges the within-gamut figures: a colour beyond the gamut was never printable, so its distance describes the gamut's limit, not a mistake of the profile — those patches are still shown, in their own column, and their stability over time is a drift signal.

Paper white & darkest black

White (101) — L* 99.8
Black (102) — L* 0.0

Cube corners (the eight ink extremes)

Corner	Expected	Measured	ΔE00
White (missing) (101)			**13.78**
Black (5)			**5.35**
Red (missing) (103)			**1.99**
Green (missing) (104)			**3.26**
Blue (missing) (105)			**2.91**
Cyan (missing) (106)			**8.60**
Magenta (missing) (107)			**5.26**
Yellow (missing) (108)			**4.70**

Worst patches

Patch	Expected	Measured	ΔE00	Patch	Expected	Measured	ΔE00
3			**19.87**	12			**13.18**
1			**19.80**	11			**12.32**
4			**19.67**	15			**12.29**
2			**19.54**	14			**12.22**
9			**16.67**	71			**12.04**
63			**14.32**	13			**11.73**
101			**13.78**	16			**11.53**
10			**13.53**	17			**11.35**

Measurement run — 2026-08-08T10:00:00 — 108 patches

Profile name: Demo-Report-Matrix-verify

How this verification was produced

What this measured	whether this printer has changed — no profile took part, so this is a drift check, not a profile check
Printed	raw — no profile applied
Colour management at the printer	off — ChromIQ printed the sheet itself
Readings belong to this chart	verified — every patch holds the colour the chart asked for
How the colours were judged	as measured (absolute) — every difference counts, the paper's own tone included
Reference for the ΔE figures	the chart's design colours

Colour accuracy (ΔE00 vs the chart's design)

Metric	Within gamut	Beyond it	All patches	Threshold	Result
Average ΔE, all patches	**7.96**	3.87	7.89	2.00	**Fail**
Average ΔE, lowest 95%	**7.39**	3.38	7.33	2.00	**Fail**
Average ΔE, highest 5%	**19.46**	4.37	19.46	2.00	**Fail**
Maximum ΔE, all patches	**20.37**	4.37	20.37	3.00	**Fail**
Maximum ΔE, lowest 95%	**14.77**	3.38	14.77	3.00	**Fail**
Spread (std. dev.)	**4.03**	0.70	4.03	—	—

106 of this sheet's colours lie within what the profile (Demo-Report-Matrix.icc) can print, 2 beyond it. The Result judges the within-gamut figures: a colour beyond the gamut was never printable, so its distance describes the gamut's limit, not a mistake of the profile — those patches are still shown, in their own column, and their stability over time is a drift signal.

Paper white & darkest black

White (101) — L* 99.5
Black (102) — L* 0.0

Cube corners (the eight ink extremes)

Corner	Expected	Measured	ΔE00
White (missing) (101)			**14.03**
Black (5)			**5.35**
Red (missing) (103)			**2.27**
Green (missing) (104)			**3.38**
Blue (missing) (105)			**2.90**
Cyan (missing) (106)			**7.86**
Magenta (missing) (107)			**5.38**
Yellow (missing) (108)			**4.37**

Worst patches

Patch	Expected	Measured	ΔE00	Patch	Expected	Measured	ΔE00
3			**20.37**	10			**14.19**
1			**20.36**	15			**14.05**
4			**19.99**	101			**14.03**
2			**19.67**	14			**13.01**
9			**16.93**	24			**12.94**
12			**14.77**	16			**12.68**
63			**14.64**	17			**12.37**
26			**14.50**	19			**12.28**

Measurement run — 2026-08-09T10:00:00 — 108 patches

Profile name: Demo-Report-Matrix-verify

How this verification was produced

Printed	not recorded — this sheet was printed before ChromIQ recorded the method, or outside ChromIQ. Sheets ChromIQ printed before it kept this record always went out raw.
Readings belong to this chart	verified — every patch holds the colour the chart asked for
Reference for the ΔE figures	the chart's design colours

Colour accuracy (ΔE00 vs the chart's design)

Metric	Within gamut	Beyond it	All patches	Threshold	Result
Average ΔE, all patches	**7.68**	3.96	7.61	2.00	**Fail**
Average ΔE, lowest 95%	**7.11**	3.27	7.05	2.00	**Fail**
Average ΔE, highest 5%	**19.17**	4.64	19.17	2.00	**Fail**
Maximum ΔE, all patches	**19.99**	4.64	19.99	3.00	**Fail**
Maximum ΔE, lowest 95%	**14.38**	3.27	14.38	3.00	**Fail**
Spread (std. dev.)	**3.84**	0.97	3.84	—	—

106 of this sheet's colours lie within what the profile (Demo-Report-Matrix.icc) can print, 2 beyond it. The Result judges the within-gamut figures: a colour beyond the gamut was never printable, so its distance describes the gamut's limit, not a mistake of the profile — those patches are still shown, in their own column, and their stability over time is a drift signal.

Paper white & darkest black

White (101) — L* 99.8
Black (102) — L* 0.0

Cube corners (the eight ink extremes)

Corner	Expected	Measured	ΔE00
White (missing) (101)			**13.82**
Black (5)			**5.35**
Red (missing) (103)			**2.04**
Green (missing) (104)			**3.27**
Blue (missing) (105)			**2.91**
Cyan (missing) (106)			**8.48**
Magenta (missing) (107)			**5.28**
Yellow (missing) (108)			**4.64**

Worst patches

Patch	Expected	Measured	ΔE00	Patch	Expected	Measured	ΔE00
3			**19.99**	12			**13.45**
1			**19.89**	15			**12.57**
4			**19.72**	14			**12.35**
2			**19.56**	11			**12.20**
9			**16.70**	71			**11.95**
63			**14.38**	16			**11.69**
101			**13.82**	13			**11.61**
10			**13.58**	17			**11.51**

Measurement run — 2026-08-10T09:00:00 — 105 patches

Profile name: Demo-Report-Matrix-verify

How this verification was produced

What this measured	your whole everyday printing chain — the application's colour engine, this profile and the printer together
Printed	in another application with colour management (your answer when the sheet was measured)
Readings belong to this chart	verified — every patch holds the colour the chart asked for
How the colours were judged	relative to this sheet's own paper white — the print mapped white to the paper, so the paper itself is not counted against the profile
Reference for the ΔE figures	the chart's design colours

Colour accuracy (ΔE00 vs the chart's design)

Metric	Within gamut	Beyond it	All patches	Threshold	Result
Average ΔE, all patches	**2.68**	2.25	2.65	2.00	**Fail**
Average ΔE, lowest 95%	**2.46**	2.16	2.44	2.00	**Fail**
Average ΔE, highest 5%	**6.74**	2.85	6.74	2.00	**Fail**
Maximum ΔE, all patches	**7.51**	2.85	7.51	3.00	**Fail**
Maximum ΔE, lowest 95%	**6.13**	2.77	6.13	3.00	**Fail**
Spread (std. dev.)	**1.75**	0.56	1.69	—	—

97 of this sheet's colours lie within what the profile (Demo-Report-Matrix.icc) can print, 8 beyond it. The Result judges the within-gamut figures: a colour beyond the gamut was never printable, so its distance describes the gamut's limit, not a mistake of the profile — those patches are still shown, in their own column, and their stability over time is a drift signal.

Paper white & darkest black

White (4) — L* 100.0
Black (7) — L* 0.0

Cube corners (the eight ink extremes)

Corner	Expected	Measured	ΔE00
White (1)			**0.33**
Black (5)			**6.14**
Red (11)			**1.84**
Green (13)			**1.61**
Blue (10)			**6.08**
Cyan (12)			**0.94**
Magenta (14)			**1.10**
Yellow (9)			**2.77**

Worst patches

Patch	Expected	Measured	ΔE00	Patch	Expected	Measured	ΔE00
55			**7.51**	10			**6.08**
15			**7.39**	49			**6.06**
17			**6.50**	39			**5.62**
57			**6.16**	104			**5.36**
5			**6.14**	103			**4.97**
6			**6.13**	84			**4.74**
7			**6.13**	31			**4.59**
8			**6.11**	61			**4.58**

Measurement run — 2026-08-10T10:00:00 — 105 patches

Profile name: Demo-Report-Matrix-verify

How this verification was produced

What this measured	whether this printer has changed — no profile took part, so this is a drift check, not a profile check
Printed	raw — no profile applied
Colour management at the printer	off — ChromIQ printed the sheet itself
Readings belong to this chart	verified — every patch holds the colour the chart asked for
How the colours were judged	as measured (absolute) — every difference counts, the paper's own tone included
Reference for the ΔE figures	the chart's design colours

Colour accuracy (ΔE00 vs the chart's design)

Metric	Within gamut	Beyond it	All patches	Threshold	Result
Average ΔE, all patches	**6.07**	3.46	5.87	2.00	**Fail**
Average ΔE, lowest 95%	**5.67**	3.27	5.50	2.00	**Fail**
Average ΔE, highest 5%	**13.43**	4.83	13.43	2.00	**Fail**
Maximum ΔE, all patches	**13.86**	4.83	13.86	3.00	**Fail**
Maximum ΔE, lowest 95%	**11.80**	4.40	11.80	3.00	**Fail**
Spread (std. dev.)	**2.77**	1.08	2.76	—	—

97 of this sheet's colours lie within what the profile (Demo-Report-Matrix.icc) can print, 8 beyond it. The Result judges the within-gamut figures: a colour beyond the gamut was never printable, so its distance describes the gamut's limit, not a mistake of the profile — those patches are still shown, in their own column, and their stability over time is a drift signal.

Paper white & darkest black

White (4) — L* 100.0
Black (7) — L* 0.0

Cube corners (the eight ink extremes)

Corner	Expected	Measured	ΔE00
White (1)			**13.78**
Black (5)			**6.31**
Red (11)			**1.82**
Green (13)			**3.27**
Blue (10)			**3.00**
Cyan (12)			**9.22**
Magenta (14)			**5.35**
Yellow (9)			**4.83**

Worst patches

Patch	Expected	Measured	ΔE00	Patch	Expected	Measured	ΔE00
2			**13.86**	24			**10.25**
3			**13.82**	96			**9.94**
1			**13.78**	62			**9.63**
4			**13.76**	12			**9.22**
85			**11.94**	81			**9.21**
47			**11.80**	45			**9.06**
73			**11.37**	59			**8.99**
100			**10.88**	91			**8.62**

Measurement run — 2026-08-10T11:00:00 — 105 patches

Profile name: Demo-Report-Matrix-verify

How this verification was produced

What this measured	how accurate this profile is — the sheet was the profile's own prediction, made real
Printed	through this run's profile · relative colorimetric
Colour management at the printer	off — ChromIQ printed the sheet itself
Profile	Demo-Report-Matrix.icc · 2026-08-10
Take care	the profile has been rebuilt since this sheet was printed, so these figures describe an older profile than the one now in the run
Readings belong to this chart	verified — every patch holds the colour the chart asked for
How the colours were judged	relative to this sheet's own paper white — the print mapped white to the paper, so the paper itself is not counted against the profile
Reference for the ΔE figures	the chart's design colours

Colour accuracy (ΔE00 vs the chart's design)

Metric	Within gamut	Beyond it	All patches	Threshold	Result
Average ΔE, all patches	**2.51**	2.18	2.49	2.00	**Fail**
Average ΔE, lowest 95%	**2.29**	2.09	2.28	2.00	**Fail**
Average ΔE, highest 5%	**6.65**	2.77	6.65	2.00	**Fail**
Maximum ΔE, all patches	**7.26**	2.77	7.26	3.00	**Fail**
Maximum ΔE, lowest 95%	**6.14**	2.67	6.14	3.00	**Fail**
Spread (std. dev.)	**1.75**	0.48	1.69	—	—

97 of this sheet's colours lie within what the profile (Demo-Report-Matrix.icc) can print, 8 beyond it. The Result judges the within-gamut figures: a colour beyond the gamut was never printable, so its distance describes the gamut's limit, not a mistake of the profile — those patches are still shown, in their own column, and their stability over time is a drift signal.

Paper white & darkest black

White (4) — L* 100.0
Black (7) — L* 0.0

Cube corners (the eight ink extremes)

Corner	Expected	Measured	ΔE00
White (1)			**0.26**
Black (5)			**6.14**
Red (11)			**1.84**
Green (13)			**1.61**
Blue (10)			**6.08**
Cyan (12)			**0.80**
Magenta (14)			**1.11**
Yellow (9)			**2.77**

Worst patches

Patch	Expected	Measured	ΔE00	Patch	Expected	Measured	ΔE00
15			**7.26**	49			**6.03**
55			**7.19**	39			**5.39**
17			**6.51**	57			**5.35**
5			**6.14**	104			**5.10**
6			**6.14**	103			**4.89**
7			**6.14**	31			**4.45**
8			**6.13**	56			**4.33**
10			**6.08**	61			**4.23**