

Measurement Report - Verification of Profile - Demo-Report-Matrix-verify

Created: 2026-08-11 11:21:05

Report Scope

The following profile verification runs are included:

- Demo-Report-Matrix-verify, Instrument: X-Rite ColorMunki · 12 verification runs

No. of Measurements:

12

Date range:

2026-05-01 – 2026-08-10

Warning — mixed instruments. Every run in a report should come from the same instrument and the same printer; the report cannot tell printers apart. These runs use a different instrument from the majority (X-Rite ColorMunki):

- Demo-Report-Matrix-verify @ 2026-08-10T10:00:00 — uses X-Rite i1Pro3

Warning — missing cube colours. These runs are missing one or more of the eight cube corners, so their cube-corner figures are less meaningful:

- Demo-Report-Matrix-verify @ 2026-08-01T10:00:00 — missing White, Red, Green, Blue, Cyan, Magenta, Yellow
- Demo-Report-Matrix-verify @ 2026-08-08T10:00:00 — missing White, Red, Green, Blue, Cyan, Magenta, Yellow
- Demo-Report-Matrix-verify @ 2026-08-09T10:00:00 — missing White, Red, Green, Blue, Cyan, Magenta, Yellow

Warning — these verifications were not all printed the same way. A sheet printed through the profile measures the profile; a sheet printed raw measures the printer. The trend changes meaning at the point where the method changed:

- Demo-Report-Matrix-verify @ 2026-05-01T10:00:00 — printed raw — no profile
- Demo-Report-Matrix-verify @ 2026-06-01T10:00:00 — printed raw — no profile
- Demo-Report-Matrix-verify @ 2026-06-15T10:00:00 — printed through the profile
- Demo-Report-Matrix-verify @ 2026-07-01T10:00:00 — printed through the profile
- Demo-Report-Matrix-verify @ 2026-07-10T10:00:00 — printed in another app with colour management
- Demo-Report-Matrix-verify @ 2026-07-20T10:00:00 — method not recorded (made before ChromIQ recorded it, or printed outside ChromIQ)
- Demo-Report-Matrix-verify @ 2026-08-01T10:00:00 — gamut check — profile applied at build
- Demo-Report-Matrix-verify @ 2026-08-08T10:00:00 — gamut check — profile applied at build
- Demo-Report-Matrix-verify @ 2026-08-09T10:00:00 — gamut check — profile applied at build
- Demo-Report-Matrix-verify @ 2026-08-10T09:00:00 — printed in another app with colour management
- Demo-Report-Matrix-verify @ 2026-08-10T10:00:00 — printed raw — no profile
- Demo-Report-Matrix-verify @ 2026-08-10T11:00:00 — printed through the profile

How to read this report

This report compares what your instrument measured against the chart's design colours (the reference values the chart was built from). Every number is a colour difference (ΔE_{00}): 0 is a perfect match, 1–2 is barely visible, and 10 or more is clearly different.

- Colour accuracy — the ΔE_{00} across the patches, split so you can see the bulk of the chart (all patches and the best 95%) apart from the few hardest patches (the worst 5%). Each metric is judged against your Pass thresholds.
- Paper white & darkest black — the brightest and deepest patches (L^*), a quick health check of your paper and maximum ink.
- Cube corners — paper white, composite black and the six primary and secondary inks. These say as much about your inks as about the instrument.

What the numbers mean depends on how the chart was printed:

- A profiling chart is printed WITHOUT colour management (the raw print you measure to build a profile). It is not expected to match the design closely, so the ΔE can look large — that's normal. Here it is the CHANGE between dated reports that matters, not a single value.
- A verification chart is printed THROUGH your finished profile — ChromIQ converts the sheet itself and prints it with the printer's colour management off. It SHOULD match the design closely, so low ΔE and passes mean the profile is still accurate; rising numbers over time tell you when it's worth re-profiling. (Printed raw instead, the same sheet is a printer drift check — the report says which way each sheet was printed.)

Some of a chart's design colours can be brighter or more saturated than this printer and paper can physically produce — no profile can print them, however good it is. Where the report can tell (it asks the run's profile), it splits the colour-accuracy figures into two groups: "Within the profile's gamut" — the colours that were genuinely printable, the fair measure of accuracy — and "Beyond it" — the unreachable ones, whose distance describes the limit of the gamut, not a mistake of the profile. Every patch stays counted and visible; the Pass/Fail verdict judges the within-gamut figures.

Because the design reference never changes, comparing dated reports of the same chart on the same printer is a clean, reliable signal of drift — ageing inks, a wandering printer, or an instrument going off. Save a report after each measurement to build that history. Screen and print colours here are approximate; the numbers come from your measurement file and are exact.

Report Results

The following results are extracted from the detailed Colour accuracy data shown below for each measurement run. Where a sheet's colours are split into within / beyond the profile's gamut, Pass and Fail judge the within-gamut figures — colours the profile could never print are not counted against it.

Metric	2026-05-01	2026-06-01	2026-06-15	2026-07-01	2026-07-10	2026-07-20
Average ΔE , all patches	drift	drift	Fail	Fail	Fail	Fail
Average ΔE , lowest 95%	drift	drift	Fail	Fail	Fail	Fail
Average ΔE , highest 5%	drift	drift	Fail	Fail	Fail	Fail
Maximum ΔE , all patches	drift	drift	Fail	Fail	Fail	Fail
Maximum ΔE , lowest 95%	drift	drift	Fail	Fail	Fail	Fail


Metric	2026-08-01	2026-08-08	2026-08-09	2026-08-10 09:00	2026-08-10 10:00	2026-08-10 11:00
Average ΔE , all patches	Pass	Fail	—	Fail	drift	Fail
Average ΔE , lowest 95%	Pass	Pass	—	Fail	drift	Fail
Average ΔE , highest 5%	Fail	Fail	—	Fail	drift	Fail
Maximum ΔE , all patches	Fail	Fail	—	Fail	drift	Fail
Maximum ΔE , lowest 95%	Fail	Fail	—	Fail	drift	Fail

Columns marked "drift" are sheets printed raw, without the profile — they are not expected to match the design closely, so Pass and Fail would be unfair to a perfectly healthy printer. For those sheets the detailed chapter shows how far the printer has moved since the previous raw check instead.


Trend over time (this printer)

A rising average or shifting white/black/colour over time points to ageing inks, printer drift, or instrument drift.


Colour accuracy (ΔE_{00})




Paper white (L^*)



Darkest black (L^*)



Cube corners (ΔE_{00} per ink)



Overview of Measurement Metrics

Metric	2026-05-01	2026-06-01	2026-06-15	2026-07-01	2026-07-10	2026-07-20
Within the profile's gamut						
Patches	97	97	97	97	97	97
Average ΔE , all patches	6.02	6.14	2.50	6.05	2.70	6.04
Average ΔE , lowest 95%	5.63	5.76	2.28	5.66	2.49	5.65
Average ΔE , highest 5%	13.17	13.29	6.51	13.17	6.53	13.20
Maximum ΔE , all patches	13.79	13.88	6.97	13.74	6.97	13.82
Maximum ΔE , lowest 95%	11.06	12.12	6.14	11.11	6.14	10.95
Beyond the profile's gamut						
Patches	8	8	8	8	8	8
Average ΔE , all patches	3.30	3.49	1.91	3.33	1.87	3.31
Average ΔE , lowest 95%	3.09	3.29	1.79	3.10	1.76	3.09
Average ΔE , highest 5%	4.82	4.82	2.70	4.93	2.65	4.82
Maximum ΔE , all patches	4.82	4.82	2.70	4.93	2.65	4.82
Maximum ΔE , lowest 95%	4.05	4.54	2.06	3.85	2.13	4.20
All patches together						
Average ΔE , all patches	5.81	5.94	2.45	5.84	2.63	5.83
Average ΔE , lowest 95%	5.44	5.58	2.25	5.47	2.44	5.47
Average ΔE , highest 5%	13.17	13.29	6.51	13.17	6.53	13.20
Maximum ΔE , all patches	13.79	13.88	6.97	13.74	6.97	13.82
Maximum ΔE , lowest 95%	11.06	12.12	6.14	11.11	6.14	10.95
Spread (std. dev.)	2.73	2.78	1.61	2.76	1.60	2.73
Paper white L*	100.0	99.9	100.0	100.0	100.0	100.0
Black L*	0.0	0.0	0.0	0.0	0.0	0.0
White ΔE_{00}	13.74	13.67	0.17	13.67	0.17	13.71
Black ΔE_{00}	6.30	7.08	6.14	6.14	6.16	6.53
Red ΔE_{00}	1.91	2.20	1.94	2.16	2.06	2.01
Green ΔE_{00}	3.28	3.35	1.62	3.37	1.64	3.29
Blue ΔE_{00}	3.00	2.98	6.08	2.87	6.08	2.99
Cyan ΔE_{00}	9.35	10.66	1.07	9.41	1.84	9.77
Magenta ΔE_{00}	5.40	5.78	1.18	5.34	1.23	5.52
Yellow ΔE_{00}	4.82	4.82	2.70	4.93	2.65	4.82

Metric	2026-08-01	2026-08-08	2026-08-09	2026-08-10 09:00	2026-08-10 10:00	2026-08-10 11:00
Within the profile's gamut						
Patches	—	—	—	97	97	97
Average ΔE , all patches	—	—	—	2.64	6.03	2.50
Average ΔE , lowest 95%	—	—	—	2.43	5.64	2.28
Average ΔE , highest 5%	—	—	—	6.53	13.19	6.51
Maximum ΔE , all patches	—	—	—	6.97	13.81	6.97
Maximum ΔE , lowest 95%	—	—	—	6.14	11.01	6.14
Beyond the profile's gamut						
Patches	—	—	—	8	8	8
Average ΔE , all patches	—	—	—	1.86	3.30	1.91
Average ΔE , lowest 95%	—	—	—	1.74	3.08	1.79
Average ΔE , highest 5%	—	—	—	2.66	4.82	2.70
Maximum ΔE , all patches	—	—	—	2.66	4.82	2.70
Maximum ΔE , lowest 95%	—	—	—	2.11	4.15	2.06
All patches together						
Average ΔE , all patches	1.09	2.22	—	2.58	5.83	2.45
Average ΔE , lowest 95%	0.75	1.91	—	2.38	5.46	2.25
Average ΔE , highest 5%	7.54	8.20	—	6.53	13.19	6.51
Maximum ΔE , all patches	8.54	9.19	—	6.97	13.81	6.97
Maximum ΔE , lowest 95%	4.05	6.81	—	6.14	11.01	6.14
Spread (std. dev.)	1.66	2.04	—	1.60	2.72	1.61
Paper white L*	100.0	99.9	100.0	100.0	100.0	100.0
Black L*	0.0	0.0	0.0	0.0	0.0	0.0
White ΔE_{00}	13.65	13.75	—	0.17	13.72	0.17
Black ΔE_{00}	0.01	0.12	—	6.15	6.45	6.14
Red ΔE_{00}	2.31	2.43	—	2.03	1.98	1.94
Green ΔE_{00}	2.63	2.64	—	1.63	3.28	1.62
Blue ΔE_{00}	6.27	6.27	—	6.08	3.00	6.08
Cyan ΔE_{00}	9.01	9.01	—	1.63	9.63	1.07
Magenta ΔE_{00}	5.36	4.98	—	1.21	5.48	1.18
Yellow ΔE_{00}	3.04	3.12	—	2.66	4.82	2.70

Detailed data per measurement run

Measurement run — 2026-05-01T10:00:00 — 105 patches

Profile name: Demo-Report-Matrix-verify

How this verification was produced

What this measured	whether this printer has changed — no profile took part, so this is a drift check, not a profile check
Printed	raw — no profile applied
Colour management at the printer	off — ChromIQ printed the sheet itself
Readings belong to this chart	verified — every patch holds the colour the chart asked for
How the colours were judged	as measured — no white adjustment: every difference counts, the paper's own tone included. (This is a way of comparing, not a rendering intent — a raw print has no intent at all.)
Reference for the ΔE figures	the chart's design colours

Colour accuracy (ΔE_{00} vs the chart's design)

Metric	Within gamut	Beyond it	All patches	Threshold	Result
Average ΔE , all patches	6.02	3.30	5.81	—	—
Average ΔE , lowest 95%	5.63	3.09	5.44	—	—
Average ΔE , highest 5%	13.17	4.82	13.17	—	—
Maximum ΔE , all patches	13.79	4.82	13.79	—	—
Maximum ΔE , lowest 95%	11.06	4.05	11.06	—	—
Spread (std. dev.)	2.72	1.05	2.73	—	—

This sheet was printed raw, without the profile — so it is a drift check, and this is the first one: it becomes the baseline. From your next raw check on, the report will show here how far the printer has moved since this sheet.

Within what the profile (Demo-Report-Matrix.icc) can print: 97 of this sheet's colours; beyond it: 8. The Result judges the within-gamut figures — a colour beyond the gamut was never printable, so its distance describes the gamut's limit, not a mistake of the profile. Those patches stay visible in their own column, and how steady they are from check to check is a drift signal.

Paper white & darkest black

-  White (1) — L* 100.0
-  Black (6) — L* 0.0

Cube corners (the eight ink extremes)

Corner	Expected	Measured	ΔE_{00}
White (1)			13.74
Black (5)			6.30
Red (11)			1.91
Green (13)			3.28
Blue (10)			3.00
Cyan (12)			9.35
Magenta (14)			5.40
Yellow (9)			4.82

Worst patches

Patch	Expected	Measured	$\Delta E00$	Patch	Expected	Measured	$\Delta E00$
2			13.79	62			10.10
4			13.77	24			10.00
1			13.74	96			9.92
3			13.45	45			9.59
47			11.12	12			9.35
100			11.06	33			9.26
85			11.04	59			8.93
73			10.86	81			8.78

Measurement run — 2026-06-01T10:00:00 — 105 patches

Profile name: Demo-Report-Matrix-verify

How this verification was produced

What this measured	whether this printer has changed — no profile took part, so this is a drift check, not a profile check
Printed	raw — no profile applied
Colour management at the printer	off — ChromIQ printed the sheet itself
Readings belong to this chart	verified — every patch holds the colour the chart asked for
How the colours were judged	as measured — no white adjustment: every difference counts, the paper's own tone included. (This is a way of comparing, not a rendering intent — a raw print has no intent at all.)
Reference for the ΔE figures	the chart's design colours

Colour accuracy (ΔE_{00} vs the chart's design)

Metric	Within gamut	Beyond it	All patches	Threshold	Result
Average ΔE , all patches	6.14	3.49	5.94	—	—
Average ΔE , lowest 95%	5.76	3.29	5.58	—	—
Average ΔE , highest 5%	13.29	4.82	13.29	—	—
Maximum ΔE , all patches	13.88	4.82	13.88	—	—
Maximum ΔE , lowest 95%	12.12	4.54	12.12	—	—
Spread (std. dev.)	2.79	0.98	2.78	—	—

Drift since the previous raw check (2026-05-01 10:00): average 1.02 ΔE_{00} , maximum 3.75 — this print measured against that print, patch by patch, 105 patches. Small numbers mean your printer still behaves as it did then; growing numbers mean drift — worth re-profiling when they matter to you. (Pass/Fail against the profile thresholds is not shown here: a raw sheet is not expected to match the design closely, so it would fail even a perfectly healthy printer.)

Within what the profile (Demo-Report-Matrix.icc) can print: 97 of this sheet's colours; beyond it: 8. The Result judges the within-gamut figures — a colour beyond the gamut was never printable, so its distance describes the gamut's limit, not a mistake of the profile. Those patches stay visible in their own column, and how steady they are from check to check is a drift signal.

Paper white & darkest blackWhite (1) — L^* 99.9Black (6) — L^* 0.0**Cube corners (the eight ink extremes)**

Corner	Expected	Measured	ΔE_{00}
White (1)			13.67
Black (5)			7.08
Red (11)			2.20
Green (13)			3.35
Blue (10)			2.98
Cyan (12)			10.66
Magenta (14)			5.78
Yellow (9)			4.82

Worst patches

Patch	Expected	Measured	$\Delta E00$	Patch	Expected	Measured	$\Delta E00$
2			13.88	47			10.61
4			13.81	33			10.37
1			13.67	105			9.98
100			12.54	73			9.88
3			12.54	59			9.85
62			12.12	85			9.75
24			11.04	45			9.69
12			10.66	89			9.31

Measurement run — 2026-06-15T10:00:00 — 105 patches

Profile name: Demo-Report-Matrix-verify

How this verification was produced

What this measured	how accurate this profile is — the sheet was the profile's own prediction, made real
Printed	through this run's profile · relative colorimetric
Colour management at the printer	off — ChromIQ printed the sheet itself
Profile	Demo-Report-Matrix.icc · 2026-05-01
Readings belong to this chart	verified — every patch holds the colour the chart asked for
How the colours were judged	relative to this sheet's own paper white — the print mapped white to the paper, so the paper itself is not counted against the profile
Reference for the ΔE figures	the chart's design colours

Colour accuracy (ΔE00 vs the chart's design)

Metric	Within gamut	Beyond it	All patches	Threshold	Result
Average ΔE, all patches	2.50	1.91	2.45	2.00	Fail
Average ΔE, lowest 95%	2.28	1.79	2.25	2.00	Fail
Average ΔE, highest 5%	6.51	2.70	6.51	2.00	Fail
Maximum ΔE, all patches	6.97	2.70	6.97	3.00	Fail
Maximum ΔE, lowest 95%	6.14	2.06	6.14	3.00	Fail
Spread (std. dev.)	1.67	0.37	1.61	—	—

Within what the profile (Demo-Report-Matrix.icc) can print: 97 of this sheet's colours; beyond it: 8. The Result judges the within-gamut figures — a colour beyond the gamut was never printable, so its distance describes the gamut's limit, not a mistake of the profile. Those patches stay visible in their own column, and how steady they are from check to check is a drift signal.

Paper white & darkest black

-  White (1) — L* 100.0
-  Black (6) — L* 0.0

Cube corners (the eight ink extremes)

Corner	Expected	Measured	ΔE00
White (1)			0.17
Black (5)			6.14
Red (11)			1.94
Green (13)			1.62
Blue (10)			6.08
Cyan (12)			1.07
Magenta (14)			1.18
Yellow (9)			2.70

Worst patches

Patch	Expected	Measured	$\Delta E00$	Patch	Expected	Measured	$\Delta E00$
15			6.97	49			5.92
55			6.74	103			5.03
17			6.55	39			4.91
5			6.14	104			4.75
7			6.14	56			4.47
6			6.14	84			4.29
8			6.10	69			4.09
10			6.08	34			4.08

Measurement run — 2026-07-01T10:00:00 — 105 patches

Profile name: Demo-Report-Matrix-verify

How this verification was produced

What this measured	how accurate this profile is — the sheet was the profile's own prediction, made real
Printed	through this run's profile · absolute colorimetric
Colour management at the printer	off — ChromIQ printed the sheet itself
Profile	Demo-Report-Matrix.icc · 2026-05-01
Readings belong to this chart	verified — every patch holds the colour the chart asked for
How the colours were judged	as measured — no white adjustment: every difference counts, the paper's own tone included. (This is a way of comparing, not a rendering intent — a raw print has no intent at all.)
Reference for the ΔE figures	the chart's design colours

Colour accuracy (ΔE_{00} vs the chart's design)

Metric	Within gamut	Beyond it	All patches	Threshold	Result
Average ΔE , all patches	6.05	3.33	5.84	2.00	Fail
Average ΔE , lowest 95%	5.66	3.10	5.47	2.00	Fail
Average ΔE , highest 5%	13.17	4.93	13.17	2.00	Fail
Maximum ΔE , all patches	13.74	4.93	13.74	3.00	Fail
Maximum ΔE , lowest 95%	11.11	3.85	11.11	3.00	Fail
Spread (std. dev.)	2.76	0.99	2.76	—	—

Within what the profile (Demo-Report-Matrix.icc) can print: 97 of this sheet's colours; beyond it: 8. The Result judges the within-gamut figures — a colour beyond the gamut was never printable, so its distance describes the gamut's limit, not a mistake of the profile. Those patches stay visible in their own column, and how steady they are from check to check is a drift signal.

Paper white & darkest black
 White (1) — L* 100.0

 Black (6) — L* 0.0
Cube corners (the eight ink extremes)

Corner	Expected	Measured	ΔE_{00}
White (1)			13.67
Black (5)			6.14
Red (11)			2.16
Green (13)			3.37
Blue (10)			2.87
Cyan (12)			9.41
Magenta (14)			5.34
Yellow (9)			4.93

Worst patches

Patch	Expected	Measured	$\Delta E00$	Patch	Expected	Measured	$\Delta E00$
2			13.74	62			10.40
4			13.72	96			10.30
1			13.67	24			10.06
3			13.31	45			9.95
47			11.41	12			9.41
100			11.11	33			9.33
85			10.90	81			9.09
73			10.76	59			9.09

Measurement run — 2026-07-10T10:00:00 — 105 patches

Profile name: Demo-Report-Matrix-verify

How this verification was produced

What this measured	your whole everyday printing chain — the application's colour engine, this profile and the printer together
Printed	in another application with colour management (your answer when the sheet was measured)
Readings belong to this chart	verified — every patch holds the colour the chart asked for
How the colours were judged	relative to this sheet's own paper white — the print mapped white to the paper, so the paper itself is not counted against the profile
Reference for the ΔE figures	the chart's design colours

Colour accuracy (ΔE00 vs the chart's design)

Metric	Within gamut	Beyond it	All patches	Threshold	Result
Average ΔE, all patches	2.70	1.87	2.63	2.00	Fail
Average ΔE, lowest 95%	2.49	1.76	2.44	2.00	Fail
Average ΔE, highest 5%	6.53	2.65	6.53	2.00	Fail
Maximum ΔE, all patches	6.97	2.65	6.97	3.00	Fail
Maximum ΔE, lowest 95%	6.14	2.13	6.14	3.00	Fail
Spread (std. dev.)	1.65	0.47	1.60	—	—

Within what the profile (Demo-Report-Matrix.icc) can print: 97 of this sheet's colours; beyond it: 8. The Result judges the within-gamut figures — a colour beyond the gamut was never printable, so its distance describes the gamut's limit, not a mistake of the profile. Those patches stay visible in their own column, and how steady they are from check to check is a drift signal.

Paper white & darkest black

-  White (1) — L* 100.0
-  Black (6) — L* 0.0

Cube corners (the eight ink extremes)

Corner	Expected	Measured	ΔE00
White (1)			0.17
Black (5)			6.16
Red (11)			2.06
Green (13)			1.64
Blue (10)			6.08
Cyan (12)			1.84
Magenta (14)			1.23
Yellow (9)			2.65

Worst patches

Patch	Expected	Measured	$\Delta E00$	Patch	Expected	Measured	$\Delta E00$
15			6.97	49			5.85
55			6.83	84			5.37
17			6.56	103			5.24
5			6.16	39			4.88
7			6.14	104			4.78
6			6.14	95			4.64
10			6.08	56			4.48
8			5.99	33			4.40

Measurement run — 2026-07-20T10:00:00 — 105 patches

Profile name: Demo-Report-Matrix-verify

How this verification was produced

Printed	not recorded — this sheet was printed before ChromIQ recorded the method, or outside ChromIQ. Sheets ChromIQ printed before it kept this record always went out raw.
Readings belong to this chart	verified — every patch holds the colour the chart asked for
Reference for the ΔE figures	the chart's design colours

Colour accuracy (ΔE00 vs the chart's design)

Metric	Within gamut	Beyond it	All patches	Threshold	Result
Average ΔE, all patches	6.04	3.31	5.83	2.00	Fail
Average ΔE, lowest 95%	5.65	3.09	5.47	2.00	Fail
Average ΔE, highest 5%	13.20	4.82	13.20	2.00	Fail
Maximum ΔE, all patches	13.82	4.82	13.82	3.00	Fail
Maximum ΔE, lowest 95%	10.95	4.20	10.95	3.00	Fail
Spread (std. dev.)	2.72	1.02	2.73	—	—

Within what the profile (Demo-Report-Matrix.icc) can print: 97 of this sheet's colours; beyond it: 8. The Result judges the within-gamut figures — a colour beyond the gamut was never printable, so its distance describes the gamut's limit, not a mistake of the profile. Those patches stay visible in their own column, and how steady they are from check to check is a drift signal.

Paper white & darkest black

 White (1) — L* 100.0
 Black (6) — L* 0.0

Cube corners (the eight ink extremes)

Corner	Expected	Measured	ΔE00
White (1)			13.71
Black (5)			6.53
Red (11)			2.01
Green (13)			3.29
Blue (10)			2.99
Cyan (12)			9.77
Magenta (14)			5.52
Yellow (9)			4.82

Worst patches

Patch	Expected	Measured	ΔE00	Patch	Expected	Measured	ΔE00
2			13.82	73			10.52
4			13.79	24			10.34
1			13.71	12			9.77
3			13.15	45			9.62
100			11.53	96			9.55
47			10.95	33			9.51
62			10.77	59			9.20
85			10.60	105			8.92

Measurement run — 2026-08-01T10:00:00 — 108 patches

Profile name: Demo-Report-Matrix-verify

How this verification was produced

What this measured	how accurate this profile is — this chart was built only from colours the profile promised it can print, and every figure compares a patch with that promise
Printed	as it is (Raw) — the profile is already inside this chart from the moment it was made, so printing it unchanged is exactly right; nothing was skipped
Colour management at the printer	off — ChromIQ printed the sheet itself
Readings belong to this chart	verified — every patch holds the colour the chart asked for
How the colours were judged	as measured — no white adjustment: every difference counts, the paper's own tone included. (This is a way of comparing, not a rendering intent — a raw print has no intent at all.)
Reference for the ΔE figures	the profile's own colorimetric targets · PROVISIONAL-r1 · 5602 of 5960 master colours in this profile's gamut

Colour accuracy (ΔE_{00} vs the chart's design)

Metric	Measured ΔE_{00}	Threshold	Result
Average ΔE , all patches	1.09	2.00	Pass
Average ΔE , lowest 95%	0.75	2.00	Pass
Average ΔE , highest 5%	7.54	2.00	Fail
Maximum ΔE , all patches	8.54	3.00	Fail
Maximum ΔE , lowest 95%	4.05	3.00	Fail
Spread (std. dev.)	1.66	—	—

Paper white & darkest black

- White (101) — L* 100.0
- Black (6) — L* 0.0

Cube corners (the eight ink extremes)

Corner	Expected	Measured	ΔE_{00}
White (missing) (101)			13.65
Black (5)			0.01
Red (missing) (103)			2.31
Green (missing) (104)			2.63
Blue (missing) (105)			6.27
Cyan (missing) (106)			9.01
Magenta (missing) (107)			5.36
Yellow (missing) (108)			3.04

Worst patches

Patch	Expected	Measured	$\Delta E00$	Patch	Expected	Measured	$\Delta E00$
1			8.54	24			2.45
3			8.43	33			2.37
4			8.15	80			1.99
2			8.05	32			1.90
9			4.50	35			1.67
41			4.05	17			1.63
20			2.59	22			1.60
31			2.55	30			1.58

Measurement run — 2026-08-08T10:00:00 — 108 patches

Profile name: Demo-Report-Matrix-verify

How this verification was produced

What this measured	how accurate this profile is — this chart was built only from colours the profile promised it can print, and every figure compares a patch with that promise
Printed	as it is (Raw) — the profile is already inside this chart from the moment it was made, so printing it unchanged is exactly right; nothing was skipped
Colour management at the printer	off — ChromIQ printed the sheet itself
Readings belong to this chart	verified — every patch holds the colour the chart asked for
How the colours were judged	as measured — no white adjustment: every difference counts, the paper's own tone included. (This is a way of comparing, not a rendering intent — a raw print has no intent at all.)
Reference for the ΔE figures	the profile's own colorimetric targets · PROVISIONAL-r1 · 5602 of 5960 master colours in this profile's gamut

Colour accuracy ($\Delta E00$ vs the chart's design)

Metric	Measured $\Delta E00$	Threshold	Result
Average ΔE , all patches	2.22	2.00	Fail
Average ΔE , lowest 95%	1.91	2.00	Pass
Average ΔE , highest 5%	8.20	2.00	Fail
Maximum ΔE , all patches	9.19	3.00	Fail
Maximum ΔE , lowest 95%	6.81	3.00	Fail
Spread (std. dev.)	2.04	—	—

Paper white & darkest black

- White (101) — L* 99.9
- Black (6) — L* 0.0

Cube corners (the eight ink extremes)

Corner	Expected	Measured	$\Delta E00$
White (missing) (101)			13.75
Black (5)			0.12
Red (missing) (103)			2.43
Green (missing) (104)			2.64
Blue (missing) (105)			6.27
Cyan (missing) (106)			9.01
Magenta (missing) (107)			4.98
Yellow (missing) (108)			3.12

Worst patches

Patch	Expected	Measured	$\Delta E00$	Patch	Expected	Measured	$\Delta E00$
1			9.19	32			5.24
3			8.97	35			4.63
4			8.03	17			4.56
2			7.79	22			4.44
20			7.04	30			4.42
31			6.81	41			4.26
24			6.63	9			4.05
33			6.40	11			4.02

Measurement run — 2026-08-09T10:00:00 — 108 patches

Profile name: Demo-Report-Matrix-verify

How this verification was produced

What this measured	this chart was built from the profile's own gamut and was meant to measure its accuracy — but the stored targets are missing, so no colour-accuracy figures are shown
Printed	as it is (Raw) — the profile is already inside this chart from the moment it was made, so printing it unchanged is exactly right; nothing was skipped
Readings belong to this chart	verified — every patch holds the colour the chart asked for
Reference for the ΔE figures	missing — this chart's stored colorimetric targets could not be found, so no ΔE figures are shown. Comparing against anything else would produce plausible numbers from the wrong yardstick.

No colour-accuracy figures, on purpose.

This chart was built from your profile's own gamut, so its measurements can only be judged against the colorimetric targets that were stored beside the chart when it was made — and that reference file cannot be found. Comparing against anything else would produce confident-looking numbers measured against the wrong yardstick, so ChromIQ shows none at all.

If the file was moved, put it back next to the chart in the run's "verifications" folder and reopen this report. If it is gone for good, generate the verification chart again — a fresh chart brings a fresh reference with it.

Paper white & darkest black

- White (101) — L* 100.0
- Black (6) — L* 0.0

Cube corners (the eight ink extremes)

Corner	Expected	Measured	ΔE00
White (missing) (101)	—		—
Black (5)	—		—
Red (missing) (103)	—		—
Green (missing) (104)	—		—
Blue (missing) (105)	—		—
Cyan (missing) (106)	—		—
Magenta (missing) (107)	—		—
Yellow (missing) (108)	—		—

Measurement run — 2026-08-10T09:00:00 — 105 patches

Profile name: Demo-Report-Matrix-verify

How this verification was produced

What this measured	your whole everyday printing chain — the application's colour engine, this profile and the printer together
Printed	in another application with colour management (your answer when the sheet was measured)
Readings belong to this chart	verified — every patch holds the colour the chart asked for
How the colours were judged	relative to this sheet's own paper white — the print mapped white to the paper, so the paper itself is not counted against the profile
Reference for the ΔE figures	the chart's design colours

Colour accuracy (ΔE00 vs the chart's design)

Metric	Within gamut	Beyond it	All patches	Threshold	Result
Average ΔE, all patches	2.64	1.86	2.58	2.00	Fail
Average ΔE, lowest 95%	2.43	1.74	2.38	2.00	Fail
Average ΔE, highest 5%	6.53	2.66	6.53	2.00	Fail
Maximum ΔE, all patches	6.97	2.66	6.97	3.00	Fail
Maximum ΔE, lowest 95%	6.14	2.11	6.14	3.00	Fail
Spread (std. dev.)	1.65	0.47	1.60	—	—

Within what the profile (Demo-Report-Matrix.icc) can print: 97 of this sheet's colours; beyond it: 8. The Result judges the within-gamut figures — a colour beyond the gamut was never printable, so its distance describes the gamut's limit, not a mistake of the profile. Those patches stay visible in their own column, and how steady they are from check to check is a drift signal.

Paper white & darkest black

-  White (1) — L* 100.0
-  Black (6) — L* 0.0

Cube corners (the eight ink extremes)

Corner	Expected	Measured	ΔE00
White (1)			0.17
Black (5)			6.15
Red (11)			2.03
Green (13)			1.63
Blue (10)			6.08
Cyan (12)			1.63
Magenta (14)			1.21
Yellow (9)			2.66

Worst patches

Patch	Expected	Measured	$\Delta E00$	Patch	Expected	Measured	$\Delta E00$
15			6.97	49			5.87
55			6.81	103			5.19
17			6.56	84			5.10
5			6.15	39			4.87
7			6.14	104			4.77
6			6.14	56			4.48
10			6.08	95			4.38
8			6.02	58			4.11

Measurement run — 2026-08-10T10:00:00 — 105 patches

Profile name: Demo-Report-Matrix-verify

How this verification was produced

What this measured	whether this printer has changed — no profile took part, so this is a drift check, not a profile check
Printed	raw — no profile applied
Colour management at the printer	off — ChromIQ printed the sheet itself
Readings belong to this chart	verified — every patch holds the colour the chart asked for
How the colours were judged	as measured — no white adjustment: every difference counts, the paper's own tone included. (This is a way of comparing, not a rendering intent — a raw print has no intent at all.)
Reference for the ΔE figures	the chart's design colours

Colour accuracy (ΔE00 vs the chart's design)

Metric	Within gamut	Beyond it	All patches	Threshold	Result
Average ΔE, all patches	6.03	3.30	5.83	—	—
Average ΔE, lowest 95%	5.64	3.08	5.46	—	—
Average ΔE, highest 5%	13.19	4.82	13.19	—	—
Maximum ΔE, all patches	13.81	4.82	13.81	—	—
Maximum ΔE, lowest 95%	11.01	4.15	11.01	—	—
Spread (std. dev.)	2.72	1.02	2.72	—	—

Drift since the previous raw check (2026-06-01 10:00): average 0.79 ΔE00, maximum 2.85 — this print measured against that print, patch by patch, 105 patches. Small numbers mean your printer still behaves as it did then; growing numbers mean drift — worth re-profiling when they matter to you. (Pass/Fail against the profile thresholds is not shown here: a raw sheet is not expected to match the design closely, so it would fail even a perfectly healthy printer.)

Within what the profile (Demo-Report-Matrix.icc) can print: 97 of this sheet's colours; beyond it: 8. The Result judges the within-gamut figures — a colour beyond the gamut was never printable, so its distance describes the gamut's limit, not a mistake of the profile. Those patches stay visible in their own column, and how steady they are from check to check is a drift signal.

Paper white & darkest black

- White (1) — L* 100.0
- Black (6) — L* 0.0

Cube corners (the eight ink extremes)

Corner	Expected	Measured	ΔE00
White (1)			13.72
Black (5)			6.45
Red (11)			1.98
Green (13)			3.28
Blue (10)			3.00
Cyan (12)			9.63
Magenta (14)			5.48
Yellow (9)			4.82

Worst patches

Patch	Expected	Measured	$\Delta E00$	Patch	Expected	Measured	$\Delta E00$
2			13.81	62			10.55
4			13.78	24			10.22
1			13.72	96			9.67
3			13.25	12			9.63
100			11.37	45			9.61
47			11.01	33			9.40
85			10.75	59			9.11
73			10.64	105			8.75

Measurement run — 2026-08-10T11:00:00 — 105 patches

Profile name: Demo-Report-Matrix-verify

How this verification was produced

What this measured	how accurate this profile is — the sheet was the profile's own prediction, made real
Printed	through this run's profile · relative colorimetric
Colour management at the printer	off — ChromIQ printed the sheet itself
Profile	Demo-Report-Matrix.icc · 2026-08-10
Take care	the profile has been rebuilt since this sheet was printed, so these figures describe an older profile than the one now in the run
Readings belong to this chart	verified — every patch holds the colour the chart asked for
How the colours were judged	relative to this sheet's own paper white — the print mapped white to the paper, so the paper itself is not counted against the profile
Reference for the ΔE figures	the chart's design colours

Colour accuracy (ΔE_{00} vs the chart's design)

Metric	Within gamut	Beyond it	All patches	Threshold	Result
Average ΔE , all patches	2.50	1.91	2.45	2.00	Fail
Average ΔE , lowest 95%	2.28	1.79	2.25	2.00	Fail
Average ΔE , highest 5%	6.51	2.70	6.51	2.00	Fail
Maximum ΔE , all patches	6.97	2.70	6.97	3.00	Fail
Maximum ΔE , lowest 95%	6.14	2.06	6.14	3.00	Fail
Spread (std. dev.)	1.67	0.37	1.61	—	—

Within what the profile (Demo-Report-Matrix.icc) can print: 97 of this sheet's colours; beyond it: 8. The Result judges the within-gamut figures — a colour beyond the gamut was never printable, so its distance describes the gamut's limit, not a mistake of the profile. Those patches stay visible in their own column, and how steady they are from check to check is a drift signal.

Paper white & darkest black
 White (1) — L* 100.0

 Black (6) — L* 0.0
Cube corners (the eight ink extremes)

Corner	Expected	Measured	ΔE_{00}
White (1)			0.17
Black (5)			6.14
Red (11)			1.94
Green (13)			1.62
Blue (10)			6.08
Cyan (12)			1.07
Magenta (14)			1.18
Yellow (9)			2.70

Worst patches

Patch	Expected	Measured	$\Delta E00$	Patch	Expected	Measured	$\Delta E00$
15			6.97	49			5.92
55			6.74	103			5.03
17			6.55	39			4.91
5			6.14	104			4.75
7			6.14	56			4.47
6			6.14	84			4.29
8			6.10	69			4.09
10			6.08	34			4.08