



# **TechnoWizards Reference Document JSON API**

# Table of Contents

Overview .....	4
Feature Supported by this API .....	4
Parameters Specification .....	4
Parameters Supported by the API .....	5
Note on Content Types .....	9
Authorization .....	11
Sample JSON API .....	11
Request Format .....	11
One 2 One (single message to a single recipient) .....	11
One 2 Many (single message to multiple recipients) .....	12
Many 2 Many (multiple sets of a specific single message to a specific single number) .....	13
Many 2 many (multiple messages to multiple recipients in a single batch) .....	14
Response Format .....	15
Success Response .....	15
Failure Response .....	16
Status Code Reference .....	16
Sample Format of Possible Responses .....	17
Success .....	17
Invalid XML Version .....	17
Invalid JSON Version .....	18
Invalid API Version .....	18
Invalid Request .....	19
Account Deactivated .....	19
Invalid Credential .....	19
Account Expired .....	20
Account Suspended .....	20
Account Inactivated .....	20
Invalid Encrypt Value .....	21
Empty Mobile Number .....	21
Invalid Mobile Number .....	21
Empty Message .....	22
Schedule Feature Disabled .....	22
Invalid Schedule Time .....	22
Exceed Schedule Time .....	22
Invalid Message Type .....	23
Destination Port Invalid .....	23
Invalid Expire Value .....	23

Invalid Expire Time .....	24
Invalid Append Country Code .....	24
URL tracking is not valid .....	24
Customer Reference Id exceeds length.....	24
TRA Blockout .....	25
Schedule Time in TRA Blockout .....	25
Empty Header .....	25
Invalid Header .....	26
Unauthorized Request .....	26
Invalid DLT Entity Id .....	26
Invalid DLT Template Id .....	27
Invalid Source IP .....	27
API Service Disabled .....	27
Invalid Country Code.....	27
Internal Error .....	28
Unknown Error Code.....	28

## Overview

This guide provides specifications of the **JSON** based API connectivity provided by TechnoWizards to its customers to subscribe to TechnoWizards SMS Service. This guide is intended for developers planning on integrating their systems with the TechnoWizards SMS service.

This guide assumes that you are familiar with and have experience in applying the following technologies and concepts:

- Invoking the HTTP API request using JSON payload.

## Feature Supported by this API

The features supported by this JSON API are as follows.

- One 2 One (single message to a single recipient)
- One 2 Many (single message to multiple recipients)
- Many 2 Many (multiple set of messages to multiple sets of recipients in a single batch)
- Many 2 Many (multiple messages to multiple recipients in a single batch)

## Parameters Specification

This API can include the following parameters as per the requirement. Any other parameters will be considered invalid and ignored.

## Parameters Supported by the API

Parameter Type	Description	Comments	Parameter Name	Is Mandatory	Possible values	Default value
<b>API Version</b>	To specify the version of this Query String API.		<a href="#">ver</a>	Yes	1.0	1.0
<b>API-Access-Key</b>	A unique key to identify the customer.	Key will be provided by TechnoWizards.	<a href="#">key</a>	No	XXX...X	Not applicable
<b>Encryption</b>	To decrypt the message and mobile number after receiving.	The decryption is based on the unique Customer's Key provided by TechnoWizards.	<a href="#">encrypt</a>	No	1 / 0	0
<b>Schedule Time</b>	To specify the scheduled time for the message to be sent out	<p>A string representing the date and time in the below format 'yyyy-MM-dd HH:mm:ss'.</p> <p>The minimum Schedule time is <b>CurrentTime + 15 Minutes</b></p> <p>The maximum Schedule time is <b>CurrentDate + 3 Months</b>.</p> <p><b>Note:</b> The date and time specified here is based on the customer's timezone specified in the user_config table.</p>	<a href="#">schedule_time</a>	No	XXXXXX	null
<b>MSISDN</b>	To specify the mobile number	<p>The mobile numbers will be enclosed in the dest parameter name. For example dest=9876543210.</p> <p><b>Not supporting the E.164 format</b></p>	<a href="#">dest</a>	Yes	XXX	Not applicable

Parameter Type	Description	Comments	Parameter Name	Is Mandatory	Possible values	Default value	
MESSAGE TEXT	Message to be sent out	No limitation for the number of characters in the message	msg	Yes	XXX	Not applicable	
From Address	To specify the Header	Max Length = 15	header	Yes	XXX	Not applicable	
Content-Type	Content-Type of the message	Content-Type, Data Coding Schema (DCS) are interrelated.  Please refer to the <a href="#">note</a> below.  This parameter is not applicable if the account is enabled to identify the Unicode type from the messages based on the configuration in the 'user_config' table.	type	No			PLAIN
					FLASH	FL	
					PLAIN	PM	
					UNICODE	UC	
					BINARY	BM	
					FLASH UNICODE	FU	
					SPECIFIC PORT	SP	
					SPECIFIC PORT UNICODE	SPU	
					ADVANCE	AD	
Data Coding Schema	To specify the DCS Value	Content-Type, Data Coding Schema (DCS) are interrelated.  Please refer to the <a href="#">note</a> below.  <b>Note:</b> Applicable only for the 'ADVANCE' content type.	dcs	No	999	Not applicable	
Port	To specify the specific Ports to deliver the messages on those ports	Max Length = 5  Min Value = 0 Max Value = 65535	port	No	99999	Not applicable	
Send delivery notification	To specify about the DLR is to be sent back or not. As		dlr_req	No	1 / 0	0	

Parameter Type	Description	Comments	Parameter Name	Is Mandatory	Possible values	Default value
	per the account level configuration, the DLR will be sent back in XML API.					
<b>Validity Period</b>	To specify the validity period for this message request.	The value will be treated in minutes.  <b>Minimum = 1</b> <b>Maximum = 1440 (one day)</b>	expiry	No	9999	Not applicable
<b>Append Country Code</b>	To instruct the interface to append the country code passed in all the mobile numbers passed.		app_country	No	1 / 0	0
<b>Default Country Code</b>	In the case of <b>append_country</b> is set to 1 then the country code passed will be prepended to the mobile number.		country_cd	No	9999	Not applicable
<b>Template Id</b>	To use a specific template for this customer for this message.		template_id	No	XXXXX...X	Not applicable
<b>Template Values</b>	The template values (dynamic values) to be used	Supports a maximum of 10 dynamic parameters. <b>The values are in JSON Array.</b>	template_values	No	template_values=["XXXX","YYYY"]	Not Applicable

Parameter Type	Description	Comments	Parameter Name	Is Mandatory	Possible values	Default value
	for the given template Id.					
<b>Url Shortner</b>	To specify whether URLs in the message to be shorten or not.		<a href="#">url_shortner</a>	No	1 / 0	0
<b>Url Tracking</b>	To specify this message is having URL tracking		<a href="#">urltrack</a>	No	1 / 0	0
<b>Customer Reference ID</b>	A unique id sent by the customer for every message	Max Length = 50	<a href="#">cust_ref</a>	No	XXX	Not applicable
<b>DLT Entity Id</b>	To specify the DLT Entity Id		<a href="#">dlt_entity_id</a>	No	XXX	Not applicable
<b>DLT Template Id</b>	To specify the DLT Template Id		<a href="#">dlt_template_id</a>	No	XXX	Not applicable
<b>Message Msg Tag</b>	To specify the Message tag	Max Length = 50	<a href="#">msg_tag</a>	No	XXX	Not applicable
<b>Message Param1</b>	To specify the Message Param 1	Max Length = 100	<a href="#">param1</a>	No	XXX	Not applicable
<b>Message Param2</b>	To specify the Message Param 2	Max Length = 100	<a href="#">param2</a>	No	XXX	Not applicable
<b>Message Param3</b>	To specify the Message Param 3	Max Length = 100	<a href="#">param3</a>	No	XXX	Not applicable
<b>Message Param4</b>	To specify the Message Param 4	Max Length = 200	<a href="#">param4</a>	No	XXX	Not applicable



Parameter Type	Description	Comments	Parameter Name	Is Mandatory	Possible values	Default value
<b>Message Param5</b>	To specify the Message Param 5	Max Length = 200	<a href="#">param5</a>	No	XXX	Not applicable
<b>Message Param6</b>	To specify the Message Param 6	Max Length = 200	<a href="#">param6</a>	No	XXX	Not applicable
<b>Message Param7</b>	To specify the Message Param 7	Max Length = 200	<a href="#">param7</a>	No	XXX	Not applicable
<b>Message Param8</b>	To specify the Message Param 8	Max Length = 200	<a href="#">param8</a>	No	XXX	Not applicable
<b>Message Param9</b>	To specify the Message Param 9	Max Length = 200	<a href="#">param9</a>	No	XXX	Not applicable
<b>Message Param10</b>	To specify the Message Param 10	Max Length = 200	<a href="#">param10</a>	No	XXX	Not applicable

**Note:**

- i. For the Message Text parameter, there is no limitation for the number of characters in the message.
- ii. After the submission of the message to the operator, the operator is the sole responsible for the validity period of the message.
- iii. It is mandatory to provide the values to the Template value parameter whenever the template id parameter is used.

**Note on Content Types**

1. By default, the API assumes that the incoming request is on the [UTF-8 charset](#). If the customer wants to send in a different charset, then they have to specify the charset in the HTTP request's content type.
2. The content type (type parameter) can be any one of the following.

	Content-Type	Value
a	FLASH	FL
b	PLAIN	PM
c	UNICODE	UC
d	BINARY	BM
e	FLASH UNICODE	FU
f	SPECIFIC PORT	SP
g	SPECIFIC PORT UNICODE	SPU
h	ADVANCE	AD

3. In the case of the type 'a', 'b', 'c', 'd' there is no need to set the DCS value.
4. When the type is 'e', then the customers have to specify the DCS value based on the industry standard. The same will be sent to the SMSCs.
5. **Note:** The DCS values are applicable only for the 'ADVANCE' Content-type.

## Authorization

- The authorization of user will be done through the **accesskey** parameter or using the **Basic Authentication** through the HTTP headers.
- The preferred way is to use the **accesskey** parameter. *As all the requests are received through the HTTPS protocol no need worry about the security constraints.*
- In case authorization is using the accesskey parameter, refer to the Request Format for the sample given in the next section.
- In the case of using the Basic Authentication, we need to pass the header as below. The Key is the Base64 Encoded value of user and accesskey combination as `<user>:<accesskey>`

```
'Authorization': 'Basic <KEY>'
```

## Sample JSON API

### Request Format

The sample requests of this JSON API will be as follows.

For GET Method:

Request URL	http://<Host>:<port>/genericapi/JSONGenericReceiver
Request Parameter key	json
Request Value	< Actual Input JSON content >

For POST Method:

Request URL	http://<Host>:<port>/genericapi/JSONGenericReceiver
Request Value	< Actual Input JSON content >

### One 2 One (single message to a single recipient)

It refers specifically to the sending of a single message to a single recipient.

```
{
  "version": "1.0",
  "encrypt": "0",
  "accesskey": "xxxxxxxxxxxxx999xxxxx",
  "messages": [
    {
      "dest": [
        "1234567890"
      ],
      "msg": "खुशखब",
      "type": "UC",
      "header": "XXXXXX",
      "app_country": "1",
      "country_cd": " "
    }
  ]
}
```

```

        "dlt_entity_id":"123456789002",
        "dlt_template_id":"1000000000000000029"
    }
]
}

```

## One 2 Many (single message to multiple recipients)

- One 2 Many SMS is a type of group SMS in which the same message is broadcast to a large number of recipients.
- This feature enables the user to send a single message content to multiple mobile numbers. In this scenario, all the predetermined mobile numbers will receive the same format of message content.
- The mobile numbers will be given in the dest parameter and each mobile number will be represented as JSON array ["mobile1", "mobile2", "mobile3"]. For example, ["923456789","987654321"].

```

{
  "version":"1.0",
  "accesskey":"xxxxxxxxxxxxx999xxxxx",
  "encrypt":"0",
  "schedule_time":"yyyy-MM-dd HH:mm:ss",
  "messages":[
    {
      "dest":[
        "12345",
        "67890",
        "43567646",
        "5437548"
      ],
      "msg":"Sample Text 1",
      "header":"Send 1",
      "type":"PM",
      "dcs":"0",
      "port":"0",
      "dlr_req":"1",
      "expiry":"15",
      "app_country":"1",
      "country_cd":"001",
      "template_id":"12",
      "template_values":[
        "4617",
        "OTP"
      ],
      "urltrack":"1",
      "cust_ref":"34343",
      "mag_tag":"Msgtag",
      "param1":"param1",
      "param2":"param2",
      "param3":"param3",
      "param4":"param4",
      "param5":"param5",
      "param6":"param6",
      "param7":"param7",
      "param8":"param8",
    }
  ]
}

```

```

        "param9":"param9",
        "param10":"param10"
    }
]
}

```

### Many 2 Many (multiple sets of a specific single message to a specific single number)

- This feature enables the user to send a specific message content to a specific mobile number and another specific message content to another corresponding mobile number.
- In other words, it is a way of putting the multiple set of one to one messages into a single JSON API snippet.

```

{
  "version":"1.0",
  "accesskey":"xxxxxxxxxxxxx999xxxxx",
  "encrypt":"0",
  "schedule_time":"yyyy-MM-dd HH:mm:ss",
  "messages":[
    {
      "dest":[
        "1234567890"
      ],
      "msg":"Sample Text 1",
      "header":"Send 1",
      "type":"PM",
      "dcs":"0",
      "port":"0",
      "expiry":"15",
      "app_country":"1",
      "country_cd":"001",
      "cust_ref":"34343",
      "msg_tag":"Msgtag",
      "url_shortner":"1",
      "param1":"tag1",
      "param2":"tag2",
      "param3":"tag3",
      "param4":"tag4",
      "param5":"tag5",
      "param6":"param6",
      "param7":"param7",
      "param8":"param8",
      "param9":"param9",
      "param10":"param10"
    },
    {
      "dest":[
        "12345678905"
      ],
      "msg":"Sample Text 2",
      "header":"Send 2",
      "type":"PM",
      "dcs":"0",
      "port":"0",
      "expiry":"15",
      "app_country":"1",
      "country_cd":"91",
      "urltrack":"1",

```

```

        "cust_ref":"34343222",
        "msg_tag":"Msgtag",
        "param1":"param1",
        "param2":"param2",
        "param3":"param3",
        "param4":"param4",
        "param5":"param5",
        "param6":"param6",
        "param7":"param7",
        "param8":"param8",
        "param9":"param9",
        "param10":"param10"
    }
]
}

```

### Many 2 many (multiple messages to multiple recipients in a single batch)

- It refers specifically to the sending of multiple messages to the mobile numbers of a predetermined group of recipients.
- This feature enables the user to send multiple message content to the corresponding multiple mobile numbers.
- The mobile numbers will be represented as JSON array ["mobile1", "mobile2", "mobile3"]. For example, ["923456789", "987654321"]

```

{
  "version":"1.0",
  "accesskey":"xxxxxxxxxxxxx999xxxxx",
  "encrypt":"0",
  "schedule_time":"yyyy-MM-dd
HH:mm:ss", "messages":[
    {
      "dest":[
        "12345",
        "67890"
      ],
      "msg":"Sample Text 1",
      "header":"Send 1",
      "type":"PM",
      "dcs":"0",
      "port":"0",
      "expiry":"15",
      "app_country":"1",
      "country_cd":"001",
      "urltrack":"1",
      "cust_ref":"34343",
      "msg_tag":"Msgtag",
      "param1":"param1",
      "param2":"param2",
      "param3":"param3",
      "param4":"param4",
      "param5":"param5",
      "param10":"param10"
    },
    {
      "dest":[
        "12345",

```

```

        "text": "Sample Text 2",
        "send": "Send 2",
        "type": "PM",
        "dcs": "0",
        "port": "0",
        "dlr_req": "1",
        "vp": "15",
        "app_country": "1",
        "country_cd": "91",
        "template_id": "12",
        "urltrack": "1",
        "cust_ref": "34343222",
        "mag_tag": "tag",
        "param1": "param1",
        "param2": "param2",
        "param10": "param10"
    },
    {
        "dest": [
            "12345",
            "67890"
        ],
        "msg": "Sample Text 3",
        "header": "Send 3",
        "type": "PM",
        "dcs": "0",
        "port": "0",
        "expiry": "15",
        "app_country": "1",
        "country_cd": "92",
        "urltrack": "1",
        "cust_ref": "3434322211",
        "msg_tag": "Msgtag",
        "param1": "param1",
        "param2": "param2",
        "param10": "param10"
    }
]
}

```

## Response Format

The below section outline the response format for every request that was successfully received by the TechnoWizards messaging platform.

Below contents are formatted responses for reference and understanding. In real-time, the responses will not be as formatted as shown.

### Note:

1. All the error responses will be moreover same. But the status code and reason will differ for every rejection.
2. Some of the failure / rejection will have the req\_id in the responses. For others it will be Not applicable (N / A).

## Success Response

The following sample response format would be received when the request was successfully accepted by the platform.

```
{
  "req_id": "12345678901234567890123",
  "req_time": "yyyy-MM-dd HH:mm:ss.SSS",
  "status": {
    "reason": "Application Accepted",
    "code": "200",
    "info": "ACCEPTED"
  }
}
```

## Failure Response

The following sample response format would be received when the request was not accepted by the platform.

```
{
  "req_id": "N/A",
  "req_time": "yyyy-MM-dd HH:mm:ss.SSS",
  "status": {
    "reason": "<Error Description>",
    "code": "<Error Code>",
    "info": "REJECTED"
  }
}
```

## Status Code Reference

The following API status and errors codes that you may get in case there is a wrong parameter entered or issue with the account:

Status Code	Status Description	Comment
<a href="#">200</a>	Success	
<a href="#">301</a>	Invalid XML Request	
<a href="#">302</a>	Invalid JSON Request	
<a href="#">303</a>	Version Field missing / Invalid Version specified	
<a href="#">304</a>	Invalid Request	
<a href="#">305</a>	Account Deactivated	
<a href="#">306</a>	Access Key missing / Invalid Access Key (Invalid Account)	
<a href="#">307</a>	Account Expired	
<a href="#">308</a>	Account Suspended	
<a href="#">309</a>	Account Inactivated	
<a href="#">310</a>	Invalid Encrypt value	
<a href="#">311</a>	Empty Mobile Number	
<a href="#">312</a>	Mobile Number is not valid	
<a href="#">313</a>	Empty Message	
<a href="#">314</a>	Schedule Feature Disabled	
<a href="#">315</a>	Invalid Schedule Time	
<a href="#">316</a>	Exceed Schedule Time	



<a href="#">317</a>	Message Type is not valid	
<a href="#">318</a>	Destination Port is not valid	
<a href="#">319</a>	Expiry Value is not valid	
<a href="#">320</a>	Invalid Expiry Time	
<a href="#">321</a>	Append Country code is not valid	
<a href="#">322</a>	URL Track is not valid	
<a href="#">323</a>	Not Specified.	
<a href="#">324</a>	Customer Reference Id exceeds length	
<a href="#">325</a>	Message Send failed - TRA Blockout Time	
<a href="#">326</a>	Message Send failed - Schedule Time is with in TRA Blockout Time	
<a href="#">327</a>	Not Specified.	
<a href="#">328</a>	Invalid Data Coding Value	
<a href="#">329</a>	Invalid Header - Empty Header	
<a href="#">330</a>	Invalid Header	
<a href="#">331</a>	Unauthorized Request	
<a href="#">332</a>	Template Id is not valid	
<a href="#">333</a>	Empty Template Values	
<a href="#">334</a>	Not Specified.	
<a href="#">335</a>	Empty Reporting Key	
<a href="#">336</a>	DLT Entity Id is not valid	
<a href="#">337</a>	DLT Template Id is not valid	
<a href="#">338</a>	Invalid Source IP	
<a href="#">339</a>	API Service Disabled	
<a href="#">340</a>	International Service Disabled	
<a href="#">341</a>	Invalid Country Code	
<a href="#">398</a>	Internal Server Error	
<a href="#">399</a>	Unknown Error Code	

## Sample Format of Possible Responses

The possible responses will be as follows

### Success

<b>Error Code: 200</b>	Description: The message is successfully accepted by the interface and proceed for the further processing.
------------------------	--

```
{
  "req_id": "12345678901234567890123",
  "req_time": "yyyy-MM-dd HH:mm:ss.SSS",
  "status": {
    "reason": "Application Accepted",
    "code": "200",
    "info": "ACCEPTED"
  }
}
```

### Invalid XML Version

<b>Error Code: 301</b>	Description: This error response is thrown when the request XML is not in the expected format. <b>Applicable for XML Requests.</b>
------------------------	--

```
{
  "req_id": "N/A",
  "req_time": "yyyy-MM-dd HH:mm:ss.SSS",
  "status": {
    "reason": "Invalid XML Request",
    "code": "301",
    "info": "REJECTED"
  }
}
```

## Invalid JSON Version

<b>Error Code: 302</b>	Description: This error response is thrown when the request JSON is not proper JSON format. <b>Applicable for the JSON Request.</b>
------------------------	---

```
{
  "req_id": "N/A",
  "req_time": "yyyy-MM-dd HH:mm:ss.SSS",
  "status": {
    "reason": "Invalid JSON Request",
    "code": "302",
    "info": "REJECTED"
  }
}
```

## Invalid API Version

<b>Error Code: 303</b>	Description: This error response is thrown when the user didn't provide the version parameter.
------------------------	--

```
{
  "req_id": "N/A",
  "req_time": "yyyy-MM-dd HH:mm:ss.SSS",
  "status": {
    "reason": "Invalid Version ( Version field is missing )",
    "code": "303",
    "info": "REJECTED"
  }
}
```

<b>Error Code: 303</b>	Description: This error response is thrown when the user entered an invalid API version
------------------------	---

```
{
  "req_id": "N/A",
  "req_time": "yyyy-MM-dd HH:mm:ss.SSS",
  "status": {
    "reason": "Invalid Version",
    "code": "303",
    "info": "REJECTED"
  }
}
```

}

## Invalid Request

<b>Error Code: 304</b>	Description: This error response is thrown when the application is not able to parse the QueryString request..
------------------------	--

```
{
  "req_id": "N/A",
  "req_time": "yyyy-MM-dd HH:mm:ss.SSS",
  "status": {
    "reason": "Invalid Request",
    "code": "304",
    "info": "REJECTED"
  }
}
```

## Account Deactivated

<b>Error Code: 305</b>	Description: This error response is thrown when the Access key is valid but the account is deactivated.
------------------------	---

```
{
  "req_id": "N/A",
  "req_time": "yyyy-MM-dd HH:mm:ss.SSS",
  "status": {
    "reason": "Account Deactivated ( Account Deactivated )",
    "code": "305",
    "info": "REJECTED"
  }
}
```

## Invalid Credential

<b>Error Code: 306</b>	Description: This error response is thrown when the user didn't provide the access key parameter
------------------------	--

```
{
  "req_id": "N/A",
  "req_time": "yyyy-MM-dd HH:mm:ss.SSS",
  "status": {
    "reason": "Invalid Credentials ( Access key field is missing )",
    "code": "306",
    "info": "REJECTED"
  }
}
```

<b>Error Code: 306</b>	Description: This error response is thrown when the user provided access key parameter is not valid
------------------------	---

```
{
  "req_id": "N/A",
  "req_time": "YYYY-MM-dd HH:mm:ss.SSS",
  "status": {
    "reason": "Invalid Credentials ( Account Invalid )",
    "code": "306",
    "info": "REJECTED"
  }
}
```

## Account Expired

<b>Error Code: 307</b>	Description: This error response is thrown when the Access key is valid but the account is expired.
------------------------	---

```
{
  "req_id": "N/A",
  "req_time": "yyyy-MM-dd HH:mm:ss.SSS",
  "status": {
    "reason": "Account expired ( Account Expired )",
    "code": "307",
    "info": "REJECTED"
  }
}
```

## Account Suspended

<b>Error Code: 308</b>	Description: This error response is thrown when the Access key is valid but the account is expired.
------------------------	---

```
{
  "req_id": "N/A",
  "req_time": "yyyy-MM-dd HH:mm:ss.SSS",
  "status": {
    "reason": "Account Suspended ( Account Suspended )",
    "code": "308",
    "info": "REJECTED"
  }
}
```

## Account Inactivated

<b>Error Code: 309</b>	Description: This error response is thrown when the Access key is valid but the account is in inactive mode.
------------------------	--

```
{
  "req_id": "N/A",
  "req_time": "yyyy-MM-dd HH:mm:ss.SSS",
```

```

    "status": {
      "reason": "Account Inactive ( Account Inactive )",
      "code": "308",
      "info": "REJECTED"
    }
  }
}

```

## Invalid Encrypt Value

<b>Error Code: 310</b>	Description: This error response is thrown when the encrypt parameter is passed and not having predefined values.
------------------------	---

```

{
  "req_id": "N/A",
  "req_time": "YYYY-MM-dd HH:mm:ss.SSS",
  "status": {
    "reason": "Invalid Encrypt value",
    "code": "310",
    "info": "REJECTED"
  }
}

```

## Empty Mobile Number

<b>Error Code: 311</b>	Description: This error response is thrown when the dest parameter is not passed
------------------------	--

```

{
  "req_id": "1234567890123456789012",
  "req_time": "YYYY-MM-dd HH:mm:ss.SSS",
  "status": {
    "reason": "Empty Mobile Number",
    "code": "311",
    "info": "REJECTED"
  }
}

```

## Invalid Mobile Number

<b>Error Code: 312</b>	Description: This error response is thrown when the dest parameter is passed and the mobile not does meet the required lengths.
------------------------	---

```

{
  "req_id": "1234567890123456789012",
  "req_time": "yyyy-MM-dd HH:mm:ss.SSS",
  "status": {
    "reason": "Mobile Number is not valid",
    "code": "312",
    "info": "REJECTED"
  }
}

```

## Empty Message

**Error Code: 313** Description: This error response is thrown when the dest parameter is passed and the mobile not does meet the required lengths.

```
{
  "req_id": "1234567890123456789012",
  "req_time": "yyyy-MM-dd HH:mm:ss.SSS",
  "status": {
    "reason": "Empty Message",
    "code": "313",
    "info": "REJECTED"
  }
}
```

## Schedule Feature Disabled

**Error Code: 314** Description: This error response is thrown when the request is trying to schedule a message but the account is not having the schedule feature enabled.

```
{
  "req_id": "N/A",
  "req_time": "yyyy-MM-dd HH:mm:ss.SSS",
  "status": {
    "reason": "Schedule Feature Disabled",
    "code": "314",
    "info": "REJECTED"
  }
}
```

## Invalid Schedule Time

**Error Code: 315** Description: This error response is thrown when the request is trying to schedule a message and the schedule time not in a proper format.

```
{
  "req_id": "N/A",
  "req_time": "yyyy-MM-dd HH:mm:ss.SSS",
  "status": {
    "reason": "Invalid schedule time",
    "code": "315",
    "info": "REJECTED"
  }
}
```

## Exceed Schedule Time

**Error Code: 316** Description: This error response is thrown when the request is trying to schedule a message and the schedule time is beyond the applicable schedule interval.

```
{
```

```

    "req_id": "N/A",
    "req_time": "yyyy-MM-dd HH:mm:ss.SSS",
    "status": {
      "reason": "Exceed Schedule Time",
      "code": "316",
      "info": "REJECTED"
    }
  }
}

```

## Invalid Message Type

<b>Error Code: 317</b>	Description: This error response is thrown when the request is having invalid message type than the predefined one.
------------------------	---

```

{
  "req_id": "12345678901234567890123",
  "req_time": "yyyy-MM-dd HH:mm:ss.SSS",
  "status": {
    "reason": "Message Type is not valid",
    "code": "317",
    "info": "REJECTED"
  }
}

```

## Destination Port Invalid

<b>Error Code: 318</b>	Description: This error response is thrown when the request is having port specific message type and invalid port is specified.
------------------------	---

```

{
  "req_id": "12345678901234567890123",
  "req_time": "yyyy-MM-dd HH:mm:ss.SSS",
  "status": {
    "reason": "Destination Port is not valid",
    "code": "318",
    "info": "REJECTED"
  }
}

```

## Invalid Expire Value

<b>Error Code: 319</b>	Description: This error response is thrown when the request is having expiry parameter, but it is not a valid number.
------------------------	---

```

{
  "req_id": "12345678901234567890123",
  "req_time": "yyyy-MM-dd HH:mm:ss.SSS",
  "status": {
    "reason": "Expiry Value is not valid",
    "code": "319",
    "info": "REJECTED"
  }
}

```

```
}

```

## Invalid Expire Time

<b>Error Code: 320</b>	Description: This error response is thrown when the request is having expiry parameter, but it is not within the applicable time range.
------------------------	---

```
{
  "req_id": "12345678901234567890123",
  "req_time": "yyyy-MM-dd HH:mm:ss.SSS",
  "status": {
    "reason": "Invalid Expiry Time",
    "code": "320",
    "info": "REJECTED"
  }
}
```

## Invalid Append Country Code

<b>Error Code: 321</b>	Description: This error response is thrown when the request is having value other than specified for the app_country parameter.
------------------------	---

```
{
  "req_id": "12345678901234567890123",
  "req_time": "yyyy-MM-dd HH:mm:ss.SSS",
  "status": {
    "reason": "Append Country code is not valid",
    "code": "321",
    "info": "REJECTED"
  }
}
```

## URL tracking is not valid

<b>Error Code: 322</b>	Description: This error response is thrown when the request is not having a proper formatted value in the message.
------------------------	--

```
{
  "req_id": "12345678901234567890123",
  "req_time": "yyyy-MM-dd HH:mm:ss.SSS",
  "status": {
    "reason": "URL Track is not valid",
    "code": "322",
    "info": "REJECTED"
  }
}
```

## Customer Reference Id exceeds length



<b>Error Code: 324</b>	Description: This error response is thrown when the request is having customer reference id more length than allowed length.
------------------------	--

```
{
  "req_id": "12345678901234567890123",
  "req_time": "YYYY-MM-dd HH:mm:ss.SSS",
  "status": {
    "reason": "Customer Reference Id exceeds length",
    "code": "324",
    "info": "REJECTED"
  }
}
```

## TRA Blockout

<b>Error Code: 325</b>	Description: This error response is thrown when the request within the TRA blockout time.
------------------------	---

```
{
  "req_id": "12345678901234567890123",
  "req_time": "yyyy-MM-dd HH:mm:ss.SSS",
  "status": {
    "reason": "Message Send failed - TRA Blockout Time",
    "code": "325",
    "info": "REJECTED"
  }
}
```

## Schedule Time in TRA Blockout

<b>Error Code: 326</b>	Description: This error response is thrown when the request try to schedule the message within the TRA blockout time.
------------------------	---

```
{
  "req_id": "12345678901234567890123",
  "req_time": "yyyy-MM-dd HH:mm:ss.SSS",
  "status": {
    "reason": "Message Send failed - Schedule Time is with in TRA Blockout Time",
    "code": "326",
    "info": "REJECTED"
  }
}
```

## Empty Header

<b>Error Code: 329</b>	Description: This error response is thrown when the request has an Empty Header.
------------------------	--

```
{
```

```

    "req_id": "12345678901234567890123",
    "req_time": "yyyy-MM-dd HH:mm:ss.SSS",
    "status": {
      "reason": "Invalid Header - Empty Header",
      "code": "329",
      "info": "REJECTED"
    }
  }
}

```

## Invalid Header

<b>Error Code: 330</b>	Description: This error response is thrown when the request does not have the a proper header as per the specification.
------------------------	---

```

{
  "req_id": "12345678901234567890123",
  "req_time": "yyyy-MM-dd HH:mm:ss.SSS",
  "status": {
    "reason": "Invalid Header",
    "code": "330",
    "info": "REJECTED"
  }
}

```

## Unauthorized Request

<b>Error Code: 331</b>	Description: This error response is thrown when the request has received in non specified segment type. <a href="#">For Example: Promo messages in OTP segments.</a>
------------------------	--

```

{
  "req_id": "12345678901234567890123",
  "req_time": "yyyy-MM-dd HH:mm:ss.SSS",
  "status": {
    "reason": "Unauthorized Request",
    "code": "331",
    "info": "REJECTED"
  }
}

```

## Invalid DLT Entity Id

<b>Error Code: 336</b>	Description: This error response is thrown when the request has passed an DLT Entity ID and that is not in proper length.
------------------------	---

```

{
  "req_id": "12345678901234567890123",
  "req_time": "yyyy-MM-dd HH:mm:ss.SSS",
  "status": {
    "reason": "DLT Entity Id is not valid",
    "code": "336",
    "info": "REJECTED"
  }
}

```

```
}
```

## Invalid DLT Template Id

<b>Error Code: 337</b>	Description: This error response is thrown when the request has passed an DLT Template ID and that is not in proper length.
------------------------	---

```
{
  "req_id": "12345678901234567890123",
  "req_time": "yyyy-MM-dd HH:mm:ss.SSS",
  "status": {
    "reason": "DLT Template Id is not valid",
    "code": "337",
    "info": "REJECTED"
  }
}
```

## Invalid Source IP

<b>Error Code: 338</b>	Description: This error response is thrown when the request received from a non whitelisted IP for that customer.
------------------------	---

```
{
  "req_id": "N/A",
  "req_time": "yyyy-MM-dd HH:mm:ss.SSS",
  "status": {
    "reason": "Invalid source IP",
    "code": "338",
    "info": "REJECTED"
  }
}
```

## API Service Disabled

<b>Error Code: 339</b>	Description: This error response is thrown when the user does not have API Service enabled.
------------------------	---

```
{
  "req_id": "N/A",
  "req_time": "yyyy-MM-dd HH:mm:ss.SSS",
  "status": {
    "reason": "API Service Disabled",
    "code": "339",
    "info": "REJECTED"
  }
}
```

## Invalid Country Code

<b>Error Code: 341</b>	Description: This error response is thrown when the request is having empty value for the country_cd parameter.
------------------------	---

```
{
  "req_id": "12345678901234567890123",
  "req_time": "yyyy-MM-dd HH:mm:ss.SSS",
  "status": {
    "reason": "Invalid Country code",
    "code": "341",
    "info": "REJECTED"
  }
}
```

## Internal Error

<b>Error Code: 398</b>	Description: This error response is thrown whenever an internal error occurs.
------------------------	---

```
{
  "req_id": "N/A",
  "req_time": "yyyy-MM-dd HH:mm:ss.SSS",
  "status": {
    "reason": "Internal Error",
    "code": "398",
    "info": "REJECTED"
  }
}
```

## Unknown Error Code

<b>Error Code: 399</b>	Description: This error response is thrown when unable to process the request due to some reason.
------------------------	---

```
{
  "req_id": "N/A",
  "req_time": "yyyy-MM-dd HH:mm:ss.SSS",
  "status": {
    "reason": "Unknown Error Code",
    "code": "399",
    "info": "REJECTED"
  }
}
```