## ANALYSIS TEMPLATE REPORT

Prima	ry Elemer	nt	Secondary Element	Weight	Unit	Element Rate		Value
40 . P	rotecti	ve Work						
40-200	-50 C	C blocks(1:	3:5.5):40mm stone chips;sand FM>1.5: 30cmx	30cmx3				
10.	Materia	als : Concret	<u>te</u>					
		10-040	Bricks: 1st Class	0.4000	No.	@ Tkper 1000	No.	Tk
		10-100	Cement: Portland	6.4000	kg	@ Tkper	kg	Tk
		10-380	Sand, FM >= 1.5	0.0141	cum	@ Tkper	cum	Tk
		10-475	Stone, Chips: 40mm down graded	0.0248	cum	@ Tkper	cum	Tk
						Sub Total —		Tk
20.	Materia	als: Misc.						
		20-245	Diesel/ Fuel	0.0381	ltr	@ Tkper	ltr	Tk
		20-310	Lubricant ( Mobile oil etc.)	0.0019	ltr	@ Tkper	ltr	Tk
		20-500	Polythene Sheet: (1.0 kg per 16.00 sqm)	0.1600	sqm	@ Tkper	sqm	Tk
		20-505	Putty	0.0020	kg	@ Tkper	kg	Tk
						Sub Total —		Tk
40.	Metal V	<u>Work</u>						
		40-020	Angle, M.S	5.2501	kg	@ Tkper	kg	Tk (Used 60 time
								Tk (10 % Salvage
		40-020	(Angle, M.S)	0.0088	kg	@ Tkper	kg	Tk (Misc. Sundry
		40-645	Sheet, Plain G.I. 16 BWG	0.3600	sqm	@ Tkper	sqm	Tk (Used 60 time
						100		Tk (10 % Salvage
		40-740	Welding, Arc	72.0000	pnt	•	) pnt	Tk (Used 60 time
						Sub Total —		Tk
70.	Equipn	nent, Tools	G		1		1	
		70-080	Concrete Mix Machine 0.2 cum: 8 hrs day	0.0016	day	@ Tkper	day	Tk
0.0						Sub Total —		Tk
80.	<u>Labour</u>		Tabassa Tisalahilad		4	@ Tl	4	TT!
		80-375	Labour, Unskilled	0.0786	day	@ Tkper	day	Tk
		80-425	Mason	0.0053	day	@ Tkper	day	Tk
		80-430	Mason, Head	0.0009	day	@ Tkper	day	Tk
		80-435	Mason, Helper	0.0023	day	@ Tkper	day	Tk
		80-500	Operator, Mixture Machine	0.0016	day	@ Tkper	day	Tk
		80-755	Welder	0.0017	day	@ Tkper	day	Tk
						Sub Total —		Tk
						Sum of Sub Total	2.5	Tk
						Overhead & Item Total	2.5	Tk Tk
						Contractor's	10 %	
						Total	10 /0	Tk
						VAT	5.5 %	Tk
						Item Grand Total		Tk