ANALYSIS TEMPLATE REPORT

Primar	y Element	Secondary Element	Weight	Unit	Element Rate		Value
10. P	rotective Work	\$					
0-210-	30 CC blocks(1	:3:5.5):40mm shingles;sand FM>1.5: 45cmx45	5cmx30cm				
10.	Materials : Concre	<u>ete</u>					
	10-040	Bricks: 1st Class	1.0000	No.	@ Tkper 1000	O No.	Tk
	10-100	Cement : Portland	14.4700	kg	@ Tkper	kg	Tk
	10-380	Sand, FM >= 1.5	0.0305	cum	@ Tkper	cum	Tk
	10-505	Stone, Shingles: 40mm down graded	0.0559	cum	@ Tkper	cum	Tk
					Sub Total —		Tk
20.	Materials : Misc.						
	20-245	Diesel/ Fuel	0.0858	ltr	@ Tkper	ltr	Tk
	20-310	Lubricant (Mobile oil etc.)	0.0043	ltr	@ Tkper	ltr	Tk
	20-500	Polythene Sheet: (1.0 kg per 16.00 sqm)	0.3025	sqm	@ Tkper	sqm	Tk
	20-505	Putty	0.0020	kg	@ Tkper	kg	Tk
					Sub Total —		Tk
40.	Metal Work						
	40-020	Angle, M.S	10.2915	kg	@ Tkper	kg	Tk (Used 60 tim
							Tk (10 % Salva
	40-020	(Angle, M.S)	0.0016	kg	@ Tkper	kg	Tk (Misc. Sundi
	40-645	Sheet, Plain G.I. 16 BWG	0.5400	sqm	@ Tkper	sqm	Tk (Used 60 tim
						_	Tk (10 % Salva
	40-740	Welding, Arc	138.0000	pnt	*) pnt	Tk (Used 60 tim
					Sub Total —		Tk
70.	Equipment, Tools			1		1	
	70-080	Concrete Mix Machine 0.2 cum: 8 hrs day	0.0036	day	@ Tkper	day	Tk
					Sub Total —		Tk
80.	<u>Labour</u> 80-375	Labour, Unskilled	0.1740	dov	@ Tkper	dov	TI-
	80-425	Mason	0.1740	day	@ Tkper	day	Tk
	80-423	Mason, Head	0.0113	day	@ Tkper	day	Tk
			0.0021	day	•	day	Tk
	80-435 80-500	Mason, Helper	0.0053	day	@ Tkper	day	Tk
		Operator, Mixture Machine	0.0036	day	@ Tkper	day	Tk
	80-755	Welder	0.0017	day	@ Tkper	day	Tk Tk
					Sub Total —		
					Sum of Sub Total Overhead &	2.5	Tk Tk
					Item Total	۷.3	Tk
					Contractor's	10 %	Tk
					Total	-0 /0	Tk
					VAT	5.5 %	Tk
					Item Grand Total		Tk