ANALYSIS TEMPLATE REPORT

Prima	ry Elemen	ıt	Secondary Element	Weight	Unit	Element Rate		Value
40 . P	rotectiv	ve Work						
40-210	-65 C	C blocks(1:	3:5.5):40mm shingles,sand FM>1.5: 20cmx200	cmx20cm				
10.	Materia	ls : Concret	<u>te</u>					
		10-040	Bricks: 1st Class	0.4000	No.	@ Tkper 1000	No.	Tk
		10-100	Cement: Portland	1.9000	kg	@ Tkper	kg	Tk
		10-380	Sand, FM >= 1.5	0.0047	cum	@ Tkper	cum	Tk
		10-505	Stone, Shingles: 40mm down graded	0.0073	cum	@ Tkper	cum	Tk
						Sub Total —		Tk
20.	Materia	ıls : Misc.						
		20-245	Diesel/ Fuel	0.0119	ltr	@ Tkper	ltr	Tk
		20-310	Lubricant (Mobile oil etc.)	0.0006	ltr	@ Tkper	ltr	Tk
		20-500	Polythene Sheet: (1.0 kg per 16.00 sqm)	0.0900	sqm	@ Tkper	sqm	Tk
		20-505	Putty	0.0020	kg	@ Tkper	kg	Tk
						Sub Total —		Tk
40.	Metal V	<u>Vork</u>						
		40-020	Angle, M.S	3.5834	kg	@ Tkper	kg	Tk (Used 60 time
								Tk (10 % Salvage
		40-020	(Angle, M.S)	0.0006	kg	@ Tkper	kg	Tk (Misc. Sundry
		40-645	Sheet, Plain G.I. 16 BWG	0.1600	sqm	@ Tkper	sqm	Tk (Used 60 time
						400		Tk (10 % Salvage
		40-740	Welding, Arc	53.0000	pnt) pnt	Tk (Used 60 time
						Sub Total —		Tk
70.	Equipm	nent, Tools				0.75		
		70-080	Concrete Mix Machine 0.2 cum: 8 hrs day	0.0005	day	@ Tkper	day	Tk
						Sub Total —		Tk
80.	Labour		Y 1 YY 131 1		1		1	
		80-375	Labour, Unskilled	0.0249	day	@ Tkper	day	Tk
		80-425	Mason	0.0020	day	@ Tkper	day	Tk
		80-430	Mason, Head	0.0002	day	@ Tkper	day	Tk
		80-435	Mason, Helper	0.0007	day	@ Tkper	day	Tk
		80-500	Operator, Mixture Machine	0.0005	day	@ Tkper	day	Tk
		80-755	Welder	0.0011	day	@ Tkper	day	Tk
						Sub Total —		Tk
						Sum of Sub Total	2.5	Tk
						Overhead & Item Total	2.5	Tk Tk
						Contractor's	10 %	
						Total	10 /0	Tk
						VAT	5.5 %	Tk
						Item Grand Total		Tk