Silicone 3D Heat Transfer · Technical Specification · ART-001 / ART-002

Client: Jorge Chinchilla, North Vancouver, BC, Canada · Issued 25 Oct 2026 · Confidential

Item	Specification
Process	Screen-printed 3D silicone heat transfer (raised silicone label), single colour
Raised height	0.8-1.0 mm, flat top, crisp vertical edges
Finish / hand	Matte, soft rubbery hand, stretchable
Colour	Per order: black / white (stock), or Pantone-matched tone-on-tone to fabric (reference supplied with PO)
Sizes	ART-001: 65.0 mm W × 77.8 mm H (hoodie left chest) · ART-002: 40.0 mm W × 47.9 mm H (jogger hip) · ART-003 (future): 45.0 × 53.9 mm
Artwork	Vector PDF/SVG supplied after acceptance of confidentiality terms. Minimum internal separation ≈ 1.5 mm at the sizes above. Do not alter, simplify or redraw without written approval.
Substrate	Cotton-rich heavyweight fleece (80/20 cotton/poly, 100 % cotton face), 288-339 g/m²
Application (to confirm by supplier)	150-160 °C, 15-25 s, medium-firm pressure, cold peel; no wash for 24-36 h
Performance	No edge lift or cracking after 20 home washes at 40 °C, inside out
Packing	Individually on carrier sheets, labelled by ART code and colour; supply application sheet

Artwork at 100 % scale (print at "Actual size" to verify):



ART-001 · 65.0 × 77.8 mm



ART-002 · 40.0 × 47.9 mm



ART-003 · 45.0 × 53.9 mm

Scale check: this line is 50 mm

Confidentiality & Artwork. All artwork, files, proofs, screens, films, transfers and samples supplied or produced for this order are the exclusive property of Jorge Chinchilla (and any company he designates) and are confidential. Supplier will use them solely to fulfil this order; will not reproduce, sell or supply them to any other party; will not post, publish or display them (including social media, websites, catalogues or portfolios) without prior written consent; will not use them or our name in marketing; and will delete files, reclaim or destroy screens and films, and destroy or return misprints and overruns on completion, confirming by email. These obligations survive completion of the order.