

Gum arabic

Hashab

صمغ الهشاب

Acacia senegal

Cleaned & sifted grade

Acacia senegal var. senegal

Botanical source

INS 414 / E 414

Additive number

1301.20

HS code

1 Scope

This sheet specifies the cleaned & sifted grade of Hashab gum arabic from *Acacia senegal* var. *senegal*, as exported by Asmagh Sudanese Exports from Port Sudan.

2 Synonyms

Gum arabic

Gum acacia

Hashab

Kordofan gum

CAS 9000-01-5

3 Definition

The dried exudate from the stems and branches of *Acacia senegal* (L.) Willdenow var. *senegal* (family Leguminosae). It consists mainly of an acidic arabinogalactan-protein complex, present as calcium, magnesium and potassium salts, which on hydrolysis yields galactose, arabinose, rhamnose, glucuronic acid and 4-O-methyl glucuronic acid.

4 Description

Whole and broken tears, pale to dark amber, with bark, sand and dust removed. The tears are hard, break with a glassy fracture and are odourless with a bland taste.

5 Grades and forms

Hand-picked selected (HPS)	Large, clean, pale tears picked by hand
Cleaned & sifted	Whole and broken tears, light to dark amber, with bark, sand and dust removed
Siftings	Small pieces separated during cleaning
Dust	Fine particles from cleaning and sifting

Available as Raw tears Kibbled granules Mechanical powder

6 Functional uses

Emulsifier, stabiliser, thickener, binder and encapsulating agent. Hashab dissolves fully in water and has excellent emulsifying power, which is why beverage, confectionery and pharmaceutical makers specify it.



Soft drinks and
flavour emulsions



Confectionery, gums
and glazes



Tablet binding and
coating



Cosmetics and
personal care



Soluble dietary fibre

7 Standard requirements

7.1 Identification

Solubility

1 g dissolves in 2 ml of water, giving a solution that flows readily; insoluble in ethanol

Hydrolysis products

Arabinose, galactose, rhamnose and glucuronic acid present; mannose, xylose and galacturonic acid absent

Optical rotation

Levorotatory (JECFA). Specific rotation -22° to -34° (Sudanese standard)

7.2 Purity



Loss on drying
 $\leq 15\%$

105 °C, 5 h

Total ash
 $\leq 4\%$

Acid-insoluble ash
 $\leq 0.5\%$

Acid-insoluble matter
 $\leq 1\%$

Lead
 $\leq 2\text{ mg/kg}$

Nitrogen content
 $0.24 - 0.41\%$

Sudanese standard

Protein content
 $1.58 - 2.71\%$

N $\times 6.6$, Sudanese standard

Starch or dextrin
Passes test

no bluish or reddish colour with iodine

Tannin-bearing gums
Passes test

no blackish colour or precipitate with ferric chloride

Limits follow the FAO/WHO JECFA specification for gum arabic (INS 414). Nitrogen, protein and specific rotation ranges follow the Sudanese standard, with protein calculated as N $\times 6.6$ (Anderson, 1986).

7.3 Microbiological criteria (JECFA)

Salmonella spp.

Negative per test

Escherichia coli

Negative in 1 g



7.4 EU market (E 414)

Since 18 August 2026, gum arabic used as E 414 in the European Union must also meet Regulation (EU) No 231/2012 as amended by Regulation (EU) 2026/196:

Arsenic	$\leq 0.1\text{ mg/kg}$	Lead	$\leq 0.05\text{ mg/kg}$
Mercury	$\leq 0.05\text{ mg/kg}$	Cadmium	$\leq 0.05\text{ mg/kg}$
Aluminium	$\leq 200\text{ mg/kg}$; $\leq 100\text{ mg/kg}$ in foods for infants and young children	Protein	$\leq 3.5\%$
Total plate count	$\leq 10\,000\text{ cfu/g}$	Yeasts and moulds	$\leq 10\,000\text{ cfu/g}$
<i>Salmonella</i> spp.	Absent in 25 g	<i>Escherichia coli</i>	Absent in 5 g

Ask us for lot test results against these limits before contracting for the EU market.

8 Storage

Store in a clean, cool, dry and well-ventilated warehouse, on pallets off the floor, away from direct sun, moisture and strong odours.

9 Packaging

New woven polypropylene bags of 25 kg or 50 kg net. Multi-wall paper bags with a polyethylene liner, or other packing, on request.

Container load about 18–22 MT per 20 ft container.



10 Labelling

Every bag is marked clearly with:

Product name  Gum arabic Hashab	Grade  Cleaned & sifted	Producing company  Asmagh Sudanese Exports	Lot number  Traceable to intake lot
Net weight (kg)  25 or 50 kg	Season of production  Crop year	Country of origin  Sudan	Storage conditions  Keep clean, cool and dry

11 Shelf life

Unlimited when kept under the storage conditions in section 8, as set by the Sudanese standard. Each lot is identified by its crop year.

12 Sampling and testing

Sampling follows Sudanese Standard SDS 145. Tests follow the Sudanese standard methods and the JECFA methods.

Each shipment carries an analysis and quality certificate issued by the Sudanese Standards & Metrology Organization (SSMO). Buyers may appoint an international inspection company to sample at loading.

Gum arabic Hashab

Kibbled

صمغ الهشاب المجروش

Acacia senegal

Kibbled (granulated) grade

Acacia senegal

Botanical source

0.5 – 8 mm

Typical granule size

1301.20

HS code

1 Scope

This sheet specifies kibbled (granulated) Hashab gum arabic from *Acacia senegal*/var. *senegal*, as exported by Asmagh Sudanese Exports from Port Sudan.

2 Synonyms

Kibbled gum arabic

Granulated gum arabic

Kibbled Hashab

CAS 9000-01-5

3 Definition

The crushed form of the dried exudate from the stems and branches of *Acacia senegal* (L.) Willdenow var. *senegal* (family Leguminosae). Chemically it is the same material as cleaned Hashab: an acidic arabinogalactan-protein complex which on hydrolysis yields galactose, arabinose, rhamnose, glucuronic acid and 4-O-methyl glucuronic acid.

4 Description

Cleaned Hashab tears crushed mechanically into free-flowing granules, pale to amber in colour. Kibbling gives a more uniform size that is easier to handle, dose and dissolve than whole tears.

5 Particle size

Standard kibbled	Granules of 0.5 – 8 mm
Custom cut	Sieved to the buyer's size range on request
Mechanical powder	Available on request

Source Made from cleaned & sifted Hashab

6 Functional uses

Emulsifier, stabiliser, thickener, binder and encapsulating agent. The granulated form suits processors who dissolve gum in-house and plants that spray-dry or mill it into powder.



Soft drinks and flavour emulsions



Confectionery, gums and glazes



Tablet binding and coating



Cosmetics and personal care



Feedstock for spray-drying and milling

7 Standard requirements

7.1 Identification

■ Solubility	1 g dissolves in 2 ml of water, giving a solution that flows readily; insoluble in ethanol
■ Hydrolysis products	Arabinose, galactose, rhamnose and glucuronic acid present; mannose, xylose and galacturonic acid absent
■ Optical rotation	Levorotatory (JECFA). Specific rotation -22° to -34° (Sudanese standard)

7.2 Purity

Loss on drying

≤ **15 %**

105 °C, 5 h

Total ash

≤ **4 %**

Acid-insoluble ash

≤ **0.5 %**

Acid-insoluble matter

≤ **1 %**

Lead

≤ **2 mg/kg**

Nitrogen content

0.24 – 0.41 %

Sudanese standard

Protein content

1.58 – 2.71 %

N × 6.6, Sudanese standard

Starch or dextrin

Passes test

no bluish or reddish colour with iodine

Tannin-bearing gums

Passes test

no blackish colour or precipitate with ferric chloride

Limits follow the FAO/WHO JECFA specification for gum arabic (INS 414). Nitrogen, protein and specific rotation ranges follow the Sudanese standard, with protein calculated as N $\times$ 6.6 (Anderson, 1986).

7.3 Microbiological criteria (JECFA)

<i>Salmonella</i> spp.	Negative per test
<i>Escherichia coli</i>	Negative in 1 g



7.4 EU market (E 414)

Since 18 August 2026, gum arabic used as E 414 in the European Union must also meet Regulation (EU) No 231/2012 as amended by Regulation (EU) 2026/196:

Arsenic	$\leq 0.1\text{ mg/kg}$	Lead	$\leq 0.05\text{ mg/kg}$
Mercury	$\leq 0.05\text{ mg/kg}$	Cadmium	$\leq 0.05\text{ mg/kg}$
Aluminium	$\leq 200\text{ mg/kg}$; $\leq 100\text{ mg/kg}$ in foods for infants and young children	Protein	$\leq 3.5\%$
Total plate count	$\leq 10\,000\text{ cfu/g}$	Yeasts and moulds	$\leq 10\,000\text{ cfu/g}$
<i>Salmonella</i> spp.	Absent in 25 g	<i>Escherichia coli</i>	Absent in 5 g

Ask us for lot test results against these limits before contracting for the EU market.

8 Storage

Store in a clean, cool, dry and well-ventilated warehouse, on pallets off the floor, away from direct sun, moisture and strong odours.

9 Packaging

New woven polypropylene bags of 25 kg or 50 kg net, or polyethylene-lined multi-wall paper bags to keep the granules dry. Other packing on request.

Container load about 18–22 MT per 20 ft container.



10 Labelling

Every bag is marked clearly with:

Product name Gum arabic, kibbled	Grade Kibbled 0.5–8 mm	Producing company Asmagh Sudanese Exports	Lot number Traceable to intake lot
Net weight (kg) 25 or 50 kg	Season of production Crop year	Country of origin Sudan	Storage conditions Keep clean, cool and dry

11 Shelf life

Unlimited when kept under the storage conditions in section 8, as set by the Sudanese standard. Each lot is identified by its crop year.

12 Sampling and testing

Sampling follows Sudanese Standard SDS 145. Tests follow the Sudanese standard methods and the JECFA methods.

Each shipment carries an analysis and quality certificate issued by the Sudanese Standards & Metrology Organization (SSMO). Buyers may appoint an international inspection company to sample at loading.

Gum arabic

Talha

صمغ الطلح

Acacia seyal

All commercial grades

Acacia seyal var. seyal

Botanical source

INS 414

Additive number

1301.20

HS code

1 Scope

This sheet specifies Talha gum arabic, the dried exudate of *Acacia seyal*/var. *seyal*, in the commercial grades exported by Asmagh Sudanese Exports from Port Sudan.

2 Synonyms

Gum talha

Gum arabic (Acacia seyal)

Seyal gum

CAS 9000-01-5

3 Definition

The dried exudate from the stems and branches of *Acacia seyal* Del. var. *seyal* (family Leguminosae), which forms naturally on the tree without tapping. It consists mainly of salts of an acidic arabinogalactan-protein complex which on hydrolysis yields galactose, arabinose, rhamnose, glucuronic acid and 4-O-methyl glucuronic acid.

4 Description

Pale to dark yellowish-brown nodules and tears. Talha is more brittle than Hashab and breaks easily into siftings and dust. It is odourless. Bark and sand are removed during cleaning.

5 Grades and forms

Talha clean	Lumps and siftings: at least 65 % G3 lumps, up to 35 % siftings
Talha G3	Pieces of 4 mm and above
Talha siftings	Pieces of 0.5-4 mm
Talha dust	Particles below 0.5 mm

Available as

Raw

Kibbled granules

Mechanical powder

6 Functional uses

Emulsifier, stabiliser, thickener and encapsulating agent, and an economical gum arabic for food and technical applications.



Confectionery and bakery



Dietary fibre and texture



Adhesives, textiles and ceramics



Lithography and printing inks

7 Standard requirements

7.1 Identification

■ Solubility

1 g dissolves in 2 ml of water, giving a solution that flows readily; insoluble in ethanol

■ Hydrolysis products

Arabinose, galactose, rhamnose and glucuronic acid present; mannose, xylose and galacturonic acid absent

■ Optical rotation

Dextrorotatory (JECFA). Specific rotation +45° to +60° (Sudanese standard)

7.2 Purity



Loss on drying

≤ 15 %

105 °C, 5 h

Total ash

≤ 4 %

Acid-insoluble ash

≤ 0.5 %

Acid-insoluble matter

≤ 1 %

Lead

≤ 2 mg/kg

Nitrogen content

0.106 – 0.156 %

Sudanese standard

Protein content

0.70 – 1.03 %

N × 6.6, Sudanese standard

Starch or dextrin

Passes test

no bluish or reddish colour with iodine

Tannin-bearing gums

Passes test

no blackish colour or precipitate with ferric chloride

Limits follow the FAO/WHO JECFA specification for gum arabic (INS 414). Nitrogen, protein and specific rotation ranges follow the Sudanese standard, with protein calculated as N × 6.6 (Anderson, 1986).

7.3 Microbiological criteria (JECFA)

Salmonella spp.

Negative per test

Escherichia coli

Negative in 1 g



7.4 EU market (E 414)

Since 18 August 2026, gum arabic used as E 414 in the European Union must also meet Regulation (EU) No 231/2012 as amended by Regulation (EU) 2026/196:

Arsenic	≤ 0.1 mg/kg	Lead	≤ 0.05 mg/kg
Mercury	≤ 0.05 mg/kg	Cadmium	≤ 0.05 mg/kg
Aluminium	≤ 200 mg/kg; ≤ 100 mg/kg in foods for infants and young children	Protein	≤ 3.5 %
Total plate count	≤ 10 000 cfu/g	Yeasts and moulds	≤ 10 000 cfu/g
<i>Salmonella</i> spp.	Absent in 25 g	<i>Escherichia coli</i>	Absent in 5 g

Ask us for lot test results against these limits before contracting for the EU market.

8 Storage

Store in a clean, cool, dry and well-ventilated warehouse, on pallets off the floor, away from direct sun, moisture and strong odours.

9 Packaging

New woven polypropylene or jute bags, or polyethylene-lined multi-wall paper bags, of 25 kg or 50 kg net, or as agreed between buyer and supplier.

Container load about 18–22 MT per 20 ft container.



10 Labelling

Every bag is marked clearly with:

Product name Gum talha	Grade Talha clean	Producing company Asmagh Sudanese Exports	Lot number Traceable to intake lot
Net weight (kg) 25 or 50 kg	Season of production Crop year	Country of origin Sudan	Storage conditions Keep clean, cool and dry

11 Shelf life

Unlimited when kept under the storage conditions in section 8, as set by the Sudanese standard. Each lot is identified by its crop year.

12 Sampling and testing

Sampling follows Sudanese Standard SDS 145. Tests follow the Sudanese standard methods and the JECFA methods.

Each shipment carries an analysis and quality certificate issued by the Sudanese Standards & Metrology Organization (SSMO). Buyers may appoint an international inspection company to sample at loading.

From tree to port

من الشجرة إلى الميناء

Every lot is sampled at intake, cleaned and sorted, graded by size and colour, and tested before it is packed. Storage and loading are checked too, because quality can be lost after processing.

1 Our quality process

1



Sourcing

Bought from trusted producers and traders in the gum belt; every incoming lot is checked.

2



Cleaning and sorting

Bark, sand and impurities removed by hand and machine; lots sorted by colour and size.

3



Grading

Graded into hand-picked, cleaned, siftings and dust, or to the agreed specification.

4



Testing

Samples tested for moisture, impurities and the parameters in the buyer's specification.

5



Packing

Packed in new, clean bags marked with product, grade, lot and weight.

6



Storage

Kept dry and ventilated, off the floor and away from contamination until loading.

7



Loading

Containers inspected before stuffing; loading is supervised.

8



Shipping

Shipped from Port Sudan with the full set of export documents.



2 Origin and shipping

Gum arabic comes from the Sahel gum belt, which reaches its richest stands in Sudan. Both gums travel from the belt to Port Sudan on the Red Sea for export.

- **Hashab** (*Acacia senegal*), the premium gum of Kordofan
- **Talha** (*Acacia seyal*), harvested across the central and eastern belt

HS code	1301.20 (gum arabic)
Port of loading	Port Sudan (SDPZU), Red Sea
Container load	About 18–22 MT per 20 ft container
Ready to load	Usually 10–15 days after contract
Transit	About 2–8 weeks, by destination
Delivery terms	FOB Port Sudan, CFR or CIF
Payment terms	Irrevocable L/C at sight, TT advance, or D/P
Samples	Free; courier paid by the buyer

3 Export documents

Certificates travel with each shipment and are exchanged through the banks or directly with the buyer, so the goods clear customs at destination.

Product certificates

- 

Certificate of origin
Sudan Chamber of Commerce; general or preferential forms.
- 

Phytosanitary certificate
Official inspection against the importing country's pest list.
- 

Analysis and quality certificate
Issued by the Sudanese Standards & Metrology Organization (SSMO).
- 

Fumigation certificate
Treatment, chemical, dose and temperature used.
- 

Inspection certificate
Optional; by an international inspection company chosen by the buyer.

Shipping documents

- 

Export contract
Attested by the Ministry of Trade and the Chamber of Commerce.
- 

Commercial invoice
Goods, quantity, value and terms.
- 

Packing list
Every bag in each container, with counts and weights.
- 

Bill of lading
Issued by the shipping line on loading.

4 Standards and references

1. FAO/WHO JECFA. Gum arabic (INS 414). Compendium of Food Additive Specifications, FAO Food and Nutrition Paper 52, Add. 7 (1999).
2. Commission Regulation (EU) No 231/2012, specifications for E 414 gum arabic (acacia gum), as amended by Commission Regulation (EU) 2026/196, applying from 18 August 2026.
3. Sudanese Standards & Metrology Organization (SSMO). Sudanese standards for gum arabic grades, sampling (SDS 145) and test methods.
4. Anderson, D. M. W. (1986). Nitrogen conversion factors for the proteinaceous content of gums permitted as food additives. Food Additives and Contaminants, 3(3), 231–234.

