

Oct 25, 2019

Electroporation of Thalassiosira pseudonana

Joshua Bugge¹, Deborah Robertson¹

¹Clark University

In Development dx.doi.org/10.17504/protocols.io.yvqfw5w

Protist Research to Optimize Tools in Genetics (PROT-G) Robertson Lab







ARSTRACT

An electroporation-mediated genetic transformation or the marine diatom Thalassiosira pseudonana was developed. Using a sorbitolbased buffer, T. pseudonana cells were successfully transformed with the Tpfcp/nat plasmid at an efficiency of 2820 per 108 cells. This represents a six-fold improvement compared with previously published methods.

THIS PROTOCOL ACCOMPANIES THE FOLLOWING PUBLICATION

Bugge, J. 2015. Electroporation-mediated Transformation and post-transcriptional gene regulation of nitrate reductase in the marine diatom Thalassiosira pseudonana. M.S., Clark University, 89 pp.

MATERIALS

CATALOG # **VENDOR** NAME f/2 medium MKF250L **NCMA**

MATERIALS TEXT

375 mM sorbitol (sterile filtered) 2 mM electroporation cuvettes (chilled on ice) 50 mL conical centrifugation tubes 1.5 mL centrifuge tubes Selection agent **NEPC** plates

Grow cultures of T. psuedonana on f/2 supplemented sterile seawater to a density of approximately 1.1 x 10^6 cells mL⁻¹

Cell collection option 1

- All procedures are carried out at 4 C and cells were kept on ice. Collect cells from 500 mL of culture (see step 1) by centrifugation for 10 m in at 3000 x g in 10 x 50 mL conical centrifuge tubes. Discard supernatant and resuspend pellet in 1 mL of 375 mM sorbitol (filter sterilized)
- Combine resuspended cells into one 50 mL conical centrifuge tube and centrifuge at 3000 x g for 10 min. Discard supernatant and resuspend pellet in 800 uL of 375 mM sorbitol (filter sterilized). Transfer to 1.5 mL tube and store on ice.

Cell collection option 2

- 4 All procedures are carried out at 4 C and cells were kept on ice.

 Concentrate cells by vacuum filtration to approximately 300 mL. Collect cells by centrifugation in 50 mL conical centrifugation tubes at 3000 x g for 10 min. Discard supernatnat and resuspend pellet in in 2 mL of 375 mM sorbitol (filter sterilized).
- 5 Combine cells into new tube and centrifuge at 3000 x g for 10 min. Discard supernatant and resuspend in 1 mM of 375 mM sorbitol.

Electroporation

- 6 On ice, add linearized plasmid (in 250 mM sorbitol) to a final concentration of 0.15 μg mL⁻¹ to the concentrated cells from above.
- 7 Transfer 100 μL of cells + plasmid to a pre-chilled 2 mm gap electroporation cuvette.
- 8 Wipe cuvette dry with kimwipe and place into Biorad Gene Pulser electroporator set to 25 μF and 400 ohm resistance. In our hands, the highest transformation efficiencies were obtained using a field strength o 2.50 kv/cm.
- Transfer electroporated cells to 10 mL of sterile, f/2 supplemented artiicial seawater and incubate overnight at 17 C under constant light (170 μ E m⁻² s⁻¹).
- The following day, plate ca. 5×10^8 cells on selective NEPC agar plates (in our experiment we used $100 \, \mu g \, mL^{-1}$ NAT). Controls should include no-plasmid and no electroporation treatments.
- 11 Grow plates under constant light (170 μE m⁻² s⁻¹). Colonies appear approximately 10 days after plating.
- Transfer colonies to 300 μ L of f/2 supplemented artificial seawater in 96 well plates. Optical denisty (600 or 680 nm) can be used as a proxy for growth using a plate reader.

This is an open access protocol distributed under the terms of the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited