

Fixation Solution - FAAG

Sonia M. Hall

Abstract

(store at 4 degrees Celsius)

80% Ethanol

4% Formaldehyde

5% Acetic Acid

1% Glutaraldehyde

Measured Instructions

Total volume 250 ml FAAG:

200 ml 100% Ethanol

27.5 ml 37% Formaldehyde

12.5 ml Glacial Acetic Acid

10 ml 25% Glutaraldehyde (EM Grade)

Citation: Sonia M. Hall Fixation Solution - FAAG. **protocols.io**

dx.doi.org/10.17504/protocols.io.dbc2iv

Published: 25 Jul 2015

Protocol