



Technical Data Sheet

Material/Trade Name : *Pioneerpro Elastoseal*

Material Type : Elastomeric Rubber Sealant

Company : Republic Chemical Industries, Inc.

Address : 731 Aurora Boulevard, Quezon City, 1112 Philippines

Telephone/Fax : +63 2 721 5781 to 86/+63 2 727 5095

Website : www.repchem.com

Test Item	Specifications	Test Method
Color	Gray	RCI 02-075
Consistency	Thixotropic	RCI 02-075
Slump Test	Nil	ASTM C639
Specific Gravity	1.28-1.33	ASTM D1475
Solid Content - % weight	81-84%	ASTM D1259
Tack Free Time	6 - 14 minutes	ASTM C679
Cure Thru Time	8 - 13 days	RCI 02-091
Hardness Shore A	48 minimum	ASTM C661
Adhesive Strength Galvanized Iron	100 - 220 psi	RCI 02-093
Flexibility % Elongation	6 - 16%	RCI 02-094